





T50N
R 04W
SEC 30
SWSE 1/4

AUGUST 1994

08 1994



MICROFILMED
NOV 08 1994

95-08826



← Point of
Diversion



← PLACE
OF
USE

RECEIVED
NOV 08 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08826

Priority: August 30, 1993

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.3 AF

This is to certify, that DAN WOOD
PO BOX 2197

COEUR D ALENE ID 83816-2197 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 30, 1993; and has submitted Proof of Beneficial Use on February 4, 1994. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
FIRE PROTECTION	01/01 to 12/31	0.04 CFS	
Totals		0.04 CFS	1.3 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 30, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: STOCKWATER

TWN RGE SEC

50N 04W 30

SWSE

PLACE OF USE:

DOMESTIC, same as STOCKWATER use

PLACE OF USE:

FIRE PROTECTION, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.
6. Stockwater use is for 10 horses.


NOV 08 1994


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08826

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14TH
day of OCTOBER, 1994.


Acting for R. Keith Higginson, Director



NOV 6 1994

RECEIVED

SEP 19 1994

APPROVED

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08826

Date of Priority: August 30, 1993

Maximum Diversion Rate: 0.04 CFS

Maximum Diversion Volume: 1.3 AF

Comes now

DAN WOOD

PO BOX 2197

COEUR D'ALENE ID 83816-2197

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 95-08826, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
FIRE PROTECTION	01/01 to 12/31	0.04 CFS	
	Totals	0.04 CFS	1.3 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 30, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: STOCKWATER

TWN RGE SEC

50N 04W 30

SWSE

PLACE OF USE:

DOMESTIC, same as STOCKWATER use


PLACE OF USE:

FIRE PROTECTION, same as STOCKWATER use

NOV 08 1994

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at COEUR D'ALENE, IDAHO, this 13TH day of SEPTEMBER, 19 94.


(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08826

FOR DEPARTMENT USE ONLY

Preliminary check by BC Fee = 50⁰⁰ Received by RT # C031312 Date 9-19-94 ✓

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 95-08826 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.
6. Stockwater use is for 10 horses.

Witness my hand this 14TH day of OCTOBER, 1994.

Acting for R. Keith Higginson Director

NOV 08 1994

RECEIVED

FEB 04 1994

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NOV

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08826 Telephone No. 208-667-8576

2. Name(s) of Permit Holder(s): DAN WOOD

3. Post Office Address: P.O. Box 2197, COEUR D'ALENE, ID. 83816-2197

4. Source of Water: GROUND WATER

a. If ground water, well driller's name: H2O WELL SERVICE INC. Date drilled: 6-12-92

b. Pump horsepower: 1 1/2 Pressure (psi): 60 psi Dynamic pumping level (ft.): 180

5. Extent of Use:

Domestic 1 (No. of households)

Irrigation _____ (No. of acres)

Stockwater 10 Horses (No. and type of stock)

Other FIRE PROTECTION

6. Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☒ No ☐

OR
Flow Measurement Port: Required? Yes ☒ No ☐ Installed? Yes ☒ No ☐

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

DAN WOOD
Name

667-8576
Telephone No.

P.O. Box 2197, COA, ID. 83816-2197
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2-1-94
Date

[Signature]
Signature (and title if on behalf of a company or organization)

RECORDED

APR 21 1994

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08826

Proposed Priority: August 30, 1993

Maximum Diversion Rate:

0.04 CFS

This is to certify, that DAN WOOD

PO BOX 2197

COEUR D ALENE ID 838162197

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.04 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
FIRE PROTECTION	05/01 to 10/31	0.04 CFS
	Totals	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 30, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: STOCKWATER

TWN RGE SEC

50N 04W 30

SESE

PLACE OF USE: DOMESTIC, same as STOCKWATER use


PLACE OF USE: FIRE PROTECTION, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1994.
2. Subject to all prior water rights.
3. Domestic use is for 1 home.
4. Stockwater use is for 10 horses.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

18th day of October, 1993


R. Keith Higginson, Director

OCT 28 1993



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8826

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant Mr. Dan Wood Phone 667-8576
Post office address PO Box 2197 Coeur d'Alene, Id 83816
2. Source of water supply Groundwater Well which is a tributary of N/A
3. Location of point of diversion is _____ 1/4 of SE 1/4 of SE 1/4, Govt. Lot _____
Sec. 30 Township 50N Range 14W B.M. yes County; additional Kootenai
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for Domestic D purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for Fire F purposes from May 1 to Oct 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for Stockwater S purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for Water Power purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Domestic Water Well,
underground plumbing
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 6 inches; proposed depth of well is 363 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? yes
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

OCT 18 1993

Abstract

Remarks: W0 Pmt #

N/A

b. Who owns the land to be irrigated or place of use?

Don Wood

Wave

2195A

DS
AF

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

below.

N/A

Asthma I

Home


city.

0 Files

in KV.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

OCT 28 1993

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

001 88 1988

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by WBF Date 8-30-93 Time 11:00 AM Preliminary check by _____

Fee \$ 30.00 Received by WBF # W006902 Date 8-30-93

Publication prepared by _____ Date 9/8/93 Published in _____ Date 9/16-23/93

Publication approved _____ Date 9/30/93

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 17, 1994

DAN WOOD
PO BOX 2197
COEUR D ALENE ID 838162197

RE: WATER RIGHT NO. 95-08826

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

RECEIVED
OCT 21 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 2, 1994

DAN WOOD
PO BOX 2197
COEUR D ALENE ID 838162197

RE: WATER RIGHT NO. 95-08826

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur or have any questions with this information, please contact me as soon as possible. My telephone number is (208) 327-7947.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over a horizontal line.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

NOV 08 1994

DATE: 08/31/94
PAGE: 1

Stage: LICENSE

Audit: 08/31/94 BCHAPMAN

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-8826 DATE 8-31-94



NAME	Yes ☐	No ☒	Or Address Change?
PRIORITY DATE	☐	☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>N/A</u>
SOURCE	☐	☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☒	☐	Amendment needed? <u>Change to SWSE 1/4 1/4</u> Overlaps? ☒
PLACE OF USE	☒	☐	Amendment needed? <u>Change to SWSE 1/4 1/4</u> Overlaps? ☒
DIV RATE	☒	☐	Measurement Q = <u>None</u> Theoretical Q = ☐ <u>10 horses @ .01</u> <u>Fire @ .04</u> <u>Dom @ .04</u> Capacity: <u>.04</u> Combined rates exceed capacity ☐ Permit/fee limits: <u>.04</u> Allowable: <u>.04</u>
ANNUAL VOLUME	☒	☐	Season of use: <u>Don't limit Fire protection</u> Calculations: <u>DOM @ 1.2</u> <u>STOCK @ .1</u> <u>FIRE PROTECTION - NONE</u> Flow limit: ☐ cfs x ☐ x 1.9835 = ☐ Combined volumes exceed capacity/allowable ☐
USES	☐	☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
REMARKS	☐	☒	Multiple p/d(s) in 1/4 1/4? ☐ Other ☒
CONDITIONS	☐	☒	Measuring/Locking Devices ☐ Watermaster control - District ☐ Irrigation Overlap ☒ Water Quality ☒ Other ☒

COMMENTS: County Assessor Verified the legal as SWSE 1/4 1/4 and
South of road (Exam + map CONFLICT)
Amend p/d and plu

RECOMMENDED	CFS	VOLUME	LICENSE
<u>Stockwater</u>	<u>.01</u>	<u>.1</u>	ADJUSTMENT MEMO NEEDED <u>YES</u>
<u>Domestic</u>	<u>.04</u>	<u>1.2</u>	1ST AMENDMENT LETTER <u>P37+P38</u>
<u>Fire Protection</u>	<u>.04</u>	<u>—</u>	FINAL AMENDMENT LETTER <u>P47</u>
TOTALS	<u>.04</u>	<u>1.3</u>	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 29 1994

A. GENERAL INFORMATION

Permit No. (95) 13-08826 Department of Water Resources

1. Owner: DAN Wood Phone No. (206) 667-8575

Current Address: P.O. Box 2197 COEUR D'ALENE

2. Accompanied by: _____ EXAM DATE: 7/6/94

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	30	50N	04W	KOOTENAI	USGS 7.5 MIN QUAD

2. Place(s) of Use:

Indicate Method of Determination

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	04W	30															D.S.F.		

NOV 08 1994

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No. *	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1/2		Submersible	

4.

Scale: 1" = 100'
 Copy of USGS Quadrangle Attached Showing location(s) of _____
 point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached _____
 (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached _____



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

WELL supplies WATER for HOME AND
STOCK and FIRE PROTECTION

Have conditions of permit approval been met? ☒ yes ☐ no

NOV 08 1994

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

$$\text{Stock} = 10 \text{ Horses} (12 \times 365 / 325,850) = .13$$

$$\text{Fire Protection} = .04 \times 1.98 \times 185 =$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

From	To	Period of Use	Rate of Diversion Q (cfs)	Annual Volume V (afa)
01-01	12-31		.04	*.13
01-01	12-31		.04	1.2
05-01	10-31		.04	1.2
		Totals:	.04	1.33

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above

None
Other

I. AUTHENTICATION

Field Examiner's Name LED MSC Date 6-22-94

Reviewer

Date

* See attached memo for explanation. BE

NOV 08 1994

SEAL

MEMORANDUM

TO: File 95-08826 / Dan Wood
FROM: Brenda Chapman
DATE: August 30, 1994
RE: Adjustments Made

=====

* The final recommendations for the following portion(s) of the field exam were based on the information below.

C. DIVERSION AND DELIVERY SYSTEM

1. P/D and P/U: Exam map and description differ. Assessor's Office confirmed Mr. Wood's property in the SWSE $\frac{1}{4}$.

G. VOLUME CALCULATIONS

The standard policy is not to calculate volume for fire protection.

H. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use	Rate of Div	Annual Vol
Stockwater	1-01 to 12-31	.01	.1
Domestic	1-01 to 12-31	.04	1.2
Fire Protection	1-01 to 12-31	.04	None


The stockwater rate was adjusted to the current recommended rate.

There is no volume listed for fire protection.

RECEIVED
NOV 08 1994


RECEIVED
JUN 10 1934





95-08826

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

NOV 08 1994

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Dan Wood

Address Cougar Gulch Rd, Cda

Drilling Permit No. 95-52-N-79

Water Right Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Well diameter increase

☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal

☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary

☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness 230 inches 6 inches + 1 feet 39 feet

200 psi inches 4" PVC inches 6 feet 363 feet

_____ inches _____ inches _____ feet _____ feet

_____ inches _____ inches _____ feet _____ feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☒ Yes ☐ No SKILL SAW

How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation 1/4 inches by 6 inches

Number 180 perforations 303 feet 363 feet

_____ perforations _____ feet _____ feet

_____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____ Model No. _____

Type _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 39 Material used in seal: ☐ Cement grout

☒ Bentonite ☐ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld

☐ Cemented between strata

Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.

N

W

30

E

S

X

Subdivision Name _____

Lot No. _____ Block No. _____

County Kootenai

SE 1/4 SE 1/4 Sec. 30, T. 50

N 1/4 S 1/4 R. 4

E 1/4 W 1/4

7. WATER LEVEL

Static water level 180 feet below land surface.

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailor ☒ Air ☐ Other _____

Discharge G.P.M. 8

Pumping Level 360

Hours Pumped 1

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
<u>8</u>	<u>0</u>	<u>5</u>	<u>OVERBURDEN, SILT, CLAY</u>		☒
<u>8</u>	<u>5</u>	<u>39</u>	<u>GRANITE, BROWN, WHITE, DECOMP</u>		☒
<u>6</u>	<u>39</u>	<u>145</u>	<u>GRANITE, BROWN, WHITE, DECOMP</u>		☒
<u>145</u>	<u>363</u>		<u>GRANITE, BLACK, WHITE, MED. HARD</u>		☒

RECEIVED

JUN 22 1992

NORTHERN REGION

IDWR

10.

Work started 6/10/92 finished 6/12/92

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name H2O Well Serv Firm No. 448

Address Hayden Lk, ID Date 6-15-92

Signed by (Firm Official) Burt McCity

and

(Operator) Anthony Kaut

6880

2.9 m

left side

RECEIVED

JUN 22 1992

NORTHERN REGION
T D W R

NOV 08 1964



Point of
Diversion



Place
of
Use

NOV 08 1994

February 23, 1994

DAN WOOD
PO BOX 2197
COEUR D ALENE ID 838162197

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08826

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

APR 21 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 19, 1993

DAN WOOD
PO BOX 2197
COEUR D ALENE ID 838162197

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08826

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in ink, appearing to be 'Jim Johnson', written over a horizontal line.

for JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECEIVED

OCT 28 1993

95-08826

WOOD, DAN
PO BOX 2197
COEUR D ALENE, ID 83816

Source: GROUNDWATER

Diversion Pt: SESE Sec 30 T 50N R 04W in KOOTENAI County.

Use: STOCKWATER	(.040 CFS)
DOMESTIC	(.040 CFS)
FIRE PROTECTION	(.040 CFS)
Total Diversion:	(.040 CFS)

Date Filed: 8/30/1993

In: KOOTENAI County
T50N R04W S30 SESE

RECEIVED

OCT 28 1993

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

Kim Alexander

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

legal notice

of which the annexed is a printed copy, was published in the regular *THURS.* issue of said newspaper for *2* consecutive *WEEKS* commencing on the *16th* day of *September*, 19 *93*, and ending on the *23rd* day of *September*, 19 *93*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Kim Alexander

Subscribed and sworn to before me this *23rd* day of *September*, 19 *93*

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.
RECEIVED
SEP 24 1993
ROBERTA MANLEY
My commission expires *2-5-99*
NOTARY PUBLIC
IDWR

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08826

WOOD, DAN
PO BOX 2197
COEUR D'ALENE, ID 83816
Source: GROUNDWATER
Diversion Pt: SESE Sec 30 T 50N R04W in KOOTENAI County.

Use: STOCKWATER (.040 CFS)
DOMESTIC (.040 CFS)
FIRE PROTECTION (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 8/30/1993
In: KOOTENAI County
T50N R04W S30 SESE
95-08827

BUSING, DAVID L
BUIRING, MARTHA K
1571 TANGLEWOOD
POST FALLS, ID 83854
Source: SPRING Tributary: SINKS
Diversion Pt: NWNW Sec 14 T 50N R 05W in KOOTENAI County.

Use: STOCKWATER (.020 CFS)
WILDLIFE (.020 CFS)
DOMESTIC (.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 9/7/1993
In: KOOTENAI County
T50N R05W S11 SWSE
S14 NWNW

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before OCTOBER 4, 1993.

R. KEITH HIGGINSON, Director

Legal 946
Sept. 16, 23, 1993

WINDYBORN

OCT 28 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 ~~(208) 769-1450~~ Fax (208) 769-1454

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

September 9, 1993

Mr. Dan Wood
PO Box 2197
Coeur d'Alene, Id. 83816

Dear Mr. Wood:

Re: Water Appropriation Application No. 95-8826.

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB/pms

OCT 28 1993

PERMIT NUMBER	OWNER CODE	NAME & ADDRESS	TWP	RGE	SEC	TRACT	LOT	COUNTY
95-92-N-0079-000	0	DAN WOOD HC1 BOX 181 SPIRIT LAKE, ID 83869 (208) 623-3733	50N	04W	30	SE SE		KOOTENAI

Subdivision Location and Description:
 Subdivision Name:
 Well Site Address: COUGAR GULCH
 City, State: COEUR D ALENE, ID
 Lot(s):
 Block(s):
 Geographic Location:
 Accuracy Code:
 Lat: : : N
 Long: : : W

Proposed Use of Well: Domestic
 Proposed Casing Diameter: 6 In.
 Proposed Depth: 350 Ft.

Well Use Comments:

Driller License No: 0448
 Firm Name: H2O WELL SERVICE
 Official: JOHN H WHEELER

Permit Status: Permit
 Verbal Issue Date: 06/01/1992
 Date Received: 06/02/1992
 Date Approved: 06/02/1992
 Proposed Start Date: 05/27/1992
 Extension Date:
 Extension Expiration:
 Receipt No. N005510
 Receipt Date 06/01/1992
 Fee \$ 155.15

Specific Conditions:
 Permit Remarks:

----- WELL DRILLER'S LOG REPORT -----

Drilling Permit No: 95-92-N-0079-000
 Water Right No:
 Injection Permit No:

Nature of Work: NEW WELL
 Construction Method: ROTARY & AIR
 Number of Monitor Wells:
 Casing Diameter: 6 In.
 Static Water Level: 180 Ft.
 Depth of Casing: 39 Ft.
 Temperature:
 Total Depth: 363 Ft.
 Production Rate: 8.00 GPM
 Log Received Date: 06/22/1992
 Screen Installed?
 Certification Date: 06/25/1992
 Field Inspection Date: 06/25/1992
 Inspector: TM

Well Log Remarks: .250 6" FROM +1 TO 39', 200 PSI 4" PVC FROM 6 TO 363'. NO SCREEN
 INSTALLED.

000 30 1993