



☐ Bonner.shp
☐ Quad Index Quadcov.shp
☒ T57n02w.shp



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



4.

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	1.5	2823008110	Scb	1"


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date



96-09136



PD



PV



PV



PV



Pu Pasture

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

AUG - 6 2003

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 96-9136 Telephone No. (208) 255-1491

2. Name of Permit Holder(s): ALEX WOHLHAIS

3. Mailing Address: 199 KOOTENAI Bay RD

City SANDPOINT State ID Zip 83864

4. Source of Water: LAKE PEND OREILLE If GROUNDWATER (well), Date Drilled: mo. - / yr. -

Well Driller: - Drilling Permit Number: -

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): - Stockwater (No. and type of stock): -

Irrigation (No. of acres): 4.5 Other: -

6. Total rate of diversion and/or volume for which proof is submitted: .13 cfs OR - acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes - or No -

Has the measuring device been installed? Yes - or No -

8. Fee Enclosed: \$ 50.00 ^{OK 1315} (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Alex Wohllais Telephone Number: (208) 255-1491

Address: 199 KOOTENAI Bay RD SANDPOINT ID

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 8/03/03
(include your title, if on behalf of company or organization)

MICROFILMED
DEC 9 3 2003

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 96-09136

Priority: June 03, 2003

Maximum Diversion Rate: 0.13 CFS

This is to certify, that ALEX WOHLAIB
199 KOOTENAI BAY RD
SANDPOINT ID 83864

has applied for a permit to appropriate water from:

Source: PEND OREILLE LAKE

Tributary: PEND OREILLE RIVER

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

IRRIGATION

PERIOD OF USE

03/15 to 11/15

RATE OF DIVERSION

0.13 CFS

LOCATION OF POINT OF DIVERSION:

PEND OREILLE LAKE L1 (NE $\frac{1}{4}$ NE $\frac{1}{4}$) Sec. 12, Twp 57N, Rge 02W, B.M., BONNER County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N 02W 12	1.0	3.5															4.5
	L1																

Total Acres: 4.5

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **August 01, 2004**.
2. Subject to all prior water rights.
3. This right does not grant any right-of-way or easement across the land of another.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 30th day of July, 2003.


for **KARL J DREHER, Director**

MICROFILMED
DEC 03 2003

70621
STATE OF IDAHO

Ident. No. 96-9136

DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED

JUL 25 2003

To appropriate the public waters of the State of Idaho

1. Name of Applicant ALEX WOHLHAES Department of Water Resources
Mailing address 199 KUTENAI BAY RD SANDPOINT ID 83864
2. Source of water supply LAKE PEND OREILLE which is a tributary of PEND OREILLE RIVER
3. Location of point of diversion is Township 57N Range 02W Sec. 12, in the NE $\frac{1}{4}$, NE $\frac{1}{4}$, Govt. Lot 1, B.M., BONNER County;

additional points of diversion if any:

4. Water will be used for the following purposes:

Amount .13 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .13 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

- a. Describe type and size of devices used to divert water from the source PUMP IN LAKE - PIPELINE TO IRRIGATION SYSTEM
- b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
- c. Proposed well diameter is N/A inches; proposed depth of well is _____ feet
- d. Is ground water with a temperature of greater than 85°F being sought? NO
- e. If well is already drilled, when? N/A; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

MICROFILMED

DEC 03 2003

1 (07.10.15)

[illegible]

Total number of acres to be irrigated 4 1/2

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion?

b. Who owns the land to be irrigated or place of use?

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this

Filing:

12. Remarks:

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Signature of Applicant (and title, if applicable)

Received by

Publication prepared by

Received by _____

Date: _____

Date: _____

Published in

Preliminary check by

Date _____


3

18

1000

1002 2 8 036
MICHOIL

Bonner.shp
Quad IndexQuadcov.shp
T57n02w.shp



DEC 0 3 2003

RECEIVED

DEC 13 2894

**DEPARTMENT OF
WATER RESOURCES**

A. GENERAL INFORMATION

Permit No. 96-09136

1. Owner: Alex Wohllait Phone No. 208/255-1491

Current Address: 199 Kootenai Bay Rd. Sandpoint Id. 83869

2. Accompanied by: Alex Wobmail EXAM DATE: 5-14-04

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Pond Creek Lake tributary to Pond Creek River

B. OVERLAP REVIEW

1. Other water rights with the same place of use:

2. Other water rights with the same point of diversion:

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:


[illegible]

2. Place(s) of Use:

Indicate Method of Determination

[illegible]

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" = _____
 Copy of USGS Quadrangle Attached Showing location(s) of _____
 point(s) of diversion and place(s) of use (required).
 Serial Photo Attached _____
 (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached _____

4.

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	1.5	2823008110	Sub	1"


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



96-09136

OREILLE

Place dune
PD

LAKE PEND OREILLE
+ Mile 121
NORMAL POOL
+ Mile 120

Sandpoint
(BM 2085)

Contest Point
Light
MCT

96-09136



PD




PV



PV



PV



Pu Pasture

E. NARRATIVE/REMARKS/COMMENTS

Mr. Wohllaib was unable to give me many specifics about the system. It is all buried with pop up heads. He said this was all done before he purchased home. The only thing he could tell me was there are 15 zones approx 10 heads on each zone. I watched main operate system. Pump can only handle 1 zone at a time and operated at 35 psi.

There is really no way to get accurate measurements. So seeing how the pump is the limiting factor of system I used a theoretical calculation for rate. I showed this calculation to Mr. Wohllaib and he said that is what he was told by former owner.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

$$8.5(1.5)(1.7) = 20.7 \text{ cfs}$$

$$4.5 + (2.31 \times 3.5) = 12.585$$

$$12.585 \times 0.7 = 8.81$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4.2 \times 3 = 12.6$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.7 \times 245 \times 1.9835 = 34$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 12.6$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Wagner

Period of Use
From To

03-15 11-15

Rate of Diversion
Q (cfs)

0.7

Annual Volume
V (ata)

12.6

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION

Field Examiner's Name

Date

5-27-04

Reviewer

SEAL



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

August 18, 2003

ALEX WOHLAIB
199 KOOTENAI BAY RD
SANDPOINT ID 83864

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-9136

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to contact you to schedule a field examination to determine and confirm the use being made of the water, and that it meets the permitted beneficial use.

Be advised that Section 42-248, Idaho Code, requires you or the owner of these water rights to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions, please contact the **Northern** Regional Office of the department in Coeur d'Alene (208) 769-1450.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Encl.

c: IDWR - Regional Office (w/encl.)

MICROFILMED
DEC 03 2003

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 96-9136

Reviewed By: dgibson

Date: August 15, 2003

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?		X
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		N015678, C070318	Well driller's report filed?		
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received	08/06/2003
Date proof due	- 08/01/2004
Lapse notice sent	-
No. of days late	= 0
Holiday allowance	+
Priority date	+ 06/03/2003
New priority date	= 06/03/2003

Deficiencies of Actions Items

Acknowledge proof.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

July 30, 2003

ALEX WOHLAIB
199 KOOTENAI BAY RD
SANDPOINT ID 83864

RE: Permit No. 96-9136

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a form entitled 'Instructions for Proof of Beneficial Use.' Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled 'Proof of Beneficial Use.' If your project is already completed, you should complete and submit this form immediately.


Please note that a separate stream channel alteration permit must be obtained from the Department prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed a least sixty days prior to the commencement of work in the stream.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

MICROFILMED
REC 8 3 2003

If you have any questions, please contact me at 208-327-7946.

Sincerely,

A handwritten signature in black ink, appearing to read "Shelley W. Keen". The signature is fluid and cursive, with the first name being the most prominent.

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED
DEC 03 2003


CERTIFICATE OF SERVICE

I hereby certify that on July 30, 2003 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO.

96-9136

ALEX WOHLAIB
199 KOOTENAI BAY RD
SANDPOINT ID 83864

A handwritten signature in black ink, appearing to read "Kari Lynn Townsend", is written over a horizontal line.

Kari Lynn Townsend
Secretary

MICROFILMED
AUG 13 2003

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt; or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED
DEC 03 2003

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
DEC 8 3 2003

**IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET**

W.R. # 96-9136

APPLICATION ID # 70621
INITIAL REVIEW

ENT. 6/9/03 BCA 6/13 OK to Publish 6/9

APPLICANT: WOHLAIB BY: AS DATE: 6/3/03

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other water Rights
11. ☒ Ownership
12. ☒ Map
☒ Signature
☒ Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION
(Yes)(No)

☐ Shape File Created Date 6/3 By: AS
☐ Field check: by _____
☐ Field report attached
☐ Analysis Supp. attached(>5cfs/500af)
☐ Water delivered by water master? Water District # _____

RECEIVED

JUL 25 2003

Department of Water Resources

PROCESSING

(Yes)(No)

PRIORITY DATE: 6/3/03

(Include Moratorium Remark)

Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BONNER County

LETTERS SENT REQUESTING:

() Dam Information () Fish Information
 () Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information
 () Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	Tag #	Type:	Fees	Receipt No.	Upgrade Needed?
_____	_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y() N()
_____	_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y() N()
_____	_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y() N()

- ☐ Groundwater management area
☐ Critical ground water area
☐ Well Drilling Permit required
☐ Well Drilling Application and Fees received
☐ Well Drilling Application approved?

Remarks: Encroachment permit required from IDL.

FINAL REGIONAL PROCESSING/REVIEW

(Yes)(No)
☐ Notice of pending void order issued. Final order response date: _____/_____/_____
☐ Further information required from applicant
6/21 ☐ Affidavit of publication received
6/21 ☐ Application published correctly. If not, record action taken: _____
6/12 ☐ Publication dates and paper recorded on application
☐ Protests received, Final protest date: 7/7/03
☐ Measuring device required
☐ Measuring port required
☐ Special conditions: _____
☐ Special conditions of approval supplement and/or cover letter attached: _____

Approval Recommended by: _____ Date: _____/_____/_____

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner, Sherilyn Jones

being first duly sworn on oath

deposes and says that he/she is Bookkeeper

of the Bonner County Daily Bee, a newspaper printed and

published at Sandpoint, Bonner County, Idaho; that the

said newspaper has been continuously and uninterruptedly

published in said Bonner County during a period of 12

months prior to the first publication of the hereto attached

notice of publication in the case of:

Notice of App.

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,

commencing on 19 day of Jun, 2003

and ending on the 20 day of Jun, 2003

and that said notice was published in said newspaper.

On this 20 day of Jun in the year

of 2003, before me, a Notary Public, personally


appeared Sherilyn Jones,

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me

first duly sworn, declared that the statements therein are

true, and acknowledged to me that he executed the same.



RECEIVED

JUN 27 2003

IDWR/North

The following application(s) have been filed to appropriate the public waters of the State of Idaho: 96-9136

ALEX WOHLAIB
199 KOOTENAI BAY RD
SANDPOINT ID 83864
Point(s) of Diversion L1 (NENE) S12 T57N R02W BONNER County
Source PEND OREILLE LAKE Tributary To PEND OREILLE RIVER
Use: IRRIGATION 03/15 To 11/15 0.13 CFS
Total Diversion: 0.13 CFS

Date Filed: 06/03/2003
Place Of Use: IRRIGATION
T57N R02W S12 NENE Lot 1 NWNE
Number of Acres 4.5

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 1910 Northwest Blvd, Suite 210, Coeur D'Alene ID 83814 together with a protest fee of \$25.00 for each application on or before 07/07/2003. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director
Legal SNP #4400
June 19, 26, 2003

MICROFILMED

DEC 9 3 2003

4400

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-9136

ALEX WOHLAIB
199 KOOTENAI BAY RD
SANDPOINT ID 83864

Point(s) of Diversion L1 (NENE) S12 T57N R02W BONNER County
Source PEND OREILLE LAKE Tributary To PEND OREILLE RIVER
Use: IRRIGATION 03/15 To 11/15 0.13 CFS
Total Diversion: 0.13 CFS

Date Filed: 06/03/2003
Place Of Use: IRRIGATION
T57N R02W S12 NENE Lot 1 NWNE
Number of Acres 4.5

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 1910 Northwest Blvd, Suite 210, Coeur D' Alene ID 83814 together with a protest fee of \$25.00 for each application on or before 07/07/2003. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director Published in Bonner County Daily Bee on June 19 and 26, 2003.

MICHAEL J. JAMES

DEC 9 8 2003



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

Fax (208) 769-1454

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

June 12, 2003

SHERI JONES
LEGAL NOTICE DEPARTMENT
BONNER COUNTY DAILY BEE
PO BOX 159
SANDPOINT ID 83864

E-mailed to Sheri Jones 6/12/03

PLEASE FAX PROOF PRIOR TO PUBLICATION

RE: Application for Permit No. **96-9136**

Dear Sheri:

:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates

Indicated, June 19 and 26, 2003, (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please

send the affidavit and bill to this office before 07/07/2003. Your cooperation is GREATLY appreciated, as always.

Sincerely

Dianne

Dianne Ball
Administrative Assistant

Ball, Dianne

From: Ball, Dianne
Sent: Thursday, June 12, 2003 3:40 PM
To: Legal Notices-Bonner Co Daily Bee (E-mail)
Subject: Legal notice for publication June 19 and 26, 2003

Greetings, Sheri, and a happy day to you.

Attached you will find a copy of our cover letter to you requesting publication of the attached legal notice on June 19 and 26, 2003. Second attachment is the Legal Notice, itself.

PLEASE FAX PROOF OF PREPARED LEGAL PRIOR TO PUBLICATION!

Thank you very much,



May your day be filled with great beauty.

Dianne

Dianne Ball, Administrative Assistant
Idaho Department of Water Resources
1910 Northwest Blvd., Suite 210
Coeur d'Alene, ID 83814

Phone 208-769-1450 FAX 208-769-1454

MICROFILMED

JUN 13 2003

6/12/2003



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

Fax (208) 769-1454

June 12, 2003

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

ALEX WOHLAIB
199 KOOTENAI BAY RD
SANDPOINT ID 83864

RE: Application for Permit No 96-9136

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application. Please refer to the above referenced number in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the Bonner County Daily Bee on June 19 and 26, 2003. Submittal of protests to this application will be allowed for a period ending ten days after the second publication.

If the application is protested you will be sent a copy of the protest(s). All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in Boise for final processing. The State Office will notify you of any action taken on the application and will send you a copy of the permit if approved. A typical processing time for an unprotested application is about eight to twelve weeks.

Please feel free to contact this office if you have any questions.

Sincerely,

A handwritten signature in cursive script that reads 'Allen Beardslee'.

Allen Beardslee
Senior Water Resource Agent

MICHAEL L. LEE

DEC 12 2003



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 Fax (208) 769-1454

June 09, 2003

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

RAY HENNEKEY
STATE OF IDAHO
DEPT OF FISH & GAME
2750 KATHLEEN AVE
COEUR D ALENE, ID 83814

FAXED TO RAY 6/9/03

5 pages total

Application to Permit No. 96-9136 - WOHLAIB

Dear Ray:

Enclosed is a copy of the above referenced application. Please review the application, complete the enclosed recommendation form, and submit it to this office within two weeks of date you receive this request. If you prefer to respond by e-mail, you may do so. My e-mail address is dball@idwr.state.id.us.

Please feel free to contact this office if you have any questions regarding the application.

Sincerely,

Dianne Ball

Dianne Ball
Administrative Assistant

Enclosure(s)

MAILED

JUN 10 2003