






MICROFILMED
JAN 29 2003







0.5 0 0.5 1 Miles

MICROFILMED
JAN 29 2003

-  Quad IndexQuadcov.shp
-  GCDBT57N02W.shp
-  POD- ApplicationApplication POD
-  Application POU
-  Townships





5' 531 532 (SAGLE) 2680 II NE 533 32'30" 535 SAGLE 4.4 MI. COEUR D'ALENE 44 MI. INTERIOR

SCALE 1:24000

1000 0 1000 2000 3000 4000 5000 6000 7000 FEET

1 5 0 1 KILOMETER

CONTOUR INTERVAL 40 FEET
DOTTED LINES REPRESENT 20-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS LAKE ELEVATION 2048 FEET

MEYER

T.57N., R. 2W.

IDAHO

Primary highway, a hard surface

U.S.


LE

ORMAL

ORTH SHEET

JAN 29 2003


MICROFILMED



11

MICROFILMED
JAN 29 2003

PROPERTY



BM
2091
Sta

Library

City Hall

PO

Farmin Sch

Jr High Sch

Courthouse

MICHIGAN

Washington Sch


BOYER

EUCLID

Sewage Disposal

MICROFILMED
JAN 29 2003

96-09071



PLACE OF USE

POINT OF DIVERSION

MEYER

T. 57N., R. 2W.

Primary highway, hard surface

IDAHO

CONTOUR INTERVAL 40 FEET
DOTTED LINES REPRESENT 20-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS LAKE ELEVATION 2048 FEET

96-09071



PD



System
Pressure
Tank



PU



PU

96-9071

AFFIDAVIT OF PUBLICATION

RECEIVED

JUN 05 2001

IDWR/North

State of Idaho

ss.

County of Bonner,

Sherilyn Jones

being first duly sworn on oath

deposes and says that he/she is

Bookkeeper

of the Bonner County Daily Bee, a newspaper printed and

published at Sandpoint, Bonner County, Idaho; that the

said newspaper has been continuously and uninterruptedly

published in said Bonner County during a period of 12

months prior to the first publication of the hereto attached

notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,

commencing on 17 day of May, 2001

and ending on the 24 day of May, 2001

and that said notice was published in said newspaper.

On this 24 day of May in the year

of 2001, before me, a Notary Public, personally


appeared Sherilyn Jones,

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me

first duly sworn, declared that the statements therein are

true, and acknowledged to me that he executed the same.



Notary Public for Idaho

Residing at

Sandpoint

My Commission expires:

8/06

LEGAL NOTICE

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-9071

JULIE R MEYER
437 LAKEVIEW BLVD
SANDPOINT ID 83864

Point(s) of Diversion NWNE S22

T57N R02W BONNER County

Source PEND OREILLE RIVER

Point(s) of Diversion SWSW S27

T57N R02W BONNER County

Source PEND OREILLE RIVER

Use: IRRIGATION

03/15 To 11/15 0.03 CFS

Total Diversion: 0.03 CFS

Date Filed: 04/24/2001

Place Of Use: IRRIGATION

T57N R02W S27 SWSE

Number of Acres 1

96-9072

SPIRES WATER COMPANY

206 N 4TH AVE SUITE 177

SANDPOINT ID 83864

Point(s) of Diversion SESW S20

T58N R02W BONNER County

Source GROUND WATER

Use: MUNICIPAL

01/01 To 12/31 0.45 CFS

Total Diversion: 0.45 CFS

Date Filed: 04/05/2001

Remark: Municipal use is for

applicant's service area

97-7406

ROBERT D ORMSBY

808 S 299TH PLACE

FEDERAL WAY WA 98003

Point(s) of Diversion NWSE S9

T61N R04W BONNER County

Source PRIEST LAKE

Use: DOMESTIC

01/10 To 12/31 0.02 CFS

total Diversion: 0.02 CFS

Date Filed: 04/25/2001

Place Of Use: DOMESTIC T61N

R04W S9 NWSE

Remark: Domestic use is for 1

home.

Permits will be subject to all

prior water rights. protests may

be submitted based on the criteria

of Sec 42-203A, Idaho Code.

Any protest against the

approval of this application must

be filed with the Director, Dept. of

Water Resource, Northern

Region, 1910 Northwest Blvd,

Suite 210, Coeur d'Alene ID 83814

together with a protest fee of

\$25.00 for each application on or

before 06/04/2001. The protes-

tant must also send a copy of the

protest to the applicant.

KARL J DREHER, Director

Legal SNP#2579

May 17, 24, 2001

*Showered to
SWE
Ready to
Current POD
QQ*

MICROFILMED

JAN 29 2003

2579

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO.)
96-9071 IN THE NAME OF JULIE) **REINSTATEMENT ORDER**
R. MEYER)
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted to the Department on or before September 1, 2003; and

WHEREAS, the Department notified the permit holder on June 30, 2003 by certified mail that proof of beneficial use was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use or an extension of time request; and,


WHEREAS, the Department sent the permit holder a lapse notice on September 5, 2003, since it had not received an acceptable proof of beneficial use statement or extension of time; and,

WHEREAS, Section 42-218a, Idaho Code, provides that the Department may reinstate a permit upon a showing of reasonable cause by the permit holder within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting acceptable proof of beneficial use on September 10, 2003;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 96-9071 is **REINSTATED** with an advance in priority to **May 3, 2001**.

DATED this 7th day of November, 2003.



Gary Spackman

MICROFILMED
APR 8 6 2004

FOR OFFICE USE ONLY
Amt. of Fee \$ 50.00
Receipt No. 2070845
Receipt By: [Signature]
Date Received: 9-10-03

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

SEP 10 2003

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 96-9071 Telephone No. 208-263-6650

2. Name of Permit Holder(s): Julie R Meyer

3. Mailing Address: 437 Lakeview Blvd

City Sandpoint State Id Zip 83864

4. Source of Water: Pend d'Oreille River If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____

Well Driller: _____ Drilling Permit Number: _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: .030 cfs OR ~~0~~ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No 1

Has the measuring device been installed?

Yes _____ or No _____

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Julie Meyer Telephone Number: 208-263-6650

Address: 437 Lakeview Blvd Sandpoint Id 83864

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Julie R Meyer Date: 9/4/03

(include your title, if on behalf of company or organization)

MICROFILMED

APR 06 2004

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 96-09071

Priority: 04/24/2001

Maximum Diversion Rate: 0.03 CFS

This is to certify, that JULIE R MEYER
437 LAKEVIEW BLVD
SANDPOINT ID 83864

has applied for a permit to appropriate water from:

Source: PEND OREILLE RIVER Tributary: COLUMBIA RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.03 CFS

LOCATION OF POINT(S) OF DIVERSION:

PEND OREILLE RIVER	SW $\frac{1}{4}$ SE $\frac{1}{4}$	Sec. 22, Twp 57N, Rge 02W, B.M.	BONNER County
PEND OREILLE RIVER	NW $\frac{1}{4}$ NE $\frac{1}{4}$	Sec. 27, Twp 57N, Rge 02W, B.M.	BONNER County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals	
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
57N	02W	22																	1.0	1.0

Total Acres: 1

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before September 1, 2003.
2. Subject to all prior water rights.
3. Water shall not be diverted under this right when flows in the Pend Oreille River are below established minimum flow amounts.
4. A fish screen of 1/4 inch or smaller mesh shall be installed and maintained at the point of diversion.
5. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.
6. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
7. This right authorizes a single point of diversion.
8. Point of diversion and place of use are located within Lot 4 and west half of Lot 5, Blk. 8, Lake Park Addition.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 23 day of August, 2002.

MICROFILMED

JAN 29 2003

Karl J Dreher
for KARL J DREHER, Director

FORM 202
RECEIVED
APR 24 2001
IDWR/North

69103
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED
96-9071
MAY 16 2002
RECEIVED
JUN 22 2002

To appropriate the public waters of the State of Idaho

Department of Water Resources


1. Name of Applicant Julie R. Meyer Phone (208) 263-6650
Mailing address 437 Lakeview Blvd, Sandpoint, ID 83864
2. Source of water supply Pend Oreille River which is a tributary of Lake Pend Oreille COLUMBIA RIVER
3. Location of point of diversion is Township 57N Range 2W Sec. 22 in the SW $\frac{1}{4}$,
SE $\frac{1}{4}$, Govt. Lot 4 & W2 of Lot 5, B.M., Bonner County;
additional points of diversion if any: NE 1/4 T. 57N, R. 2W, SEC. 22 NW 1/4 NE 1/4
4. Water will be used for the following purposes:
Amount .03 cfs for irrigation of lawn & garden purposes from 5/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount N/A for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount N/A for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount N/A for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount N/A for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount N/A for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .03 cfs and/or (b) 2
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Describe type and size of devices used to divert water from the source The water will be pumped with a 3/4 hp jet pump located under a boat dock. *(single pld intended
b. Height of storage dam N/A feet; active reservoir capacity acre-feet; total on or
reservoir capacity acre-feet near 1/4
c. Proposed well diameter is N/A inches; proposed depth of well is feet lines
d. Is ground water with a temperature of greater than 85°F being sought? N/A
e. If well is already drilled, when? N/A; Drilling firm
Well was drilled for (well owner) N/A; Drilling Permit No.
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity in kW. N/A
b. Stockwatering; list number and kind of livestock. N/A
c. Municipal; show name of municipality. N/A
d. Domestic; show number of households. N/A
e. Other; describe fully. N/A

REMARKS - COUNTY PROPERTY LEGAL DESCRIPTION
"22/27-57N-2W LAKE PARK ADDN
BLK 8 LOT 4 & W2 OF LOT 5
TAX 149 SEC. 22/27"

Julie R Meyer
Signature of applicant


8/20/02
Date

MICROFILMED
JAN 29 2003



- Quad IndexQuadcov.shp
- GCDBT57N02W.shp
- POD- ApplicationApplication POD
- Application POU
- Townships

MICROFILMED
JAN 29 2003



FORM 202
RECEIVED
APR 24 2001
IDWR/North

69103
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

File No. 96-9011

RECEIVED

MAY 16 2002

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of Applicant Julie R. Meyer Phone (208) 263-6650
Mailing address 437 Lakeview Blvd, Sandpoint, ID 83864
2. Source of water supply Pend Oreille River which is a tributary of Lake Pend Oreille Columbia River
3. Location of point of diversion is Township 57N Range 2W Sec. 27 in the SW $\frac{1}{4}$,
SE $\frac{1}{4}$, Govt. Lot 4 & W2 of Lot 5, B.M., Bonner County;
additional points of diversion if any: TRACT 57N, R. 2W, SEC. 22 NW 1/4 NE 1/4
4. Water will be used for the following purposes:
- | Amount (cfs or acre-feet per annum) | for | purposes from | to | (both dates inclusive) |
|-------------------------------------|-------------------|---------------|--------------|------------------------|
| <u>.03 cfs</u> | <u>irrigation</u> | <u>3/15</u> | <u>11/15</u> | |
| Amount | for | purposes from | to | (both dates inclusive) |
| Amount | for | purposes from | to | (both dates inclusive) |
| Amount | for | purposes from | to | (both dates inclusive) |
| Amount | for | purposes from | to | (both dates inclusive) |
| Amount | for | purposes from | to | (both dates inclusive) |
| Amount | for | purposes from | to | (both dates inclusive) |
5. Total quantity to be appropriated is (a) .03 cfs and/or (b) 102
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source The water will be pumped with a 3/4 hp jet pump located under a boat dock.
- b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
- c. Proposed well diameter is N/A inches; proposed depth of well is _____ feet
- d. Is ground water with a temperature of greater than 85°F being sought? N/A
- e. If well is already drilled, when? N/A; Drilling firm _____;
Well was drilled for (well owner) N/A; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in kW. N/A
- b. Stockwatering; list number and kind of livestock. N/A
- c. Municipal; show name of municipality. N/A
- d. Domestic; show number of households. N/A
- e. Other; describe fully. N/A

REMARKS - COUNTY PROPERTY LEGAL DESCRIPTION
"22/27-57N-2W LAKE PARK ADDN
BLK 8 LOT 4 & W2 OF LOT 5
TAX 149 SEC. 22/27"

MICROFILMED

JAN 29 2003

3. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5N	2W	22						~~25~~					~~25~~				1.0	~~25~~	~~25~~
								17					17					17	

Total number of acres to be irrigated ~~25~~ 1.0

10. Describe any other water rights used for the same purposes as described above. N/A

11. a. Who owns the property at the point of diversion? Julie R. Meyer
b. Who owns the land to be irrigated or place of use? Julie R. Meyer
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

12. Remarks: This water appropriation request is for a domestic sprinkler system that would otherwise use city water drawn from the same source. The water will be pumped from the Pend Oreille River (just south of Lake Pend Oreille) via a pump located under the existing dock and distributed through a domestic sprinkler system.


13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Julie R Meyer
Signature of Applicant (and title, if applicable)


Received by JB Date 4/24/01 Time 1:15P Preliminary check by JB
Fee \$ 100.00 Receipted by JB Date 4/24/01 # N014300 Date 4/24/01
Publication prepared by JB Date 3/9/01 Published in Bonanza Daily Bee 5/17/01
Publication approved JB Date 7/5/01 9/4/01 6/21/01
11/15/01 10/24/01 8/16/01 11/18/01

MICROFILMED
JAN 23 2003




MICROFILMED

JAN 29 2003





- Quad IndexQuadcov.shp
- GCDBT57N02W.shp
- POD- ApplicationApplication POD
- ▨ Application POU
- Townships

LOT 4 & 1/2 LOT 5, BLOCK 8, LAKE PARK ADD'N. TO SANDPOINT




I hereby certify that this plat truly represents a survey of Lot 4 & one-half of Lot 5, Block 8, Lake Park Add'n. to Sandpoint, according to the official plat thereof recorded in Book 1 of Plats, Page 66, records of Bonner County, Idaho.


Survey completed April 10, 1967



VICINITY MAP
SCALE 1" = 200'



SCALE 1" = 50'
JAN 29 2003



SCALE 1:24,000
CONTOUR INTERVAL 40 FEET
DOTTED LINES REPRESENT 20-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS LAKE ELEVATION 2048 FEET

MEYER
T. 57N., R. 2W.
IDAHO
Primary highway, a hard surface
U.S.

OFFICE OF
BONNER COUNTY ASSESSOR

127 SOUTH FIRST
SANDPOINT, IDAHO 83864
(208) 265-1440
fax (208) 265-1451

FACSIMILE TRANSMISSION

DATE: 30-Apr-01 # OF PAGES: 4

TO: IDWR

FAX NO: 769-1454

FROM: Charlotte

REMARKS: Most of the property is located in the SWSE of
22-57N-02W & a small part is located in 27-57N-02W

Parcel RF 50448008004B

PARCEL MASTER INQUIRY

** NAME ROLL **

Name MEYER, JULIE ROWE
 Addr & MEYER, STEPHEN
437 LAKEVIEW BLVD
SANDPOINT ID 83864

HS	SF	HO	Cat	Year	Quantity	Unit	Value
			20	1997	1.500	LT	149,750
			41	1997			130,247

Legal 22/27-57N-2W LAKE PARK ADDN
BLK 8 LOT 4 & W2 OF LOT 5
TAX 149 SEC 22/27

Totals-> 1.500 279,997


EF 6/01/1994 Area 1-00 Location 5100
 EX _____ Owner Code _____ Type 7A
 Physically Inspected 1997

Comment DESCP CORR 1994
 Property 437 LAKEVIEW BLVD 83864

WND-> 5-LD 6-EX 9-DE 11-SF PARCEL> RP A
 SUB-> 15-RC 1 18-HS 23-LI
 F1-Toggle F2-Tax Due F3-End F4-Rural Land Char F24-More Keys

MICROFILMED

JAN 29 2003



ERIE

ST.

BOULEVARD

EUCLID


HURON

5th SE

MICROFILMED


2003

PROPERTY




MICROFILMED

18N 2 9 2003



[illegible]

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	.75	2801074915	Sub.	1"

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


2. Measurements: _____

96-09071



PLACE OF USE

POINT OF DIVERSION



MEYER

T.57N., R. 2W.

Primary highway, hard surface

IDAHO

96-09071



PD

System
Pressure
Tank

PJ

PJ

9, 2071

E. NARRATIVE/REMARKS/COMMENTS

System consist of a pump in river.
A 1" pvc line runs from pump to a pressure
tank. 5/8" hose & portable sprinklers are moved
around irrigated area. 6 portable rainbirds
at 2.5 gpm running at 45 psi. at system
maintaining 40 psi

Have conditions of permit approval been met? ☒ yes ☐ no

Additional Computation Sheets Attached

Measured Method:

6 rain birds at 2.5 gpm = 15 gpm = .03 cfs

$$\text{Theoretical } \frac{8.8(75)(7)}{30 + (2.31 \times 40)} = \frac{4.62}{122.4} = .0375$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.75 \times 3 = 2.25$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 213 \times 1.9835 = 12.6$$

$V = \text{Smaller of } V_{IR} \text{ and } V_{OR} = 2.25$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Irrigation	04-01	10-31	1.03	2.3
Totals:			1.03	2.3

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
 ___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

Field Examiner's Name

Wayne Baldwin Date 5-26-04

Reviewer

Date _____

SEAL



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

November 7, 2003

JULIE R MEYER
437 LAKEVIEW BLVD
SANDPOINT ID 83864

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 96-9071

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form and examination fee submitted for the above referenced permit. Enclosed is an order reinstating the permit advancing the priority since proof was submitted after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. The regional office staff will contact you when that examination is to be conducted. At the time the examination is conducted the system must be in operation, otherwise this permit will be of no force nor effect.

Be advised that Section 42-248, Idaho Code, requires you or the owner of these water rights to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **Northern** Regional Office of the department in Coeur d'Alene at (208) 769-1450.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Enclosure

c: IDWR - Region (w/encl.)

MICROFILMED

APR 06 2004

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 96-9071

Reviewed By: dgibson

Date: November 6, 2003

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?		X	Drilling permit required?		X
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		N014300, C070845	Well driller's report filed?		
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received		09/10/2003
Date proof due	-	09/01/2003
Lapse notice sent	-	09/05/2003
No. of days late	=	9
Holiday allowance	+	
Priority date	+	04/24/2001
New priority date	=	05/03/2001

Deficiencies of Actions Items

Reinstate and advance priority to 5/3/2001. Acknowledge proof.

September 5, 2003

JULIE R MEYER
437 LAKEVIEW BLVD
SANDPOINT, ID 83864

LAPSE NOTICE

RE: PERMIT NO. 96-9071

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in the proof due notice dated June 30, 2003. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

Sincerely,

L. Glen Saxton, Chief
Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 9/5/03
a ~~copy~~/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

MICROFILMED

APR 30 2004



June 30, 2003

JULIE R MEYER
437 LAKEVIEW BLVD
SANDPOINT, ID 83864

PROOF DUE NOTICE

RE: PERMIT NO. 96-9071

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 01, 2003. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

Sincerely,

Deborah J. Gibson, Administrative Assistant
Water Allocation Bureau

Enclosures



MICROFILMED

APR 06 2004



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

August 23, 2002

JULIE R MEYER
437 LAKEVIEW BLVD
SANDPOINT ID 83864

RE: Permit No. 96-9071

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a form entitled 'Instructions for Proof of Beneficial Use.' Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled 'Proof of Beneficial Use.' If your project is already completed, you should complete and submit this form immediately.

Please note that a separate stream channel alteration permit must be obtained from the Department prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed a least sixty days prior to the commencement of work in the stream.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

MICROFILMED

JAN 29 2003

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Sharla Curtis

for

Shelley W. Keen

Water Rights Supervisor

SWK:klit

Enclosure(s)


MICROFILMED
JAN 29 2003

CERTIFICATE OF SERVICE

I hereby certify that on August 23, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO. 96-9071

JULIE R MEYER
437 LAKEVIEW BLVD
SANDPOINT ID 83864



Kari Lynn Townsend
Secretary

MICROFILMED

JAN 29 2003

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED
JAN 29 2003

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

August 14, 2002

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

JULIE R MEYER
437 LAKEVIEW BLVD
SANDPOINT ID 83864

RE: Application for Permit No. 96-9071

Dear Ms. Meyer:

I am reviewing the above referenced application for permit approval. On the application, you have shown two points of diversion locations in Section 22 and Section 27. After reviewing all of the maps attached to the application, I find that the legal descriptions listed on the front page of the application are in error. The SWSE is in Section 22 and the NWNE is in Section 27. The application shows these descriptions switched.

I am enclosing an amended application (front page only) with the corrected information. I am also enclosing a map which you can use to verify this information. If you agree with the amended application, please sign and date where indicated. As soon as I receive the amended application, I will prepare the permit for approval.

If you have any questions, please give me a call.

Sincerely,

SHARLA CURTIS
Sr. Water Resource Agent

MICROFILMED

JAN 29 2003

RECEIVED

JUL 24 2002

Entered

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS

Department of Water Resources

Reviewed by Cindy Zimmerman on 9/24/02No. 96-9071 Name: Meyer Corp. Officers Ad ok ☒ Govt Lots ☒AREA OF CONCERN: No/14 Moratorium GWMA TRUST/NON-TRUST

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All wells - 046(P23)

Irr. w/in WD - P05

WMD - North/East/West

≤ 0.24 cfs/5 acres - No MD

> 0.24 cfs/5 acres - 067

WMD

Supp irr (irr = only use) - 065-104

Supp irr (+ other uses) - 100-105

≤ 0.24 cfs/5 acres - No MD

> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)

Mitigation - 121

42-248 Area - P84 (20s-70s, 81-86)

Swan Falls Flag -

Trust - 051(P74) (consumptive uses)

Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

✓USES:

STORAGE - 18A-01H(P01), 01P-18B(P09)-NA

✓IRR ~~5~~ ac - R66/R67/R68/R69 (0.03 cfs/ac) 3.0 AP

> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)

STOCK WATER - R37 (BLM/USFS)

MINING - 054-081(P10)

FISH PROP - 029(70'S only)-007-042-081(P10)

Bridge)

HEAT/COOL - R07(injection well)

FIRE PROT. - 077

✓SURFACE WATER: (✓Flow Chart)

F&G contacted

In/Above MSF

Yes No Response None 1/4" d, 5 1/2 sec

- WB9 968730

PLANNING REVIEW/RESPONSE

In-stream development - P52

WD - R04 (WD#)

≤ 0.20 cfs/others - 01H(P01), 01P or No MD

> 0.20 cfs - 01J(P08)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD

> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W22(P04), N/A

(02,03) - 007 (w/ remark WB9 if above Weiser)

Payette R (65) - 047(P04) (Payette Lake)

Salmon R (70's) - 029 (fish screens)

Weiser R (67) - 086-087

USES:

POWER

- 17H-17K (+uses)-08A-025(P18)-01N-081(P10)

MUNICIPAL

Restricted area - 022,075

Irr., GW supp to SW - 102

DOMESTIC

Surface water - WB5 (Big Wood or Boise above Star

27A (Payette R)

>1 in restricted area - 070-071-075(no parks/common areas, etc)

Irr use listed separate - WB5

Moratorium approvable - W03 (2500 gpd - meets domestic definition
i.e. D/convenience store)BENEFICIAL USE DUE: 8 / 01 / 03

MISC CONDITIONS/REMARKS:

Protested - 020-W19

Development Period

≤ 1 yr - P16

> 1 yr - 26A(P17)

Ownership - 004

Non-consumptive - 027

Water Quality - 081-R07

Multiple pd's per 1/4

✓Subd lot desc (pd)

✓Subd lot desc (pu)

Use definitions

Pre-1987 development

Single p/d intended

- W32

- W49

- W60

- W02 example - S/50 range

- 068-074 (allow 120 days for proof due)

- 076


IRRIGATION SEASON 4/1 - 10/31 (Per updated map)

OTHER CONDITIONS/REMARKS


COMMENTS

W59 & W60 / LT 4 & W 1/2 of 45, Bk 8, Lake Park Addrs.
Don't use external name.

PER MAP



PER ADVERTISEMENT



Curtis, Sharla

From: Curtis, Sharla
Sent: Monday, July 22, 2002 3:45 PM
To: Curtis, Sharla
Subject: FW: 2 More Apps Above/Within MSF 85-15352
96-9071

-----Original Message-----

From: Graham, Bill
Sent: Wednesday, July 17, 2002 8:15 AM
To: Curtis, Sharla
Subject: RE: 2 More Apps Above/Within MSF

Thanks Sharla. Again the standard minimum stream flow condition will work for both of these.

BG

-----Original Message-----

From: Curtis, Sharla
Sent: Tuesday, July 16, 2002 3:08 PM
To: Graham, Bill
Subject: 2 More Apps Above/Within MSF

<< File: WRProof Report1_.rtf >> << File: proof 96-9071.RTF >>

MICROFILMED

JAN 29 2003

Bill D - 7/16/02

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner, Sheryl Jones

_____ being first duly sworn on oath

deposes and says that he/she is Bookkeeper

of the Bonner County Daily Bee, a newspaper printed and

published at Sandpoint, Bonner County, Idaho; that the

said newspaper has been continuously and uninterruptedly

published in said Bonner County during a period of 12

months prior to the first publication of the hereto attached

notice of publication in the case of:

Notice of Correction

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,

commencing on 1 day of Nov, 20 01

and ending on the 8 day of Nov, 20 01

and that said notice was published in said newspaper.

On this 8 day of Nov in the year

of 2001, before me, a Notary Public, personally


appeared Sheryl Jones

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me

first duly sworn, declared that the statements therein are

true, and acknowledged to me that he executed the same.



RECEIVED
NOV 14 2001
IDWR/North

NOTICE OF CORRECTION
NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 96-9071 in the name of JULIE R MEYER, 437 Lakeview Blvd., Sandpoint, ID 83864, was incorrectly advertised on May 17 and 24, 2001, and also on June 21 and 28, 2001.

The POINT OF DIVERSION was incorrectly advertised as NWNE S22 T57N R02W and SWSE S27 T57N R02W, whereas correctly it should be NWNE S27 T57N, R02W and SWSE S22, T57N, R02W.

(For additional information concerning the property location, call the Northern Regional Office at 769-1450.)

Any protests against the approval of the above-referenced correction must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, ID 83814, together with a protest fee of \$25.00 on or before November 19, 2001.

KARL J. DREHER, Dir.
Legal SNP#2970
November 1, 8, 2001

MICROFILMED

JUL 24 2001

2970

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 96-9071 in the name of JULIE R MEYER, 437 Lakeview Blvd., Sandpoint, ID 83864, was incorrectly advertised on May 17 and 24, 2001, and also on June 21 and 28, 2001.

The POINT OF DIVERSION was incorrectly advertised as NWNE S22 T57N R02W and SWSE S27 T57N R02W, whereas correctly it should be **NWNE S27 T57N, R02W and SWSE S22, T57N, R02W.**

(For additional information concerning the property location, call the Northern Regional Office at 769-1450.)

Any protests against the approval of the above-referenced correction must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before November 19, 2001.

KARL J. DREHER, Dir.

Published in the Bonner County Daily Bee on 11/01 and 08/2001.

MICROFILMED

JAN 29 2003



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

October 24, 2001

LEGAL NOTICES DEPARTMENT
BONNER COUNTY DAILY BEE
PO BOX 159
SANDPOINT ID 83864

FAXED 10/24/01 TO (208) 263-9091

Re: Water Right Application No. 96-9071

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department. Please send the **Affidavit of Publication and the bill**, to this office before November 19, 2001.

Thank you.

Thanks & etc.

Sincerely,

Dianne Ball

Dianne Ball
Administrative Assistant

Enclosure

MICROFILMED
JAN 29 2003

Ball, Dianne

From: Ball, Dianne
Sent: Wednesday, October 24, 2001 4:17 PM
To: Curtis, Sharla
Subject: READVERTISEMENT OF 96-9071

Had to readvertise this because the sections got switched around on the original application. Please do not enter this as a new water right appropriation on the home page. Thanks much. *Happiness held is the seed...happiness shared is the flower. Dianne*

MICROFILMED
JAN 29 2003

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Delbra Bergman

being first duly sworn on oath

deposes and says that he/she is Bookkeeper

of the Bonner County Daily Bee, a newspaper printed and

published at Sandpoint, Bonner County, Idaho; that the

said newspaper has been continuously and uninterruptedly

published in said Bonner County during a period of 12

months prior to the first publication of the hereto attached

notice of publication in the case of:

Notice of Correction

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,

commencing on 11th day of Aug., 2001

and ending on the 23rd day of Aug., 2001

and that said notice was published in said newspaper.

On this 23rd day of Aug in the year

of 2001, before me, a Notary Public, personally

appeared Delbra Bergman

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me

first duly sworn, declared that the statements therein are

true, and acknowledged to me that he executed the same.

Carolyn L. Inge
Notary Public for Idaho

Residing at Sandpoint

My Commission expires: 8/06

RECEIVED

SEP 04 2001

IDWR/North

NOTICE OF CORRECTION
NOTICE IS HEREBY GIVEN
THAT APPLICATION FOR PER-
MIT NO. 96-9071 in the name of
Julie R Meyer, 437 Lakeview
Blvd., Sandpoint, ID 83864, was
incorrectly advertised on May 17
and 24.

The PLACE OF USE was incor-
rectly advertised as being in Sec.
27, T57N, R2W, whereas correct-
ly it should be Sec. 22, T57N,
R2W.

(For additional information
concerning the property location,
call the Northern Regional Office
at 769-1450.)

Any protests against the
approval of the above-referenced
correction must be filed with the
applicant and with the Director,
Dept. of Water Resources, 1910
Northwest Blvd., Suite 210,
Coeur d'Alene, Id. 83814, togeth-
er with a protest fee of \$25.00 on
or before September 4, 2001.

KARL J. DREHER, Dir.
Legal SNP#2770
August 16, 23, 2001

MICROFILMED

JAN 23 2002

#2770

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 96-9071 in the name of Julie R Meyer, 437 Lakeview Blvd., Sandpoint, ID 83864, was incorrectly advertised on May 17 and 24.

The PLACE OF USE was incorrectly advertised as being in Sec. 27, T57N, R2W, whereas correctly it should be **Sec. 22, T57N, R2W.**

(For additional information concerning the property location, call the Northern Regional Office at 769-1450.)

Any protests against the approval of the above-referenced correction must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before September 4, 2001.

KARL J. DREHER, Dir.

Published in the Bonner County Daily Bee on August 16 and 23, 2001.

MICROFILMED

JAN 29 2003



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

August 8, 2001

LEGAL NOTICE DEPARTMENT
BONNER COUNTY DAILY BEE
PO BOX 159
SANDPOINT ID 83864

RE: Application for Permit No. 96-9071

Dear **LEGAL NOTICE DEPARTMENT**:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 09/04/2001. Your cooperation is appreciated.

Sincerely

Dianne Ball
Administrative Assistant

MICROFILMED

JAN 29 2002

Ball, Dianne

From: RAY HENNEKEY [rhenneke@IDFG.STATE.ID.US]
Sent: Monday, July 02, 2001 2:32 PM
To: dball@idwr.state.id.us
Cc: GREG TOURTLOTTE; TRACEY TRENT
Subject: Comments re. two water rights apps

Via E-mail to Diane Ball:

July 2, 2001

Idaho Department of Water Resources
1910 Northwest Blvd, Suite 210
Coeur d'Alene, ID 83814

REFERENCE: Applications for the following water rights permits:

96-96-9071, JULIE R MEYER, from Pend Orielle River; and

97-07405 CARL CLIFF, Blue Creek tributary to Blue Lake, Bonner County

Idaho Department of Fish and Game has no specific objections to or comments about the above applications. However, water lines and pumps are an encroachment in lakes and rivers that can be detrimental to fish and fish habitat.

We recommend that applicants be required to install lines beneath the lake, river or stream bed during low water periods when underwater excavation will be minimized. Dug materials should be sidecast to only one side and the bottom contour and substrate restored. Any unburied sections of the line should be anchored on the bottom to prevent it from floating and interfering with boat anchors or anglers' lines or capturing debris. The applicant should also provide a smooth cover for the pump to avoid interference with boat anchors or anglers' lines and to avoid capturing debris. It would be preferable to place pumps on land rather than in the water. Water intakes should be screened to prevent entrainment or impingement of fish. The maximum screen mesh size should be 0.25 inches; approach velocities should not exceed 0.5 ft/second to prevent losses of juvenile fish.

Thank you for the opportunity to comment.

Ray Hennekey, Environmental Staff Biologist
IDFG, Panhandle Region

C: Tracey Trent, IDFG Boise

File: IDWR#96-9071 MEYER and 97-07405 CLIFF
----- Original Text -----

From: "Ball, Dianne" <dball@idwr.state.id.us>, on 6/5/01 4:24 PM:

MICROFILMED

JAN 29 2003

Ray, there are two water rights that have had to be re-advertised, therefore the final date for comments and protests is extended. The final date for these has been extended to JULY 9, 2001. If I can be of further assistance or make information clearer on these, please let me know.

We'd really like to have your comments on these by July 9, 2001. Thank you very much. Dianne Ball

Application for Permit No. 96-9071 Name: JULIE R MEYER
Diversion Pt NWNE Sec 22 T 57N R 02W BONNER County
Diversion Pt SWSE Sec 27 T 57N R 02W BONNER County This was originally
advertised as SWSW - correct QQ is SWSE.
Source PEND OREILLE RIVER tributary to Columbia River
Use: IRRIGATION 03/15 To 11/15 0.03 CFS
Total Diversion: 0.03 CFS
Date Filed: 04/24/2001
Place Of Use: IRRIGATION T57N R02W S27 SWSE Number of Acres 1

The paper missed the second publication date on this one - hence the readvertisement.

The second one is Carl Cliff, application No. 97-07405
Diversion Pt SENE Sec 22 T 57N R04W BONNER County.
Source BLUE CREEK tributary to Blue Lake
Use: IRRIGATION 3/15 to 11/15 for 0.08 CFS;
Use: FIRE PROTECTION 1/1 to 12/31 for 0.10 CFS
Total Diversion: 0.18 CFS
Date filed 4/19/01
Place of Use IRRIGATION 557N R4W S22 NENE SENE Number of acres 4
Place of Use FIRE PROTECTION - same as IRRIGATION

May your life be littered with love and blessings. Dianne Ball, IDWR Cd'A -
Phone: 769-1450 FAX: 769-1454

MICROFILMED

JAN 29 2003

Ball, Dianne

From: Ball, Dianne
Sent: Tuesday, June 05, 2001 4:18 PM
To: 'Ray Hennekey IDFG Cd'A'
Subject: A couple of water rights that have extended comment dates

Ray, there are two water rights that have had to be re-advertised, therefore the final date for comments and protests is extended. The final date for these has been extended to **JULY 9, 2001**. If I can be of further assistance or make information clearer on these, please let me know.

We'd really like to have your comments on these by July 9, 2001. Thank you very much. Dianne Ball

Application for Permit No. 96-9071 Name: JULIE R MEYER

Diversion Pt NWNE Sec 22 T 57N R 02W BONNER County

Diversion Pt SWSE Sec 27 T 57N R 02W BONNER County **This was originally advertised as SWSW - correct QQ is SWSE.**

Source PEND OREILLE RIVER tributary to Columbia River

Use: IRRIGATION 03/15 To 11/15 0.03 CFS

Total Diversion: 0.03 CFS

Date Filed: 04/24/2001

Place Of Use: IRRIGATION T57N R02W S27 SWSE Number of Acres 1

The paper missed the second publication date on this one - hence the readvertisement.

The second one is Carl Cliff, application No. 97-07405

Diversion Pt SENE Sec 22 T 57N R04W BONNER County.

Source BLUE CREEK tributary to Blue Lake

Use: IRRIGATION 3/15 to 11/15 for 0.08 CFS;

Use: FIRE PROTECTION 1/1 to 12/31 for 0.10 CFS

Total Diversion: 0.18 CFS

Date filed 4/19/01

Place of Use IRRIGATION 557N R4W S22 NENE SENE Number of acres 4

Place of Use FIRE PROTECTION - same as IRRIGATION

May your life be littered with love and blessings. Dianne Ball, IDWR Cd'A - Phone: 769-1450 FAX: 769-1454

MICROFILMED

JUN 29 2003

Ball, Dianne

From: Ball, Dianne
Sent: Tuesday, May 15, 2001 11:12 AM
To: 'Ray Hennekey IDFG Cd'A'

Following are six (6) water rights on which we need your comments. All six have a final date of June 4, 2001 for protests to be received in our office.

We will appreciate your comments either way on these applications on or before that date. If you need additional information on which to base your findings, please e-mail me and I will respond asap. Thank you very much.

May your life be littered with love and blessings.

Dianne Ball, IDWR Cd'A (208) 769-1450 FAX 769-1454

Application for Permit No. 95-9077 Name: KURT PAUL KATHRYN PAUL Diversion Pt L3 SENW Sec 20 T 48N R 04W KOOTENAI County Source COEUR D ALENE LAKE Use: DOMESTIC 01/01 To 12/31 0.06 CFS Total Diversion: 0.06 CFS Date Filed: 05/08/2000 Place Of Use: DOMESTIC T48N R04W S20 SENW Remarks: Domestic use is for 1 home. IDAHO DEPARTMENT OF WATER RESOURCES NEW WATER RIGHT FILINGS

Application for Permit No. 95-9079 Name: HARBORVIEW WATER SYSTEM INC Diversion Pt SENE Sec 7 T 50N R 05W KOOTENAI County Source SPOKANE RIVER Use: IRRIGATION 03/15 To 11/15 0.06 CFS Total Diversion: 0.06 CFS Date Filed: 05/24/2001 Place Of Use: IRRIGATION T50N R05W S7 SENE T50N R05W S8 SWNW Number of Acres 1

Application for Permit No. 95-9080 Name: GARY TREFZ JENNIFER TREFZ Diversion Pt SWNW Sec 26 T 48N R 05W KOOTENAI County Source UNNAMED STREAM Use: WILDLIFE STORAGE 01/01 To 12/31 9 AFA Use: RECREATION STORAGE 01/01 To 12/31 9 AFA Use: IRRIGATION STORAGE 01/01 To 12/31 9 AFA Use: IRRIGATION FROM STORAGE 03/15 To 11/15 9 AFA Total Diversion: 9 AFA Date Filed: 04/26/2001 Place Of Use: IRRIGATION STORAGE T48N R05W S26 SWNW Place Of Use: IRRIGATION FROM STORAGE, same as Irrigation Storage Number of Acres 14 Place Of Use: WILDLIFE STORAGE, same as Irrigation Storage Place Of Use: RECREATION STORAGE, same as Irrigation Storage IDAHO DEPARTMENT OF WATER RESOURCES

Application for Permit No. 96-9071 Name: JULIE R MEYER Diversion Pt NWNE Sec 22 T 57N R 02W BONNER County Source PEND OREILLE RIVER Diversion Pt SWSW Sec 27 T 57N R 02W BONNER County Source PEND OREILLE RIVER Use: IRRIGATION 03/15 To 11/15 0.03 CFS Total Diversion: 0.03 CFS Date Filed: 04/24/2001 Place Of Use: IRRIGATION T57N R02W S27 SWSE Number of Acres 1

Reads - new final date 7/9/01

MICROFILMED

JUN 29 2003

Application for Permit No. 97-7406 Name: ROBERT D ORMSBY Diversion Pt NWSE Sec 9 T 61N R 04W
BONNER County Source PRIEST LAKE Use: DOMESTIC 01/01 To 12/31 0.02 CFS Total Diversion: 0.02
CFS Date Filed: 04/25/2001 Place Of Use: DOMESTIC T61N R04W S9 NWSE Remarks: Domestic use is for 1
home. IDAHO DEPARTMENT OF WATER RESOURCES NEW WATER RIGHT FILINGS DATE: 05/7/01

Application for Permit No. 92-10004 Name: ALLEN D JANES Diversion Pt SWNW Sec 25 T 46N R 02W
BENEWAH County Source SAINT MARIES RIVER Use: IRRIGATION STORAGE 03/15 To 11/15 0.5 AFA
Use: FIRE PROTECTION 01/01 To 12/31 0.5 AFA STORAGE Use: DIVERSION TO STORAGE 03/15 To
11/15 0.2 CFS Use: IRRIGATION FROM 03/15 To 11/15 0.5 AFA STORAGE Total Diversion: 0.2 CFS Date
Filed: 03/23/2001 IDAHO DEPARTMENT OF WATER RESOURCES Place Of Use: IRRIGATION
STORAGE T45N R03W S25 NENW Number of Acres 2 Place Of Use: IRRIGATION FROM STORAGE,
same as Irrigation Storage Number of Acres 2 Place Of Use: FIRE PROTECTION STORAGE, same as
Irrigation Storage

MICROFILMED

18N 29 2003

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner, Sherilyn Jones

_____ being first duly sworn on oath

deposes and says that he/she is Bookkeeper

of the Bonner County Daily Bee, a newspaper printed and

published at Sandpoint, Bonner County, Idaho; that the

said newspaper has been continuously and uninterruptedly

published in said Bonner County during a period of 12

months prior to the first publication of the hereto attached

notice of publication in the case of:

Julie Meyer App.

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,

commencing on 21 day of June, 2001

and ending on the 28 day of June, 2001

and that said notice was published in said newspaper.

On this 28 day of June in the year

of 2001, before me, a Notary Public, personally

appeared Sherilyn Jones

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me

first duly sworn, he declared that the statements therein are

true, and acknowledged to me that he executed the same.

Carolyn L. Inge
Notary Public for Idaho
Residing at Sandpoint
My Commission expires: 8/06

NOTICE OF CORRECTION
NOTICE IS HEREBY GIVEN
THAT APPLICATION FOR PER-
MIT NO. 96-9071 in the name of
JULIE R MEYER, 437 LAKE-
VIEW BLVD, SANDPOINT, ID
83864, was incorrectly advertised
on MAY 17 and 24, 2001.

The second POINT OF DIVER-
SION listed was incorrectly adver-
tised as T57N R2W SEC 27
SWSW, whereas correctly it
should be T57N R2W SEC 27
SWSE

(For additional information con-
cerning the property location, call
the Northern Regional Office at
769-1450.)

Any protests against the
approval of the above-referenced
correction must be filed with the
applicant and with the Director,
Dept. of Water Resources, 1910
Northwest Blvd., Suite 210, Coeur
d'Alene, ID 83814, together with a
protest fee of \$25.00 on or before

July 9, 2001.
KARL J. DREHER, Dir.
Legal SNP#2656
June 21, 28, 2001

MICROFILMED
JUL 13 2001

2656

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 96-9071 in the name of JULIE R MEYER, 437 LAKEVIEW BLVD, SANDPOINT, ID 83864, was incorrectly advertised on MAY 17 and 24, 2001.

The second POINT OF DIVERSION listed was incorrectly advertised as T57N R2W SEC 27 SWSW, whereas correctly it should be T57N R2W SEC 27 **SWSE**

(For additional information concerning the property location, call the Northern Regional Office at 769-1450.)

Any protests against the approval of the above-referenced correction must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before July 9, 2001.

KARL J. DREHER, Dir.

Published in the Bonner County Daily Bee on 6/21 and 28/2001.

MICROFILMED

JAN 29 2003



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

Fax (208) 769-1454

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

June 13, 2001

Legal Notices Department
Bonner County Daily Bee
PO Box 159
Sandpoint ID 83864

Re: Water Right Application No. 96-9071

Dear Legal Notices Department:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the Affidavit of Publication, and the bill, to this office before July 9, 2001.

Thank you.

Sincerely,

A handwritten signature in cursive script that reads "Dianne Ball".

Dianne Ball
Administrative Assistant

Enclosure

MICROFILMED

JUN 13 2001

AFFIDAVIT OF PUBLICATION

RECEIVED

JUN 05 2001

IDWR/North

State of Idaho

ss.

County of Bonner,

Sherilyn Jones

being first duly sworn on oath

deposes and says that he/she is

Bookkeeper

of the Bonner County Daily Bee, a newspaper printed and

published at Sandpoint, Bonner County, Idaho; that the

said newspaper has been continuously and uninterruptedly

published in said Bonner County during a period of 12

months prior to the first publication of the hereto attached

notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,

commencing on 17 day of May, 20 01

and ending on the 24 day of May, 20 01

and that said notice was published in said newspaper.

On this 24 day of May in the year

of 2001, before me, a Notary Public, personally

appeared Sherilyn Jones,

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me

first duly sworn, declared that the statements therein are

true, and acknowledged to me that he executed the same.

CAROLYN L. INGER
NOTARY PUBLIC
Notary Public for Idaho
Residing at Sandpoint
My Commission expires: 8/06

LEGAL NOTICE

The following application(s) have been filed to appropriate the public waters of the State of Idaho: **96-9071**

JULIE R MEYER
437 LAKEVIEW BLVD
SANDPOINT ID 83864
Point(s) of Diversion NWNE S22
T57N R02W BONNER County
Source PEND OREILLE RIVER
Point(s) of Diversion SWSW S27
T57N R02W BONNER County
Source PEND OREILLE RIVER
Use: IRRIGATION
03/15 To 11/15 0.03 CFS
Total Diversion; 0.03 CFS

Date Filed: 04/24/2001
Place Of Use: IRRIGATION
T57N R02W S27 SWSE
Number of Acres 1

96-9072
SPIRES WATER COMPANY
206 N 4TH AVE SUITE 177
SANDPOINT ID 83864

~~REDACTED~~
Point(s) of Diversion SESW S20
T58N R02W BONNER County
Source GROUND WATER
Use: MUNICIPAL
01/01 To 12/31 0.45 CFS
Total Diversion: 0.45 CFS

Date Filed: 04/05/2001
Remark: Municipal use is for applicant's service area

97-7406
ROBERT D ORMSBY
808 S 299TH PLACE
FEDERAL WAY WA 98003
Point(s) of Diversion NWSE S9
T61N R04W BONNER County
Source PRIEST LAKE

Use: DOMESTIC
01/10 To 12/31 0.02 CFS
total Diversion: 0.02 CFS

Date Filed: 04/25/2001
Place Of Use: DOMESTIC T61N
R04W S9 NWSE

Remark: Domestic use is for 1 home.

Permits will be subject to all prior water rights. protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 1910 Northwest Blvd, Suite 210, Coeur d'Alene ID 83814 together with a protest fee of \$25.00 for each application on or before 06/04/2001. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director
Legal SNP#2579
May 17, 24, 2001

*Shawed to SWSE
Ready to
Current POD
Q Q*

MICROFILMED

JUN 29 2001

2579

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-9071

JULIE R MEYER
437 LAKEVIEW BLVD
SANDPOINT ID 83864

Point(s) of Diversion NWNE S22 T57N R02W BONNER County Source PEND OREILLE RIVER
Point(s) of Diversion SWSW S27 T57N R02W BONNER County Source PEND OREILLE RIVER
Use: IRRIGATION 03/15 To 11/15 0.03 CFS
Total Diversion: 0.03 CFS
Date Filed: 04/24/2001
Place Of Use: IRRIGATION
T57N R02W S27 SWSE
Number of Acres 1

96-9072

SPIRES WATER COMPANY
206 N 4TH AVE SUITE 177
SANDPOINT ID 83864
R BARCLAY HUTCHISON
206 N 4TH AVE, SUITE 177
SANDPOINT ID 83864

Point(s) of Diversion SESW S20 T58N R02W BONNER County Source GROUND WATER
Use: MUNICIPAL 01/01 To 12/31 0.45 CFS
Total Diversion: 0.45 CFS
Date Filed: 04/05/2001
Remark: Municipal use is for applicant's service area

97-7406

ROBERT D ORMSBY
808 S 299TH PLACE
FEDERAL WAY WA 98003

Point(s) of Diversion NWSE S9 T61N R04W BONNER County Source PRIEST LAKE
Use: DOMESTIC 01/01 To 12/31 0.02 CFS
Total Diversion: 0.02 CFS
Date Filed: 04/25/2001
Place Of Use: DOMESTIC T61N R04W S9 NWSE
Remark: Domestic use is for 1 home.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 1910 Northwest Blvd, Suite 210, Coeur D' Alene ID 83814 together with a protest fee of \$25.00 for each application on or before 06/04/2001. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published on 5/17 and 24, 2001

MICROFILMED

JAN 29 2003



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

Fax (208) 769-1454

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

May 09, 2001

Legal Notice Department
BONNER COUNTY DAILY BEE
PO BOX 159
SANDPOINT ID 83864

RE: Applications for Permit Nos. 96-9071, 96-9072 and 97-7406

Dear **LEGAL NOTICE DEPARTMENT**:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 06/04/2001. Your cooperation is appreciated.

Sincerely

A handwritten signature in cursive script, appearing to read 'Dianne Ball', with a small smiley face drawn to the right.

A handwritten signature in cursive script, appearing to read 'Dianne Ball'.

Dianne Ball
Administrative Assistant

MICROFILM

JAN 29 2003



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

Fax (208) 769-1454

May 09, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

JULIE R MEYER
437 LAKEVIEW BLVD
SANDPOINT ID 83864

RE: Application for Permit No 96-9071

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application. Please refer to the above referenced number in all future correspondence regarding this application. Receipt No. N014300 is enclosed for your records.

A legal notice of the application has been prepared and is scheduled for publication in the Bonner County Daily Bee on May 17 and 24, 2001. Submittal of protests to this application will be allowed for a period ending ten days after the second publication.

If the application is protested you will be sent a copy of the protest(s). All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in Boise for final processing. The State Office will notify you of any action taken on the application and will send you a copy of the permit if approved. A typical processing time for an unprotested application is about eight to ten weeks.

Please feel free to contact this office if you have any questions.

Sincerely,

A handwritten signature in cursive script that reads "Al Beardslee".

Al Beardslee
Senior Water Resource Agent

Enclosure

MICROFILM

JAN 29 2001