







North Side Sch

BR 2086

Rapid

PACK

BOISE

RIVER

Lost Lake
WL 2311T

Golf Course
Substation

Gravel Pit
Mine

Oden
(Site)

Landing Strip

POINT OF DIVERSION

PLACE OF USE

Trout

SENE

NW5W

SW5W

MICROFILMED
OCT 13 2001

VILLELLI
T. 58 N., R. 1 W.

AREA
MANAGEMENT

PRELIMINARY PLAT

Golden Tee Estates - 1st Addition

Section 31, Range 1 East & Section 36, Range 1 East
Township 55 North, Range 1 East
Bonner County, Idaho
(Sheet 1 of 3)

Phase One Boundary

Wetlands
& VEGETATIVE BUFFER AREA

Wetlands
& VEGETATIVE BUFFER AREA

Wetlands
& VEGETATIVE BUFFER AREA

Wetlands
& VEGETATIVE BUFFER AREA

100 yr.
flood plain

Golf Course

BLOCK 5 GOLDEN TEE ESTATES

Pack River

Pack River

Phase One Boundary

B


A

B
UNPLATTED

LEGEND

- Found 1/2" rebar & plastic cap - Meckel
- Computed point
- Found night of way monument
- Power pole
- Block No.

Typical Lot



J.R.S. SURVEYING, INC.

P.O. BOX 3099 - 6476 MAIN ST.
BONNERS FERRY, IDAHO 83805

208-267-7555

PRELIMINARY PLAT

FOR: VILLELLI ENTERPRISES

DWN BY: JDM/SJB/MSS

05-17-2000

SHEET 1 OF 3

BONNER COUNTY, IDAHO

JOB #99-34

Phase III

Golf Course

Phase III

Golf Course

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

Open space to housing % per
Development plan= 40.9%
Actual % = 43.1%
Residential= 573,812 square feet
Dedicated open space= 247,452
square feet

A
Vilelli Enterprises
HCR 61 BOX 169
Bonners Ferry, ID 83805

B
Idaho Dept. of Fish & Game
600 S. Walnut St.
P.O. Box 25
Boise, ID 83707

C
Avisia
1411 East Mission
Spokane, Washington 99252

D
Jacobson Trust
9105 Colburn-Culver Road
Sandpoint Point, ID 83864

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

RECEIVED
MAR 31 2003

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right

Permit No 96-9060

Name(s) of Permit Holder VILLELLI ENTERPRISES ET AL

Address: HCR 61, BOX 169 City BONNERS State ID Zip 83805

Telephone No. (208) 267-7625 Date Proof is Due: MAY 1, 2003

Describe what work has been completed toward the development of this water right:

(This must be filled out! If no work has been completed, show "none".)

Well drilling completed, pump testing completed, water testing completed, pump controls
completed, pump house completed, and distribution system to first phases of development
completed.

Costing \$ 90,000.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

The final phase, of a multi-year development, is scheduled for construction to start the summer
of 2003.

Permit holder(s) request an extension to MAY 1, 20 08

Richard V. Vilelli

(Signature)* **Richard Vilelli, President, Vilelli Enterprises**

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be

APPROVED and the time within which to submit proof of beneficial use is extended to May 1, 2008. IT IS FURTHER ORDERED that the permit holder is not authorized to assign ownership of the permit to another party without prior approval of the Department.

Signed this 16th day of April, 20 03

L. Glen Saxton
L. GLEN SAXTON, CHIEF
Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 96-09060

Priority: 10/31/2000

Maximum Diversion Rate: 0.35 CFS

This is to certify, that VILLELLI ENTERPRISES INC
HCR61 BOX 169
BONNERS FERRY ID 83805

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
MUNICIPAL	01/01 to 12/31	0.35 CFS


LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER L2 SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 31, Twp 58N, Rge 01E, B.M. BONNER County

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **May 1, 2003**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
7. Place of use is within the service area of Golden Tee Estates/Villelli Enterprises, Inc.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 15th day of May, 2001.


for KARL J DREHER, Director

MICROFILMED

OCT 19 2001

Ident. No. 96-09060

RECEIVED
RECEIVED

APR 1 2001
APR

Department of Water Resources
Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

1. Name of Applicant Villelli Enterprises, Inc. Phone (208) 276-5595
Mailing address HCR 61 Box 169, Bonners Ferry, Idaho 83805
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is Township 58 N Range 1 E Sec. 31 36, in the SW $\frac{1}{4}$,
NW $\frac{1}{4}$, Govt. Lot _____, B.M., Bonner County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.35 for MUNICIPAL purposes from Y1 to 7/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.35 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Describe type and size of devices used to divert water from the source 8" Groundwater Well, Pump
& DRIVERY SYSTEM.
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet
c. Proposed well diameter is 8 inches; proposed depth of well is 200 feet
d. Is ground water with a temperature of greater than 85F being sought? No
e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity in W. _____
b. Stockwatering; list number and kind of livestock _____
c. Municipal; show name of municipality _____
d. Domestic; show number of households 260 Equivalent Households
e. Other; describe fully _____

MICROFILMED

OCT 18 2001

T58N R1W

T58N R1E

PD

206570


Government lot check for
96-09060 by RGH 3/22/2001

Oden
(Site)

MICROFILM

ADJACENT

206570



MUNICIPAL USE —
— PLACE OF USE IS WITHIN SERVICE AREA
OF GOLDEN TEE ESTATES/VILLELLI ENTERPRISES, INC.

3. Description of place of use:
- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
58	1W	36				10									20				30
58	1E	31						70			50	70							190
																			22

Total number of acres to be irrigated 10 20 **ACREAGE LISTED FOR REFERENCE**

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Villelli Enterprises, Inc.
- b. Who owns the land to be irrigated or place of use? Private Owners
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: Subdivision of Land served by Public Water System
12. Remarks: Hidden Lakes Subdivision & Golf Course System PWS(1090195)

CORPORATE OFFICERS:

Richard A Villelli, President

Thomas R. Villelli, Vice President

Lee Deierling, Secretary

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard A. Villelli, Pres
 Signature of Applicant (and title, if applicable)

Received by db Date 8/14/00 Time 1:35P Preliminary check by AB
 Fee \$ 250.00 Receipted by db # NO 13823 Date 8/14/00
 Publication prepared by db Date 11/8/00 Published in Boyer's Daily Bee 11/16+23/00
 Publication approved db Date 12/4/00

MICROFILMED

OCT 10 2000

PLAT


OF
GOLDEN TREE ESTATES
PLANNED UNIT DEVELOPMENT
(Phase One)

IN
SEC. 31, R1E; SEC. 36, R1W, T58N, BOISE MERIDIAN
BONNER COUNTY, IDAHO
SHEET 2 OF 5

The alignment of the river and slough is defined for the purpose of closure.
The bank of the river and slough is subject to change due to natural causes and the
river and slough boundary as defined may or may not represent the actual limits of title.

All lots shown hereon are subject to a 10' utility
easement along McKinnon Ranch Road, Maine Victoria
Court, or Club Court.

- Found corner evidence as noted
- Set 5/8" rebar & plastic cap PLS 3628
- Found 5/8" rebar & plastic cap PLS 3628
- Found 5/8" rebar & plastic cap or PLS 6107
- Computed point - not set or tied
- Block number
- Well location
- Set Standard Aluminum monument
- Initial Point - PLS 3628
- Found iron pipe per Deed (Inst. #464572)
- Wetlands
- Building Envelope




CLUSTER TABLE

CLUSTER	AREA	ACRES	AREA	ACRES
1	1.00	1.00	1.00	1.00
2	1.00	1.00	1.00	1.00
3	1.00	1.00	1.00	1.00
4	1.00	1.00	1.00	1.00
5	1.00	1.00	1.00	1.00
6	1.00	1.00	1.00	1.00
7	1.00	1.00	1.00	1.00
8	1.00	1.00	1.00	1.00
9	1.00	1.00	1.00	1.00
10	1.00	1.00	1.00	1.00
11	1.00	1.00	1.00	1.00
12	1.00	1.00	1.00	1.00
13	1.00	1.00	1.00	1.00
14	1.00	1.00	1.00	1.00
15	1.00	1.00	1.00	1.00
16	1.00	1.00	1.00	1.00
17	1.00	1.00	1.00	1.00
18	1.00	1.00	1.00	1.00
19	1.00	1.00	1.00	1.00
20	1.00	1.00	1.00	1.00
21	1.00	1.00	1.00	1.00
22	1.00	1.00	1.00	1.00
23	1.00	1.00	1.00	1.00
24	1.00	1.00	1.00	1.00
25	1.00	1.00	1.00	1.00
26	1.00	1.00	1.00	1.00
27	1.00	1.00	1.00	1.00
28	1.00	1.00	1.00	1.00
29	1.00	1.00	1.00	1.00
30	1.00	1.00	1.00	1.00
31	1.00	1.00	1.00	1.00
32	1.00	1.00	1.00	1.00
33	1.00	1.00	1.00	1.00
34	1.00	1.00	1.00	1.00
35	1.00	1.00	1.00	1.00
36	1.00	1.00	1.00	1.00
37	1.00	1.00	1.00	1.00
38	1.00	1.00	1.00	1.00
39	1.00	1.00	1.00	1.00
40	1.00	1.00	1.00	1.00
41	1.00	1.00	1.00	1.00
42	1.00	1.00	1.00	1.00
43	1.00	1.00	1.00	1.00
44	1.00	1.00	1.00	1.00
45	1.00	1.00	1.00	1.00
46	1.00	1.00	1.00	1.00
47	1.00	1.00	1.00	1.00
48	1.00	1.00	1.00	1.00
49	1.00	1.00	1.00	1.00
50	1.00	1.00	1.00	1.00

CLUSTER	AREA	ACRES	AREA	ACRES
1	1.00	1.00	1.00	1.00
2	1.00	1.00	1.00	1.00
3	1.00	1.00	1.00	1.00
4	1.00	1.00	1.00	1.00
5	1.00	1.00	1.00	1.00
6	1.00	1.00	1.00	1.00
7	1.00	1.00	1.00	1.00
8	1.00	1.00	1.00	1.00
9	1.00	1.00	1.00	1.00
10	1.00	1.00	1.00	1.00
11	1.00	1.00	1.00	1.00
12	1.00	1.00	1.00	1.00
13	1.00	1.00	1.00	1.00
14	1.00	1.00	1.00	1.00
15	1.00	1.00	1.00	1.00
16	1.00	1.00	1.00	1.00
17	1.00	1.00	1.00	1.00
18	1.00	1.00	1.00	1.00
19	1.00	1.00	1.00	1.00
20	1.00	1.00	1.00	1.00
21	1.00	1.00	1.00	1.00
22	1.00	1.00	1.00	1.00
23	1.00	1.00	1.00	1.00
24	1.00	1.00	1.00	1.00
25	1.00	1.00	1.00	1.00
26	1.00	1.00	1.00	1.00
27	1.00	1.00	1.00	1.00
28	1.00	1.00	1.00	1.00
29	1.00	1.00	1.00	1.00
30	1.00	1.00	1.00	1.00
31	1.00	1.00	1.00	1.00
32	1.00	1.00	1.00	1.00
33	1.00	1.00	1.00	1.00
34	1.00	1.00	1.00	1.00
35	1.00	1.00	1.00	1.00
36	1.00	1.00	1.00	1.00
37	1.00	1.00	1.00	1.00
38	1.00	1.00	1.00	1.00
39	1.00	1.00	1.00	1.00
40	1.00	1.00	1.00	1.00
41	1.00	1.00	1.00	1.00
42	1.00	1.00	1.00	1.00
43	1.00	1.00	1.00	1.00
44	1.00	1.00	1.00	1.00
45	1.00	1.00	1.00	1.00
46	1.00	1.00	1.00	1.00
47	1.00	1.00	1.00	1.00
48	1.00	1.00	1.00	1.00
49	1.00	1.00	1.00	1.00
50	1.00	1.00	1.00	1.00

P.D. BOX 3099 - 6476 MAIN ST.
BONNERS FERRY, IDAHO 83805
208-267-7555

SEC. 31, R1E & SEC. 36 R1W, T58N, S.R.
SHEET 2 OF 5
JUL 1994



OWNER:
BLAINE
STEVENS


Inst. # 464572

SEE DETAIL

OWNER:
BLAINE
STEVENS

OWNER:
VILLELLI
ENTERPRISES
(unplatted)

OWNER:
VILLELLI
ENTERPRISES
(unplatted)



see sheet 5 of 5



PRELIMINARY PLAT

Golden Tee Estates - 1st Addition

Section 37, Range 1 East & Section 28, Range 1 East
Township 35 North, Range 1 East
Bonner County, Idaho
(Sheet 1 of 3)

BLOCK 5 GOLDEN TEE ESTATES

Golf Course

Wetlands
& VEGETATIVE BUFFER AREA

Golf Course

BLOCK 5 GOLDEN TEE ESTATES

Wetlands
& VEGETATIVE BUFFER AREA

Open space to housing % per
Development plans= 40.9%
Actual % = 43.1%
Residential= 573,812 square feet
Dedicated open space= 247,452
square feet

Golf Course

Phase III

Golf Course



- A Villi Enterprises
HCR 61 BOX 169
Bonners Ferry, ID 83805
- B Idaho Dept. of Fish & Game
600 S. Walnut St.
P.O. Box 25
Boise, ID 83707
- C Avista
1411 East Mission
Spokane, Washington 99252
- D Jacobson Trust
9105 Colburn-Culver Road
Sandpoint, ID 83864

PACK RIVER

Phase One Boundary

PACK RIVER

UNPLATTED

P.U.D. Boundary

Match Line Sheet 3
SEE SHEET 3 OF 3

Match Line
Sheet 2

Golf Course


Match Line
Sheet 2

Golf Course

Phase III



- LEGEND
- Found 1/2" rebar & plastic cap - Metal
 - Computed point
 - Found right of way monument
 - Power pole
 - Block No.



J.S.S. SURVEYING, INC.	
P.O. BOX 3099 - 6476 MAIN ST.	
BONNERS FERRY, IDAHO 83805	
208-267-7555	
FOR VILLELLI ENTERPRISES	
DWN BY JIM/SJB/MS	05-17-2000
SEC. 31, R1E & SEC. 36, R1N-T36N, 34E	SHEET 1 OF 3
BONNER COUNTY, IDAHO	JOB #99-34



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

April 17, 2003

VILLELLI ENTERPRISES ET AL
HCR 61 BOX 169
BONNERS FERRY ID 83805

RE: PERMIT NO. 96-9060

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time submitted in connection with the above referenced permit which extends the time within which to submit proof of beneficial use of water to **May 1, 2008**.

Please note that the department granted this extension based on **due diligence**. It is important that you work diligently toward the completion of this project during the construction period allowed since the department may not be able to grant additional extension based on due diligence.

Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner.

Please feel free to contact the department if you have questions.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Enclosure

c: IDWR - Regional Office

ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No.: 96-9060

Reviewed By: dgibson

Date: April 16, 2003

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Request received timely?	X		Is delay by a government agency?		X
Appropriate fee	X		Is supporting documentation needed to support the file?		
Additional Amount Due:					
Receipt No.:	N013883, C068284		Has the permit been involved in litigation?		X
Name and signature same as permit?	X		Is supporting documentation needed to support the file?		
Is address same as permit?	X		Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?		X
Has adequate work been completed to demonstrate due diligence?	X				

Priority Calculation

Extension request received	03/31/2003	New proof due date	05/01/2008
Date proof due	- 05/01/2003		
Lapse notice sent	-		
No. of days late	= 0		
Holiday allowance	+		
Priority date	+ 10/31/2000		
New priority date	= 10/31/2000		

Action Taken

Acknowledge Request and extend proof deadline to 5/1/2008 based on due diligence.

February 28, 2003

VILLELLI ENTERPRISES ET AL
HCR 61 BOX 169
BONNERS FERRY, ID 83805

PROOF DUE NOTICE

RE: PERMIT NO. 96-9060

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 01, 2003. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

Sincerely,

Deborah J. Gibson, Administrative Assistant
Water Allocation Bureau

Enclosures





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 17, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

VILLELLI ENTERPRISES INC
HCR 61 BOX 169
BONNERS FERRY ID 83805

RE: Permit No. 96-9060

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a 'Proof Due Notice' approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this water right permit were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Ground Water Protection Section located here at this office or our regional office nearest you.


Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

MICROFILMED

SEP 19 2001

If you have any questions, please contact me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Keen".

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)


MICROFILMED
OCT 15 2001

CERTIFICATE OF MAILING

I hereby certify that on May 17, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO. 96-9060

**VILLELLI ENTERPRISES INC
HCR 61 BOX 169
BONNERS FERRY ID 83805**


**Kari Lynn Townsend
Secretary**

MICROFILMED

OCT 10 2000

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED
OCT 15 2005

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

RECEIVED

May 4, 2001

MAY - 7 2001

Department of Water Resources

Sharla Curtis, Sr. Water Resource Agent
Department of Water Resources
P.O. Box 83720
Boise, ID 83720-0098

RE: APPLICATION FOR PERMIT NO. 96-9060

Dear Ms. Curtis:

We are in receipt of your letter dated April 27, 2001, requesting evidence of qualification as a municipal water provider and provide the following documentation to fulfill this requirement.

Villelli Enterprises has been operating a "public water supply" system at Hidden Lakes Golf Course and Planned Unit Development for some time under PWS #1090195, and Department of Water Resources Permit #96-08625. This system has reached a point in use that requires an additional water source.

Please find enclosed approval letters for this additional source of water requested under your permit No. 96-9060. Panhandle Health District 1, Environmental Health Section, approval letter dated June 20, 2000; State of Idaho Department of Environmental Quality, approval letter dated September 1, 2000. Also, enclosed is a copy of the State of Idaho Department of Water Resources Drilling Permit, Ident NO. 766803, Well Tag No. D0013791, dated 09/25/2000.

If you require any additional information, or have any questions, please do not hesitate to contact me at your convenience.


Sincerely,



Robert Hansen
Villelli Enterprises, Inc.
HCR 61, Box 169
Bonners Ferry, ID 83805
(208) 265-4270 (phone/fax)
hbobhansen@aol.com (e-mail)

Enclosures: 3

MICROFILMED
OCT 18 2001



Panhandle Health District I

Environmental Health Section

322 Marlon
Sandpoint, Idaho 83864
(208) 265-6384
FAX (208) 265-8550

June 20, 2000

Mr. Bob Hansen
Hidden Lakes Subdivision and Golf Course
67 Wild Horse Trail
Sandpoint, ID 83864

Re: Proposed well for Hidden Lakes Subdivision and Golf Course

Dear Mr. Hansen:

Thank you for the opportunity to inspect the proposed well site to serve Hidden Lakes Subdivision and Golf Course. The site appears to be in accordance with Idaho Rules for Public Drinking Water Systems, IDAPA 16.01.08, (rules and is approved for construction contingent on the following:

1. The well must be located a minimum of 50' from any potential source of contamination and no closer to specific sources than;

Sewer line	50 feet	Livestock	50 feet
Septic tank	100 feet	Lakes, ponds, streams, canals,	
Disposal field	100 feet	ditches, & tanks used to store	
Seepage pit	100 feet	non-potable substances	50 feet
Privies	100 feet		

2. Observe all other applicable setbacks.
3. Obtain a drilling permit from Idaho Department of Water Resources, 1910 Northwest Blvd., Coeur d'Alene Idaho 83814.
4. Plans and specifications for the construction of the well, stamped by a professional engineer registered in Idaho must be submitted to the Idaho Division of Environmental Quality. These plans must be approved prior drilling.
5. After the well is completed, you must submit as constructed plans in accordance with section 550.03 rules.

Prior to construction or modification of any public water system Idaho Code 39-118 requires that plans and specifications, stamped by a professional engineer registered in Idaho, be submitted to the Idaho Division of Environmental Quality. Please contact me if you have any questions.

Sincerely,

Mike Nelson

Mike Nelson,
Environmental Health Specialist

cc: Steve Tanner, IDEQ - Coeur d'Alene
Gary Gaffney, IDEQ - Coeur d'Alene
Tom King, IDWR - Coeur d'Alene



STATE OF IDAHO
DEPARTMENT OF
ENVIRONMENTAL QUALITY

2110 Ironwood Parkway • Coeur d'Alene, Idaho 83814-2648 • (208) 769-1422

Dirk Kempthorne, Governor
C. Stephen Allred, Director

September 1, 2000

Mr. Richard Vilelli
Vilelli Enterprises
P.O. Box S
Bonners Ferry, ID 83805

RE: Hidden Lakes Water System, New Well Construction

Dear Mr. Vilelli:

Plans and specifications submitted by Robert M. Tate, P.E., of Meckel Engineering & Surveying, Inc., on August 10, 2000 for construction of a new drinking water well have been reviewed. They were found to be in accordance with the Idaho Rules for Public Drinking Water Systems, and are approved for construction purposes in accordance with Section 39-118 of Idaho Code.

Inspection of construction activities approved herein must be performed by, or under the direct supervision of an Idaho licensed Professional Engineer (P.E.). If major modifications to this accepted design are necessary, approval by this office must be secured prior to implementation of the changes.

Section 39-118 of Idaho Code requires that as-built plans as certified by the inspecting engineer be submitted to this office for review and approval within thirty (30) days of completion of construction. If construction is not completed within one year of the date of this letter, this construction approval expires and you must request in writing for re-approval of the plans and specifications by DEQ.

Sincerely,

Daniel G. Remmick, E.I.T.

c: Robert M. Tate, P.E., Meckel Engineering & Surveying Inc., 402 Idaho Ave., C d'A
Bob Hansen, V. P. Inc., 89 Lower Pack River Road, Sandpoint 83864
Clare Marley, Bonner County Planning Department, 127 South First Ave., Sandpoint
Ed Braun, Panhandle Health District, 322 Marion, Sandpoint 83864

MICROFILMED
OCT 10 2000

ATTN: Bob Hanson 265-4270

Printed 09/25/2000
Ident No. 765803
Well Tag No. D0013791STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
DRILLING PERMITRelationship: Owner/Operator
Name: HIDDEN LAKES GOLF COURSE
Address: 89 LOWER PACK RIVER RD
SANDPOINT ID 83864Proposed Well Location: Township 58N, Range 01W, Section 36, SE, NE
BONNER CountyStreet Address of Well Site: 89 LOWER PACK RIVER RD
SANDPOINT ID

Proposed Use of Well: Municipal

Well Construction Information:

- A. New Well
- B. Proposed Surface Diameter: 8 inches. Proposed Maximum Depth Feet
- C. Anticipated Bottom Hole Temperature: 85F and less

Construction Start Date: 09/28/2000

Anticipated Well Drilling Company: H2O WELL SERVICE (No. 448)

Applicant's Signature: _____ Date: _____

Title: _____

MICROFILMED
OCT 19 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

April 27, 2001

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

VILLELLI ENTERPRISES INC
HCR 61 BOX 169
BONNERS FERRY ID 83805

RE: Application for Permit No. 96-9060

Gentlemen:

The application for permit to appropriate water that you recently submitted describes your proposed use of water as municipal use.

Section 42-202B(3)(c), Idaho Code, defines a municipal provider as a "corporation or association which supplies water for municipal purposes through a water system regulated by the state of Idaho as a "public water supply" . . .". Section 39-103(15), defines a public water supply as "all mains, pipes and structures . . . actually used or intended for use for the purpose of furnishing water for drinking or general domestic use in incorporated municipalities; or unincorporated communities where ten (10) or more separate premises or households are being served or intended to be served; or any other supply which serves water to the public and which the Department of Environmental Quality declares to have potential health significance.

It appears that the water delivery system you propose in the water right application may qualify as a municipal provider as described above. In order for us to complete our review for permit approval, we need some documentation to show that Villelli Enterprises Inc.'s water system qualifies as a public water supply by the State of Idaho, Dept. of Environmental Quality. I am enclosing an example of the documentation that is usually submitted to comply with this requirement.

Please submit evidence of your qualification as a municipal provider within 30 days. Once we receive sufficient documentation to this effect, our review for permit approval can be completed. If you have any questions, please call me.

Sincerely,

SHARLA CURTIS
Sr. Water Resource Agent

MICROFILMED
OCT 10 2001

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS

Reviewed by Sharla Curtis on 4/23/01

No. 96-9060 Name: VE Inc Corp. Officers ☒ Ad ok ☒ Govt Lots ☐

AREA OF CONCERN: No/Yes ☒ Moratorium ☐ GWMA ☐ TRUST/NON-TRUST ☐

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All wells - 046
Basin 34 - 084 (if necessary)
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067

~~WMD~~

Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121
Trust - 051 (consumptive uses)
Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18A-01H-01P-18B-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/FS)
MINING - 054-106
FISH PROP - 029 (70's only)-007-042-106
HEAT/COOL - R07 (injection well)
FIRE PROT - 077
COMMERCIAL/
INDUSTRIAL - 106-R07
DAIRY - 082-WD8

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response ☐

In/Above MSF - WB9

PLANNING REVIEW/RESPONSE

WD - R04 (WD# ☐
≤ 0.20 cfs/others - 01H(P01), 01P or No MD
> 0.20 cfs - 01J

SPRINGS/SINK, INACTIVE WD or WD

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W22, N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - 047 (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

~~POWER~~ - 17H or 17K (+uses)-17G (not under FERC)
or 17M (FERC regulated >25 cfs or 500hp)
08A-025-027-01N-106-W13 (if dewatering stream)

MUNICIPAL

Restricted area - 022,075 N/A
Irr., GW supp to SW - 102

DOMESTIC

Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
>1 in restricted area - 070-071-075 (no parks/common areas, etc)
Irr use listed separate - WB5
or none allowed - WB5
Moratorium approvable - W03 (2500 gpd - meets domestic definition
i.e. D/convenience store)

BENEFICIAL USE DUE: 5/01/2003

MISC CONDITIONS/REMARKS:

~~Protested~~ - 020-W19
Development Period
> 1 yr - 26A
Ownership - 004
Non-consumptive - 027
Water Quality - 106-R07

Multiple pd's per 1/4 - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - S/50 range
Pre-1987 development - 068-074 (allow 120 days for proof due)
Single p/d intended - 076

IRRIGATION SEASON ☐ - ☐ (Per updated map)

IRR VOLUME/ACRE ☐

OTHER CONDITIONS/REMARKS ☐

COMMENTS ☐

RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES
APPLICATION APPLICATION ANALYSIS SHEETWR1
WRA
BCA

APR - 4 2001

APPLICATION # 96-09060

Department of Water Resources INITIAL REVIEW

APPLICANT: VILLELLI BY: [Signature] DATE: 10/31/00

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
(X) Signature
(X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

(Yes) (No)

- X Field check: by _____
- _____ Field report attached
- _____ Analysis Supp. attached (>5cfs/500af)
- _____ Water delivered by water master?
- _____ Water District # _____

PROCESSING

- (Yes) (No) PRIORITY DATE: 10/31/00
- _____ X (Include Moratorium Remark)
- _____ X Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BONNER County

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	TAG #	Type:	Fees	Receipt No.	Upgrade Needed?
_____	_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()

- _____ Groundwater management area
- _____ Critical ground water area
- _____ Well Drilling Permit required
- _____ Well Drilling Application and Fees received
- _____ Well Drilling Application approved?

Remarks: WELL NOT DRILLED AT TIME OF FILING

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

- 12/4 12/4 11/8 12/4 11/8
- ✓ Notice of pending void order issued. Final order response date: 1/1/01
- ✓ Further information required from applicant
- ✓ Affidavit of publication received
- ✓ Application published correctly. If not, record action taken: _____
- ✓ Publication dates and paper recorded on application | Sr. Agent initial _____
- ✓ Protests received, Final protest date: 12/4/00
- ✓ Measuring device required
- ✓ Measuring port required
- ✓ Special conditions:
- ✓ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: [Signature]Date: 3/22/00

AFFIDAVIT OF PUBLICATION

RECEIVED

State of Idaho

DEC 04 2000

ss.

IDWR/North

County of Bonner, Sheryl Jones

_____ being first duly sworn on oath
deposes and says that he/she is BOOKKEEPER

of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached

notice of publication in the case of:

Notice of App

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 16 day of Nov., 2000
and ending on the 23 day of Nov., 2000
and that said notice was published in said newspaper.

On this 23 day of Nov. in the year
of 2000, before me, a Notary Public, personally
appeared Sheryl Jones,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me
first duly sworn and declared that the statements therein are
true, and acknowledged to me that he executed the same.

Carolyn K. Lange
Notary Public for Idaho
Residing at Sandpoint
My Commission expires: 8/6

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

96-09059

ADAMS, STEVE P
122 WOODVIEW RD
SANDPOINT, ID 83864
Source: TURNIPSEED CREEK
Tributary: PEND OREILLE
RIVER
Diversion Pt: SWNE Sec 18 T 57N
R 02W in BONNER County.
Use: RECREATION STORAGE
(0.60 AF)

DIVERSION TO STORAGE
(0.100 CFS)

Total ok
Diversion: (0.100 CFS)
Date Filed: 11/2/2000
In: BONNER County
T57N R02W S18 SENE
96-09060

VILLELLI ENTERPRISES INC
HCR61 BOX 169
BONNERS FERRY, ID 83805
Source: GROUNDWATER
Diversion Pt: SWNW Sec 31 T
58N R 01E in BONNER County.
Use: MUNICIPAL (0.350 CFS)
Total Diversion (0.350 CFS)

Date Filed: 10/31/2000

Place of use is within the ser-
vice area of Golden Tee Estates/
Villemi Enterprises, Inc.

For additional information con-
cerning the property location, call
the Northern Regional Office at
(208) 769-1450.

The permit(s) will be subject to
all prior water rights. Protests
must be filed with the applicant
and with the Director, Dept. of
Water Resources, Northern
Region, 1910 Northwest Blvd.,
Suite 210, Coeur d'Alene, Idaho
83814, together with a protest fee
of \$25.00 on or before DECEM-
BER 4, 2000.

KARL J. DREHER, Director
Legal SNP#2200
November 16, 23, 2000

MICROFILMED

OCT 19 2001

96-09060

VILLELLI ENTERPRISES INC
HCR61 BOX 169
BONNERS FERRY, ID 83805

Source: GROUNDWATER

Diversion Pt: SWNW Sec 31 T 58N R 01E in BONNER County.

Use: MUNICIPAL	(	0.350 CFS)
Total Diversion:	(	0.350 CFS)

Date Filed: 10/31/2000

Place of use is within the service area of Golden Tee Estates /
Villelli Enterprises, Inc.

MICROFILMED

OCT 19 2001

November 8, 2000

Villelli Enterprises, Inc
HCR 61 BOX 169
Bonners Ferry ID 83805

Re: Water Appropriation Application No. 96-09060

Gentlemen:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application. Enclosed for your file is receipt N013883.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

A groundwater source requires a Well Drilling Permit for all wells constructed after July 1, 1987.

A "Domestic" well drilling permit should be obtained for a rate of diversion of up to 18 gallons per minute (0.04 CFS) and a daily volume of up to 2,500 gallons per day. The cost for this permit is \$75.00. For any other use, including multiple homes, or municipal, etc., the Drilling Permit fee is \$200. These Permits can be obtained by your driller, also. It is sometimes possible to upgrade an existing Domestic Drilling Permit by submitting a fee for the difference. This, however, depends on the individual well.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

MICROFILMED

OCT 18 2001

cc: Mr. Robert M. Tate, Meckel Engineering, 402 Idaho Ave., Cd'A ID 83814



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

RECEIVED OCT 28 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

October 25, 2000

Mr. Robert M. Tate
Meckel Engineering & Surveying, Inc.
402 Idaho Ave
Coeur d'Alene ID 83814

RE: Application for Permit for Villelli Interprises, Inc.

Dear Mr. Tate:

We are returning the above file to you for clarification of the legal descriptions on it.

The second map shows the entire project, well site, etc., however, it is not clear where the irrigated property will be.

Please mark the enclosed topographic map where the well will be located and outline where the irrigation will be. The number of acres of irrigation listed in Item 9., for the Place of Use should correspond with the number of acres outlined on the map, per 40 acre, $\frac{1}{4}$ $\frac{1}{4}$ tract.

Let me know if I can be of further assistance.

Sincerely,

Allen Beardslee
Sr. Water Resource Agent

MICROFILMED

OCT 13 2000