





Accepted



MICROFILMED
OCT 19 2001

ROAD CLASSIFICATION

Primary highway, all weather, hard surface
 Light-duty road, all weather, improved surface
 Unimproved road, fair or poor weather
 U S Route
 State Route

GOTTSCALK
T.57N., R.2W
 (PACK SADDLE MTN.)
 1:62 500

LAKE NORM

Mile 120

Government Lot check for 96-09945 by RGH 8/16/2000

T57N R2W

Contest Point Light
Contest Point

PACIFIC

PD


State 2104

BM 2089

Mile 118

MICROFILMED
OCT 19 2001

BM 2092



PEND

OREILLE LA

M.C. NO. 1 W
M.C. NO. 2 W

POINT OF
DIVERSION

SANDY COVE
Mountain Pine Shores
1st Addition

PLACE
OF USE
38.39

21.20

Mountain Pine Shores

NW SW

MICROFILMED
OCT 19 2001

39.98

T13
6130
371656
all rights reserved

6450

BARRY VALELE
T10
4195

Chad E.
T9
4195

TRACT 4

39.91

54

5

3

GOVT. LOT
4

Robert

MEa
Duck
Killing


Area of
Range of
Camp

17.33

M.C. M.C.

6176

DAVID



96-09045

LAKE PEND OREILLE
NORMAL POOL ELEV
2062 + Mile 121
Mile 120

PLACE OF USE
POINT OF DIVERSION

MICROFILMED
OCT 19 2001

ROAD CLASSIFICATION

Primary highway, all weather, hard surface
Light-duty road, all weather, improved surface
Unimproved road, fair or poor weather

U S Route

GOTTSCALK
T. 5 N., R. 2 W.

(PACK SADDLE MTN.)
2780 ft
162500



PD



PV

96-09045-

Gottschalk

EXEMPTED
JUL 19 2001

96-09045

15N R&D

Contest Point	Contest Point
Light	Point

PD

【附註】

Mile 118

MICROFILMED
OCT 19 2001

BM/2092

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 96-09045

Priority: April 18, 2000

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 1.2 AF

It is hereby certified that PATRICIA J GOTTSCHALK
5911 E WOODLAWN DR #114
SPOKANE WA 99212 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated April 18, 2000; and has
submitted Proof of Beneficial Use on February 05, 2001. An examination indicates that the works have
a diversion capacity of 0.02 cfs of water from:

SOURCE

LAKE PEND OREILLE

Tributary: PEND OREILLE RIVER

and a water right has been established as follows:

BENEFICIAL USE

DOMESTIC

PERIOD OF USE

01/01 to 12/31

DIVERSION RATE

0.02 CFS

**ANNUAL
DIVERSION VOLUME**

1.2 AF

LOCATION OF POINT OF DIVERSION:

LAKE PEND OREILLE L4 NW¼SW¼ Sec. 25, Twp 57N, Rge 02W, B.M., BONNER County

PLACE OF USE: DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	02W	25																	

CONDITIONS OF APPROVAL

1. Domestic use is for 1 home.
2. Point of diversion and place of use are located within Lot 3, Blk. 1, Mountain Pine Subdivision.
3. A fish screen of ¼ inch or smaller mesh shall be installed and maintained at the point of diversion.
4. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 23rd day of November, 2001.

Acting for

KARL J. DREHER
Director

MICROFILMED

FEB 25 2002

FEB - 5 2001

Department of Water Resources

FOR OFFICE USE ONLY

Amt. of Fee \$ 50.00
 Receipt No. CD52770
 Receipt By: J. M. M.
 Date Received: 2-5-01

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 96-09045 Telephone No. (509) 536-5795

2. Name of Permit Holder(s): Patricia J. Gottschalk

3. Mailing Address: 5911 E. Woodlawn Dr. #114

City Spokane State WA Zip 99212

4. Source of Water: Lake Pend Oreille If **GROUNDWATER** (well), Date Drilled: mo. _____ / yr. _____

Well Driller: _____ Drilling Permit Number: _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: .04 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No X

Has the measuring device been installed?

Yes _____ or No _____

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Patricia Gottschalk Telephone Number: (509) 536-5795

Address: Same as above

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Patricia J. Gottschalk
 (include your title, if on behalf of company or organization)

Date: 1/30/01

MICROFILMED
 OCT 19 2001

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-09045

Priority: April 18, 2000

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **PATRICIA J GOTTSCHALK**
144 LUTEFISK LN
SAGLE ID 83860

has applied for a permit to appropriate water from:

PEND OREILLE LAKE

tributary of **PEND OREILLE RIVER**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 4 (NWSW), Sec. 25, Township 57N, Range 02W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

57N 02W 25 Lot 4 (NWSW)

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of application of water to beneficial use shall be submitted on or before **November 1, 2001**.
2. Subject to all prior water rights.
3. The issuance of this right does not grant any right-of-way or easement across the land of another.
4. Point of diversion and place of use are located within Lot 3, Blk. 1, Mountain Pine Subdivision.
5. A fish screen of 1/4 inch or smaller mesh shall be installed and maintained at the point of diversion.
6. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.
7. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this


23

day of

October

, 20

00



Karl J. Dreher, Director

for

MICROFILMED

OCT 19 2000

Ident. No. 96-09045

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

SEP 6 2000

DEPARTMENT OF WATER RESOURCES

1. Name of Applicant Patricia J. Gottschalk Phone (208) 763-6745
Post Office address 144 Lutevisk Ln. Sagle, ID 83860
2. Source of water supply Pandoreille Lake which is a tributary of Pandoreille River
3. Location of point of diversion is 1/4 of NW 1/4 of SW 1/4, Govt. Lot #4
Sec. 25 Township 57N Range 2W B.M. Bonner County; additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from 7/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 1/2 HP pump located in lake
1" pipe from pump to residence
b. Height of storage dam 7.50 feet; active reservoir capacity _____ acre-feet; total reservoir capacity 250 acre-feet; period of year when water will be diverted to storage: April to October inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 85°F being sought? No
e. If well is already drilled, when? 1994; Drilling firm _____:
Well was drilled for (well owner) _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity if KW. _____
b. Stockwatering; list number and kind of livestock. _____
c. Municipal; show name of municipality. _____
d. Domestic; show number of households. 1
e. Other; describe fully. _____

MICROFILMED
OCT 13 2001

9. Description of place of use: Domestic use at home

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	21W	25									GL. 4 D								

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Piatt A Trust
- b. Who owns the land to be irrigated or place of use? Gottschalk LLC
- c. If the property is owned by a person other than the applicant, describe the arrangement enable the applicant to make this filing: EASEMENT - SEE ATTACHED

12. Remarks: PLACE OF USE IS WITHIN LOT 3, BLOCK 1, MOUNTAIN PINE SHORES.

13. MAP OF PROPOSED PROJECT ATTACHED ☒ Show clearly the proposed point of diversion, place of use, section number, township and range number.

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Patricia J. Gottschalk
(Applicant)

Received by RB Date 4-18-00 Time 11:00 Preliminary check by AS
Fee \$ 50.00 Received by RB # 10013596 Date 4-18-00
Publication prepared by b Date 4/26/00 Published in Bonner Co Daily Bee 5/4-11/00
Publication approved b Date 6/6/00

MICROFILMED

OCT 19 2001

STATE OF IDAHO
DEPARTMENT OF LANDS
ATTACHMENT FOR ENCROACHMENT

Required When Applying for an Idaho Department of Lands Lake Encroachment Permit

"Joint COE-IDL Applications" for encroachment must be signed by the riparian or littoral property owner or his lessee. A riparian or littoral owner is the person whose upland property interfaces the ordinary or artificial high water mark of a given waterway. A complete application must include the legal description of the upland property; a vicinity map showing the location of the proposal; design plans showing the adjacent boundary lines, encroachment dimensions, water depth, and a lakebed profile, all relative to the ordinary or artificial high water mark; and name and address of the adjacent property owner(s).

General specifications are as follows:

- 1) Encroachment must be installed perpendicular to the general shoreline.
- 2) Encroachment is not to extend beyond a depth necessary for customary navigation nor beyond the established line of navigation.
- 3) Mooring buoy encroachment must be kept 30 feet from riparian/adjacent property lines and cannot extend further waterward than the line of navigation.
- 4) Dock encroachment is not to exceed 700 square feet in size nor 10 feet in width, excluding a slip cutout.
- 5) Approach ramp is not to exceed 6 feet in width. Only four (4) piling are allowed.
- 6) Structure cannot be closer than 10 feet to adjacent property/riparian boundary lines without written consent from the adjacent property owner, as riparian lines extend into the water perpendicular from the general shoreline.
- 7) Commercial encroachments are required to maintain 25 feet from adjacent property/riparian boundary lines.

CONSENT OF ADJACENT RIPARIAN OR LITTORAL PROPERTY OWNERS

Navigational and nonnavigational encroachments located adjacent to an upland property may infringe upon the adjacent property owner. Signature of the owner(s) will automatically rebut this presumption. The owner's signature below and initials per applicant's drawing will complete the permit requirement process.

I, Kenneth Pratt, am the owner of riparian or littoral property adjacent to the riparian or littoral area listed in this application. I am familiar with the scope and location of the proposed encroachment as evidenced by accompanying plans which I have initialed. I offer no objection to the encroachment.

4/15/00
Date

Kenneth Pratt
Name

327 St Clair Sandpoint, ID 83846
Address

I, _____, am the owner of riparian or littoral property adjacent to the riparian or littoral area listed in this application. I am familiar with the scope and location of the proposed encroachment as evidenced by accompanying plans which I have initialed. I offer no objection to the encroachment.

Date

Name

Address

MICROFILMED

OCT 19 2001

Accepted

L P K E

Sec. 24.

10/1/00

Sec. 25.

10/1/00

Sec. 30.

10/1/00

PEND OREILLE
STATION
Sec. 23.

10/1/00

Sec. 22.

10/1/00

Sec. 26.

10/1/00

Sec. 27.

10/1/00

Sec. 33.

10/1/00

Sec. 34.

10/1/00


MICROFILMED

OCT 19 2001

PEND

Sec. 33.


10/1/00



MICROFILMED

OCT 19 2001

Accepted



MICROFILMED
 OCT 19 2001
 ROAD CLASSIFICATION
 Primary highway, all weather, hard surface
 Light duty road, all weather, improved surface
 Unimproved road, fair on dry weather
 U S Route
 State Route
GOTTSCALK
TS7N., R. 2W
 (PACKSADDLE MTN.)

100

6

SE 11

Verdant:

MICROFILM
 007-102801

8M 19

PEND OR

3
21.20

39.9

SANDY COVE 1st Addition
Mountain Pine Shores

M.C.

M.C.

PLATE ④
OF USE 38.39

POINT OF
DIVERSION

Mountain Pine Shores

NW SW

17.33

M.C. M.C.

5
39.98

MICROFILM
OCT 19 1981

6176

T13
6130
37166
Along
Barry

6450

PATSY GOTTSCHALK
P.O. BOX 8315
SPOKANE, WA 99203

RECEIVED

MAR 20 2002

Department of Water Resources

March 18, 2002

To: Kari Lynn Townsend, Secretary
State of Idaho
Department of Water Resources
P.O. Box 83720
Boise, ID 83720

From: Patricia J. Gottschalk
P.O. Box 8315
Spokane, WA 99203

Re: Transfer of water right ownership for Lot 3, Blk. 1, Mountain Pine
Subdivision - Bonner County

To facilitate the transfer of the water right ownership for the above mentioned lot, enclosed, you will find a copy of the tax notice for that property.

The current business address for the Gottschalk Family LLC is:
1652 235th Ave. S.E.,
Sammamish, WA 98075.

Thank you for your help in this matter

Patricia J. Gottschalk

MICROFILMED

OCT 17 2002

MAKE CHECK PAYABLE TO:
BONNER COUNTY TAX COLLECTOR
215 S FIRST AVENUE
SANDPOINT, ID 83864
TELEPHONE: (208) 265-1433

2001 TAX BILL/RECEIPT

PARCEL NUMB
R0005460010

BILL# 18068 CODE AREA 62-00

L 17
I 56

1ST HALF DUE

2ND HALF DUE

FULL DUE

TOT MV

74

TAX 446.48
LATE
INT
COST
TOT

TAX 446.48
LATE
INT
COST
TOT

TAX 892.96
LATE
INT
COST
TOT

TOT ACS

GOTTSCHALK FAMILY LLC
P O BOX 8315
SPOKANE WA 99203-0315

25-57N-2W MT PINE SHORES 1ST
BLK 1 LOT 3 ADD

TAXING DISTRICT	RATE	AM
COUNTY	.002982440	22
LAKE PC SCH #84	.003221110	23
LAKE PD SUPL#84	.001071465	7
CO RD/BRIDGE	.001454967	10
P.O. HOSPITAL	.000232222	1
E BONNER LIS	.000436946	3
LIBRARY BOND	.000131683	
SAGLE FIRE	.001891659	10.
DISTRICT TOTAL	.011417492	81
FIRE CHARGE		1.
FPA		
SOLID WASTE		6.
AMOUNT DUE		89.

517 BUTTE BAY RD 93860

*** IMPORTANT ***
PLEASE READ BOTH FRONT AND BACK
*** MONTHLY PAYMENTS ARE ACCEPTED ***

PAYMENTS RECEIVED WITH A DELINQUENCY WILL BE
APPLIED TO THE OLDEST DELINQUENT YEAR.
TO AVOID LATE CHARGES, PAYMENTS MUST BE
RECEIVED OR POSTMARKED BY THE DUE DATE.
KEEP TOP PORTION FOR YOUR RECORDS.
PERSONAL CHECKS ARE YOUR RECEIPT
SUBJECT TO BANK CLEARANCE.

IF PAYMENT IS NOT MADE BY DUE DATE, CONTACT OUR
OFFICE. PLEASE RETURN STUB WITH PAYMENT.

FOR INFORMATION ON THIS STUB MUST BE RETURNED WITH PAYMENT
PERSONAL CHECKS ARE SUBJECT TO BANK CLEARANCE

FOR INFORMATION ON THIS STUB MUST BE RETURNED WITH PAYMENT
PERSONAL CHECKS ARE SUBJECT TO BANK CLEARANCE

GOTTSCHALK FAMILY LLC

2001
18068

GOTTSCHALK FAMILY LLC

2
18

MICROFILMED

OCT 17 2002

2ND HALF

1ST HALF

FULL

AMOUNT DUE 446.48

AMOUNT DUE 446.48 892

BONNER COUNTY
R0005460010030A
62-00

LATE
INT
COST
TOT

BONNER COUNTY
R0005460010030A
62-00

LATE
INT
COST
TOT

LATE
INT
COST
TOT

DELINQUENT IF NOT PAID ON OR BEFORE

JUNE 20, 2002

DATE PAID
PAID BY

CHECK #
CASH

DELINQUENT IF NOT PAID ON OR BEFORE

DECEMBER 20, 2001

DATE PAID
PAID BY

CHECK #
CASH



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

March 14, 2002

PATRICIA J GOTTSCHALK
PO BOX 8315
SPOKANE WA 99203

RE: Ownership/Name Change of Water Right 96-09045

Dear Ms. Gottschalk:

The Department of Water Resources is in receipt of your memo dated March 4, 2002 stating that ownership of the above referenced water right should be in the name of the Gottschalk Family LLC.

In order for us to make that change to our database we will need written documentation showing ownership in the name of Gottschalk Family LLC of the property referenced on the Water Right License (copy enclosed). This documentation can be a copy of a Warranty Deed, Title Policy, Contract of Sale or a tax notice.

We will be happy to complete your request for name change on this water right upon receipt of the required documentation.

If you have any questions regarding this matter, please call me at 208-327-7941.

Sincerely,

Kari Lynn Townsend
Secretary

KLT:k

Enclosure

MICROFILMED

OCT 17 2002

RECEIVED

MAR - 7 2002

Department of Water Resources

PATRICIA J. GOTTSCHALK
P.O. BOX 8315
SPOKANE, WA 99203

March 4, 2002

To: Shelley W. Keen
Water rights Supervisor
State of Idaho
Department of Water Resources
P.O. BOX 83720
BOISE, ID 83720-0098

From: Patricia J. Gottschalk
P.O. Box 8315
Spokane, WA 99203

Re: Water Rights License #96-09045

This memo is to inform you that the water right ownership for this license is the Gottschalk Family LLC at 1652 235th Ave. S. E., Sammamish, WA 98075.

Enclosed is a copy of the license.

Patricia J. Gottschalk

MICROFILMED
OCT 17 2002



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

November 26, 2001

PATRICIA J GOTTSCHALK
5911 E WOODLAWN DR #114
SPOKANE WA 99212

RE: License No. 96-9045 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:kltA

Enclosure(s)


MICROFILMED
FEB 25 2002

CERTIFICATE OF MAILING

I hereby certify that on November 26, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 96-9045

**PATRICIA J GOTTSCHALK
5911 E WOODLAWN DR #114
SPOKANE WA 99212**

A handwritten signature in cursive script, reading "Kari Lynn Townsend", written over a horizontal line.

**Kari Lynn Townsend
Secretary**

**MICROFILMED
FEB 25 2002**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

FEB 25 2002

LICENSE REVIEW CHECKLIST

Permit No. 96-9045

Date: 11-21-01

Reviewer: Kay Walker

Change/OK

Name/Address ✓

Source ✓

Point of Diversion: ✓

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44)

Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use ✓

Change (P41/P49) Add (P41/P44)

Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s):

File reviewed Profile reports printed

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.04 cfs

Fee Limit 0.20 cfs

Measured 0.02 cfs

Theoretical cfs

Recommended Total Diversion Rate 0.02

Water Uses ✓

Change (P46)

Season of Use per new Standards

Irrigation cfs af

Stockwater cfs af

Domestic 0.02 cfs 1.2 af

cfs af

cfs af

Total 0.02 cfs 1.2 af

Irrigation - overlap(R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/Wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (081/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

cfs x 1.9835 x days = af (vs) acres x (FHR) = af

Remarks:

Additional Conditions

Watermaster Control

GW Measurement/Measuring Device

Other

Trust R55 - remove 051)

Non-trust (048/049)

GW Dist?

Water Msmt. Dist?

Crit. GWMA?

GWMA?

Government Lots? yes

Advance Priority? yes

no

If yes, explain why below.

SRBA Claim? N/A

Adjust memo

Amend Letters

P87, S06

Second Amendment Notice

S06

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 24 2001

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-09045

1. Owner: Patricia J Gottschalk Phone No. _____
Current Address: 5911 E. Woodlawn Dr. #114 Spokane Wa 99212

2. Accompanied by: Patricia Gottschalk EXAM DATE: 6-27-01

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Lake Bend Oreille tributary to Pond Oreille River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SW	25	57N	02W	banier	USGS 7.5 min Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	02W	25									D								

MICROFILMED

OCT 19 2001

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	1	NL	Sub	1"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

OCT 19 2001

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

MICROFILMED
OCT 19 2001

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

5 gal bucket 5 gal in 40 sec = 7.5 gpm

$$\frac{7.5 \times 1.33681}{60} = 0.16 = 1.02 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	01-01	12-31	1.02	1.2
Totals:			1.02	1.2

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Wayne Dalburt Date 7-17-01


Reviewer _____ Date _____

SEAL

MICROFILMED
01 9 2001

96-09045

LAKE PEND OREILLE
NORMAL POOL ELEV
2002 + Mile 121
Mile 120



ROAD CLASSIFICATION

Primary highway, all weather, hard surface
Light-duty road, all weather, improved surface
Unimproved road, fair or poor weather

U. S. Route

GOTTSCHALK
T57N., R. 2W
MICROFILMED
OCT 19 2001
(PACKS 780-111, 162-500)



PD

PV

96-09045

Gottschalk

FILED
JUN 13 2001

96-09045

Contest Point
Contest Point

Government of Alaska
Department of Natural Resources

167N R2W





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

February 6, 2001

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

PATRICIA J GOTTSCHALK
5911 E WOODLAWN DR #114
SPOKANE WA 99212

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-09045

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to contact you to schedule a field examination to determine and confirm the use being made of the water, and that it meets the permitted beneficial use.

Be advised that Section 42-248, Idaho Code requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **Northern** Regional Office of the department in Coeur d'Alene at (208) 769-1450.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Encl.

c: IDWR - Regional Office

MICROFILMED

OCT 19 2001

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 96-9045

Reviewed By: dgibson

Date: February 6, 2001

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?		X
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		N013596, C052170	Well driller's report filed?		X
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?		X	Measuring device installed?		
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received		02/05/2001
Date proof due	-	11/01/2001
Lapse notice sent	-	
No. of days late	=	0
Holiday allowance	+	
Priority date	+	04/18/2000
New priority date	=	04/18/2000

Deficiencies of Actions Items

Acknowledge proof.

**APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS**
Reviewed by Cindy Zimmerman on _____

No. 96-09045 Name: Gottschalk Corp. Officers NA Ad ok ☒ Govt Lots ☒ #4

AREA OF CONCERN: ☒ No/Yes ☐ Moratorium ☐ GWMA ☐ TRUST/NON-TRUST

GROUNDWATER: (√Flow Chart)

DRILLING PERMIT

All wells - 046(P23)

Irr. w/in WD - P05

WMD - North/East/West

≤ 0.24 cfs/5 acres - No MD

> 0.24 cfs/5 acres - 067

WMD

Supp irr (irr = only use) - 065-104

Supp irr (+ other uses) - 100-105

≤ 0.24 cfs/5 acres - No MD

> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)

Mitigation - 121

42-248 Area - P84 (20s-70s, 81-86)

Swan Falls Flag -

Trust - 051(P74) (consumptive uses)

Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18A-01H(P01), 01P-18B(P09)-NA

IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)

> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)

STOCKWATER - R37 (BLM/USFS)

MINING - 054-081(P10)

FISH PROP - 029(70'S only)-007-042-081(P10)

HEAT/COOL - R07(injection well)

FIRE PROT. - 077

✓ SURFACE WATER: (√Flow Chart)

✓ F&G contacted

In/Above MSF

☒ Yes/No Response W15, W16

☒ WB9

PLANNING REVIEW/RESPONSE

In-stream development - P52

WD - R04 (WD# _____)

≤ 0.20 cfs/others - 01H(P01), 01P or No MD

> 0.20 cfs - 01J(P08)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres

☒ No MD

> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W22(P04), N/A

(02,03) - 007 (w/ remark WB9 if above Weiser)

Payette R (65) - 047(P04) (Payette Lake)

Salmon R (70's) - 029 (fish screens)

Weiser R (67) - 086-087

✓ USES:

POWER

- 17H-17K (+uses)-08A-025(P18)-01N-081(P10)

MUNICIPAL

Restricted area - 022,075

Irr., GW supp to SW - 102

✓ DOMESTIC

Surface water

- WB5 (Big Wood or Boise above Star Bridge)

27A (Payette R) NA

- 070-071-075 (no parks/common areas, etc)

> 1 in restricted area - WB5

Irr use listed separate

Moratorium approvable

- W03 (2500 gpd - meets domestic definition

i.e. D/convenience store)

✓ BENEFICIAL USE DUE: 11 / 01 / 01

✓ MISC CONDITIONS/REMARKS:

Protested - 020-W19

✓ Development Period

✓ ≤ 1 yr

- P16

> 1 yr

- 26A(P17)

✓ Ownership

- 004

Non-consumptive

- 027

Water Quality

- 081-R07

Multiple pd's per 1/4

✓ Subd lot desc (pd)

✓ Subd lot desc (pu)

Use definitions

Pre-1987 development

Single p/d intended

- W32

- W69

- W60

- W02 example - S/50 range

- 068-074 (allow 120 days for proof due)

- 076

IRRIGATION SEASON _____ (Per updated map)

OTHER CONDITIONS/REMARKS W15, W16, W59, W60, W01/1

COMMENTS _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

October 24, 2000

PATRICIA J GOTTSCHALK
144 LUTEFISK LN
SAGLE ID 83860

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-09045

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

MICROFILMED

OCT 19 2001

Sincerely,

Shelley W. Keen

for Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures


MICROFILMED
OCT 19 2001

CERTIFICATE OF MAILING

I hereby certify that on the 24th day of October, 2000, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 96-09045

PATRICIA J GOTTSCHALK
144 LUTEFISK LN
SAGLE ID 83860


Kari Lynn Townsend
Secretary

MICROFILMED
OCT 19 2001

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED
OCT 19 2004

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
OCT 1 1988

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED (WR)
WRA
SEP 6 2000 Bca

APPLICATION # 916-09045

DEPARTMENT OF WATER RESOURCES

INITIAL REVIEW

APPLICANT: GOTTSCHALK

BY: AB

DATE: 4/18/00

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
 - ☒ Nature of Proposed Use
 - ☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other water Rights
11. ☒ Ownership
12. ☒ Map
 - ☒ Signature
 - ☒ Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

(Yes) (No)

- ☒ Field check: by _____
- ☒ Field report attached
- ☒ Analysis Supp. attached (>5cfs/500af)
- ☒ Water delivered by water master?
- Water District # _____

PROCESSING

(Yes) (No)

PRIORITY DATE: 4/18/00

☒ (Include Moratorium Remark)

☒ Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BONNER County

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	Type:	Fees	Receipt No.	Upgrade Needed?
<u>1</u>	Dom. Non-Dom.	Paid \$ _____	_____	Y () N ()
<u>1</u>	Dom. Non-Dom.	Paid \$ _____	_____	Y () N ()
<u>1</u>	Dom. Non-Dom.	Paid \$ _____	_____	Y () N ()

- ☒ Groundwater management area
- ☒ Critical ground water area
- ☒ Well Drilling Permit required
- ☒ Well Drilling Application and Fees received
- ☒ Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

- ☒ Notice of pending void order issued. Final order response date: _____
- ☒ Further information required from applicant
- ☒ Affidavit of publication received
- ☒ Application published correctly. If not, record action taken: _____
- ☒ Publication dates and paper recorded on application | Sr. Agent initial _____
- ☒ Protests received, Final protest date: 5/22/00
- ☒ Measuring device required
- ☒ Measuring port required
- ☒ Special conditions:
- ☒ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: RAA

Date: 8/16/2000



IDAHO FISH & GAME

PANHANDLE REGION
2750 Kathleen Avenue
Coeur d'Alene, Idaho 83814

Dirk Kempthorne/Governor
Rod Sando/Director

April 28, 2000

RECEIVED
MAY - 4 2000
IDWR/North

Ms. Dianne Ball
Idaho Department of Water Resources
1910 Northwest Boulevard, Suite 210
Coeur d'Alene, ID 83814

Dear Dianne:

REFERENCE: WATER RIGHT APPLICATION 96-09045 GOTTSCHALK / LPO

We have reviewed the Gottschalk application for a water right of 0.04 cfs from Lake Pend Oreille.

Provided the intake is appropriately screened to prevent loss of fish (mesh size of 0.25 inch or smaller, approach velocity of 0.5 fps or less), we have no objection to the application.

Thanks for the opportunity to comment.

Sincerely,

Greg Tourlotte
Regional Supervisor

GIT:CEC:kh

C: Tracey Trent, IDFG, Boise

MICROFILMED

OCT 19 2001

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Sherilyn Plunk being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

App for Water Rights

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 4 day of May, 1900
and ending on the 11 day of May, 1900
and that said notice was published in said newspaper.

On this 11 day of May in the year
of 2000, before me, a Notary Public, personally
appeared Sherilyn Plunk,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Carolyn L. Inge
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 7/00

RECEIVED
JUN 05 2000
IDWR/North

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Idaho:
96-09045

GOTTSCHALK, PATRICIA J
144 LUTEFISH LN
SAGLE, ID 83860 *ok*
Source: PEND OREILLE LAKE
Tributary: PEND OREILLE
RIVER
Diversion Pt: LOT 4 (NWSW) Sec
25 T 57N R 02W in BONNER
County.
Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)
Date Filed: 4/18/2000
In: BONNER County
T57N R02W S 25 Lot 4
(NWSW)

96-09046

VILLELLI ENTERPRISES ET AL
C/O RICHARD VILLELLI
HCR61 BOX 169
BONNERS FERRY, ID 83805
Source: PACK RIVER
Tributary: PEND OREILLE LAKE
Diversion Pt: SENWSW Sec 31 T
58N R 01E in BONNER County.
Use: WILDLIFE
STORAGE (52.00 AF)

Total Diversion: (52.00 AF)
Date Filed: 11/15/1999
In: BONNER County *ok*
T58N R01E S31
SWNW NESW NWSW

For additional information con-
cerning the property location, call
the Northern Regional office at
(208) 769-1450.

The permit(s) will be subject to
all prior water rights. Protests
must be filed with the applicant
and with the Director, Dept. of
Water Resources, Northern
Region, 1910 Northwest Blvd.,
Suite 210, Coeur d'Alene, Idaho
83814, together with a protest fee
of \$25.00 on or before MAY 22,
2000.

KARL J. DREHER,
Director

Legal SNP#1760
May 4, 11, 2000

RECORDED

JUN 5 2000

1760

96-09045

GOTTSCHALK, PATRICIA J
144 LUTEFISK LN
SAGLE, ID 83860

Source: PEND OREILLE LAKE

Tributary: PEND OREILLE RIVER

Diversion Pt: LOT 4 (NWSW) Sec 25 T 57N R 02W in BONNER County.

Use: DOMESTIC	(	0.040 CFS)
Total Diversion:	(	0.040 CFS)

Date Filed: 4/18/2000

In: BONNER County
T57N R02W S25 Lot 4 (NWSW)

MICROFILMED

OCT 15 2001

April 26, 2000

Patricia J. Gottschalk
144 Lutfisk Ln
Sagle ID 83860

Re: Water Appropriation Application No. 96-09045

Dear Ms. Gottschalk:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

MICROFILMED

OCT 18 2001

WR0749NP
No. 96-09045

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 04/26/00
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	PATRICIA J GOTTSCHALK 144 LUTEFISK LN SAGLE ID 83860 (208) 263-6745	04/18/2000	DOMESTIC	01/01 12/31	0.040 CFS	
TOTAL DIVERSION:					0.040 CFS	

Water Source: PEND OREILLE LAKE

Tributary to: PEND OREILLE RIVER

Stage: APPLICATION

Point(s) of Diversion: T57N R02W S25 Lot 04(NWSW)

BONNER County

Place of use Legal Description for: DOMESTIC

NE				NW				SW				SE																			
NENE		NWNE		SWNE		SENE		NENW		NWNW		SWNW		SENW		NESW		NWSW		SWSW		SESW		NESE		NWSE		SWSE		SESE	
T	R	S	: Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
---	---	---	:	---	---	---	---	---	:	---	---	---	---	---	:	---	---	---	---	:	---	---	---	---	:	---	---	---	---	:	
57N	02W	25	:						:						:		04-D		:					:					:		

Pou County: BONNER

Remarks: GEN Domestic use is for one home.

Dates: App. Received: 04/18/2000 Priority Date: 04/18/2000
Proof Due Date: Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Comments: Date: 04/19/2000 User-ID: DBALL Subject: Examiner's notes.
1/2 hp pump in lake, 1" pipe to residence.
Easement in file.
Place of use is within Lot 3, Block 1, Mountain Pine Shores.
Time required 1 year.

Audit: 04/19/00 DBALL