




STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-08651

1. Owner: David Vishnesky Louanne Vishnesky Phone No. 208 773 3603

Current Address: 3025 Riverview, Coeur d'Alene ID 83814

2. Accompanied by: none EXAM. DATE: 7/31/91

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
_____ ☐ Copies Attached

2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.


☐ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more).



Published by the Geological Survey
C&GS

metric methods from aerial
and planetable surveys 1961
27 North American datum
Idaho coordinate system,
inverse Mercator grid ticks


date selected fence lines



DEC 15 1992

VAL 20 FEET
IT 10 FOOT CONTOURS
TICAL DATUM OF 1929

E	d	D	e	C	b
-----	-----	-----	-----	-----	-----



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. ~~95-08651~~
96-08837

Priority: May 8, 1990

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that LOUANNE VISHNESKY
DAVID VISHNESKY

3025 RIVERVIEW

COEUR DALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 8, 1990; and has submitted Proof of Beneficial Use on July 5, 1990. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNESW , Sec. 4, Township 52N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

52N 03W 4

NESW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

RECORDED

DEC 15 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08651

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of NOVEMBER, 1992.

Acting for R. Keith Higginson, Director

MAILED

DEC 15 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08651

Proposed Priority: May 8, 1990 Maximum Diversion Rate: 0.04 CFS

This is to certify, that DAVID VISHNESKY
LOUANNE VISHNESKY
3025 RIVERVIEW
COEUR DALENE, ID 83814

has applied for a permit to appropriate water from:

SPRING

tributary of SINKS

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNESW Sec. 4, Township 52N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

52N 03W 4 NESW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1991.
2. Subject to all prior water rights.
3. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27th day of July, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

DEC 18 1990

Ident. No. 95-08651

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: DAVID VISHNESKY 208-773-3603
Address: 3025 RIVERVIEW
COEUR DALENE, ID 83814
AND/OR
Name: LOUANNE VISHNESKY 208-773-3603
Address: 3025 RIVERVIEW
COEUR DALENE, ID 83814

2. Source: SPRING Trib. to: SINKS
3. Location of Point of Diversion: SWNESW Sec. 4, Township 52N, Range 03W
KOOTENAI County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.040		

5. Total quantity appropriated is:
0.040 CFS (and/or) AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
GRAVITY FEED PIPELINE
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is inches; proposed depth of well is
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
D/1 HOME

9. Place of Use: DOMESTIC

TWN RGE SEC
52N 03W 4

NESW

MICROFILMED

DEC 18 1990

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?
APPLICANT

b. Who owns the land to be irrigated or place of use?
APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dan Vining
Applicant

Received by RVA Date 5/8/90 Time Noon Preliminary check by TDK



Fee \$ 30.00 Receipted by RVA # N 3732 Date 5/8/90

Publication prepared by [signature] Date 5/8/90 Published in Coeur d'Alene River
5/17 + 24/90

Publication approved [signature] Date 6/7/90

RECORDED

DEC 10 1990



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

ss. *Julie Jacob*
NORTHERN REGION
IDWR

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular *Thurs* issue of said newspaper for *2* consecutive *weeks* commencing on the *17th* day of *May*, 19*90*, and ending on the *24th* day of *May*, 19*90*, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this

24th day of *May*, 19*90*.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
My commission expires *9-3-93*

R. KEITH HIGGINSON, Director
NOTICE OF APPLICATION FOR
TRANSFER OF WATER RIGHT
NOTICE IS HEREBY GIVEN that
License No. 94-7013 in the name of Fritz
Reinhofer was filed for the diversion of
0.67 cubic feet per second of water from
Mission Slough, tributary to the Coeur
d'Alene River, with the point of diversion
in the NWNE Sec. 30 T49N R01E, B.M.,
Kootenai County, to be used for irrigation
purposes from June 1 to October 1 within
the SWSE (25 acres) and NENW (10 acres)
and the NWNE (15 acres) and NENW (10 acres)
Sec. 30 T 49N R01E, B.M., for 50 acres.
The prior date is May 22, 1970.
The new owners, Dennis or Amy Wright,
now wish to change the point of diversion
to the SENW Sec. 30 T49N R01E, B.M.,
and the place of use to within the NWNE
(15 acres) Sec. 30 and SWSE (25 acres)
and SESE (10 acres) Sec. 19 T49N R01E,
B.M., for 50 acres. (For additional in-
formation concerning the property loca-
tion, call the Northern Regional Office at
765-4639.)

Any protest to the proposed transfer may
be filed with the Idaho Department of
Water Resources, 1910 Northwest Blvd.,
Suite 210, Coeur d'Alene, Id. 83814, on or
before June 4, 1990.

R. KEITH HIGGINSON, Dir.
Legal 854
May 17, 24, 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

95-08649

RINECK, PEGGY J.
SIMON, STEPHEN A.
BOX 907
HAYDEN LAKE, ID 83835
Source: HAYDEN LAKE Tributary:
SINKS
Diversion Pt: LOT 4 (SWNW) Sec 3 T51N
R 03W
Use: DOMESTIC (.020 CFS); Total
Diversion (.020 CFS)
Date Filed: 4/27/1990
In: T51N R03W S03 Lot 4 (SWNW)

95-08651

VISHNESKY, DAVID
VISHNESKY, LOUANNE
3025 RIVERVIEW
COEUR D'ALENE, ID 83814
Source: SPRING Tributary: SINKS
Diversion Pt: SWNE Sec 4 T 52N R
03W
Use: DOMESTIC (*0.40* CFS); Total
Diversion (.040 CFS) *0.04*
Date Filed: 5/8/1990
In: T52N R03W S04 NESW

95-08652

ARROW PROPERTIES
PARTNERSHIP
603 N. 4TH ST.
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: LOT 1 (NENE) Sec 6 T 4N
R 03W
Use: IRRIGATION (1.600 CFS);
DOMESTIC (1.600 CFS); Total
Diversion: (1.600 CFS)
Date Filed: 5/3/1990
In: T49N R03W S05 NWNW SWNW; S06
NENE SWNE SENE; T50N R04W S36 Lot
4 (NESE Lot 4 (SESE)
84.0 ACRES TOTAL

96-08595

CRAUN, STEVE
CRAUN, BARBARA
BOX 1795
HAYDEN, ID 83835
Source: SAGE CREEK Tributary:
SINKS
Diversion Pt: SENESE Sec 34 T 53N R
03W
Use: IRRIGATION STORAGE (3.30
AF); RECREATION STORAGE (3.30
AF); WILDLIFE STORAGE (3.30 AF);
IRRIGATION (.040 CFS);
STOCKWATER (.040 CFS);
STOCKWATER STORAGE (3.30 AF);
Total Diversion: (.040 CFS) (3.30 AF)
Date Filed: 4/27/1990
In: T53N R03W S34 NESE
2.0 ACRES TOTAL

For additional information concern-
ing the property location, call the
Northern Regional Office at 765-4639.

The permit(s) will be subject to all
prior water rights. Protests must be filed
with the Director, Dept. of Water Re-
sources, Northern Region, 1910
Northwest Blvd., Suite 210, Coeur
d'Alene, Idaho 83814 on or before JUNE
4, 1990.

MICROFILMED
DEC 18 1990

MEMORANDUM

TO: FILE NO. 96-08837

FROM: PAM SKAGGS/^{cl}STATE OFFICE

SUBJECT: RIGHT RENUMBERED


DATE: December 1, 1994

=====

This right was originally numbered 95-08651. The right is actually located within Basin 96, and has been renumbered to 96-08837.

DEC 14 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 NORTH ORCHARD STREET
BOISE, IDAHO 83706-2237



NOT DELIVERABLE
S ADDRESS --
UNABLE TO FORWARD

95-08651
LOUANNE VISHNESKY
3025 RIVERVIEW
COEUR DALENE ID 83814

DEC 15 1992

MAILED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08651

Priority: May 8, 1990

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 1.2 AF

This is to certify, that LOUANNE VISHNESKY
DAVID VISHNESKY

3025 RIVERVIEW

COEUR DALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 8, 1990; and has submitted Proof of Beneficial Use on July 5, 1990. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: SWNESW , Sec. 4, Township 52N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC

52N 03W 4 NESW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 95-08651

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of NOVEMBER, 1992.

Acting for  R. Keith Higginson, Director



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 24, 1992

LOUANNE VISHNESKY
DAVID VISHNESKY
3025 RIVERVIEW
COEUR DALENE ID 83814

RE: WATER RIGHT NO. 95-08651

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 24, 1992

LOUANNE VISHNESKY
DAVID VISHNESKY
3025 RIVERVIEW
COEUR DALENE ID 83814

RE: WATER RIGHT NO. 95-08651

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

DEC 15 1992

LICENSE REVIEW CHECKLIST

Permit # 95-8651

Date 11-10-92

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance <u> </u>
	<u> </u>	<u>✓</u>	Order to Reinstate Needed? <u> </u>
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended? <u> </u>
	<u>NA</u>	<u> </u>	Disagree with Actual Measurement? <u> </u>
	<u> </u>	<u> </u>	<u>.04 cfs (DOM)</u>
	<u>NA</u>	<u> </u>	Disagree with Theoretical? <u> </u>
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>.04 cfs</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations? <u> </u>
	<u> </u>	<u>✓</u>	<u>1.2 afa (DOM)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u> </u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source <u> </u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void. <u> </u>
P/D			Verify with Map <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration? <u> </u>
P/U			Verify with Map <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration? <u> </u>
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u>✓</u>	<u> </u>	Non-Irr. Uses <u>DOM/1 Home</u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device <u> </u>
	<u> </u>	<u>✓</u>	W/Master Control <u> </u>
	<u> </u>	<u>✓</u>	Overlap <u> </u>
	<u> </u>	<u>✓</u>	Water Quality <u> </u>
			DATES/MISC <u> </u>
			<u> </u> <u>✓</u> Water Dist. <u> </u>
			<u>✓</u> <u> </u> App Rec'd <u> </u>
			<u>✓</u> <u> </u> Exam Made <u> </u>

COMMENTS/MEMOS NEEDED:

License ✓ 10-Day 15-Day Special Correspondence

WR0749NP
No. L95-08651

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 11/10/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	LOUANNE VISHNESKY	05/08/1990	DOMESTIC	01-01 12-31	0.04 CFS	1.2 AFA
C	DAVID VISHNESKY					
	3025 RIVERVIEW					
	COEUR DALENE ID 83814					
	(208) 773-3603					
				TOTAL DIVERSION:	0.04 CFS	1.2 AFA

Water Source: SPRING

Tributary to: SINKS

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T52N R03W S04 SW NE SW

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE							
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
				Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac	
52N	03W	4	:					:					:					:					:

Pou County: KOOTENAI

Remarks: Domestic use is for 1 home.

Dates:	App. Received:	05/08/1990	Priority Date:	05/08/1990
	Proof Due Date:	08/01/1991	Proof Made Date:	07/05/1990
	Exam Made Date:	07/31/1991	Exam Sent to S.O.:	07/24/1992
	Licensed Date:			

Misc: Water District Number: Field Exam Fee:

Audit: 11/10/92 SKAGGS

Check List
for
Beneficial Use Field Report

Permit 95-08651
95-08651

A. GENERAL INFORMATION

1. Name and address are most current available. (Check BU statement)
2. Exam Date
3. Source (Check Permit)

B. OVERLAP REVIEW

1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
3. Word Picture (Rule 5,1,3 / 5,1,4)
4. Diversion (Rule 5,1,3)
5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Government Lot ?
Method of determination
6. Compare USGS/Land Survey? Aerial Photos/Permit.
Method of determination,
Irrigation (Rule 5,1,8),

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- All actual uses listed (Rule 5,1,2):
All unused, permitted uses listed (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

Check with permit and well log for discrepancies

RECEIVED
JUL 27 1992

Department of Water Resources

Signature Tom D. King
Tom D. King Sr. Water Resource Agent

Date 11/27/91

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-08651

1. Owner: David Vishnesky Louanne Vishnesky Phone No. 208 773 3603

Current Address: 3025 Riverview, Coeur d'Alene ID 83814

2. Accompanied by: none EXAM. DATE: 7/31/91

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: None



☐ Copies Attached

2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

DEC 15 1992

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Spring with 4 inch pipe flows into 12,000 gallon reservoir and then through a 4 inch pipe to a second 12,000 gallon reservoir and then is gravity fed to home.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Gravity					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NE	SW	4	52N	3W	Kootenai	Map
		SW							

6. Place(s) of Use:

Indicate Method of Determination Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
52N	3W	4									D								

MICROFILMED

Do not use this space

DEC 15 1992

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

*1 home L & G
0.04 as per permit*

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (8)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

*1 home lawn & Garden
1.2 afu*

MICROFILMED

DEC 15 1992


[illegible]

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	0.04 cfs	1.2 afa
		Totals:	0.04 cfs	1.2 afa

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


Field Examiner's Name Theresa J. Bright
Signature Theresa J Bright
Certification Date 4/10/91
Field Report Preparation Date 8/1/91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

DEC 15 1992



Published by the Geological Survey

C&GS

metric methods from aerial
and planetable surveys 1961

1927 North American datum
Idaho coordinate system,
transverse Mercator grid ticks

date selected fence lines

SCALE 1:24 000



1992

VAL 20 FEET
10 FOOT CONTOURS
TICAL DATUM OF 1929

FROM *Cam Skaggs*DATE *11-01-91*TO *File # 95-8651*SUBJECT *Lapsed in Error*

Permit was approved 7-27-90 with a proof due date of 8-01-91. Proof of Beneficial use was filed 7-05-90 and accepted. The proof made date was never entered into the database, so letters of Proof Due & Lapse Notice were sent in error.

The database has been corrected and the permit is in good standing.

RECEIVED

DEC 15 1992

Cam Skaggs

SIGNATURE

August 6, 1991

DAVID VISHNESKY
LOUANNE VISHNESKY
22725 RIMROCK RD
HAYDEN LAKE ID 83835-9309

LAPSE NOTICE

RE: PERMIT NO. 95-08651

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated May 31, 1991. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. Glen Saxton

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

RECEIVED

DEC 15 1992

CERTIFICATION OF MAILING

I hereby certify that on 8-9-91
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

1501 North Orchard Street

Boise, Idaho 83706-2237

CERTIFIED MAIL

NO. 138732

RECEIVED
JUN 10 1991

Department of Water Resources



DEC 15 1992

*present.
reg mail*

6-14-91

VISH025 838142002 1690 06/05/91
FORWARDING TIME EXPIRED
VISHNESKY
22725 RIMROCK RD
HAYDEN LAKE ID 83835-9304
RETURN TO SENDER

138732
May 31, 1991

DAVID VISHNESKY
LOUANNE VISHNESKY
3025 RIVERVIEW
COEUR DALENE, ID 83814

PROOF DUE NOTICE

RE: PERMIT NO. 95-08651

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

DEC 15 1992

December 7, 1990

DAVID VISHNESKY
LOUANNE VISHNESKY
3025 RIVERVIEW
COEUR DALENE, ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08651

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

DEC 18 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8651

Date: 11-27-90

General Considerations:

g Name same as permit
g Signature the same as permit holder
n Address change _____ If yes, prepare a data entry
g Proof received timely _____
_____ Reinstated

Source of Water:

g Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

g Rate of diversion appropriate for uses
g Is rate or volume and fee appropriate?
g Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

g Is a measuring device or access port required?
g Has one been installed?
g Waiver or modification of measuring device requested

Remarks:

Proof acceptable

g Priority Calculation:
Date proof received _____

Date proof due _____ - _____

No. of days late _____ = _____

Priority date _____ + _____

NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-08651 Telephone No. _____

Name(s) of Permit Holder(s): David & Louanne Vishnitsky

Post Office Address: 3025 Riverview Cda ID 83814

Source of Water: Spring

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic 1 (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .04 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: May 1990

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☒ No ☐

OR

Flow Measurement Port: Required? Yes ☒ No ☐ Installed? Yes ☒ No ☐

Fee Enclosed: \$ NA (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

As above
Name

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5/8/90 David Vishnitsky
Date Signature (and title if on behalf of a company or organization)

Department of Water Resources

RECEIVED
DEC 18 1990

JUL 05 1990

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
July 30, 1990

DAVID VISHNESKY
LOUANNE VISHNESKY
3025 RIVERVIEW
COEUR DALENE, ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P95-08651

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED
DEC 18 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: TDK DATE: 5/15/90 APPLICATION NUMBER: 95-8651

APPLICANT: VISHNESKY

REQUIRED INFORMATION

- (1). ☒ Name & Address: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
- (2). ☒ Source: (See USGS Quad for names of water sources)
- (3). ☒ Point of Diversion including county: (spring/10 ac., Subd. lot & block)
- (4). ☒ Quantity: (flow and/or volume)
☒ Nature of proposed use: (Include description of use)
☒ Period of use:
- (5). ☒ Total Quantity: (flow and/or volume)
- (6). ☒ Description of diverting works:
- (7). ☒ Time required for beneficial use of water:
- (8). ☒ Proposed uses:
- (9). ☒ Place of use or acres irrigated:
- (10). ☒ Other Water Rights:
- (11). ☒ Ownership:
- (13). ☒ Map:
☒ Signature: (signator title required for corp., partnership, etc)
☒ Fee: (Amount, receipt number and date recorded on application)
☒ Acknowledgement Letter:
☒ Overlap Review: Attachment? (Y) ☐ (N) ☒ Remarks? (Y) ☐ (N) ☐

ADDITIONAL INFORMATION

YES NO

- ☐ ☒ Field check required: Field check by: _____
- ☐ ☒ Field report attached:
- ☐ ☒ Critical groundwater area:
- ☐ ☒ Groundwater management area:
- ☐ ☒ Send dam safety information:
- ☐ ☒ Send power requirement letter:
- ☐ ☒ Send fish farm requirement letter:
- ☐ ☒ Power residency affidavit:
- ☐ ☒ Power efficiency form:
- ☐ ☒ Within trust water boundry: (Attach Trust Water Supp. Analysis Sheet.)
- ☐ ☒ Diversion greater than 5 cfs or 500 af, supplementary analysis sheet attached.

PROCESSING

YES NO

- ☒ ☐ In form for advertising:
- ☐ ☒ Statewide advertising: (10.00 or more cfs.)

Send Copies To

YES NO

☐ ☒ I.D. Health and Welfare

☐ ☒ I.D. Fish and Game

☐ ☒ I.D. Lands

☐ ☒ Adjudication Bureau

YES NO

☐ ☒ U.S. BLM

☐ ☒ U.S. Forest Service

☐ ☒ Water District # _____

☐ ☒ Other _____

RECEIVED
JUL 05 1990

Department of Water Resources

Application Number 95851

FOLLOWING INFORMATION REQUESTED FROM APPLICANT
Item

Date Requested

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒ Additional information received:

☒ ☒ Notice of pending void order issued: Final date of order response. _____

☒ ☒ Affidavit of publication received:

☒ ☒ Application published correctly: If not, record action taken.

☒ ☒ Publication dates and paper recorded on application:

☒ ☒ Protests received, Final date for protest 6/4/90

☒ ☒ Recommendations attached:

☒ ☒ Measuring device required:

☒ ☒ Measuring port required:

☒ ☒ Water delivered by water master? District # _____

☒ ☒ Special conditions of approval or cover letter: (see additional info. below)

Recommended Date of Priority 5/8/90 ☒

Recommended by: TDK RJA Date 6/29/90

STATE OFFICE REVIEW NONE

See remarks for additional information. By KW Date 7/23/90

REMARKS

95-08651

VISHNESKY, DAVID
VISHNESKY, LOUANNE
3025 RIVERVIEW
COEUR DALENE, ID 83814

Source: SPRING

Tributary: SINKS

Diversion Pt: SWNESW Sec 4 T 52N R 03W

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 5/ 8/ 1990

In: T52N R03W S04 NESW

MICROFILMED

DEC 18 1990