

10/10/2002

**Idaho Dept. of Water Resources
Place of Use Comparison Report**

Page1

Type	WR #	Owner	Source	TRS	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
Permit	96 8813	RICKEL WATER CO,	GROUND WATER	53N03W33						0.5											0.5
Permit	96 8836	ROBERT H RICKEL,	GROUND WATER	53N03W33	15	35	40	20	2			25	40				5	35			217
Right	96 8836	ROBERT H RICKEL,	GROUND WATER	53N03W33	12	35	40	16	2			22	32			2	4	32	1		198
Right	96 2023C	ROBERT H RICKEL,	SAGE CREEK	53N03W33	11	30	11														52
Right	96 2331	AUSTIN CORBIN II,	UNNAMED STREAM	53N03W33											40	40			40	40	160

LICENSE REVIEW CHECKLIST

Permit No. 96-8836

Date: 10-10-02 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: change

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use change

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps: Right(s): 96-2023C
File reviewed Profile reports printed

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 3.0 cfs
Fee Limit 1.0 cfs
Measured 0.81 cfs
Theoretical cfs

Recommended Total Diversion Rate 0.81

Water Uses OK

Change (P46)

Season of Use per new Standards

4-1 10-31

Irrigation 0.81 cfs 344.0 af
Stockwater 0.03 cfs 0.3 af
Domestic 0.08 cfs 3.6 af
Total 0.81 cfs 347.9 af

~ 348.0 AF

no commercial use developed

~~Irrigation - overlap (R58-R61, R62-R65, R66-R69)~~
~~supp. Gw (WB7/065/104)~~
~~overlap spec combined fts (W35)~~
~~1 acre (W31)~~
~~Domestic (W01/wb5/070/071/075)~~
~~Power (W42 or W43/025/027/R22 or R23)~~
~~Fish (042)~~
~~Fire (077)~~
~~Water Quality (106/R07)~~
~~Peyette - (W22/047/27A)~~
~~Stockwater for US (R37)~~

Volume Determination

0.81 cfs x 1.9835 x 214 days = 343.8 af (vs)

196 acres x 3.0 (FHR) = 588.0 af
148 acres x 2.0 (con) = 296.0 af

Remarks: 071

Additional Conditions

~~Watermaster Control~~
~~GW Measurement/Measuring Device~~
~~Other~~
~~Trust R55 - remove 051)~~
~~Non-trust (048)~~

~~GW Dist?~~
~~Water Msmt. Dist?~~
~~Crit. GWMA?~~
~~GWMA?~~
~~Government Lots?~~

Advance Priority? yes

no

If yes, explain why below.

SRBA Claim?

Adjust memo see comment report

Amend Letters

P87, S06

Second Amendment Notice P49

S06

OK - Based on approved transfer #5311 10/14/1998

10/10/2002

Idaho Dept. of Water Resources
Place of Use Comparison Report

Page1

Type	WR #	Owner	Source	TRS	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
																					0.5
					15	35	40	20					40								217
Right	96 8838	ROBERT H RICKEL,	GROUND WATER	53N03W33	12	35	40	16				22	32			2	4	32	1		198
Right	96 2023C	ROBERT H RICKEL,	SAGE CREEK	53N03W33	11	30	11														52
Right	96 2831	AUSTIN CORBIN II,	UNNAMED STREAM	53N03W33											40	40			40	40	160

OK →

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 96-2023C

WATER RIGHT NUMBER: 96-2023C

<u>Owner Type</u>	<u>Name and Address</u>
Original Owner	AUSTIN CORBIN II
	, ID
Current Owner	ROBERT H RICKEL PO BOX 319 BAYVIEW, ID 83803

Priority Date: 03/14/1917

Basis: License

Status: Active

<u>Source</u>	<u>Tributary</u>
SAGE CREEK	SINKS

<u>Beneficial Use</u>	<u>From To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	3/15 to 11/15	0.740 CFS	156.00 AF
	<u>Total Diversion:</u>	0.740 CFS	156.00 AF

Location of Point(s) of Diversion

SAGE CREEK	NE1/4NW1/4	Sec. 36, Twp 53N, Rge 03W, B.M.
KOOTENAI County		

Place of Use

IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
53N	03W	33	11.0	30.0	11.0														52.0

Total Acres: 52

Conditions of Approval:

1. 01M After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
2. R62 This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
3. T07 The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
4. T08 Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

Remarks:

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 96-2023C

1. General The portion of Right 96-02023 in excess of Rights 96-02023A, 96-02023B and 96-02023C in the amount of 12.14 cfs and 1663.0 acres shall be considered forfeited through approval of Transfer 5311.
The portion of Right 96-02023C used for conveyance losses is 0.37 cfs.
Approval of Transfer 5311 does not grant any right-of-way or easement for use of a delivery system owned by person(s) other than the right owner.

Comments:

1. PSKAGGS 10/9/1998 TRANSFER 5311

Comment: Transfer 5311 changes & splits the remaining place of use under Right 96-02023, splitting the right into Parts A, B & C.

Dates and Other Information:

Licensed Date: 1/20/1923

Decreed Date:

Water Supply Bank Enrollment Accepted:

Water Supply Bank Enrollment Removed:

Enlargement Use Priority Date:

Enlargement Statute Priority Date:

State or Federal:

Owner Name Connector:

Water District Number:

Generic Max Rate Per Acre:

Generic Max Volume Per Acre:

Decree Defendant:

Decree Plaintiff:

Civil Case Number:

Judicial District:

Swan Falls Trust or Nontrust:

Swan Falls Dismissed:

DLE Act Number:

Carey Act Number:

Mitigation Plan: False

Keen, Shelley

To: Beardslee, Allen
Subject: Field report for 96-8836

Al,

Wayne sent us a field report for 96-8836 that is not clear about the number of points of diversion. Under points of diversion, he gives one legal description. His map shows one well. He describes two sets of pumps and motors. His measurement is the combination of two flow meter measurements. He has one photo labeled "PD" that shows casing with a submersible motor and pump, probably. He also shows a photo of a pumphouse that could be another well.

Can you ask Wayne if he remembers whether there is one well or two on the system? If he can't remember, we may need a re-examination.

Shelley

I talked with Al Beardslee this afternoon about the points of diversion for this permit. He thinks there are two, but he's not certain. Al said he'd check into it and get back to me with an answer.

S. Keen 9/16/02

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 96-08836 Reviewed by VJA Date 1-17-00

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?

D. Sate & Son

yes Address same as permit?

yes Proof timely received?

Correct Uses? yes

If not, complete calculation below.

SOURCE OF WATER

 Surface water source

✓ Ground water source

 Drilling permit required?

 Copy in the file? Drilling Permit No.

 Amount paid for permit Correct?

 Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?

\$100 Amount Submitted

yes Correct? for 0.81 cfs

✓ Required?

✓ Installed?

✓ Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	- <u> </u>
No. of days late	<u> </u>	= <u> </u>
Priority Date	<u> </u>	+ <u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

none - ack proof

DATA ENTRY

New Address

Proof Made 12-21-99

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: ~~75-8868~~ ⁹⁶⁻⁸⁸³⁶ Name: Ricket Date: 8/30/94 ^{11/17/95} Correct Fee? ☒

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust

SYSTEM COMPLETED:

No - ~~86A-P17~~ P16

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <FLO-CH> - ~~T17~~ (new), ~~01K~~ (existing), No MD

- 0.2 cfs - No MD <FLOW CHART>

Drilling Permit:

Included w/permit - Permit No. _____, P99

Existing well - NA (pre 7/1/87)

No WD permit? - ~~046-46A(Irr)-46B-P23~~ (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <FLOW CHART>

LOCATION:

Water District(~~dem~~) - WD No. _____

*Surface water - 005 (req) 01J-P08 <FLOW CHART>
(doesn't sink) or 01H-P01 <FLOW CHART>; No MD

Groundwater - P05 (new irrigation well)

In stream channel - 030 (stream channel alteration)

Irr Dist/Canal Co. - 023 (Twin Falls area)

Drainage Districts - 024

Flood Control Dist. - 063

Boise Front (63) - 058 (-85° GW temp only)

Swan Falls Flag - B <SEE CONDITION CODE CHART>

Trust - 051-052-053-P74 (Consumptive Uses), NA

Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA

Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA

Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10
044 (N 1000 Spr)

Irrigation - 08A/057, 803(if GW use SW 1st)(+5A PU comp), NA

Power (✓ w/Jim) - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09

Mining - 054 (req) & 06A/010/09E-P10

Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

Domestic (surface) - 021(Boise R ↑ L Peak), 064(Payette R), NA

OWNERSHIP:

Non land owner - 004 (PD/PU)

PROTESTED:

- 020(Prehearing agreement)/W19(See Order)

OTHER CONDITIONS:

REMARKS:

- ① w01(4) ② w02(7000) ③ Comm use 160 space RV Park
④ w04

BENEFICIAL USE DUE:

- 9-1-1997 2/1/2000

COMMENTS:

- A) proposes 2.5 cfs to irrigate 217A = 0.01 cfs/A.

No. a
4/87-06/92n

IDA DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 95-8868

***** INITIAL REVIEW *****

APPLICANT: RICKEL BY: AB DATE: 5/18/94

ITEM REQUIRED INFORMATION

1. (x) Name and Address
2. (x) Source
3. (x) Point of Diversion & County
4. (x) Quantity
(x) Nature of Proposed Use
(x) Period of Use
5. (x) Total Quantity
6. (x) Description of diverting works
7. (x) Time required for b/u
8. (x) Proposed use
9. (x) Place of use or acres irrigated
10. (x) Other Water Rights
11. (x) Ownership
13. (x) Map
(x) Signature
(x) Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- x Field check: by _____
1 Field report attached
1 Analysis Supp. attached(>5cfs/500af)
0 Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 5/17/94

x (Include Moratorium Remark)

x Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

CA Thurs.

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- x Groundwater management area
x Critical ground water area
____ Well Drilling Permit required
____ Well Drilling Application and Fees received
____ Well Drilling Application approved?
____ Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ____ Notice of pending void order issued. Final order response date: ____/____/____
1 Further information required from applicant
1 Affidavit of publication received
1 Application published correctly, If not, record action taken: Read 7/21 & 28/94
1 Publication dates and paper recorded on application | Sr. Agent initial AB
1 Protests received. Final protest date: 06/20/94 / 8-8-94
1 Measuring device required
1 Measuring port required
1 Special conditions:
1 Special conditions of approval _____ and cover letter attached:

Approval Recommended by: AB DAK

AUG 22 1994

Date: 6/22/94

Department of Water Resources