




53

Gravel Pit

Little

KANIKSU
NATIONAL FOREST

NATI

Qua

Gravel Pit
Gravel Pit
Rifle Range

APPROX.
5 ACRES


DIVERSION
POINT

KANIKSU
NATIONAL FOREST

DEC 29 1994

Pine Cem

Idaho Dept. of Water Resources
Place of Use Comparison Report[illegible]



96-08821




PD

Pump



Trunk Line



PD
Elbow +
Portables



MICROFILMED
OCT 19 2001

96-08821



PD



Pump



Trunk Line



PU
1/8" hose +
Portables

MICROFILMED

OCT 19 2001

96-08821



PD



Pump



Trunk
Line



PU
5/8 hose +
Portables

MICROFILMED

OCT 19 2001

12880-96




PD

Pump



Trunk Line



PD
1/8 inch
Portables

MICROFILMED

OCT 19 2001

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 96-08821

Priority: September 15, 1994

Maximum Diversion Rate: 0.03 CFS
Maximum Diversion Volume: 12.7 AF

It is hereby certified that BARBARA FOURNIER
12560 BALDY MOUNTAIN RD
SANDPOINT ID 83864 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated September 15, 1994; and has
submitted Proof of Beneficial Use on October 27, 1999. An examination indicates that the works have a
diversion capacity of 0.03 cfs of water from:

SOURCE

TURNIPSEED CREEK

Tributary: PEND OREILLE RIVER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	04/01 to 10/31	0.03 CFS	12.7 AF

LOCATION OF POINT(S) OF DIVERSION:

TURNIPSEED CREEK NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 18, Twp 57N, Rge 02W, B.M., BONNER County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
57N 02W 18					5.0												5.0

Total Acres: 5

CONDITIONS OF APPROVAL


1. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 25th day of July, 2001.

MICROFILMED

OCT 13 2001


for **KARL J. DREHER**
Director

Amt. of Fee \$: 50.00
Receipt No. 0246988
Receipt By: J. Mann
Date Received: 10-27-99

OCT 27 1999
RECEIVED
OCT 27 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08821 Telephone No. 1-208-2632443
2. Name(s) of Permit Holder(s): BARBARA D. FOURNIER
3. Mailing Address: (5100) old - new Address by Post Office 12560 Baldy Mtn Saldy
4. Source of Water: Turnipseed Creek If GROUNDWATER (well), Date Drilled: mo. ____ / yr. ____
 - a. Well Driller: _____ Drilling Permit Number: ____ - ____ - ____ - ____
 - b. OPTIONAL:
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): chickens / horses / dogs
Irrigation (No. of acres): 5 - goal Other: family - extended family
6. Total rate of diversion and/or volume for which proof is submitted: 10 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u>X</u>	or No
	Has the measuring device been installed?	Yes	or No <u>X</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes	or No
	Has the measurement port been installed?	Yes	or No
8. Fee Enclosed: \$ 50 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Cheryl Fournier Telephone Number: 2655239
Address: Sage, Idaho / 12560 Baldy
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 10/24/99
(include your title, if on behalf of company or organization)
MICROFILMED
FEB 04 2000

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08821

Proposed Priority: September 15, 1994 **Maximum Diversion Rate:** 0.10 CFS

This is to certify, that **BARBARA FOURNIER**
5100 BALDY MOUNTAIN
SANDPOINT ID 83864
has applied for a permit to appropriate water from:

TURNIPSEED CREEK tributary of **PEND OREILLE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.10 CFS

LOCATION OF POINT(S) OF DIVERSION: NENW , Sec. 18, Township 57N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
57N	02W	18	NENW	5		5

Total number of acres irrigated: 5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1999**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. A separate stream alteration permit from the IDWR is required for any activity in the stream channel other than construction and/or maintenance of the diversion structure. If the proposed construction or operation involves construction of an outfall or any other work in the stream channel other than a water diversion, the right holder contact the Department and obtain a Stream Channel Alteration permit prior to the start of construction.
5. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.10 cubic feet per second for each acre of land.

DEC 29 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08821

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

6th day of December, 1994.

R. Keith Higginson
for R. Keith Higginson, Director

DEC 29 1994

RECEIVED

NOV 21 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 96-8821

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant BARBARA FOURNIER Phone 263-8443
Post office address SIDDA BALDY MTN. SANDPOINT ID 83864
2. Source of water supply TURNIPSEED CREEK which is a tributary of DEWD ORVILLE RIVER
3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot 18 Township 57N Range 2W B.M. BONNER County; additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.10 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.10 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. GRAVITY FLOW SYSTEM
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is 5 years (minimum 1 year).

DEC 29 1994

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
57N	2W	18					5												5

Total number of acres to be irrigated 5

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? APPLICANT


b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECEIVED


DEC 29 1964



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

RECEIVED
29 1994

Received by AS Date 9/15/94 Time 11:10 Preliminary check by AS
Fee \$ 50.00/100 Receipted by AS # N-8219 Date 9/15/94
Publication prepared by R.L. Date 9/28/94 Published in Boomer Co. Daily Bee 10/6/94
Publication approved cb Date 11/1/94

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED

DEC 29 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

July 27, 2001

BARBARA FOURNIER
12560 BALDY MOUNTAIN RD
SANDPOINT ID 83864

RE: License No. 96-8821 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SWK:kit

Enclosure(s)


MICROFILMED
OCT 19 2001

CERTIFICATE OF MAILING

I hereby certify that on July 27, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 96-8821

**BARBARA FOURNIER
12560 BALDY MOUNTAIN RD
SANDPOINT ID 83864**

A handwritten signature in cursive script, reading "Kari Lynn Townsend", written over a horizontal line.

**Kari Lynn Townsend
Secretary**

**MICROFILMED
OCT 19 2001**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
OCT 19 2001

LICENSE REVIEW CHECKLIST

Permit No. 96-08821

Date: 7-11-2001

Reviewer: Kay Walker

topo C54

Change/OK

Name/Address

ok

Source

ok

Point of Diversion:

ok

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44)

Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use

ok

Change (P41/P49) Add (P41/P44)

Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s):

File reviewed Profile reports printed

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.10 cfs

Fee Limit 0.20 cfs

Measured 0.03 cfs

Theoretical cfs

Recommended Total Diversion Rate 0.03

Water Uses

ok

Change (P46)

Season of Use per new Standards

4-1 10-31

Irrigation 0.03 cfs

~~0.0~~ af 12.7

Stockwater cfs

af

Domestic cfs

af

cfs

af

cfs

af

Total 0.03 cfs

~~0.0~~ af 12.7

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

~~supp. Gw (WB7/065/104)~~

~~overlap spec combined rts (W35)~~

~~<1 acre (W31)~~

~~Domestic (W01/wb5/070/071/075)~~

~~Power (W42 or W43/025/027/R22 or R23)~~

~~Fish (042)~~

~~Fire (077)~~

~~Water Quality (081/R07)~~

~~Payette - (W22/047/27A)~~

~~Stockwater for US (R37)~~

Volume Determination

0.03 cfs x 1.9835 x 214 days = 12.7 af (vs)

~~5~~ acres x ~~3.0~~ (FHR) = ~~15.0~~ af

Remarks:

5 x 3.0 = 15.0

Additional Conditions

Watermaster Control

GW Measurement/Measuring Device

Other

Trust R55 - remove 051)

Non-trust (048/049)

GW Dist?

Water Msmt. Dist?

Crit. GWMA?

GWMA?

Government Lots?

Advance Priority?

yes
no

if yes, explain why below.

SRBA Claim?

N/A

Adjust memo

Amend Letters

P87, S06

Second Amendment Notice

S06

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 18 2000
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08821

1. Owner: Barbara Lournier Phone No. (208) 263-2443

Current Address: 12560 Baldy Mountain Rd. Jarvis Id 83869

2. Accompanied by: Barbara Lournier EXAM DATE: 7-20-00

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Turnipseed Creek tributary to Pond Oreith River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NW	18	57N	02W	Donner	USGS 7.5 min Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	02W	18					05												05

MICROFILMED

OCT 19 2001

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	1	SKC3Ph2703AT	Meyers	98606

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

OCT 19 2001

E. NARRATIVE/REMARKS/COMMENTS

A 1 horsepower pump with 1.5" intake and 2" out is located stream side. 400ft of 2" Pvc runs across the irrigated section. at various points are 3/4" attachments for standard Garden hose. These hoses & portable sprinklers are moved around to desired areas. There is a rise of approx 100ft from pump, up to ~~the~~ irrigated area.

at time of exam only approx 2 acres were being irrigated. But the equipment and ability to do the other 3 was there

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
OCT 19 2001

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

$$\begin{aligned} &5 \text{ gal bucket } 5 \text{ gal in } 25 \text{ sec} = 12 \text{ gpm} \\ &\frac{12 \times .133681}{60} = 0.26 = .03 \text{ cfs} \end{aligned}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5 \times 3 = 15 \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 245 \times 1.9835 = 14.5 \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 14.5 \end{aligned}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	03-15	11-15	.03	14.5
Totals:			.03	14.5

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

Wayne Balchir


Date

8-15-98


Reviewer

Date

MICROFILMED
SEP 19 2001



12880-96



PD

Pump


Trunk
line

PD
78 hoses
+
portables

MICROFILMED

OCT 8 1990

12880-96



PD

Pump


Trunk:
Line

PD
7/8 hose +
Portables

MICROFILMED

OCT 19 2000

12880-96



PD

Pump


Trunk:
Line

PU
5/8 hose +
Portables

MICROFILMED

OCT 10 1981

12880-96



PD

Pump

Trunk
Line

PD
4/8 hrs +
Portables

MICROFILMED

OUT 10:20PM



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 13, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

BARBARA D FOURNIER
12560 BALDY MOUNTAIN
SANDPOINT ID 83864

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08821

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **NORTHERN** Regional Office of the department in Coeur D'Alene at (208) 769-1450.

Sincerely,

Kari Lynn Townsend
Secretary

c: IDWR - Regional Office

MICROFILMED
FEB 04 2000

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 96-08821 Reviewed by VZA Date 1-11-00

GENERAL CONSIDERATIONS

yes Name same as permit?
NO Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

for - Soc
yes Correct Uses?

SOURCE OF WATER

✓ Surface water source
 Ground water source
 Drilling permit required?
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NO Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received
Date proof due -
No. of days late =
Priority Date +
New Priority Date

DEFICIENCIES OR ACTION ITEMS

None - OK to acknowledge

DATA ENTRY

New Address 12560 Baldy Inter Proof Made 10-27-99
Sandpoint, Id 83864

September 30, 1999

BARBARA FOURNIER
5100 BALDY MOUNTAIN
SANDPOINT ID 83864

PROOF DUE NOTICE

RE: PERMIT NO. 96-08821

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1999.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

FEB 04 2002





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 6, 1994

BARBARA FOURNIER
5100 BALDY MOUNTAIN
SANDPOINT ID 83864

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08821

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name and title.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosures

DEC 20 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 96-882 Name: Fournier Date: 11/30/94 Correct Fee? ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust

SYSTEM COMPLETED:

No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted - P16
Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <FLO-CH> - 01G (new), 01K (existing), No MD
- 0.2 cfs - No MD <FLOW CHART>

Drilling Permit:

Included w/permit - Permit No. _____, P99
Existing well - NA (pre 7/1/87)
No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <FLOW CHART>

LOCATION:

Water District(~~dem~~) - WD No. _____
*Surface water - 005 (req) 01J-P08 <FLOW CHART>
(doesn't sink) or 01H-P01 <FLOW CHART>; No MD
Groundwater - P05 (new irrigation well)
In stream channel - 030 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (-85° GW temp only)
Swan Falls Flag - B <SEE CONDITION CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA
Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA
Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10
444 (N 1000 Spr)
Irrigation - 03A/057, 803(if GW use SW 1st) (+5A PU comp), NA
Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Mining - 054 (req) & 06A/010/09E-P10
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA
Domestic (surface) - 021(Boise R + L Peak), 064(Payette R), NA

OWNERSHIP:

Non land owner - 004 (PD/PU)

PROTESTED: - 020(Prehearing agreement)/W19(See Order)

OTHER CONDITIONS:

REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

- 12-1-1999

WR0749NP
No. P96-08821

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 11/30/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	BARBARA FOURNIER 5100 BALDY MOUNTAIN SANDPOINT ID 83864 (208) 263-2443	09/15/1994	IRRIGATION	03-15 11-15	0.10 CFS	
TOTAL DIVERSION:					0.10 CFS	

Water Source: TURNIPSEED CREEK

Tributary to: PEND OREILLE RIVER

Stage: PERMIT

Point(s) of Diversion: T57N R02W S18 NENW BONNER County

Place of use Legal Description for: IRRIGATION

NE												NW				SW				SE													
T	R	S	NENE		NWNE		SWNE		SENE		NENW		NWNW		SENW		NESW		NWSW		SWSW		SESW		NESE		NWSE		SWSE		SESE		SUM
			Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac			
57N	02W	18	:		:		:		:		:	05	:		:		:		:		:		:		:		:		:		:	5.0	
																												5.0					
																												TOTAL ACRES					

Pou County: BONNER

Other Water Rights with Same Point(s) of Diversion and Source:
96-08821

Other Water Rights Listing Overlapping Place(s) of use:
96-08820 96-08821 96-08822

Conditions of Approval:

- 26A - Project construction shall commence within one year from the
- date of permit issuance and shall proceed diligently to
- completion unless it can be shown to the satisfaction of the
- Director of the Department of Water Resources that delays were
- due to circumstances over which permit holder had no control.
- 030 - A separate stream alteration permit from the IDWR is required
- for any activity in the stream channel other than construction
- and/or maintenance of the diversion structure. If the proposed
- construction or operation involves construction of an outfall or
- any other work in the stream channel other than a water
- diversion, the right holder contact the Department and obtain a
- Stream Channel Alteration permit prior to the start of
- construction.
- 03A - The rate of diversion of water for irrigation under this right
- and all other water rights on the same land shall not exceed 0.02
- cubic feet per second for each acre of land.

Dates: App. Received: 09/15/1994 Priority Date: 09/15/1994
Proof Due Date: 12/01/1999 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

WR0749NP
No. P96-08821

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 11/30/94
PAGE: 2

=====

Comments: Date: 09/16/1994 User-ID: RCHILDER Subject: DIVERSION DESCRIPTION
Gravity flow system.

Audit: 11/30/94 CZIMMER

No. a
4/87-06/92n

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 96-08821

***** INITIAL REVIEW *****

APPLICANT: FOURNIER BY: BS DATE: 9/15/94

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
5. ☒ Nature of Proposed Use
6. ☒ Period of Use
7. ☒ Total Quantity
8. ☒ Description of diverting works
9. ☒ Time required for b/u
10. ☒ Proposed use
11. ☒ Place of use or acres irrigated
12. ☒ Other Water Rights
13. ☒ Ownership
14. ☒ Map
15. ☒ Signature
16. ☒ Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
- ☒ Field report attached
- ☒ Analysis Supp. attached(>5cfs/500af)
- ☒ Water delivered by water master?
- ☒ Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 9/15/94

____ (Include Moratorium Remark)

____ Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: SB Shook
BONNER County.

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

- ☒ Groundwater management area
- ☒ Critical ground water area
- ☒ Well Drilling Permit required
- ☒ Well Drilling Application and Fees received
- ☒ Well Drilling Application approved?
- ☒ Well Drilling Application Number _____

Checked by: _____ Date: ____/____/____

Remarks: _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ☐ Notice of pending void order issued. Final order response date: ____/____/____
- ☐ Further information required from applicant
- ☒ Affidavit of publication received
- ☒ Application published correctly, If not, record action taken: _____
- ☒ Publication dates and paper recorded on application
- ☐ Protests received. Final protest date: 10/24/94
- ☐ Measuring device required
- ☐ Measuring port required
- ☐ Special conditions: _____
- ☐ Special conditions of approval _____

Sr. Agent initial BS

Approval Recommended by: BS

NOV 21 1994

Date: 11/10/94

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Jean Conacher being first duly sworn on oath

deposes and says that he/she is Bookkeeper

of the Bonner County Daily Bee, a newspaper printed and

published at Sandpoint, Bonner County, Idaho; that the

said newspaper has been continuously and uninterruptedly

published in said Bonner County during a period of 12

months prior to the first publication of the hereto attached

notice of publication in the case of:

Applications for Water Right

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,

commencing on 6 day of Oct, 19 94

and ending on the 13 day of Oct, 19 94

and that said notice was published in said newspaper.

On this 24 day of Oct in the year

of 1994, before me, a Notary Public, personally

appeared Jean Conacher,

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me first

duly sworn, declared that the statements therein are true,

and acknowledged to me that he executed the same.

Cawdon L. Inge
Notary Public for Idaho

Residing at Sandpoint, Id

My commission expires: 6/2000

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-08819

LEWIS, GERALD H
LEWIS, PATRICIA
P O BOX 33
SANDPOINT, ID 83864
Source: GROUNDWATER

Diversion Pt: NENESE Sec 2 T
56N R 02W in BONNER County.
Use: IRRIGATION (.600 CFS)
DOMESTIC (.670 CFS)
RECREATION STORAGE (.1500

AF)
FIRE PROTECTION (1.490 CFS)
DIVERSION TO STORAGE (.220

CFS)
Total Diversion: (1.490 CFS)
Date Filed: 9/1/1994
In: BONNER County
T56N R02W S01 NWSW SWSW
S02 NENE NWNE SWNE SENE
NENW SENW NESE NWSE SWSE
SESE
158.0 ACRES TOTAL

96-08820
FOURNIER, BARBARA
5100 BALDY MOUNTAIN
SANDPOINT, ID 83864
Source: SPRINGS Tributary:

SINKS
Diversion Pt: NENENW Sec 18 T
57N R 02W in BONNER County.
NWNENW Sec 18 T 57N R 02W in
BONNER County.
Use: IRRIGATION (.030

CFS)
IRRIGATION STORAGE

(.75 AF)
IRRIGATION FROM STORAGE

(.75 AF)
STOCKWATER (.020 CFS)

STOCKWATER STORAGE

(.75 AF)
STOCKWATER FROM STORAGE

(.75 AF)
Total Diversion: (.050 CFS)

Date Filed: 9/15/1994

In: BONNER County

T57N R02W S18 NENW

1.0 ACRES TOTAL

96-08821 OK

FOURNIER, BARBARA
5100 BALDY MOUNTAIN
SANDPOINT, ID 83864

Source: TURNIPSEED CREEK
Tributary: PEND OREILLE RIVER

Diversion Pt: NENW Sec 18 T 57N

R 02W in BONNER County.

Use: IRRIGATION (.100 CFS)

Total Diversion: (.100 CFS)

Date Filed: 9/15/1994

In: BONNER County

T57N R02W S18 NENW

5.0 ACRES TOTAL

96-08822 OK

FOURNIER, BARBARA

5100 BALDY MOUNTAIN

SANDPOINT, ID 83864

Source: SPRING Tributary:

RECEIVED

NOV 04 1994

NORTHERN REGION
IDWR

TURNIPSEED CREEK

Diversion Pt: NENENW Sec 18 T

57N R 02W in BONNER County.

Use: IRRIGATION (.030 CFS)

STOCKWATER (.020 CFS)

DOMESTIC (.060 CFS)

Total Diversion: (.110 CFS)

Date Filed: 9/15/1994

In: BONNER County

T57N R02W S18 NENW

1.0 ACRES TOTAL

96-08823 OK

BROWN, BILL

VERMEER, LOU

102 S 4TH AVE

SANDPOINT, ID 83864

Source: GROUNDWATER

Diversion Pt: SWNE Sec 6 T 56N

R 02W in BONNER County.

Use: IRRIGATION (.100 CFS)

DOMESTIC (.100 CFS)

Total Diversion: (.200 CFS)

Date Filed: 9/8/1994

In: BONNER County

T56N R02W S06 NENE

T57N R02W S31 SESE

9.0 ACRES TOTAL

96-08824 OK

WILLIAMS, DONALD L

P O BOX 1075

SANDPOINT, ID 83864

Source: WOOD CREEK Tribu-

tary: FLUME CREEK

Diversion Pt: NWNW Sec 18 T

58N R 02E in BONNER County.

Use: IRRIGATION (.040 CFS)

STOCKWATER (.020 CFS)

DOMESTIC (.020 CFS)

Total Diversion: (.060 CFS)

Date Filed: 9/19/1994

In: BONNER County

T58N R02E S18 NENW

3.0 ACRES TOTAL

For additional information con-

cerning the property location, call

the Northern Regional Office at

(208) 769-1450.

The permit(s) will be subject to all

prior water rights. Protests must be

filed with the applicant and with the

Director, Dept. of Water Resources,

Northern Region, 1910 Northwest

Blvd., Suite 210, Coeur d'Alene, Ida-

ho 83814, together with a protest fee

of \$25.00 on or before OCTOBER

24, 1994.

R. KEITH HIGGINSON, Director

SNP#6398 Oct 6, 13, 1994

DEC 29 1994

FOURNIER, BARBARA
5100 BALDY MOUNTAIN
SANDPOINT, ID 83864

Tributary: PEND OREILLE RIVER

Diversion Pt: NENW Sec 18 T 57N R 02W in BONNER County.

```
Use: IRRIGATION      ( .100 CFS)
      Total Diversion: ( .100 CFS)
```

Date Filed: 9/15/1994

In: BONNER County
T57N R02W S18 NENW

5.0 ACRES TOTAL

DEC 29 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615

(208) 769-1450 Fax (208) 769-1454

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

September 28, 1994

Barbara Fournier
5100 Baldy Mountain
Sandpoint, ID 83864

Re: Water Appropriation Application No. 96-08821.

Dear Ms. Fournier:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

A handwritten signature in cursive script that reads "Allen Beardslee".

ALLEN BEARDSLEE
Senior Water Resources Agent

AB/rjc

1994