

$$\begin{array}{r} 116^{\circ} 07' 30'' \\ 48^{\circ} 07' 30'' \end{array} \quad \begin{array}{c} \text{---} \\ \text{---} \\ \text{---} \end{array}$$

566000mE

⁵67,390 000 FEET (MONT)

5'


569

5330000mN


900 000
FEET (MONT)

TSSN
R 03E

96-8811




13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James E. White
(Applicant)
Thomas P. O'Brien



96-0881
55N-03E-20

MICROFILMED
SEP 16 1987

PERMIT # 96-08811



PO

STORAGE



PO



PO



Lot stake

100' x 100'

PERMIT # 96-08811



PO



STORAGE

PO



PO



Lot stake

9-18-96

PERMIT # 96-08811



PO



STORAGE



PO

PV




Lot stake


SEP 18 1996



Lot stake

SEP 16 1987





DEC 29 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08811

Priority: August 9, 1994

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

31.5 AF

This is to certify, that JAMES WHITE
PO BOX 158

CLARK FORK ID 83811-0158 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 9, 1994; and has submitted Proof of Beneficial Use on November 7, 1995. An examination indicates that the works have a diversion capacity of 0.050 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.05 CFS	22.5 AF
DOMESTIC	01/01 to 12/31	0.05 CFS	9.0 AF
	Totals	0.05 CFS	31.5 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 20, Township 55N, Range 03E
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
55N	03E	20	NESW 5	NWSW 5	SWSW 1	12
			SESW 1			

Total number of acres irrigated: 12

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 96-08811

CONDITIONS OF APPROVAL AND REMARKS

6. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
7. Irrigation occurring under this right is limited to 1/2 acre within each platted subdivision lot upon which a home has been constructed and shall not exceed a total of 7.5 acres within the place of use described above in a single irrigation season.
8. Domestic use is for 15 homes within the Bear Claw Subdivision and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 12TH day of AUGUST, 1972.


Acting for KARL J. DREHER, Director

SEP 16 1972

FOR OFFICE USE ONLY
Amt. of Fee \$: 100.00
Receipt No. N-9670
Receipt By: RS
Date Received: 11/7/95

NOV 09 1995

STATE OF IDAHO Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08811 Telephone No. 266-1123
2. Name(s) of Permit Holder(s): JAMES WHITE
3. Mailing Address: PO BOX 158 CLARK FORK ID 838110158
4. Source of Water: GROUNDWATER If GROUNDWATER (well), Date Drilled: mo. 5 / yr. 88 ?
 - a. Well Driller: RUEB DRILLING Drilling Permit Number: 96-94-N-0222
 - b. OPTIONAL:
Pump Horsepower: 7.5 Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 43 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 12 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: .55 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____ or No _____
	Has the measuring device been installed?	Yes _____ or No _____
Flow Measurement Port:	Is a flow measurement port required?	Yes _____ or No _____
	Has the measurement port been installed?	Yes _____ or No _____
8. Fee Enclosed: \$ 100 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system:
Name: _____ Telephone Number: _____
Address: SAME AS ABOVE NOV 16 1995

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: James E White, owner Date: 11/7/95
(Include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08811

Proposed Priority: August 9, 1994

Maximum Diversion Rate:

0.55 CFS

This is to certify, that **JAMES WHITE**

PO BOX 158

CLARK FORK ID 83811-0158

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/15 to 10/15	0.24 CFS
DOMESTIC	01/01 to 12/31	0.31 CFS
	Totals	0.55 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 20, Township 55N, Range 03E
Lot 2(SESW), Sec. 20, Township 55N, Range 03E
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
55N	03E	20	NESW 5	NWSW 5	SWSW 1	12
			SESW 1			

Total number of acres irrigated: 12

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **January 1, 1996**.
2. Subject to all prior water rights.
3. Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. A well drilled pursuant to this permit must be located at least 500 feet from any existing well. Well spacing closer than 500 feet must be approved by the Department of Water Resources.
6. Construction of the well must comply with Idaho well construction standards.
7. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

APPROVED
DEC 29 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08811

CONDITIONS/REMARKS:

8. Domestic use is for 45 homes.
9. The domestic use authorized under this permit shall not exceed 13,000 gallons per day per dwelling in accordance with Section 42-111, Idaho Code.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

27 day of December, 1994.

for 
R. Keith Higginson, Director

MAILED
DEC 29 1994

RECEIVED

SEP 12 1994

Amended

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 96-8811

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant James White Phone (208) 266-1123
Post office address P.O. Box 158 - Clark Fork, ID 83811
2. Source of water supply Two wells which is a tributary of _____
3. Location of point of diversion is ~~SE~~ $\frac{1}{4}$ of NW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 20 Township 55 N Range 3 E B.M. Bonner County; additional
points of diversion if any: Well No. 2 - ~~SE 1/4, SW 1/4~~ Section 20, Township 55 North
Range 3 East, Boise, Meridian
4. Water will be used for the following purposes:
Amount 0.31 cfs for domestic purposes from Jan 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.62 cfs for irrigation purposes from April 15 to Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.93 cfs and/or (b) 76 AF
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Two wells with 75 gpm pumps 2500
LF of 6 in. dia. main and 4500 LF of 2 in. laterals and a 50,000 storage tank
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8 in. inches; proposed depth of well is 250 feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? No
 - e. If well is already drilled, when? No; Drilling firm _____;
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
One years (minimum 1 year).

RECEIVED

DEC 15 1994

Department of Water Resources

DEC 29 1994

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 45 households
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
55N	3E	20									D	D	D	D					
55N	3E	20									5	5	1	1					12

Total number of acres to be irrigated 12

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? James E. White
- b. Who owns the land to be irrigated or place of use? James E. White
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: The use is domestic and lawn and garden watering

DEC 29 1994

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

116° 07' 30"
48° 07' 30"

566000mE

567390000 FEET (MONT)

5'

569

5330000mN

900 000
FEET (MONT)

TSSN
R 03E


96-8811


5328

5327

5326


5325





BEAR CLAW SUBDIVISION									
WATER SYSTEM									
GENERAL LAYOUT									
PROJECT		ENGINEERING CONSULTANTS		SIT CHAIR ST.		SAMPLING STATION		PROJECT NO.	
RGT		REVISED LAYOUT		DATE		BY		CHECKED	
CHECKED		REVISION		DATE		BY		CHECKED	

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James E. White
(Applicant)
Thomas P. O'Brien

Received by RWC Date 8/9/94 Time 12:56p Preliminary check by AB
Amendment Fee \$50; N 8376 10/20/94
Fee \$ 100.00 Received by RWC # N 8029 Date 8/9/94
Publication prepared by RWC Date 8/10/94 Published in Daily Bee 8/18/94 25/94
Readvertised 10/26/94 11/30/94
Publication approved RWC Date 9/8/94

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED
DEC 29 1994

DEC 29 1994

APR 14 1995

NORTHERN REGION
IDWR

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

WELL DRILLER'S REPORT

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 13, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JAMES WHITE
PO BOX 158
CLARK FORK ID 838110158

RE: WATER RIGHT NO. 96-08811

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.


APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 12-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


3
83-18 107

CERTIFICATE OF MAILING

I hereby certify that on the 13th day of August, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 96-08811

JAMES WHITE
PO BOX 158
CLARK FORK ID 838110158


Kari Lynn Townsend
Secretary

92-15-111

MEMORANDUM

DATE: August 8, 1997

TO: Water Right File

FROM: Shelley W. Keen *SWK*

RE: Conversation with James White

Last week James White called to discuss the letter I sent him on 7/23/97. He told me that there are only a couple of homes currently on the water system in the Bear Claw Subdivision. He anticipates having to drill and connect a second well to the system when approximately 12 homes have been connected. The development is growing slowly, with about one new home per month. I told Mr. White that when permit 96-08811 is licensed it will not cover the entire subdivision, nor will it authorize diversion from more than one well. I suggested that his best course of action will probably be to file an application for a new water appropriation permit as he approaches the point when a second well is needed.

The number of homes and acres recommended for licensing under 96-08811 are based on the following:

- $0.05 \text{ cfs} * 365 \text{ days} * 1.98 = 36.2 \text{ af total annual capacity}$
- Fifteen homes at 0.6 af per home and 7.5 acres (half an acre per home) at 3.0 af per acre results in a volume of 31.5 af, which does not exceed the annual capacity.
- I am recommending a permissible place of use for the irrigation use because it is not possible at this stage to discern which lots will be developed next. Allowing 7.5 acres within a 12-acre ppu will allow for development of lots anywhere within the subdivision.

SEP 13 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 23, 1997

**PHILIP E. BATT
GOVERNOR**

**KARL J. DREHER
DIRECTOR**

**JAMES WHITE
PO BOX 158
CLARK FORK ID 838110158**

RE: Water Right No. 96-08811

Dear Mr. White:

I am reviewing the field examiner's report in preparation for issuing a water right license for the development under permit 96-08811, which was issued to you in 1994 for water use within the Bear Claw Subdivision in Bonner County. Before the license is issued, however, there is an item that you may want to address.

Normally a water right license can reflect only the development that occurred during the development period authorized by the permit. With subdivisions, however, IDWR will issue a license for the permitted diversion rate and number of homes if the diversion and distribution systems to accommodate that rate and number of homes are constructed by the end of the authorized development period. The reason for this approach is to eliminate the need for a new water right filing every time a lot is sold and a new home is constructed, which may occur repeatedly over many years before all the lots are occupied.

Permit 96-08811 authorized you to develop up to 0.55 cfs of ground water for in-house domestic use in 45 homes and for the irrigation of twelve acres of lawn and garden. IDWR's field examiner reported that lines are in place to serve water to 44 connections, but only one well capable of producing only 0.05 cfs is in place. The examiner did not report exactly how many homes have been constructed on the lots in the subdivision, but the photographs give the impression that there are only a few. In addition, Idaho Division of Environmental Quality regulations require a minimum of two wells for new community water systems serving more than 25 homes, so I am assuming that fewer than 25 homes have been built.


Even with your 55,000 gallons of storage capacity, a pumping capacity of 0.05 cfs is not enough to provide in-house domestic water for 44 homes and to irrigate 12 acres. This leaves the question of just how much beneficial use can be recognized on the license. One option is to issue the license for the in-house domestic use only, without recognizing any irrigation use. Another option is to issue the license for some combination of irrigation and in-house domestic use that would not cover the entire subdivision but would reflect the pumping capacity you have developed.

James White
July 22, 1997
Page 2

Before the department determines how your water right license should be configured, I thought you might appreciate the opportunity to comment and/or supply additional information relating to the this matter. I will appreciate hearing from you within 30 days.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

A handwritten signature in black ink, appearing to read "Shelley Walter Keen". The signature is fluid and cursive, with the last name "Keen" being particularly prominent.

Shelley Walter Keen
Water Rights Supervisor

SD-4110

Idaho Department of Water Resources
Well Log Screen 1

Date: 07/02/97
Time: 16:32:38

Drilling Permit Number: 96-94-N-0222-000

5. Well Construction Information:

B. Construction Method: ROTARY AIR

Surface Casing Diameter: 8 In.	Depth of Casing: 140 Ft.
Screen Installed? (Y/N) N	Static Water Level: 90 Ft.
Closed-In Pressure: PSI.	Temperature:
Production Rate: 43.00 G.P.M.	Total Depth: 142 Ft.

(Enter=Exit)
(GOLD8=Cancel)

END

SEP 10 1997

Form 219
6/92
RECEIVED
JUN 12 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08811

1. Owner: James White Phone No. (208) 266-1123

Current Address: P.O. Box 158 Clark Fork Id 83811-0158

2. Accompanied by: James White EXAM DATE: 9-18-96

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 96-07005 / 96-08882 / 96-08910

2. Other water rights with the same point of diversion: 96-08825 / 96-08876

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	NA		NW	SW	20	55N	03E	Bonner	U.S.G.S. 7.5min Quad

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
55N	03E	20									05	05	01	01					12

SEP 16 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

Scale: 1" = _____

_____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

_____ Aerial Photo Attached (required for irrigation of 10+ acres)

_____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	7.5	2822019210		Submersible

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NOV 1987

NOV 1987

E. NARRATIVE/REMARKS/COMMENTS

45 lots are stubbed & valued

Water is pumped from well to
55,000 gal storage & gravity feed to
system

Have conditions of permit approval been met? yes ☐ no

RECEIVED
SEP 16 1987

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

Flow meter
(Aquas Meter Totalizer) *2491m*
.05 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 12 \times 3 = 36$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .05 \times 295 \times 1.9835 = 24.3$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 24.3$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Irrigation</i>	<i>03-15</i>	<i>11-15</i>	<i>.05</i>	<i>24.3</i>
<i>Domestic</i>	<i>01-01</i>	<i>12-31</i>	<i>.05</i>	<i>27</i>
Totals:			<i>.05</i>	<i>51.3</i>

2. Recommended Amendments


☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATIONField Examiner's Name *Wayne Bullock* Date *10-30-96*

Reviewer _____ Date _____

SEAL

100-100-100-100
SEP 16 1996





BEAR CLAW SUBDIVISION			
ROGER ENGINEERING CONSULTANTS			
137 CHURCH ST.			
CHAMBERS, INDIANA			
DATE	1966	PROJECT NO.	11-028
BY	W. H. H. H.	DATE	11-028
CHECKED BY	W. H. H. H.	DATE	11-028
NOT	1" = 100'	DATE	11-028

PERMIT # 96-08811

PO

STORAGE

PO

PO



PERMIT # 96-08811

PO

STORAGE

PO

PO


PERMIT # 96-08811

PO

STORAGE

PO

PO





**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 96-08811 Reviewed by [Signature] Date 11-16-95

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ yes Ground water source
no Drilling permit required?
200.00 Copy in the file? Drilling Permit No. 96-94-N-0222-000
no Amount paid for permit yes Correct?
no Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
100.00 Amount Submitted
yes Correct?
yes Required?
? Installed?
no Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	- = + X
Date proof due	_____	
No. of days late	_____	
Priority Date	_____	
New Priority Date	_____	

DEFICIENCIES OR ACTION ITEMS

*advise of flow port requirement.
Proof acceptable.*

DATA ENTRY

New Address X Proof Made 11-7-95



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 17, 1995

JAMES WHITE
P O BOX 158
CLARK FORK ID 83811

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 96-08811

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that one of the conditions of your water right permit requires that the permit holder install a flow measurement port to facilitate measurement of water (refer to condition # 3 of your permit). This condition must be complied with before the license exam, or you can request in writing, a waiver of the condition.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur d'Alene, at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

NOV 16 1995

October 31, 1995

JAMES WHITE
PO BOX 158
CLARK FORK ID 838110158

PROOF DUE NOTICE

RE: PERMIT NO. 96-08811

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

NOV 16 1995





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 27, 1994

JAMES WHITE
PO BOX 158
CLARK FORK ID 83811-0158

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08811

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

If a well has not already been constructed you are required to obtain a "drilling permit" from the department. The right to drill a well is not a part of this permit to appropriate water.

Sincerely,

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosures

DEC 29 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 26-8811 Name: White Date: 12/29/94 Correct Fee? ☒

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust

SYSTEM COMPLETED:

No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted - P16
Proof submitted - NA

GROUNDWATER: 2 p/d's

+ 0.2 cfs <FLO-CH> - 01G (new), 01K (existing), No MD
- 0.2 cfs - No MD <FLOW CHART>

Drilling Permit:

Included w/permit - Permit No. _____, P99
Existing well - NA (pre 7/1/87)
No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <FLOW CHART>

LOCATION:

Water District(~~dem~~) - WD No. _____
*Surface water - 005 (req) 01J-P08 <FLOW CHART>
(doesn't sink) or 01H-P01 <FLOW CHART>; No MD
Groundwater - P05 (new irrigation well)
In stream channel - 030 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (-85° GW temp only)
Swan Falls Flag - B <SEE CONDITION CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA
Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA
Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10
044 (N 1000 Spr)
Irrigation - 03A/057, 803(if GW use SW 1st) (45A PU comp), NA
Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Mining - 054 (req) & 06A/010/09E-P10
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA
Domestic (surface) - 021(Boise R ↑ L Peak), 064(Payette R), NA

OWNERSHIP:

Non land owner

PROTESTED:

- 004 (PD/PU)
- 020(Prehearing agreement)/W19(See Order)

OTHER CONDITIONS:

REMARKS:

- ① w01/45 ② w04

BENEFICIAL USE DUE:

- 1 -1-1996

COMMENTS:

MEMORANDUM

DATE: December 13, 1994
TO: File No. 96-08811
FROM: Cindy Zimmerman
SUBJECT: Copies

Per telephone request from the acting engineer on this project, please send copies of approved permit to:

Richard Tucker or Mark Yarlott
Tucker Engineering
617 Church St
Sandpoint ID 83864

RECEIVED

DEC 29 1994

No. a
4/87-06/92n

DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 96-08811

***** INITIAL REVIEW *****

APPLICANT: WHITE BY: AB DATE: 8/9/94

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
(X) Signature
(X) Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y () N ()

ADDITIONAL INFORMATION

Yes No

- ___ (X) Field check: by _____
___ (X) Field report attached
___ (X) Analysis Supp. attached (>5cfs/500af)
___ (X) Water delivered by water master?
___ Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 8/9/94

___ (X) (Include Moratorium Remark)

___ (X) Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: Boomer County.

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

- ___ (X) Groundwater management area
___ (X) Critical ground water area
___ (X) Well Drilling Permit required
___ Well Drilling Application and Fees received
___ Well Drilling Application approved?
___ Well Drilling Application Number _____

Checked by: _____

Remarks: _____

RECEIVED
DEC 15 1994

Department of Water Resources

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ___ Notice of pending void order issued. Final order response date: ___/___/___
___ Further information required from applicant
12/05 10/26 (X) Affidavit of publication received
10/26 (X) Application published correctly, If not, record action taken: re-advertise - legal
10/26 (X) orig. submitted was wrong on initial app.
___ Publication dates and paper recorded on application | Sr. Agent initial AB
___ (X) Protests received. Final protest date: 9/16/94 11/21/94
___ Measuring device required
___ Measuring port required
___ Special conditions: _____
___ Special conditions of approval supplement and/or cover letter attached:

RECEIVED
SEP 12 1994

Approval Recommended by: AB PSH

Department of Water Resources

Date: 9/9/94

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Jean Conacher being first duly sworn on oath

deposes and says that ~~he~~/she is Bookkeeper

of the Bonner County Daily Bee, a newspaper printed and

published at Sandpoint, Bonner County, Idaho; that the

said newspaper has been continuously and uninterruptedly

published in said Bonner County during a period of 12

months prior to the first publication of the hereto attached

notice of publication in the case of:

Notice of Correction

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,

commencing on 3 day of Nov, 1994

and ending on the 10 day of Nov, 1994

and that said notice was published in said newspaper.

On this 11 day of Nov in the year

of 1994, before me, a Notary Public, personally

appeared Jean Conacher,

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me first

duly sworn, declared that the statements therein are true,

and acknowledged to me that he executed the same.

Carolyn L. Inge
Notary Public for Idaho

Residing at Sandpoint, Id.

My commission expires: 6/2000

NOTICE OF CORRECTION
NOTICE IS HEREBY GIVEN
THAT APPLICATION FOR PERMIT
NO. ~~96-0881~~ in the name James
White, P.O. Box 158, Clark Fork, ID
83811 was incorrectly advertised on
8/18 & 25/94.

The Water Right number was
incorrectly advertised as 96-0811,
whereas, correctly it should read 96-
08811. The points of diversion were
incorrectly advertised as SENWSW
Sec. 11, T 55N, R 03W in BONNER
County, and NWSESW Sec. 11 T
55N, R 03W in BONNER County;
whereas, correctly it should read
NWSW Sec. 20 T 55N, R 03E in
BONNER County, and SESW, Gov't
Lot 02, Sec. 20, T 55N, R 03E in
BONNER County. Also, Total Diver-
sion was incorrectly listed as .93
CFS; whereas, correctly it should
read .55 CFS.

(For additional information con-
cerning the property location, call
the Northern Regional Office at 769-
1450.)

Any protests against the approval
of the above-referenced correction
must be filed with the applicant and
with the Director, Dept. of Water
Resources, 1910 Northwest Blvd.,
Suite 210, Coeur d'Alene, Id. 83814,
together with a protest fee of \$25.00
on or before November 21, 1994.

R. KEITH HIGGINSON, Dir.
SNP#6459 Nov 3, 10, 1994

DEC 29 1994

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 96-08811 in the name James White, P. O. Box 158, Clark Fork, ID 83811 was incorrectly advertised on 8/18 & 25/94.

The Water Right number was incorrectly advertised as 96-0811, whereas, correctly it should read 96-08811. The points of diversion were incorrectly advertised as SENWSW Sec. 11, T 55N, R 03W in BONNER County, and NESESW Sec. 11 T 55N, R 03W in BONNER County; whereas, correctly it should read NWSW Sec. 20 T 55N, R 03E in BONNER County, and SESW, Gov't Lot 02, Sec. 20, T 55N, R 03E in BONNER County. Also, Total Diversion was incorrectly listed as .93 CFS; whereas, correctly it should read .55 CFS.


(For additional information concerning the property location, call the Northern Regional Office at 769-1450.)

Any protests against the approval of the above-referenced correction must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before November 21, 1994.

R. KEITH HIGGINSON, Dir.

Published in the Bonner County Daily Bee on 11/3 & 10/94.

RECEIVED
DEC 29 1994



RECEIVED

OCT 20 1994

Tucker Engineering Consultants

617 CHURCH STREET • SANDPOINT, IDAHO, 83864 • 263-8558
SURVEYING • STRUCTURES • WATER AND SEWER SYSTEMS

October 18, 1994

State of Idaho
Department of Water Resources
Northern Region Office
1910 Northwest Blvd. - Suite 210
Coeur d'Alene, ID 83814-2615

ATTENTION: Allan Beardsley

RE: Bear Claw Subdivision - James White
Application for Permit for two wells

Enclosed find the above referenced permit application and re-advertising application fee for the proposed wells. If you have any questions, do not hesitate to contact me.

Very truly yours,

TUCKER ENGINEERING CONSULTANTS

Richard C. Tucker, P.E.
Civil Engineer

Enclosure
cc: File

RECEIVED
DEC 29 1994

MEMORANDUM

Date: October 10, 1994
From: Jim Johnson
To: Bob Haynes
Subject: Review of Application No. 96-08811

=====

Normally I call you before I send anything back, however, Cindy informs me that Alan called and requested returning this application.

I am curious why this application was sent to the S. O. with the note to Alan that an error was found by one of your staff and no follow up was apparently taken? See blue note stuck to application.

Also, SESW, Section 20 is Government Lot 2. I didn't find on the staff review sheet where a check was made for Government Lots.

RECEIVED
DEC 29 1994

MEMORANDUM

DATE: October 5, 1994
TO: Bob Haynes, Northern Region
THRU: Jim Johnson
FROM: Cindy Zimmerman
SUBJECT: Review of Application for Permit No. 96-08811

=====

During the review of this application, I noted the following discrepancies.


- a. The application identifies the location of the two points of diversion within SENWSW & NESESW, S11, T55N, R03W and the place of use within the SW, S20, T55N, R03E.
Per telecon with Richard Tucker of Tucker Engineering (who completed the application), the two points of diversion as identified on the application are incorrect; the correct points of diversion are within SENWSW & NESESW, S20, T55N, R03E.
- b. The application identifies that the points of diversion and place of use are located on land owned by the applicant. However, the USGS topographic map (enclosed) identifies that a large portion of this development is located within the boundaries of the Kaniksu National Forest. *See application form for maps 12/19/94 czj*
- c. The application identifies domestic use for 47 homes. The subdivision plat map that Mr. Tucker faxed to me (also enclosed) identifies 45 residential lots, a common area, and an area identified as "Not part of plat". I noted that the plat map identifies residential lots but does not identify lot blocks.

I am returning the application to you for confirmation of my review and per Alzen's telephoned request. If my review is correct, please make the necessary changes on the application and maps (you can use the maps I made). I am not sure if you will want the application to be amended and re-advertized.

Thanks,

Cindy

DEC 29 1994



TSSN
R03E

Sec. 17
640

Sec. 18
640

Sec. 20
640

Sec. 21
640

DEC 29 1994

TUCKER ENGINEERING CONSULTANTS

FAX Transmission

From: Richard C. Tucker Date: October 5, 1994
To: Cindee Zimmerman Time: 11:49 AM
Company: Idaho Department of Water Resources FAX #: (208) 327-7866

Message: James White: Application for permit - 96-08811


subdivision plat map

Received 10/5/95 cny

VOICE: (208) 263-8558 FAX: (208) 263-5522

617 Church Street, Sandpoint, ID 83864

DEC 29 1994



MEMORANDUM

DATE: October 5, 1994
TO: File No. 96-08811
FROM: Cindy Zimmerman
SUBJECT: Telephone Conversation

Today, Richard Tucker of Tucker Engineering (208/263-8558) telephoned inquiring of the status of the above application. His firm prepared the application. He confirmed that an error existed on the listed legal description of the points of diversion. The correct legal description of the two points of diversion is SENWSW & NESESW, Section 20, T55N, R03E.

Mr. Tucker will fax the subdivision plat map to confirm the location of the points of diversion.

I explained to Mr. Tucker that the application ^{may J.S.} will need to be amended and readvertised.



DEC 29 1994

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Jean Conacher being first duly sworn on oath

deposes and says that he/she is Bookkeeper

of the Bonner County Daily Bee, a newspaper printed and

published at Sandpoint, Bonner County, Idaho; that the

said newspaper has been continuously and uninterruptedly

published in said Bonner County during a period of 12

months prior to the first publication of the hereto attached

notice of publication in the case of:

Applications for
Water Right

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,

commencing on 18 day of Aug, 19 94

and ending on the 25 day of Aug, 19 94

and that said notice was published in said newspaper.

On this 29 day of Aug in the year

of 1994, before me, a Notary Public, personally

appeared Jean Conacher,

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me first

duly sworn, declared that the statements therein are true,

and acknowledged to me that he executed the same.

Carol K. Inge
Notary Public for Idaho

Residing at Sandpoint, Id

My commission expires: 7/2000

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-08805

SHARPS, THOMAS I

P O BOX 144

CLARK FORK, ID 83811

Source: GROUNDWATER

Diversion Pt: SWNE Sec 29 T 55N

R 03E in BONNER County

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 7/29/1994

In: BONNER County

T55N R03E S29 SWNE

96-08806

JENKINS, CARL

600 ELMIRA ROAD

SANDPOINT, ID 83864

Source: UNNAMED STREAM

Tributary: DEEP CREEK

Diversion Pt: SENE Sec 16 T 59N

R 01W in BONNER County

Use: IRRIGATION (.060 CFS)

STOCKWATER (.020 CFS)

Total Diversion: (.080 CFS)

Date Filed: 8/1/1994

In: BONNER County

T59N R01W S15 NWNW

96-08807

SUGDEN, RICHARD

P O BOX 2468

JACKSON, WY 83001

Source: LAKE PEND OREILLE

Tributary: PEND OREILLE RIVER

Diversion Pt: NWNE Sec 3 T 56N

R 01E in BONNER County

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 7/26/1994

In: BONNER County

T56N R01E S03 NWNE

96-08808

TOWLE, DENNIS

75 EAST FIELD DRIVE

ROLLING HILLS, CA 90274

Source: PEND OREILLE LAKE

Tributary: PEND OREILLE RIVER

Diversion Pt: SWSW Sec 34 T 57N

R 01E in BONNER County

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 7/26/1994

In: BONNER County

T57N R01E S34 SWSW

96-08810

WITTROCK, LOREN R

HCR 953

CLARK FORK, ID 83811

Source: SPRING CREEK Tribu-

tary: LIGHTNING CREEK

Diversion Pt: SESE Sec 22 T 56N

R 02E in BONNER County

Use: IRRIGATION (.200 CFS)

STOCKWATER (.040 CFS)

DOMESTIC (.040 CFS)

Total Diversion: (.200 CFS)

Date Filed: 8/9/1994

In: BONNER County

T56N R02E S22 SESE

10.0 ACRES TOTAL

96-0811

WHITE, JAMES

P O BOX 158

CLARK FORK, ID 83811

Source: GROUNDWATER

Diversion Pt: SENWSW Sec 11 T

55N R 03W in BONNER County

NESESW Sec 11 T 55N

R03W in BONNER County

Use: IRRIGATION (.240 CFS)

DOMESTIC (.310 CFS)

Total Diversion: (.930 CFS)

Date Filed: 8/9/1994

In: BONNER County

T55N R03E S20 NESW NWSW

SWSW SESW

12.0 ACRES TOTAL

96-08812

SOUTHSIDE WATER AND SEW-

ER DISTRICT

P O BOX D

SANDPOINT, ID 83864

Source: GROUNDWATER

Diversion Pt: SWSWSW Sec 3 T

56N R 02W in BONNER County

Use: IRRIGATION (1.090 CFS)

DOMESTIC (.670 CFS)

Total Diversion: (1.760 CFS)

Date Filed: 8/9/1994

In: BONNER County

T56N R02W S03 NWNE SWNE

NENW SWNW

SENEW NESW NWSW

S04 NENE NWNE SENE NESE

T57N R02W S33 NESW SESW

SWSE

S34 SESW NESE SWSE SESE

S35 NESW NWSW SWSW SESW

51.0 ACRES TOTAL

For additional information con-

cerning the property location, call

the Northern Regional Office at

(208) 769-1450.

The permit(s) will be subject to all

prior water rights. Protests must be

filed with the applicant and with the

Director, Dept. of Water Resources,

Northern Region, 1910 Northwest

Bldg., Suite 210, Coeur d'Alene,

Idaho 83814, together with a protest

fee of \$25.00 on or before SEPTEM-

BER 6, 1994.

R. KEITH HIGGINSON,

Director

SNP#6294 Aug 18, 25, 1994

RECEIVED

SEP 6 1994

NORTHERN REGION
IDWR



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 Fax (208) 769-1454

CECIL D. ANDRUS
Governor
August 11, 1994

R. KEITH HIGGINSON
Director

James White
P.O. Box 158
Clark Fork, ID 83811

Subject: Water Appropriation Application for Permit Number 96-08811.

Dear Mr. White:

The Idaho Department of Water Resources hereby acknowledges receipt of the above-referenced Application for Permit to appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N008029. Please refer to your Application for Permit Number in future matters concerning this water right application.

Your Application for Permit is currently being prepared for advertising in the local county newspaper. The advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for submittal of protests.

If your application is not protested, it will be forwarded to Boise for processing. Normal processing time is approximately 3 to 4 months, if the application is not protested. If your Application for Permit is protested, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before your Application for Permit can be approved. If the protest is not resolved, this Department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State Office in Boise.

If your Application for Permit is for a well (groundwater) that was constructed after July 1, 1987, you must apply for a well drilling permit upon approval of your Application for Permit if no permit was obtained by previous owners to construct the well. Well Drilling Permits can only be issued by this office to holders of approved Applications for Permit.

If I can be of further assistance, please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resource Agent
Enc. - Receipt

DEC 29 1994

96-08811

WHITE, JAMES
P O BOX 158
CLARK FORK, ID 83811

Source: GROUNDWATER

Diversion Pt: SENWSW Sec 11 T 55N R 03W in BONNER County.
 NESESW Sec 11 T 55N R 03W in BONNER County.


Use: IRRIGATION (.240 CFS)
 DOMESTIC (.310 CFS)
 Total Diversion: (.930 CFS)

Date Filed: 8/ 9/1994


In: BONNER County
 T55N R03E S20 NESW NWSW SWSW SESW

12.0 ACRES TOTAL

DEC 29 1994



Tucker Engineering Consultants



617 CHURCH STREET • SANDPOINT, IDAHO, 83864 • 263-8558
SURVEYING • STRUCTURES • WATER AND SEWER SYSTEMS

August 5, 1994

State of Idaho
Department of Water Resources
Northern Reigon Office
1910 Northwest Blvd - Suite 210
Coeur d'Alene, ID 83814-2615

ATTENTION; Allan Beardsley

RE; Bear Claw Subdivision - James White
Application for Permit for two wells

Enclosed find the above referenced permit application and application fee for the proposed wells. If you have any questions, do not hesitate to contact me.

Very truly yours,

TUCKER ENGINEERING CONSULTANTS

Richard C. Tucker, P.E.
Civil Engineer

Enclosure
RCT/cfw
cc: Homor O'Bier
File

DEC 20 1994