






DAPaul INC.

9300 Kimmie Rd. • P.O. Box 4094 • Tumwater, WA 98501 • Telephone: 943-9844 • FAX 352-7827

June 8, 1994

Al Beardslee
Department of Water Resources
Fax: (208) 769-1454

RE: List of DaPaul Inc., officers

President - Dan Sandy
Vice President - Don Manzer
Controller - Todd Shumsky
Secretary, Treasurer - Trudy Stevens

MICROFILM

NOV 08 1994




STATE OF IDAHO
DEPARTMENT OF WATER
PERMIT REPORT SUPPLY
EOTODRAA
MAP OF Development
Well Head, & Well House

PERMIT # **96-08801**



Well House
Looking inside Well House.





54,000 Gallon Reservoir

Sensus 2" Flowmeter
Looking from Loop Rd.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLY
PHOTOGRAPH

APR 28 1998

RESERVOIR & HYDROKIT



PERMIT #

96-108801



PLACE OF USE

STATE OF IDAHO
DEPT OF WATER RES
REPORT SUPPLI



PERMIT # 96-08801

PLACE OF USE

FIRE Hydrant



APR 2 8 1988
CITY OF IDAHO



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REPORT SURFILL
O T O G R A P H

PLACE OF USE



PERMIT # 96-08801

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY




527 R. 3 W. R. 2 W. 116° 37' 30"

529000m. E

SANDPOINT 12 MI.
WESTMOND 1.4 MI.

530



96-08801
T. 55N., R. 02W., Sec. 18
DAPPAUL, INC.

MICROFILM
APR 28 1998


18

Reservoir

18 x 11



**SHERRI SHORES
COCOLALLA, ID**



**THE NICEST, NEWEST WATERFRONT
COMMUNITY ON LAKE COCOLALLA**

Underground power, phone and water to each lot.

Community waterfront lot.

Fire hydrants throughout subdivision.

Roads are chip sealed.

Easy Owner terms

\$29,000 to \$146,500 #7004

CONTACT: Dan McLaughlin at 208-263-0889

or

Debbie Ferguson at 208-263-7240

This information is from sources deemed reliable, but not guaranteed by the agent.
Package is subject to prior sale, price change, correction and/or withdrawal.


COPIED
APR 28 1998

121 North First Avenue • Sandpoint, Idaho 83864 • (208) 263-5101 • Fax (208) 263-3888
Toll Free 1-800-282-6880 • e-mail pankan@nidlink.com • Home Page <http://kaniksurrealty.com>
Hope Office: P.O. Box 72 • Hope, Idaho 83836 • (208) 264-5908 • Fax (208) 264-5368



SHERRI SHORES

Located in Government Lots 2 & 5 of Section 18,
Township 55 North, Range 2 West, BM,
Bonner County, Idaho



Block 1

Lot 1	4.0 Acres	\$29,000
Lot 2	4.0 Acres	\$29,000
Lot 3	4.0 Acres	\$29,000

Block 2

Lot 1	6.0 Acres	\$53,000
Lot 2	2.8 Acres	\$53,000
Lot 3	3.6 Acres	Sold
Lot 4	4.8 Acres	\$53,000

Block 3

Lot 1	3.2 Acres	\$33,500
Lot 2	2.9 Acres	\$33,500


Block 4

Lot 1	3.7 Acres	\$146,500
Lot 2	3.3 Acres	\$146,500
Lot 3	2.9 Acres	\$146,500
Lot 4	2.5 Acres	\$132,000
Lot 5	1.2 Acres	\$122,000

MICROFILMED

APR 28 1998

52.11 21



Sec. 17.
040

Sec. 16.

Sec. 20.
D. 46.

Sec. 21.

1570.00 E
1570.00 E

Rec'd
63972

10-11-1964

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08801

Priority: June 14, 1994

Maximum Diversion Rate:
Maximum Diversion Volume:

0.07 CFS
22.5 AF

This is to certify, that DAPPAUL INC
PO BOX 4094
TUMWATER WA 98501

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 6, 1994; and
has submitted Proof of Beneficial Use on June 24, 1996. An examination indicates
that the works have a diversion capacity of 0.070 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.07 CFS	14.1 AF
DOMESTIC	01/01 to 12/31	0.07 CFS	8.4 AF
	Totals	0.07 CFS	22.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 5(SENW), Sec. 18, Township 55N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
55N	02W	18	Lot 2(SWNW) 3	Lot 5(SENW) 1.7		4.7

Total number of acres irrigated: 4.7

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

MICROFILMED

APR 28 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 96-08801

CONDITIONS OF APPROVAL AND REMARKS

6. Domestic use is for 14 homes and does not include lawn, garden, landscape, or other types of irrigation.
7. Place of use known as Lots 1-3, Blk. 1; Lots 1-4, Blk. 2; Lots 1 and 2, Blk. 3; and Lots 1-5, Blk. 4; Sherri Shores.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23rd
day of APRIL, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED

APR 28 1998

RECEIVED

JUN 24 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08801 Telephone No. 360-951-6738

2. Name(s) of Permit Holder(s): Dapaul, Inc.

3. Mailing Address: PO Box 4094, Tumwater, WA 98501

4. Source of Water: Ground If GROUNDWATER (well), Date Drilled: mo. 7 / yr. 1995

a. Well Driller: Ruen Drilling Drilling Permit Number: - - - - -

b. OPTIONAL:
Pump Horsepower: 5 hp Pressure (psi): 100 Dynamic pumping level (ft): - - - - -

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 14 Stockwater (No. and type of stock): - - - - -

Irrigation (No. of acres): 8 Other: - - - - -

6. Total rate of diversion and/or volume for which proof is submitted: .20 cfs OR - - - - - acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes X or No -

Has the measuring device been installed? Yes X or No -

Flow Measurement Port: Is a flow measurement port required? Yes - or No -

Has the measurement port been installed? Yes - or No -

8. Fee Enclosed: \$ - - - - - (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Robert M. Tate, P.E. Telephone Number: 208-265-4629

Address: Ruen-Yeager & Assoc, Inc-105 Pine St, #104-Sandpoint, ID 83864

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 6-17-96
(include your title, if on behalf of company or organization)

AUG 22 1996

RECEIVED AUG 11 7 1995

For Office Use Only
\$50 Fee Receipted by ju
Date 8-9-95
Receipt No. 0033344

RECEIVED
AUG 9 1995
Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 96-08801

Name(s) of Permit Holder: DAPPAUL, INC

Mailing Address: P.O. BOX 4094, TUMWATER, WA 98501

Date Proof is Due: AUGUST 1, 1995 Telephone No. 360-943-9844

Describe what work has been completed toward the development of this water right:

(This must be filled out! If no work has been completed, show "none".)

THE ROADWAY INTO THE DEVELOPMENT HAS BEEN INSTALLED.

THE WELL SITE HAS BEEN APPROVED AND THE DRILLER IS SCHEDULED

FOR THE WEEK OF JULY 24TH, 1995.

Costing \$ 88,000.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

THE CONSTRUCTION OF THE ROADWAY WAS DELAYED DUE TO EXTREME

FIRE CONDITIONS DURING THE SUMMER OF 1995, CONSEQUENTLY

DELAYING INSTALLATION OF THE WELL.

Permit holder(s) request an extension to AUGUST 1, 19 96.

FEE: \$50.00

(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to August 1, 1996.

IT IS FURTHER ORDERED that the permit be reinstated and the priority date is advanced to June 14, 1994.

Signed this 14 day of August, 19 95.

Chief, Bureau

AUG 28 1995

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08801

Proposed Priority: June 6, 1994

Maximum Diversion Rate:

0.20 CFS

This is to certify, that **DAPPAUL INC**
PO BOX 4094
TUMWATER WA 98501

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.20 CFS
DOMESTIC	01/01 to 12/31	0.17 CFS
	Totals	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 18, Township 55N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
55N	02W	18	Lot 2(SWS) 20	Lot 5(SES) 8		28
Total number of acres irrigated:						28

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1995.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. A well drilled pursuant to this permit must be located at least 500 feet from any existing well. Well spacing closer than 500 feet must be approved by the Department of Water Resources.
5. Construction of the well must comply with Idaho well construction standards.
6. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
7. Place of use is located within Lots 1-3, Blk. 1, Lots 1-3, Blk. 2, Lots 1-3, Blk. 3, and Lots 1-5, Blk. 4, Cocolalla Shores Subdivision.
8. Domestic use is for 14 homes.

APPROVED
NOV 08 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08801

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

29th day of August, 1994.

R. Keith Higginson
for R. Keith Higginson, Director

RECEIVED
NOV 08 1994

RECEIVED

AUG 03 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No.

96-8801

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant DAPPAUL, INC. Phone 206-943-9844
Post office address P.O. Box 4094, Tumwater, WA 98501
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 18 Township 55N Range 2W B.M. Bonner County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.17 for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .20 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .20 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. WELL / PUMP / 60 K GAL.
STORAGE RESERVOIR

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 8 inches; proposed depth of well is 300 feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 year years (minimum 1 year).

NOV 08 1994

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 14 HOMES MAX 2 ACRES / HOME
- c. Municipal; show name of municipality. Domestic use, lawn irrigation
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
55N	2W	18	~~14~~										20	8					28
													6.4.7	6.4.5					
													D	D					


Total number of acres to be irrigated 28

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Applicant - well easement
- b. Who owns the land to be irrigated or place of use? Lots to be sold for use
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: LEGAL DESCRIPTIONS & # ACRES RECEIVED FROM RUBY
YEAGER ENGINEERING FIRM (ROB) - 265-4629

NOV 08 1994

A large grid of graph paper, consisting of 20 columns and 20 rows of squares. In the bottom right corner, there is a date stamp that reads "NOV 08 1994". The stamp is oriented diagonally and appears to be a photocopy of a physical stamp. The grid lines are thin and black, and the background is white. The date stamp is located in the bottom right corner, approximately at the intersection of the 18th column and the 18th row. The text "NOV 08 1994" is written in a bold, sans-serif font. The stamp is slightly tilted, following the diagonal of the grid lines. The overall image is a high-contrast black and white scan.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Application for permit to appropriate the public waters of



(Applicant)

Received by RJC Date 6/6/94 Time 1:50 p Preliminary check by BZ
Fee \$ 30.00 Receipted by RJC # N 7731 Date 6/6/94
Publication prepared by RJC Date 6/29/94 Published in Weekly Bee 7/7 & 14/94
Publication approved RJC Date 7/21/94

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

NOV 08 1994

II
h
I
i
K
h
L
I
M



NOV 08 1994



DAPaul INC.

9300 Kimmie Rd. • P.O. Box 4094 • Tumwater, WA 98501 • Telephone: 943-9844 • FAX 352-7827

June 8, 1994

Al Beardslee
Department of Water Resources
Fax# (206) 769-1454

RE: List of DaPaul Inc., officers

President - Dan Sandy
Vice President - Don Manzer
Controller - Todd Shumsky
Secretary, Treasurer - Trudy Stevens

RECEIVED

NOV 08 1994

(Sign once if Firm Officer & Operator)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 27, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

DAPPAUL INC
PO BOX 4094
TUMWATER WA 98501

RE: WATER RIGHT NO. 96-08801

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

APR 28 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

APR 28 1998

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

APR 28 1998

CERTIFICATE OF MAILING

I hereby certify that on the 27th day of April, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 96-08801

DAPPAUL INC
PO BOX 4094
TUMWATER WA 98501


Kari Lynn Townsend
Secretary

MICROFILMED

APR 28 1998

MEMORANDUM

TO: File 96-08801

FROM: Sharla

DATE: April 1, 1998

RE: Licensing Recommendation Adjustments

The adjustments to licensing recommendations for Permit No. 96-08801 are as follows:

C. DIVERSION AND DELIVERY SYSTEM

2. Place(s) of Use:

T55N, R2W, S18 - SWNW (3 acres), SENW (1.7 acres)

H. RECOMMENDATIONS

Irrigation	3/15 - 11/15	0.07 cfs	14.1 afa
Domestic	1/1 - 12/31	0.07 cfs	4.4 afa
	TOTALS	0.07 cfs	22.5 afa

The number of acres per $\frac{1}{4}$ on rights with 5 acres or less is rounded to the nearest tenth.

To describe the rate of diversion, the following factors were taken into consideration: pump curve information and variations of total head during pumping dependent on level of water in storage tanks when pump is operating. This rate is further reasonable when looking at the well drilling pump test (30 gpm) and the attached spreadsheet.

Examiner: Herman Spangle
Exam Date: September 15, 1997

MICROFILMED

APR 28 1998

Analysis of System Capacity for Subdivisions

Operator: S. Curtis

Date: 4/1/98

Right No.: 96-08801

Existing or Proposed System

Storage capacity in gallons	54000 gal	
Pump horsepower	2 hp	
Dynamic lift	150 ft	
Pump discharge pressure	50 psi	
Theoretical pumping capacity	0.05 cfs	20.8 gpm
Measured pumping capacity	0.07 cfs	31.4 gpm

Requirements

Number of homes	14 homes
Gallons per day per home	1000 gal
Area irrigated	4.7 acres
Peak demand period	60 min

*well log pump test
pump curve*

Calculations

Peak instantaneous demand	0.28 cfs	127.5 gpm
Suggested pump capacity	0.09 cfs	38.2 gpm
Peak demand volume	10179 gal	
Max potential daily diversion vol.	45239 gal	
Total daily volume required	19062 gal	0.059 af
Time required to pump daily vol.	10.1 hr	607 min
Time required to refill storage	5.4 hr	324 min

Key Questions

Does existing storage capacity exceed peak demand volume?	Yes
Does existing pumping capacity meet or exceed the suggested pumping capacity?	No
Can the system produce the required daily volume in under 24 hours?	Yes

Notes:

MICROFILMED

APR 28 1998

Page 1

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-08801 DATE 3/31/98 REVIEWER: SHARLA

NAME OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (Para P39 - gov P40/P47) Add (P45/P42)

W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc) NA

Lot 5

Overlaps: Right(s):
 File reviewed Profile reports printed

PLACE OF USE

OK Change gov P43/P47 Add (gov)
 W60 (subd. desc) - lots 1-3 ①, 1-4 ②, 1-2 ③, 1-5 ④
 W27 (ppu acre limit)

Gov. lots
listed are
correct,
just incorrect
4 of them

Overlaps: Right(s):
 File reviewed Profile reports printed

RATE OF DIV

Permitted Rate .20 cfs
 Fee limit .20 cfs \$5000
 Measured .07 cfs
 Theoretical .07 cfs 60' TDH
 Recommended Total Div Rate .07 cfs

WATER USES

<u>Irr.</u>	<u>.07</u> cfs	<u>4.7 x 3.0 = 14.1</u> af	Irrig -	overlap (R58-R61, R62-R65, R66-R69)
<u>Dom.</u>	<u>.07</u> cfs	<u>14 x .6 = 8.4</u> af		supp. gw (WB7/065/079)
				overlap spec. combined rts (W35)
				<u>< 1 acre (W31) NA</u>
				Domestic (W01/WB5/070/071/075)
				Power (W42 or W43/025/027/R22 or R23)
				Fish (042) Fire (077) Wtr Quality (081/R07)
TOTALS	<u>.07</u> cfs	<u>22.5</u> af		

Flow rate .07 cfs X 365 days X 1.98 = 50.6 af

REMARKS

14 homes lots 1-3, Blk 1, lots 1-4, Blk 2, lots 1-2,
Blk 3, lots 1-5 Blk 4,
W31

ADD'L CONDITIONS

Watermaster Control WD#
 GW Measurement/Measuring Device
 Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority yes no

SRBA Claim NA

Adjust Memo

rounded
acres
rate

PH P38
P42

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 27 1998

Department of Water Resources

96-08801

A. GENERAL INFORMATION

Permit No.

1. Owner: DAPPAUL, INC.Phone No. (360)-951-6738Current Address: P.O. Box 40942. Accompanied by: Robert M. Tate, PE.EXAM DATE: 9-15-97Address: 105 Pine St. #104, Sandpoint, Id 83864Phone No. (208)-265-4629Relationship to Permit Holder: Engineering Firm Rep.3. Source: GROUNDWATER tributary to —

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE -2. Other water rights with the same point of diversion: NONE -

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
Well #1	#5	SW	SE	NW	18	55N	02W	Bonner	USGS 7.5' QUAD; Site Visit

2. Place(s) of Use:

Indicate Method of Determination Site Visit, Plat Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
55N	02W	18							D	D									
55N	02W	18							297	1.65									4.62
			PLACE OF USE is Lots 1-3 Block 1; Lots 1-4 Block 2, Lots #1-2 Block #3; Lots 1-5 Block 4 of SHERRI SHORES. Domestic use is for 14 HOMES.																

APR 28 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

X See AS-Builts.

Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well #1	Submersible	20		Goulds	2" for 150' thru 6"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Type Make	Model No.	Serial No.	Size	Calib. Date
Sensus Flowmeter		INLINE		1470251	2"	
Theoretical Calculation						

2. Measurements: _____

MICROFILMED

APR 28 1998

E. NARRATIVE/REMARKS/COMMENTS

System Consist of a 103' ft, 6" mch Well with a 2 HP Gould's Pump. Water is pump through a 2" line for Approx. 150' ft. then through a 6" line Approx. 1400' to a 54,000 gallon reservoir. The six (6") inch line also serves as the distribution line for the 14 lots in Sherin shores development.

System is Gravity fed from Reservoir.
Flowmeter is not working @ time of field Exam.
Unable to use polysonic meter on the only accessible pipe.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

APR 28 1993

F. FLOW CALCULATIONS

~~Additional~~ Additional Computation Sheets Attached

Measured Method:

- * Unable to use polysonic meter * See Theoretical Calculation
- * Flowmeter not working.
- * P.E. ROBERT M. TATE CONCURS with Theoretical Calculation.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (4.62)(3.0) = 13.86$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.04)(245)(1.9835) = 19.4$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 13.86 \text{ ACRE FEET}$$

2. Volume Calculations for Other Uses:

$$14 \text{ Lots @ } 0.6 = 8.4 \text{ ACRE FEET}$$

DOMESTIC

$$14 \text{ Lots @ } .33^{\text{ac}} = 4.62 \text{ ACRES}$$

IRRIGATION

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	.04	13.86
DOMESTIC	1-01	12-31	.04	8.40
Totals:			.04	22.26

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

Robert M. Tate Date 9-15-97

Reviewer

Date

SEAL

MICROFILMED

APR 28 1998

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 96-08801
DATE: 22-SEP-97
COMPLETE BY: HERM

HORSEPOWER = 2.0

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 180 FEET

SYSTEM PRESSURE = 50 PSI

QUANTITY = 0.04 CFS

18.9 gpm, 70%

150' x 2"


MICROFILMED
APR 28 1998

RECEIVED

Model 25GS

SEP 19 1997

GOULDS PUMPS, INC.




DIMENSIONS AND WEIGHTS

APR 28 1998

Model	HP	Phase	Stages	Length (Inches)			Weight (lbs.)		
				W.E.⊙	Motor	L.O.A.⊙	W.E.	Motor	Total
25GS10412,22	1	1	7	12.7	11.8	24.5	7	23	30
25GS15412	1½	1	9	14.8	13.6	28.2	8	28	36
25GS15422	1½	1	9	14.6	15.1	29.7	8	31	39
25GS15432,34	1½	3	9	14.6	11.8	26.4	8	23	31
25GS20412	2	1	11	16.5	15.1	31.6	9	30	39
25GS20432,34	2	3	11	16.5	13.6	30.1	9	28	37
25GS30412	3	1	15	20.2	23.5	43.7	11	52	63
25GS30432,34	3	3	15	20.2	20.6	40.8	11	43	54
25GS50412	5	1	26	31.8	29.5	61.3	17	69	86
25GS50432,34	5	3	26	31.8	23.6	55.4	17	53	70

⊙ W.E. = water end or pump without motor.

⊙ L.O.A. = length of assembly - complete pump - water end and motor.



DAPPAUL, INC.

96-08801

96-02801
PERMIT #

STATE OF IDAHO
DEPARTMENT OF WATER
RECORDS & REPORTS

PHOTOGRAPH

MAP OF Development
Well Head & Well House

263-5101

Dan McLaughlin or
Debbie Ferguson

PLEASE TAKE A GOOD COPY

5: 5: 15

Well House
Looking inside well house.

APR 28 1998




96-18301

PERMIT #

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPORT

PHOTOGRAPH

Sensors 2" Fluoropolymer
Looking from Loop Rd.



54,000 Gallon Reservoir
Reservoir & Highway

APR 28 1998

10880-96

PERMIT #

STATE OF IDAHO
DEPT OF WATER RES
REPORT SUPPLIE
O T O G R A P H

PLACE OF USE

263-5101

13

FIRE HYDRANT

PLACE OF USE


APR 1 1968

96-08801

PERMIT #

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REPORT SUPPLEMENT

PHOTOGRAPH



USE OF 37MCE

APR 26 1998

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY




FEET | 526


527 R. 3 W. R. 2 W. 116° 37' 30"

529000m.f

SANDPOINT 12 MI.
WESTMOND 1.4 MI

530






SHERRI SHORES
T55N,R2W SEC. 18
GOV'T LOTS 2 & 5

all remaining lot
belong to
Lisa Paul Inc.

SCALE
1" = 200'

96-08801
DAPPAUL, INC.





**SHERRI SHORES
COCOLALLA, ID**



**THE NICEST, NEWEST WATERFRONT
COMMUNITY ON LAKE COCOLALLA**

Underground power, phone and water to each lot.

Community waterfront lot.

Fire hydrants throughout subdivision.

Roads are chip sealed.

Easy Owner terms

\$29,000 to \$146,500 #7004

CONTACT: Dan McLaughlin at 208-263-0889

or


Debbie Ferguson at 208-263-7240

This information is from sources deemed reliable, but not guaranteed by the agent.
Package is subject to prior sale, price change, correction and/or withdrawal.

APR 28 1998
FILMED

121 North First Avenue • Sandpoint, Idaho 83864 • (208) 263-5101 • Fax (208) 263-3888
Toll Free 1-800-282-6880 • e-mail pankan@nidlink.com • Home Page <http://kaniksurrealty.com>
Hope Office: P.O. Box 72 • Hope, Idaho 83836 • (208) 264-5908 • Fax (208) 264-5368

MLS



Block 1

Lot 1	4.0 Acres	\$29,000
Lot 2	4.0 Acres	\$29,000
Lot 3	4.0 Acres	\$29,000

Block 2

Lot 1	6.0 Acres	\$53,000
Lot 2	2.8 Acres	\$53,000
Lot 3	3.6 Acres	Sold
Lot 4	4.8 Acres	\$53,000

Block 3


Lot 1	3.2 Acres	\$33,500
Lot 2	2.9 Acres	\$33,500

Block 4

Lot 1	3.7 Acres	\$146,500
Lot 2	3.3 Acres	\$146,500
Lot 3	2.9 Acres	\$146,500
Lot 4	2.5 Acres	\$132,000
Lot 5	1.2 Acres	\$122,000

MICROFILMED

APR 28 1998



Sec. 16.

Sec. 17.
040

Sec. 20.
040

Sec. 21.

250.00 E
250.00 E

POSTED

1. DRILLING PERMIT NO. 96-95 - N - 237 -
Other IDWR No. 96-08801

2. OWNER:

Name Dan Sandy (DePaul, Inc.)
Address P.O. Box 4094
City Tumwater State WA Zip 98501

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.



Twp. 55 North ☒ or South ☐
 Rge. 2 East ☐ or West ☒
 Sec. 18, $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$
 Gov't Lot 2 County Bonner $\frac{10 \text{ acres}}{40 \text{ acres}} \frac{160 \text{ acres}}$

Address of Well Site Cocolalla Loop Rd.
1.5 miles on right City Sandpoint

Lt. Blk. Sub. Name Sherri Shores

4. PROPOSED USE:

☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☒ Other irrigation & municipal

5. TYPE OF WORK

☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☒ Air Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
cement	20	0	4 bags	overbore

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) _____
Was drive shoe seal tested? Y ☒ N ☐ How? air pressure

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6"	+2	79.5	.250	steel	xxx	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☒ Perforations Method air knife

☐ Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
40'	44'	1"	184	6"	steel	☒	☐
44'	50'	1"	360	6"	steel	☒	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

31 ft. below ground Artesian pressure _____ lb.
Depth flow encountered 43 ft. Describe access port or
control devices: Removeable lid

11. WELL TESTS:

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
30 gpm	-	60'	1 hour

Water Temp. _____ Bottom hole temp. _____

Water Quality test or comments:

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
8"	0	10	Sand, gravel, cobbles		X
8"	10	17	Granite boulder		X
8"	17	20	Sand, gravel cobbles		X
6"	20	35	Sand, gravel, cobbles		X
6"	35	43	Gravelly Clay		X
6"	43	50	Gravel	X	
6"	50	70	Clay	XX	
6"	70	73	Weathered granite	X	
6"	73	103	Granite		X
RECEIVED SEP 20 1995 NORTHERN REGION IDWR WR # 96-08801 9-15-97 11:50 am / C					

Completed Depth 100' (Measurable)
Date: Started 8/2/95 Completed 8/28/95

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Ruen Drilling, Inc. Firm No. 474

Firm Official [Signature] Date 9-15-98

and
Supervisor or Operator *Bryan Payne* Date *9-11-95*

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 96-08801 Reviewed by [Signature] Date 7-1-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
no Copy in the file? Drilling Permit No. 96-95-N-0237-000
200- Amount paid for permit yes Correct?
no Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
no Required?
yes Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address [Signature] Proof Made 6-24-96

July 1, 1996

DAPPAUL INC
PO BOX 4094
TUMWATER WA 98501

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08801

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED
AUG 2 2 1996

May 31, 1996

DAPPAUL INC
PO BOX 4094
TUMWATER WA 98501

PROOF DUE NOTICE

RE: PERMIT NO. 96-08801

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED

AUG 2 2 1996



ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No. 96-08801 Reviewed by [Signature] Date 8-14-95

BASIC INFORMATION

8-9-95 Date stamp received
no Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
no Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?

_____ Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

*Recommend extend to August 1, 1996, on basis of due diligence.
Reinstate & advance priority to June 14, 1994.*

PRIORITY CALCULATION

Date extension received	<u>8-9-95</u>	=	_____
Proof due date	<u>8-1-95</u>	=	_____
Number of days late	<u>8</u>	=	_____
Priority date	<u>6-6-94</u>	=	_____
New Priority Date	<u>6-14-94</u>	=	_____

DATA ENTRY

New Address X
Change Proof Due Date 8-1-96
Change Priority Date 6-14-94



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 14, 1995

Dapaul Inc.
P.O. Box 4094
Tumwater, WA 98501

RE: Permit No. 96-08801

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to **August 1, 1996**. Please note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department will not be able to grant additional requests based on due diligence.

Please be advised that since the extension was received after the proof due date of August 1, 1995, it was necessary for the department to reinstate your permit and advance your priority date to June 14, 1994.

If you have any questions or if I can be of any assistance, please feel free to contact me at (208)327-7900.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

C: IDWR - Regional Office

APPROVED
AUG 28 1995

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

August 7, 1995

DAPPAUL INC
PO BOX 4094
TUMWATER WA 98501

LAPSE NOTICE

RE: PERMIT NO. 96-08801

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated May 31, 1995. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

RECORDED

AUG 28 1995


L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 8-7-95
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 31, 1995

DAPPAUL INC
PO BOX 4094
TUMWATER WA 98501

COPY

PROOF DUE NOTICE

RE: PERMIT NO. 96-08801

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1995.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

AUG 28 1995

Enclosures





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 29, 1994

DAPPAUL INC
PO BOX 4094
TUMWATER WA 98501

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08801

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

If a well has not already been constructed you are required to obtain a "drilling permit" from the department. The right to drill a well is not a part of this permit to appropriate water.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', followed by a horizontal line.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosures

RECEIVED

NOV 08 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 96-880 Name: Sapaul, Inc. Date: 8/12/94 Correct Fee? ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
SYSTEM COMPLETED:

No - 26A-P17
Complete in 1 year - P16

Yes
Proof not submitted - P16
Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <FLO-CH> - T17 (new), 01K (existing), No MD
- 0.2 cfs - No MD <FLOW CHART>

Drilling Permit:

Included w/permit - Permit No. _____, P99
Existing well - NA (pre 7/1/87)
No WD permit? - 046-46A(Irr)-46K-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <FLOW CHART>

LOCATION:

Water District(~~dem~~) - WD No. _____
*Surface water - 005 (req) 01J-P08 <FLOW CHART>
(doesn't sink) or 01H-P01 <FLOW CHART>; No MD
Groundwater - P05 (new irrigation well)
In stream channel - 030 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (-85° GW temp only)
Swan Falls Flag - B <SEE CONDITION CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA
Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA
Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10
044 (N 1000 Spr)
Irrigation - 03A/057; 803(if GW use SW 1st) (~~45A~~ PU comp), NA
Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09
Mining - 054 (req) & 06A/010/09E-P10
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA
Domestic (surface) - 021(Boise R ↑ L Peak), 27A(Payette R), NA

OWNERSHIP:

Non land owner - 004 (PD/PU)

PROTESTED:

- 020(Prehearing agreement)/W19(See Order)

OTHER CONDITIONS:

REMARKS:

- ① WOI(14) ② PU located w/in Lt 1-3, Bk 1; Lt 1-3, Bk 2;
Lt 1-3, Bk 3; Lt 1-5 Bk 4; Cocolalla Shores Subd.

BENEFICIAL USE DUE:

- 8-1-1995

COMMENTS:

No. a
4/87-06/92n

HO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED
AUG 03 1994

APPLICATION # 96-08801

Department of Water Resources

***** INITIAL REVIEW *****

APPLICANT: DAPPAUL BY: AS DATE: 6/8/94

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
(X) Signature
(X) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- X Field check: by _____
_____ Field report attached
_____ Analysis Supp. attached(>5cfs/500af)
_____ Water delivered by water master?
_____ Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 6/6/94

X (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: SB ghur
BANNER County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- X Groundwater management area
X Critical ground water area
X Well Drilling Permit required
_____ Well Drilling Application and Fees received
_____ Well Drilling Application approved?
_____ Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- / Notice of pending void order issued. Final order response date: ____/____/____
/ Further information required from applicant
/ Affidavit of publication received
/ Application published correctly, If not, record action taken: _____
_____ Publication dates and paper recorded on application
/ Protests received. Final protest date: 7/25/94 Sr. Agent initial AS
/ Measuring device required
/ Measuring port required
_____ Special conditions: _____
_____ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AS RYA

Date: 7/25/94

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Jean Conacher being first duly sworn on oath

deposes and says that he/she is Bookkeeper

of the Bonner County Daily Bee, a newspaper printed and

published at Sandpoint, Bonner County, Idaho; that the

said newspaper has been continuously and uninterruptedly

published in said Bonner County during a period of 12

months prior to the first publication of the hereto attached

notice of publication in the case of:

Notice of Application for Water Right

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,

commencing on 7 day of July, 1994

and ending on the 14 day of July, 1994

and that said notice was published in said newspaper.

On this 14 day of July in the year

of 1994, before me, a Notary Public, personally

appeared Jean Conacher,

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me first

duly sworn, declared that the statements therein are true,

and acknowledged to me that he executed the same.

Karel Meeler
Notary Public for Idaho

Residing at

Sandpoint

My commission expires:

5-3-99

RECEIVED

JUL 7 1 1994

NORTHERN REGION
IDWR

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-08801

DAPPAUL INC

P O BOX 4094

TUMWATER, WA 98501

Source: GROUNDWATER

Diversion Pt: SENW Sec 18 T 55N

R 02W in BONNER County.

Use: DOMESTIC (.170 CFS)

IRRIGATION (.200 CFS)

Total Diversion: (.200 CFS)

Date Filed: 6/6/1994

In: BONNER County

T55N R02W S18 Lot 2 (SWSW)

Lot 5 (SESW)

28.0 ACRES TOTAL

96-08802

OLDRIDGE, NEIL

P O BOX 1012

SAGLE, ID 83860

Source: UNNAMED STREAM

Tributary: FRY CREEK

Diversion Pt: SESW Sec 12 T 56N

R 02W in BONNER County.

Use: WILDLIFE STORAGE (1.00

AF)

FIRE PROTECTION STORAGE (

1.00 AF)

AESTHETIC STORAGE (1.00

AF)

DIVERSION TO STORAGE (.040

CFS)

Total Diversion: (.040 CFS)

Date Filed: 6/9/1994

In: BONNER County

T56N R02W S12 SESE

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before JULY 25, 1994.

R. KEITH HIGGINSON,

Director

SNP#6228 Jul 7, 14, 1994

NOV 08 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615

(208) 769-1450 Fax (208) 769-1454

CECIL D. ANDRUS

Governor

June 29, 1994

R. KEITH HIGGINSON

Director

Dapaul, Inc.
P.O. Box 4094
Tumwater, WA 98501

Subject: Water Appropriation Application for Permit Number 96-08801.

Dear Dapaul, Inc.:

The Idaho Department of Water Resources hereby acknowledges receipt of the above-referenced Application for Permit to appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N007731. Please refer to your Application for Permit Number in future matters concerning this water right application.

Your Application for Permit is currently being prepared for advertising in the local county newspaper. The advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for submittal of protests.

If your application is not protested, it will be forwarded to Boise for processing. Normal processing time is approximately 3 to 4 months, if the application is not protested. If your Application for Permit is protested, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before your Application for Permit can be approved. If the protest is not resolved, this Department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State Office in Boise.

If your Application for Permit is for a well (groundwater) that was constructed after July 1, 1987, you must apply for a well drilling permit upon approval of your Application for Permit if no permit was obtained by previous owners to construct the well. Well Drilling Permits can only be issued by this office to holders of approved Applications for Permit.

If I can be of further assistance, please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resource Agent
Enc. - Receipt



NOV 08 1994

96-08801

DAPPAUL INC
P O BOX 4094
TUMWATER, WA 98501

Source: GROUNDWATER

Diversion Pt: SENW Sec 18 T 55N R 02W in BONNER County.

Use: DOMESTIC (.170 CFS)
 IRRIGATION (.200 CFS)
 Total Diversion: (.200 CFS)

Date Filed: 6/ 6/1994

In: BONNER County
 T55N R02W S18 Lot 2(SWSW) Lot 5(ESW)

28.0 ACRES TOTAL

NOV 08 1994