







vey



CONTOUR INTERVAL 40 FEET
 DOTTED LINES REPRESENT 20-FOOT CONTOURS
 NATIONAL GEODETIC VERTICAL DATUM OF 1929
 DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS LAKE ELEVATION 2048 FEET



Sec. 12.
239.50

Sec. 11.
40.5

Sec. 13.

Sec. 14.

Sec. 15.

Sec. 16.

Sec. 24.

Sec. 23.

Sec. 22.

Sec. 21.

Sec. 26.

Sec. 27.

Sec. 28.

Sec. 25.

Sec. 35.

Sec. 34.

Sec. 33.

Sec. 36.


PEND

D'OREILLE

SEP 22 1994

1894 survey

Line of Channel



SANDPOINT AIRPORT

BM 2117

2126

2121

2120

2119

2118

2117

2116

2115

2114

2113

2112

2111

2110

2109

2108

2107

2106

2105

2104

2103

2102

2101

2100

2099

2098

2097

2096

2095

2094

2093

2092

2091

2090

2089

2088

2087

2086

2085

2084

2083

2082

2081

2080

2079

2078

2077

2076

2075

2074

2073

2072

2071

2070

2069

2068

2067

2066

2065

2064

2063

2062

2061

2060

2059

2058

2057

2056

2055

2054

2053

2052

2051

2050

2049

2048

2047

2046

2045

2044

2043

2042

2041

2040

2039

2038

2037

2036

2035

2034

2033

2032

2031

2030

2029

2028

2027

2026

2025

2024

2023

2022

2021

2020

2019

2018

2017

2016

2015

2014

2013

2012

2011

2010

2009

2008

2007

2006

2005

2004

2003

2002

2001

2000

1999

1998

1997

1996

1995

1994

1993

1992

1991

1990

1989

1988

1987

1986

1985

1984

1983

1982

1981

1980

1979

1978

1977

1976

1975

1974

1973

1972

1971

1970

1969

1968

1967

1966

1965

1964

1963

1962

1961

1960

1959

1958

1957

1956

1955

1954

1953

1952

1951

1950

1949

1948

1947

1946

1945

1944

1943

1942

1941

1940

1939

1938

1937

1936

1935

1934

1933

1932

1931

1930

1929

1928

1927

1926

1925

1924

1923

1922

1921

1920

1919

1918

1917

1916

1915

1914

1913

1912

1911

1910

1909

1908

1907

1906

1905

1904

1903

1902

1901

1900

1899

1898

1897

1896

1895

1894

1893

1892

1891

1890

1889

1888

1887

1886

1885

1884

1883

1882

1881

1880

1879

1878

1877

1876

1875

1874

1873

1872

1871

1870

1869

1868

1867

1866

1865

1864

1863

1862

1861

1860

1859

1858

1857

1856

1855

1854

1853

1852

1851

1850

1849

1848

1847

1846

1845

1844

1843

1842

1841

1840

1839

1838

1837

1836

1835

1834

1833

1832

1831

1830

1829

1828

1827

1826

1825

1824

1823

1822

1821

1820

1819

1818

1817

1816

1815

1814

1813

1812

1811

1810

1809

1808

1807

1806

1805

1804

1803

1802

1801

1800

1799

1798

1797

1796

1795

1794

1793

1792

1791

1790

1789

1788

1787

1786

1785

1784

1783

1782

1781

1780

1779

1778

1777

1776

1775

1774

1773

1772

1771

1770

1769

1768

1767

1766

1765

1764

1763

1762

1761

1760

1759

1758

1757

1756

1755

1754

1753

1752

1751

1750

1749

1748

1747

1746

1745

1744

1743

1742

1741

1740

1739

1738

1737

1736

1735

1734

1733

1732

1731

1730

1729

1728

1727

1726

1725

1724

1723

1722

1721

1720

1719

1718

1717

1716

1715

1714

1713

1712

1711

1710

1709

1708

1707

1706

1705

1704

1703

1702

1701

1700

1699

1698

1697

1696

1695

1694

1693

1692

1691

1690

1689

1688

1687

1686

1685

1684

1683

1682

1681

1680

1679

1678

1677

1676

1675

1674

1673

1672

1671

1670

1669

1668

1667

1666

1665

1664

1663

1662

1661

1660

1659

1658

1657

1656

1655

1654

1653

1652

1651

1650

1649

1648

1647

1646

1645

1644

1643

1642

1641

1640

1639

1638

1637

1636

1635

1634

1633

1632

1631

1630

1629

1628

1627

1626

1625

1624

1623

1622

1621

1620

1619

1618

1617

1616

1615

1614

1613

1612

1611

1610

1609

1608

1607

1606

1605

1604

1603

1602

1601

1600

1599

1598

1597

1596

1595

1594

1593

1592

1591

1590

1589

1588

1587

1586

1585

1584

1583

1582

1581

1580

1579

1578

1577

1576

1575

1574

1573

1572

1571

1570

1569

1568

1567

1566

1565

1564

1563

1562

1561

1560

1559

1558

1557

1556

1555

1554

1553

1552

1551

1550

1549

1548

1547

1546

1545

1544

1543

1542

1541

1540

1539

1538

1537

1536

1535

1534

1533

1532

1531

1530

1529

1528

1527

1526

1525

1524

1523

1522

1521

1520

1519

1518

1517

1516

1515

1514

1513

1512

1511

1510

1509

1508

1507

1506

1505

1504

1503

1502

1501

1500

1499

1498

1497

1496

1495

1494

1493

1492

1491

1490

1489

1488

1487

1486

1485

1484

1483

1482

1481

1480

1479

1478

1477

1476

1475

1474

1473

1472

1471

1470

1469

1468

1467

1466

1465

1464

1463

1462

1461

1460

1459

1458

1457

1456

1455

1454

1453

1452

1451

1450

1449

1448

1447

1446

1445

1444

1443

1442

1441

1440

1439

1438

1437

1436

1435

1434

1433

1432

1431

1430

1429

1428

1427

1426

1425

1424

1423

1422

1421

1420

1419

1418

1417

1416

1415

1414

1413

1412

1411

1410

1409

1408

1407

1406

1405

1404

1403

1402

1401

1400

1399

1398

1397

1396

1395

1394

1393

1392

1391

1390

1389

1388

1387

1386

1385

1384

1383

1382

1381

1380

1379

1378

1377

1376

1375

1374

1373

1372

1371

1370

1369

1368

1367

1366

1365

1364

1363

1362

1361

1360

1359

1358

1357

1356

1355

1354

1353

1352

1351

1350

1349

1348

1347

1346

1345

1344

1343

1342

1341

1340

1339

1338

1337

1336

1335

1334

1333

1332

1331

1330

1329

1328

1327

1326

1325

1324

1323

1322

1321

1320

1319

1318

1317

1316

1315

1314

1313

1312

1311

1310

1309

1308

1307

1306

1305

1304

1303

1302

1301

1300

1299

1298

1297

1296

1295

1294

1293

1292

1291

1290

1289

1288

1287

1286

1285

1284

1283

1282

1281

1280

1279

1278

1277

1276

1275

1274

1273

1272

1271

1270

1269

1268

1267

1266

1265

1264

1263

1262

1261

1260

1259

1258

1257

1256

1255

1254

1253

1252

1251

1250

1249

1248

1247

1246

1245

1244

1243

1242

1241

1240

1239

1238

1237

1236

1235

1234

1233

1232

1231

1230

1229

1228

1227

1226

1225

1224

1223

1222

1221

1220

1219

1218

1217

1216

1215

1214

1213

1212

1211

1210

1209

1208

1207

1206

1205

1204

1203

1202

1201

1200

1199

1198

1197

1196

1195

1194

1193

1192

1191

1190

1189

1188

1187

1186

1185

1184

1183

1182

1181

1180

1179

1178

1177

1176

1175

1174

1173

1172

1171

1170

1169

1168

1167

1166

1165

1164

1163

1162

1161

1160

1159

1158

1157

1156

1155

1154

1153

1152

1151

1150

1149

1148

1147

1146

1145

1144

1143

1142

1141

1140

1139

1138

1137

1136

1135

1134

1133

1132

1131

1130

1129

1128

1127

1126

1125

1124

1123

1122

1121

1120

1119

1118

1117

1116

1115

1114

1113

1112

1111

1110

1109

1108

1107

1106

1105

1104

1103

1102

1101

1100

1099

1098

1097

1096

1095

1094

1093

1092

1091

1090

1089

1088

1087

1086

1085

1084

1083

1082

1081

1080

1079

1078

1077

1076

1075

1074

1073

1072

1071

1070

1069

1068

1067

1066

1065

1064

1063

1062

1061

1060

1059

1058

1057

1056

1055

1054

1053

1052

1051

1050

1049

1048

1047

1046

1045

1044

1043

1042

1041

1040

1039

1038

1037

1036

1035

1034

1033

1032

1031

1030

1029

1028

1027

1026

1025

1024

1023

1022

1021

1020

1019

1018

1017

1016

1015

1014

1013

1012

1011

1010

1009

1008

1007

1006

1005

1004

1003

1002

1001

1000

999

998

997

996

995

994

993

992

991

990

989

988

987

986

985

984

983

982

981

980

979

978

977

976

975

974

973

972

971

970

969

968

967

966

965

964

963

962

961

960

959

958

957

956

955

954

953

952

951

950

949

948

947

946

945

944

943

942

941

940

939

938

937

936

935

934

933

932

931

930

929

928

927

926

925

924

923

922

921

920

919

918

917

916

915

914

913

912

911

910

909

908

907

906

905

904

903

902

901

900

899

898

897

896

895

894

893

8



P.D



P.U.



P.U.

RECEIVED

OCT 16 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08793

Priority: March 11, 1994

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

1.5 AF

This is to certify, that CHRISTANN MANNING
504 LAKEVIEW LN
SANDPOINT ID 83864

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated March 11, 1994; and
has submitted Proof of Beneficial Use on August 8, 1994. An examination indicates
that the works have a diversion capacity of 0.030 cfs of water from:

PEND OREILLE RIVER

tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	1.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 22, Township 57N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
57N	02W	22	SWSE	0.5		0.5

Total number of acres irrigated: 0.5

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Place of use is located within Lots 4 and 5, Bk. 7, Lake Park Addition.
6. This right when combined with all other rights shall provide no more than 0.03 cfs nor more than 1.5 afa for the land described above.


MICROFILMED
OCT 16 1995


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08793

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 12TH
day of OCTOBER, 1995.


Acting for KARL J. DREHER, Director



RECEIVED
OCT 16 1995

RECEIVED

JUN 30 1994

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 8-8-94
Receipt No. C030990
Receipt by RT

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08793 Telephone No. (208) 263-7581
2. Name(s) of Permit Holder(s) MS. CHRISTANN MANNING
3. Mailing Address: 504 LAKEVIEW LANE, Sandpoint, Id.
4. Source of Water: PEND OREILLE RIVER 83864

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: 1/2 HP. Pressure (psi): 40 lbs. Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 0.5 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.03 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No Installed? _____ Yes ☒ No

OR
Flow Measurement Port: Required? _____ Yes ☒ No Installed? _____ Yes ☒ No

8. Fee Enclosed: \$ _____ (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

CHRISTANN MANNING (208) 263-7581
Name Telephone No.

504 LAKEVIEW LANE, SANDPOINT, IDAHO 83864
Address

10. The above information is my true statement of the extent to which the above numbered _____ has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6/11/94 Christann Manning
Date Signature (and title, if on behalf of a company or organization)

SEP 22 1994

NOTE: ACCORDING TO FEE SCHEDULE - NO FEE IS DUE - AS USAGE IS LESS THAN 0.04 CFS.

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08793

Proposed Priority: March 11, 1994 Maximum Diversion Rate: 0.03 CFS

This is to certify, that **CHRISTANN MANNING**
504 LAKEVIEW LN
SANDPOINT ID 83864
has applied for a permit to appropriate water from:

PEND OREILLE RIVER tributary of **COLUMBIA RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSE , Sec. 22, Township 57N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
57N	02W	22	SWSE	0.5		0.5


Total number of acres irrigated: 0.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1995.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
4. Place of use is located within Lots 4 and 5, Bk. 7, Lake Park Addition.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

7th day of June, 1994.

for 
R. Keith Higginson, Director

SEP 22 1994

RECEIVED
JUN 02 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 96-8793

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant CHRISTANN MANNING Phone (208) 263-7581
Post office address 504 LAKEVIEW LANE, SANDPOINT, ID. 83864
2. Source of water supply PEND ORIGIN RIVER which is a tributary of COLUMBIA R.
3. Location of point of diversion is 1/2 1/4 of SW 1/4 of SE 1/4, Govt. Lot _____
Sec. 22 Township 57N Range 2W B.M. BOWEN County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
* .03 cfs for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) _____ and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. LAWN irrigation
INSTALLED BY PANHANDLE PUMP & IRRIGATION
SANDPOINT ID
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? NO
 - e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 years (minimum 1 year).

* maximum rate per allocation standards for acres identified in P/U. 6/3/94 cwr

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use: LAWN

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
57N	2W	22															5		

Total number of acres to be irrigated 1/2 ACRE

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? _____


b. Who owns the land to be irrigated or place of use? CHRISTANN MANNING

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12. Remarks: PROPERTY DESCRIPTION:

22/27-57N-2W-LAKE PARK ADDN.
B/K 7, W2 LOT 4+5, W2 TAX 4
RPSO228007004B A

SEP 22 1994



REMOVED
SEP 22 1994
OREILLE RIVER



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T. 57N.
R. 2W.

X
P.O.D.
P.O.U.

Scale: 2 inches equal 1 mile.

SEP 22 1994

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Christann Manning
(Applicant)

3/11/94 FEE RECEIVED

Received by Date 3/5/94 Time 1:20 PM (M/T) Preliminary check by
Fee \$ 30.00 Received by # 12-7439 Date 3/11/94
Publication prepared by Date 3/30/94 Published in Bozeman City, Ben
Publication approved Date 5/11/94

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. , and said application is hereby .

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before , 19 .


c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

SEP 22 1994



SEP 22 1994

PEND

OREILLE

LAKE

Sec. 33.
56.05

Sec. 34.
40.70

Sec. 35.
106.50

Sec. 36.
61.10

Line of Channel

1894 survey



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 12, 1995

CHRISTANN MANNING
504 LAKEVIEW LN
SANDPOINT ID 83864

RE: WATER RIGHT NO. 96-08793

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECORDED

OCT 16 1995

B/U FIELD EXAM REVIEW

Cindy Zimmerman

Permit #: 96-8793 Name: Manning Date: 10/5/95
 App Rcd 3/11/94 Priority 3/11/94 Examined 6/05/95 ✓ Lots ✓

Per 1894 survey
no lots.

NAME Chng Same ✓ Or Address Change?

SOURCE ✓ Clarify source
✓ Prelim. Order to Void - Source change.

P/D ✓ Amendment Needed? _____ -P39, P38
✓ Overlap(s) _____

P/U ✓ Amendment Needed? _____ -P41, P38
✓ Overlap(s) _____
 *P/D & P/U Amend? P37, P38
 (See paragraph list for governmental agencies)

RATE ✓ Permit/fee limits: 0.03 / 0.20
✓ Measured Q= _____ cfs/Theoretical Q= 0.03 cfs
✓ (HP) $\frac{8.8 \times 0.70 \times 0.5}{20 + (2.31 \times 40)} = \frac{3.08}{112.4} = 0.027 \approx 0.03$ cfs
✓ Recommended capacity 0.03 cfs
✓ Recommended rate 0.03 cfs

VOLUME ✓ Season of Use: (D/3.0) 3/15-11/15 = 246 days
✓ Calculations: irr = 0.5 acres x 3.0 AF/acre = 1.5 AF
✓ Flow limit: 0.03 x 246 x 1.9835 = 14.6 AF
✓ Recommended volume 1.5 AF

USES ✓ Same Nature of Use? _____ -P46
✓ Amendment Needed? _____

REMARKS ✓ Multiple p/d's in $\frac{1}{4}$? _____
✓ W31/0.03 & 1.5 AF

CONDITIONS ✓ Measuring (R01)/Locking (R02) Devices
✓ Watermaster Control (R04) - WD # _____
✓ Irrigation rate/volume overlap
✓ Irrigation water overlap (065) (If gw use sw)
✓ Water Quality/Other _____

PRIORITY Due 6/1/95 Rc'd 8/8/94 Receipt# 6030990 Fee OK? (Yes)/No
 Order to Reinstate Needed? Yes/(No) Done? _____
 If Yes, Advanced? Yes/No to: _____

COMMENTS: license as permitted, add govt lots

USE	CFS	DIV VOL	Adjustment Memo
<u>Enr. / 0.5</u>	<u>0.03</u>	<u>1.5</u>	LICENSE: <u>P49</u>
<u>_____</u>	<u>_____</u>	<u>_____</u>	#1 AMEND LTR: P46 or
<u>_____</u>	<u>_____</u>	<u>_____</u>	P39/P41/P37 & P38
<u>TOTAL</u>	<u>0.03</u>	<u>1.5</u>	#2 AMEND LTR: P42/P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 29 1995
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08793

1. Owner: Christann Manning Phone No. (208) 263-7581

Current Address: 504 LAKEVIEW LN, SANDPOINT ID, 83864

2. Accompanied by: _____ EXAM DATE: _____

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Pend Oreille River tributary to Columbia River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 96-08814

2. Other water rights with the same point of diversion: 96-08814

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	22	57N	02W	Bonner	UGS 7.5 min quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	02W	22															.5		.5

OCT 16 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

____ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	NA	1/2	NA	Submersible	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

OCT 16 1995

E. NARRATIVE/REMARKS/COMMENTS

pump in Bend Oreille River supplies water
for irrigation on a timed system.

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED
OCT 16 1995

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3 \times .5 = 1.50$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 245 \times 1.9835 = 14.58$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1.50$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	03-15	11-15	.03	1.50
Totals:			.03	1.50

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ____ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATION

Field Examiner's Name

David McCracken

Date

6/15/95

Reviewer _____

Date _____

SEAL

OCT 16 1995

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 96-08793

DATE: 15-JUN-95

COMPLETE BY: TED MCCRACKEN

HORSEPOWER = .5


PUMP EFFICIENCY = 75%

DYNAMIC LIFT = 20 FEET

SYSTEM PRESSURE = 40 PSI

QUANTITY = 0.03 CFS

UNRECORDED
OCT 1 6 1995





P.D.



P.U.



P.D.

RECEIVED

OCT 16 1995

August 10, 1994

CHRISTANN MANNING
504 LAKEVIEW LN
SANDPOINT ID 83864

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08793

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

SEP 22 1994

C.T. Manning & Associates

August 3, 1994

Ms. Julie L. Yarbrough
Senior Secretary
State of Idaho Dept. of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720-9000

Re: Permit No. 96-08793

Dear Ms. Yarbrough,


Enclosed is the check requested in your letter of July 27, 1994.

Sorry about the misunderstanding. Ground water had little if any meaning to me so I simply went by the irrigation number. Thanks for your call, now the check enclosed for \$50.00 makes me legal.

I am returning the Proof of Beneficial Use statement as I assume you will need that for your files.

Thanks again for the explanation.....

Sincerely,



Christann Manning
CTM:mv
encl. Ck. #2291

SEP 22 1994

July 27, 1994

Christann Manning
504 Lakeview Lane
Sandpoint, ID 83864

RE: Permit No. 96-08793

Dear Permit Holder:

Returned is the proof of beneficial use you submitted in connection with the above referenced permit. Unfortunately, the Department can not accept it as filed.

The Department has determined, from pertinent sections of the Idaho Code, that the permit holder must meet two requirements in order to be exempt from the license exam fee. They are:

1. The water right must use a groundwater (well) source; and,
2. The rate of diversion must be .04 cfs or 4.0 AF or less.

As you can see, you do not meet requirement #1 since you use the Pend Oreille River (surface) for your source. Therefore, a license examination fee of \$50.00 applies to the permit.

Please return the original proof and license examination fee as soon as possible to avoid further delay in processing the proof.

If you have any questions or if I can be of any further assistance, please feel to contact me.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

SEP 22 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 7, 1994

CHRISTANN MANNING
504 LAKEVIEW LN
SANDPOINT ID 83864

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08793

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

34 7 21 94
ST 1 5 2

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Jean Conachen being first duly sworn on oath

deposes and says that he/she is Bookkeeper

of the Bonner County Daily Bee, a newspaper printed and published at Sandpoint, Bonner County, Idaho; that the said newspaper has been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached

notice of publication in the case of:

Notice of App. for Water Right

as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 7 day of April, 1994 and ending on the 14 day of April, 1994

and that said notice was published in said newspaper.

On this 14 day of April in the year of 1994, before me, a Notary Public, personally appeared Jean Conachen

known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Karel Meeler
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 5-3-99

RECEIVED

MAY 04 1994

NORTHERN REGION
IDWR

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-08790
SHELLHORN, DENNIS
2075 UPLAND DR
SANDPOINT, ID 83864
Source: UNNAMED STREAM
Tributary: SINKS
Diversion Pt: NWNE Sec 17 T 57N R 02W in BONNER County.
Use: IRRIGATION (.170 CFS)
IRRIGATION STORAGE (1.00 AF)
IRRIGATION FROM STORAGE (1.00 AF)
Total Diversion: (.170 CFS)
Date Filed: 3/28/1994
In: BONNER County
T57N R02W S17 NWNE
8.7 ACRES TOTAL
96-08792
COZORT, PAUL
COZORT, HILDE
PO BOX 64
COLBURN, ID 83865
Source: COLBURN CREEK
Tributary: PACK RIVER
Diversion Pt: SWSW Sec 1 T 58N R 02W in BONNER County.
SESE Sec 1 T 58N R 02W in BONNER County.
Use: IRRIGATION (2.260 CFS)
Total Diversion: (2.260 CFS)
Date Filed: 3/11/1994
In: BONNER County
T58N R02W S01 SWSW SESW SWSE
113.0 ACRES TOTAL

96-08793
MANNING, CHRISTANN
504 LAKEVIEW LN
SANDPOINT, ID 83864
Source: PEND OREILLE RIVER
Tributary: COLUMBIA RIVER
Diversion Pt: SWSE Sec 22 T 57N R 02W in BONNER County.
Use: IRRIGATION (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 3/11/1994
In: BONNER County
T57N R02W S22 SWSE
0.5 ACRES TOTAL
96-08794
MC GILLICUDDY, BLAINE H
124 BROADMOOR ST
RICHLAND, WA 99352
Source: GROUNDWATER
Diversion Pt: SWSE Sec 20 T 58N R 02W in BONNER County.
Use: DOMESTIC (.100 CFS)
Total Diversion: (.100 CFS)
Date Filed: 3/22/1994
In: BONNER County
T58N R02W S20 SWSW SESW
96-08795
WOOD, VIRGIL
PO BOX 1042
SAGLE, ID 838609998
Source: SPRING Tributary: SINKS
Diversion Pt: SESWNE Sec 10 T 54N R 02W in BONNER County.
Use: RECREATION STORAGE (10.00 AF)
DIVERSION TO STORAGE (.100 CFS)
Total Diversion: (.100 CFS)
Date Filed: 3/24/1994
In: BONNER County
T54N R02W S10 SWNE
For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.
The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before APRIL 25, 1994.
R. KEITH HIGGINSON, Director
SNP#6021 Apr 7, 14, 1994

SEP 22 1994

96-08793

MANNING, CHRISTANN
504 LAKEVIEW LN
SANDPOINT, ID 83864

Source: PEND OREILLE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt: SWSE Sec 22 T 57N R 02W in BONNER County.

Use: IRRIGATION (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 3/11/1994

In: BONNER County
T57N R02W S22 SWSE

0.5 ACRES TOTAL

SEP 22 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 Fax (208) 769-1454

CECIL D. ANDRUS
March 31, 1994

R. KEITH HIGGINSON
Director

Mr. Christann Manning
504 Lakeview Ln.
Sandpoint, Id. 83864

Dear Mr. Manning:

Subject: Water Application for Permit Number 96-8793.

The Idaho Department of Water Resources hereby acknowledges receipt of the above-referenced Application for Permit to appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N7439. Please refer to your Application for Permit Number in future matters concerning this water right application.

Your Application for Permit is currently being prepared for advertising in the local county newspaper. The advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for submittal of protests.

If your application is not protested, it will be forwarded to Boise for processing. Normal processing time is approximately 3 to 4 months, if the application is not protested. If your Application for Permit is protested, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before your Application for Permit can be approved. If the protest is not resolved, this Department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State Office in Boise.

If your Application for Permit is for a well (groundwater) that was constructed after July 1, 1987, you must apply for a well drilling permit upon approval of your Application for Permit if no permit was obtained by previous owners to construct the well. Well Drilling Permits can only be issued by this office to holders of approved Applications for Permit.

If I can be of further assistance, please feel free to contact me at this office.


Sincerely,

ALLEN BEARDSLEE
Senior Water Resource Agent
Enc. - Receipt

812321004

C.T. Manning & Associates

March 9, 1994



Mr. Al Beardslee
% Dept. of Water Resources
1910 N.W. Boulevard
Coeur de Alene, Idaho 83814

Re: Water Use Permit

Dear Mr. Beardslee,

Enclosed is a replacement check for Check #2250 written December 30th but somehow not received at your office.

If there is any further information you need, please feel free to contact me directly or by fax #208-263-5291. I will be out of the country until March 29th so hopefully the permit will be here upon my return.

Sincerely,

A handwritten signature in cursive script that reads "Christann Manning".

Christann Manning

SEP 22 1994