

Topographic map showing a section of land with various annotations and landmarks.

Handwritten Annotations:

- PLACE OF USE:** Indicated by an arrow pointing to a specific location on the map.
- POINT OF DIVERSION:** Indicated by an arrow pointing to a specific location on the map.
- REFERENCE POINT:** Indicated by an arrow pointing to a specific location on the map.

Map Features and Landmarks:

- Lost Lake WL 23117:** Located in the top right corner.
- CULVER 2068T:** Located near the bottom right.
- STATE WILDLIFE MANAGEMENT AREA:** Located at the bottom of the map.
- Section Numbers:** Various section numbers are visible, including 2183T, 2173T, 2163T, 2153T, 2143T, 2133T, 2123T, 2113T, 2103T, 2093T, 2083T, 2073T, 2063T, 2053T, 2043T, 2033T, 2023T, 2013T, 2003T, 1993T, 1983T, 1973T, 1963T, 1953T, 1943T, 1933T, 1923T, 1913T, 1903T, 1893T, 1883T, 1873T, 1863T, 1853T, 1843T, 1833T, 1823T, 1813T, 1803T, 1793T, 1783T, 1773T, 1763T, 1753T, 1743T, 1733T, 1723T, 1713T, 1703T, 1693T, 1683T, 1673T, 1663T, 1653T, 1643T, 1633T, 1623T, 1613T, 1603T, 1593T, 1583T, 1573T, 1563T, 1553T, 1543T, 1533T, 1523T, 1513T, 1503T, 1493T, 1483T, 1473T, 1463T, 1453T, 1443T, 1433T, 1423T, 1413T, 1403T, 1393T, 1383T, 1373T, 1363T, 1353T, 1343T, 1333T, 1323T, 1313T, 1303T, 1293T, 1283T, 1273T, 1263T, 1253T, 1243T, 1233T, 1223T, 1213T, 1203T, 1193T, 1183T, 1173T, 1163T, 1153T, 1143T, 1133T, 1123T, 1113T, 1103T, 1093T, 1083T, 1073T, 1063T, 1053T, 1043T, 1033T, 1023T, 1013T, 1003T, 993T, 983T, 973T, 963T, 953T, 943T, 933T, 923T, 913T, 903T, 893T, 883T, 873T, 863T, 853T, 843T, 833T, 823T, 813T, 803T, 793T, 783T, 773T, 763T, 753T, 743T, 733T, 723T, 713T, 703T, 693T, 683T, 673T, 663T, 653T, 643T, 633T, 623T, 613T, 603T, 593T, 583T, 573T, 563T, 553T, 543T, 533T, 523T, 513T, 503T, 493T, 483T, 473T, 463T, 453T, 443T, 433T, 423T, 413T, 403T, 393T, 383T, 373T, 363T, 353T, 343T, 333T, 323T, 313T, 303T, 293T, 283T, 273T, 263T, 253T, 243T, 233T, 223T, 213T, 203T, 193T, 183T, 173T, 163T, 153T, 143T, 133T, 123T, 113T, 103T, 93T, 83T, 73T, 63T, 53T, 43T, 33T, 23T, 13T, 3T.

Red Stamp: MICROFILMED FEB 25 1994


Other Text: Kootenai Point, ODEN, T. 57N, R. 1W, BAY, STATE WILDLIFE MANAGEMENT AREA, PEND OREILLE.

Kootenai Point

SUNNY SIDE ROAD

551E
228

p. of C



LAKE PEND ORIFLE

RECORDED
FEB 25 1994

OCT 1 6 1993

UNCLASSIFIED

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	ST-RT	1	1C932	7A-RT	JHAG-S3HL

4.

Scale: 1" = _____
Copy of USGS Quadrangle Attached Showing location(s) of _____
point(s) of diversion and place(s) of use (required).
Aerial Photo Attached _____
(required for irrigation of 10+ acres)
Photo of Diversion and System Attached _____



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



P.D.



P.D.



P.D.

MICROFILMED
OCT 16 1995

(more photos on back)




P.O.

MICROFILMED

OCT 16 1995

2000
10/16/95

(handwritten notes)



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08776

Priority: October 21, 1993

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

2.1 AF

This is to certify, that AMERICAN TRUST CO OF HAWAII INC
TRUSTEE FOR H WILLIAM GOEBERT
684 KAIMALINO BLVD
KAILUA HI 96734

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated October 21, 1993; and
has submitted Proof of Beneficial Use on December 19, 1994. An examination indicates
that the works have a diversion capacity of 0.050 cfs of water from:

PEND OREILLE LAKE tributary to PEND OREILLE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	06/01 to 10/30	0.02 CFS	2.1 AF

LOCATION OF POINT(S) OF DIVERSION: NWSW , Sec. 4, Township 57N, Range 01W
BONNER County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN RGE SEC</u>					
57N 01W 4		NWSW 0.7			0.7

Total number of acres irrigated: 0.7

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 0.02 cfs nor more than 2.1 afa for the land described above.

OCT 16 1995

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 96-08776

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 5th
day of OCTOBER, 1995.

Acting for

KARL J. DREHER, Director



RECEIVED
OCT 16 1995

DEC 19 1994

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08776 Telephone No. 808-254-1680
2. Name(s) of Permit Holder(s): American Trust Company of Hawaii
Trustee for H. William Goebert
3. Mailing Address: 684 Kaimalino Blvd. Kailua HI 96734
4. Source of Water: Pend Oreille Lake If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____
- a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____ - _____
- b. OPTIONAL:
Pump Horsepower: 5 HP Pressure (psi): Unknown Dynamic pumping level (ft): Unknown
5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 1 1/2 Acres Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0.06 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
- | | | | | |
|------------------------|--|-----------|----|-------------|
| Measuring Device: | Is a measuring device required? | Yes _____ | or | No <u>X</u> |
| | Has the measuring device been installed? | Yes _____ | or | No <u>X</u> |
| Flow Measurement Port: | Is a flow measurement port required? | Yes _____ | or | No <u>X</u> |
| | Has the measurement port been installed? | Yes _____ | or | No <u>X</u> |
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Robert B. Walkley Telephone Number: 208-263-5851

Address: 1065 Lignite Road, Sagle, Idaho 83860

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: H. Wilkerson, Hobbs, N.M.

Date: 11/28/94

(include your title, if on behalf of company or organization)

for trustee American trust

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08776

Proposed Priority: October 21, 1993 Maximum Diversion Rate: 0.06 CFS

This is to certify, that **AMERICAN TRUST CO OF HAWAII INC**
TRUSTEE FOR H WILLIAM GOEBERT
684 KAIMALINO BLVD
KAILUA HI 96734

has applied for a permit to appropriate water from:

PEND OREILLE LAKE tributary of **PEND OREILLE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	06/01 to 10/30	0.06 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NWSW , Sec. 4, Township 57N, Range 01W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
57N	01W	4	SENW 0.5	NESW 0.5	NWSW 0.5		1.5


Total number of acres irrigated: 1.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **January 1, 1995.**
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

28th day of DECEMBER, 1993.


R. Keith Higginson, Director

RECEIVED

FEB 25 1994

RECEIVED
DEC 17 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 96-8776

Department of Water Resources To appropriate the public waters of the State of Idaho

American Trust Company

1. Name of applicant M. WILLIAM GOEBERT, JR. Phone 808-254-1680

Post office address 684 KAIMALINO BLVD., KAILUA, HI 96734

2. Source of water supply PEND ORIELLE LAKE which is a tributary of PEND ORIELLE RIVER

3. Location of point of diversion is A parcel of land West Half of Section 4
1/4 of NW 1/4 of SW 1/4, Govt. Lot

Sec. 4 Township 57N Range 1W B.M. BONNER County; additional

points of diversion if any: _____

4. Water will be used for the following purposes: Orchard and windbreak irrigation purposes.
Approximate acreage .6. A 30 GPM pump will be used during dry periods of summer months.

Amount 0.06 for irrigation purposes from JUNE 1 to Oct. 30 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) _____ and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. A 2 1/2 HP pump (30 G.P.M.) will

be installed on the lakeshore above high water line. A 20 to 30 foot suction hose

will run into the lake. A 700 foot 1 1/2 inch water line will run to the orchard
and windbreak site.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total

reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:

_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 85°F being sought? _____

e. If well is already drilled, when? _____; Drilling firm _____

Well was drilled for (well owner) _____

7. Time required for the completion of the works and application of the water to be proposed beneficial use is

1 years (minimum 1 year). Pump, water line and electricians will
completed now. First water will be used spring (June) 1994.

Address: 2920 Ontario, Sandpoint, 83814. electric and water line.

12. Remarks:	Duane Miller of Panhandle Pump and Irrigation will install the pump,
--------------	--

263--5851 is acting as agent.

If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: Robert B. Walkley, 1065 Lignite Road, Sagle, ID 83860

b. Who owns the land to be irrigated or place of use? William Goebert, Jr., American Trust Company

11. a. Who owns the property at the point of diversion? William Goebert, Jr., American Trust Company

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated.

ponding place of use below. See instructions for standard symbols.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

a. Hydropower; show total feet of head and proposed capacity in KW.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

A large grid of graph paper covers the majority of the page, consisting of approximately 20 columns and 20 rows of squares.

RECEIVED
FEB 25 1994

FEB 25 1994

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

AMERICAN TRUST CO. OF HAWAII,
INC. TRUSTEE

By: Justin A. Gai J. P.

By: Nikki P. Yasutake CLIENT SERVICE OFFICER

William Lockhart Jr.
(Applicant)
Property Manager / Plant Administrator

FEB 25 1994

RECEIVED

e. Other:

permit.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

_____, 19____.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.


1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____.


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	Date	Time	Preliminary check by
<i>[Signature]</i>	10/21/93	12:35pm	
Fee \$ 30.00	Received by	#	Date
	<i>[Signature]</i>	N 7089	10/21/93
Publication prepared by	Date	Published in	Date
<i>[Signature]</i>	10/27/93		11/4/93
Publication approved	Date		10/7/93



2183T 2188AT 2178 2184 2579T 2259T
2173T 2165T 2163T 2152T 2481T
2168T 33 2161T 34 2158 2159T 2133T 35 2456T
2144T 2130T 2124T 2113T 2147T
2166T 2184T 2119AT 2149 2105T
2238T 2104 2099T 2107T 2103T
2215T 2111AT 2078T 2077T 2086T 2107T 2122T
2123T 2062 2071T 2069T 2068T 2187T 2203T 2205T 2209T
2060AT



T. 57N
R. 1W

REFERENCE POINT

BAY


STATE WILDLIFE MANAGEMENT AREA
PEND OREILLE

FEB 25 1994

SUNNY SIDE ROAD

551 E
228

p. of C



AMERICAN TRUST CO.
H. William Goebert
W 1/2 Sec 4 T57N
R1W

APPROX. SCALE
1-inch = 80 feet

WIND BREAK

ORCHARD

TRANSFORMER
DISCONNECT

A. FRAME

PUMP

157'
N36W

82'
N69W

LAKE PENN ORIFLE

FEB 25 1934



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 5, 1995

AMERICAN TRUST CO OF HAWAII INC
TRUSTEE FOR H WILLIAM GOEBERT
684 KAIMALINO BLVD
KAILUA HI 96734

RE: WATER RIGHT NO. 96-08776

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED
OCT 11 1995

OCT 11 1995

B/U FIELD EXAM REVIEW

Cindy Zimmerman

Permit #: 96-8776 Name: Amer Trust of H1 Inc Date: 10/5/95
 App Rcd 10/21/93 Priority 10/21/93 Examined 6/21/95 ✓ Lots

NAME Chng Same Or Address Change?

SOURCE ✓ Clarify source
 Prelim. Order to Void - Source change.

P/D ✓ Amendment Needed? -P39, P38
 Overlap(s)

P/U ✓ Amendment Needed? NWSW only 0.7 A. -P41, P38
 Overlap(s) 96-7902
 *P/D & P/U Amend? P37, P38
 (See paragraph list for governmental agencies)

RATE ✓ Permit/fee limits: 0.06 / 0.20
 ✓ Measured Q= cfs/Theoretical Q= 0.05 cfs
 0.7 acres x 0.03 cfs/acre = 0.02 cfs
 (HP) 8.8 x 0.70 x 1 = 6.16
 25 + (2.31 x 40) = 117.4 = 0.05 cfs
✓ Recommended capacity 0.05 cfs
✓ Recommended rate 0.02 cfs

VOLUME ✓ Season of Use: ((D)/3.0) 6/1-10/30 = 153 days
 Calculations: 0.7 acres x 3.0 AF/acre = 2.1 AF.
 Flow limit: 0.02 x 153 x 1.9835 = 6.1 AF
✓ Recommended volume 2.1 AF

USES ✓ Same Nature of Use? -P46
 Amendment Needed?

REMARKS ✓ Multiple p/d's in 1/4?

CONDITIONS Measuring (R01)/Locking (R02) Devices
 Watermaster Control (R04) - WD #
✓ Irrigation rate/volume overlap
✓ Irrigation water overlap (065) (If gw use sw)
✓ Water Quality/Other

PRIORITY Due 1/1/95 Rc'd 12/19/94 Receipt# 6031851 Fee OK? (Yes) No
 Order to Reinstate Needed? Yes/NO Done?
 If Yes, Advanced? Yes/No to:

COMMENTS: reduced acres found, rounded to 1/10 acre per dept standards.

USE	CFS	DIV VOL	Adjustment Memo
<u>1rr 10.7</u>	<u>0.02</u>	<u>2.1</u>	<u>✓</u>
<u> </u>	<u> </u>	<u> </u>	LICENSE: P49
<u> </u>	<u> </u>	<u> </u>	#1 AMEND LTR: P46 or
<u> </u>	<u> </u>	<u> </u>	P39/P41/P37 & P38
<u>TOTAL</u>	<u>0.02</u>	<u>2.1</u>	#2 AMEND LTR: P42/P47

MEMORANDUM

DATE: October 5, 1995
TO: File No. 96-08776
FROM: Cindy Zimmermann
SUBJECT: Review of Beneficial Use Field Report

=====


The following adjustments were made on the field report:

1. Irrigation acres found by examiner were measured at 0.66 acres, per IDWR standards, acres are rounded to the nearest 1/10th, or in this case, 0.7 acres.
2. Rate of diversion.
 - a. Capacity = $\frac{8.8 \times 0.70 \times 1}{25 + (2.31 \times 40)} = \frac{6.16}{117.4} = 0.05 \text{ cfs.}$
 - b. Irrigation = acres x cfs/acre
= 0.7 x 0.03
= 0.021 $\approx$ 0.02 cfs.
 - c. Maximum rate of diversion, limited by use = 0.02 cfs.
3. Annual Volume.
 - a. Irrigation = acres x AF/acre
= 0.7 x 3.0
= 2.1 AF.
 - b. Maximum rate of diversion = 2.1 AF.

[Handwritten signature]
Cindy Zimmermann

[illegible]

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" = _____
 Copy of USGS Quadrangle Attached Showing location(s) of _____
 point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached _____
 (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached _____

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	STA-KITE	1	1C932	STA-KITE	JHAG-S3HL

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Abstract

OCT 16 1956

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .66 \times 3 = 1.98$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .06 \times 151 \times 1.9835 = 17.9$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 1.98$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Drainage

From
To

06-01
10-30

Period of Use

Rate of Diversion

Q (cfs)

.06 *

Annual Volume

V (afa)

1.98 *

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION

Field Examiner's Name

Mr McArthur

Date

6/21/95

Reviewer

Date

* Adjustments made during review of this report for license approval. See memo for additional information. 10/14/95 cgs

SEAL

0071 01895

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 96-08776

DATE: 21-JUN-95

COMPLETE BY: TED MCCRACKEN

HORSEPOWER = 1


PUMP EFFICIENCY = 75%

DYNAMIC LIFT = 25 FEET

SYSTEM PRESSURE = 40 PSI

QUANTITY = 0.06 CFS


6/21/95 11:54 AM
OCT 10 1995



P.D.



P.D.




P.D.

(more photos on back)



130



December 28, 1994

AMERICAN TRUST CO OF HAWAII INC
TRUSTEE FOR H WILLIAM GOEBERT
684 KAIMALINO BLVD
KAILUA HI 96734

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08776

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

DEC 29 1994

October 31, 1994

AMERICAN TRUST CO OF HAWAII INC
TRUSTEE FOR H WILLIAM GOEBERT
684 KAIMALINO BLVD
KAILUA HI 96734

PROOF DUE NOTICE

RE: PERMIT NO. 96-08776

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1995. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 29, 1993

AMERICAN TRUST CO OF HAWAII INC
TRUSTEE FOR H WILLIAM GOEBERT
684 KAIMALINO BLVD
KAILUA HI 96734

PERMIT APPROVAL NOTICE


RE: PERMIT NO. 96-08776

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECORDED

FEB 25 1994

96-08776

AMERICAN TRUST CO OF HAWAII INC
TRUSTEE FOR H WILLIAM GOEBERT
684 KAIMALINO BLVD
KAILUA, HI 96734

Source: PEND OREILLE LAKE

Tributary: PEND OREILLE RIVER

Diversion Pt: NWSW Sec 4 T 57N R 01W in BONNER County.

Use: IRRIGATION (.060 CFS)
Total Diversion: (.060 CFS)

Date Filed: 10/21/1993

In: BONNER County
T57N R01W S04

SENW

NESW

NWSW

1.5 ACRES TOTAL

RECORDED

FEB 25 1994

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Jean Conacher being first duly sworn on oath
deposes and says that ~~he~~ she is bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Notice of Application for
Water Right

as it was published in the regular and entire issue of the
said paper for a period of 2 days consecutive weeks,
commencing on 4 day of Nov, 1993
and ending on the 11 day of Nov, 1993
and that said notice was published in said newspaper.

On this 3 day of Dec in the year
of 1993, before me, a Notary Public, personally
appeared Jean Conacher,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Karel Meeler
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 5-3-99

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08776

AMERICAN TRUST CO OF
HAWAII INC

TRUSTEE FOR H WILLIAM
GOEBERT

684 KAIMALINO BLVD

KAILUA, HI 96734

Source: PEND OREILLE LAKE

Tributary: PEND OREILLE RIVER

Diversion Pt: NWSW Sec 4 T 57N

R 01W in BONNER County.

Use: IRRIGATION (.060 CFS)

Total Diversion: (.060 CFS)

Date Filed: 10/21/1993

In: BONNER County

T57N R01W S04 SENW NESW
NWSW

1.5 ACRES TOTAL

96-08777

LEWIS, GERALD H

LEWIS, PATRICIA

PO BOX 33

SANDPOINT, ID 83864

Source: GROUNDWATER

Diversion Pt: NENESE Sec 2 T

56N R 02W in BONNER County.

Use: IRRIGATION (1.000 CFS)

STOCKWATER (.020 CFS)

DOMESTIC (.580 CFS)

Total Diversion (1.580

CFS)

Date Filed: 10/21/1993

In: BONNER County

T56N R02W S01 NWNW SWNW

NWSW SWSW

S02 NENE NWNE SWNE SENE

NENW SENW NESW SESW


NESE NWSE SWSE SESE

515.0 ACRES TOTAL

For additional information con-
cerning the property location, call
the Northern Regional Office at
(208) 769-1450.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the applicant and with the
Director, Dept. of Water Resources,
Northern Region, 1910 Northwest
Blvd., Suite 210, Coeur d'Alene, Ida-
ho 83814 on or before NOVEMBER
22, 1993.

R. KEITH HIGGINSON, Director
SNP#5768 Nov 4, 11, 1993



FEB 25 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION,

(208) 769-1450

Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615

~~(208) 769-1450 • Fax (208) 769-1454~~

Fax (208) 769-1454

CECIL D. ANDRUS

Governor
October 27, 1993

R. KEITH HIGGINSON
Director

American Trust Co.
Trustee for H. William Goebert, Jr.
684 Kaimalino Blvd.
Kailua, Hi 96734

Gentlemen:

Subject: Water Application for Permit Number 96-8776.

The Idaho Department of Water Resources hereby acknowledges receipt of the above-referenced Application for Permit to appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N7089. Please refer to your Application for Permit Number in future matters concerning this water right application.

Your Application for Permit is currently being prepared for advertising in the local county newspaper. The advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for submittal of protests.

If your application is not protested, it will be forwarded to Boise for processing. Normal processing time is approximately 3 to 4 months, if the application is not protested. If your Application for Permit is protested, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before your Application for Permit can be approved. If the protest is not resolved, this Department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State Office in Boise.

If your Application for Permit is for a well (groundwater) that was constructed after July 1, 1987, you must apply for a well drilling permit upon approval of your Application for Permit if no permit was obtained by previous owners to construct the well. Well Drilling Permits can only be issued by this office to holders of approved Applications for Permit.

If I can be of further assistance, please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resource Agent

RECEIVED

FEB 25 1994

A/C NAME

ATCO - NOTE & MORTGAGE CLEARING ACCOUNT FOR PMI
INTERFACE

No. 303382

A/C NO.

399395003

REG NO: 32

DATE 10/08/93

DISP 0
OFF 534

REMITTANCE AMOUNT	
INCOME	PRINCIPAL

\$30.00

MISCELLANEOUS EXPENSE PAID TO

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES


9-22-93

Bill:

This application requires your signature as applicant
page 3.

Minimum application fee is \$30.00

Thank you.

Bob

RECORDED
FEB 25 1994