


CAREYWOOD MADRANGLE
IDAHO-BONNER CO.
7.5 MINUTE SERIES (TOPOGRAPHIC) MODIFIED FOR USDA FOREST SERVICE USE

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

FEET 526 527 R.3 W. R.2 W. 116° 37' 30" 529000m.E 530



MAP WITH LETTER
DATED 1/27/94

13

R.R. C/L DATA
 $\Delta = 06^{\circ}14'49''$
 $R = 8594.37$
 $T = 469.00$
 $L = 937.06$

R/W DATA
 $\Delta = 06^{\circ}14'49''$
 $R = 8794.37$
 $T = 479.91$
 $L = 958.87$

(DRAINAGE DI.
N86°4
43
PARCEL #2 -
INSTRUMENT #419509
BA

DETAIL "A"

S24°38'08"W
U.S. HWY. #95 R/W
857.85

C/L COCOLA
BRIDGE

R.R. C/L DATA
 $\Delta = 03^{\circ}48'06''$
 $R = 5729.58$
 $T = 188.48$
 $L = 376.83$

N89°47'42"W
1310.11

N89°47'42"W
1330.07
N89°47'42"W 2640.18

N89°47'42"W
2631.52

BRIDGE

CREEK

EXISTING
BARBED WIRE
FENCE

3,354,119. sq. ft.
77.00 acres

APP. LOC.
4500-6000 GAL
STORAGE
TANKS

BUILDING SITE

APP.
DIVERSION
& RETURN
POINT

N89°43'54"W
1313.15

N89°43'54"W
1332.47

1027.23

N89°43'54"W


1333.40

BARN
(APPX. LOC.)

SET RRR & CAP

SEP 22 1994

T55N
R02W
S30
LT3(NWSW)




Area of Water Surface 822.92 acres. of Public Lands 2017

Surveys Designated	By Whom Surveyed	Date of Contract	Amount
--------------------	------------------	------------------	--------

NOTED

SEP 22 1994

T55N
R02W
S30
LT3(NWSW)



Area of Water Surface 822.97 acres. of Public Land.

Surveys Designated	By Whom Surveyed	Date of Contract

1) 1502.04
MAP WITH LETTER
DATED 1/27/94
13

R.R. C/L DATA
 $\Delta = 06^{\circ}14'49''$
 $R = 8594.37$
 $T = 469.00$
 $L = 937.06$

R/W DATA
 $\Delta = 06^{\circ}14'49''$
 $R = 8794.37$
 $T = 479.91$
 $L = 958.87$

(DRAINAGE DT.
N86°4
43
PARCEL #2 -
INSTRUMENT #419509
BA

DETAIL "A"

S24°38'09"W
U.S. HWY. #95 R/W
857.85

BRIDGE

R.R. C/L DATA
 $\Delta = 03^{\circ}46'08''$
 $R = 5729.58$
 $T = 188.48$
 $L = 376.83$

N89°47'42"W
1310.11

N89°47'42"W
1330.07
N89°47'42"W 2640.18

N89°47'42"W
2631.52

BRIDGE

CREEK

EXISTING
BARBED WIRE
FENCE

3,354,119. sq. ft.
77.00 acres

APP.
DIVERSION
& RETURN
POINT

APP. LOC.
4500-6000 GAL
STORAGE
TANKS

BUILDING SITE

N89°43'54"W
1313.15

N89°43'54"W
1332.47

1027.23

N89°43'54"W

1333.40

BARN
(APPX. LOC.)

SET RRR & CAP

988.28

158.50

2660.58

MICROFILMED
JAN 10 1997

SE

31
MICROFILMED
JAN 10 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



Point of Diversion
(Coco Lalla Creek)



Place of Use



8000 gal Storage tank



Pump
MICROFILMED
JAN 10 1997

1302.04

914.96

2848.43
(2646.12' P.L.S. 6107

(1)

(2)

MAP WITH LETTER
DATED 4/27/94
13

R.R. C/L DATA
 $\Delta = 08^{\circ}14'49''$
 $R = 8594.37$
 $T = 469.00$
 $L = 937.06$

R/W DATA
 $\Delta = 06^{\circ}14'49''$
 $R = 8794.37$
 $T = 479.91$
 $L = 958.87$

(DRAINAGE DIST.)
N86°4'43"
PARCEL #2 -
INSTRUMENT #419509
BA

DETAIL "A"

N89°41'27"W
1306.07

N89°41'27"W
1326.64

S24°38'09"W
U.S. HWY. #95 R/W
857.85

RANGE 2 WEST

R.R. C/L DATA
 $\Delta = 03^{\circ}46'06''$
 $R = 5729.58$
 $T = 188.48$
 $L = 376.83$

SEE DETAIL "A"
PARCEL NO. 2 (INSTRUMENT NO. 419509)

N89°47'42"W
1310.11

N89°47'42"W
1330.07
N89°47'42"W 2640.18

N89°47'42"W
2631.52

BRIDGE

CREEK

EXISTING
BARBED WIRE
FENCE

3,354,119. sq. ft.
77.00 acres

APP. LOC.
4500-6000 GAL
STORAGE
TANKS

APP.
DIVERSION
& RETURN
POINT

BUILDING SITE

BARN
(APPX. LOC.)

APPROVED
SEP 22 1994

N89°43'54"W
1313.15

N89°43'54"W
1332.47

1027.23
1372.19

1333.40

158.50

2660.58

SET RRR & CAP

GL#1

GL#2

GL#3

30

NORTHERN
RAILROAD
#95 NORTH (HWY R/W EASEMENT INSIDE RR R/W)
N20°52'04"E 1695.86
N20°52'04"E 1416.80

N18°23'20"E
448.30

N00°05'08"E
1316.99

N24°38'09"E
1182.07

N00°05'08"E
629.15

N00°02'21"E
1328.81

1314.59

1314.59

N00°03'52"W

2629.18

1330.29

1488.79

N00°03'52"W

96-08775

SUCH, ANTHONY
SUCH, MARY
22320 SKYLINE
LA HONDA, CA 94020

Source: COCOLALLA CREEK

Tributary: COCOLALLA LAKE

Diversion Pt: SWSW Sec 30 T 55N R 02W in BONNER County.

Use: IRRIGATION (.640 CFS)
Total Diversion: (.640 CFS)

Date Filed: 10/ 1/1993

In: BONNER County
T55N R02W S30

SWNW
SESW

NESW

NWSW

SWSW

22.0 ACRES TOTAL

*see
amended
appn.*

RECEIVED

SEP 22 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08775

Priority: October 1, 1993

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that ANTHONY SUCH
MARY SUCH

3942 HWY 95

COCOLALLA ID 83813

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 1, 1993; and has submitted Proof of Beneficial Use on April 15, 1996. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

COCOLALLA CREEK

tributary to COCOLALLA LAKE

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF
FIRE PROTECTION	01/01 to 12/31	0.02 CFS	
	Totals	0.02 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW, Sec. 30, Township 55N, Range 02W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

55N 02W 30

NESW

PLACE OF USE:

FIRE PROTECTION, same as DOMESTIC use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

1996 10 13


State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**


WATER RIGHT NO. 96-08775

CONDITIONS OF APPROVAL AND REMARKS

5. Domestic use is for 1 home.
6. An intake screen of 1/2", 1/4", and 1/8" mesh shall be maintained at the point of diversion to prevent any negative impact on juvenile fish.
7. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.
8. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 13th
day of December, 1996.


Acting for KARL J. DREHER, Director



MICROFILMED

JAN 17 1997

RECEIVED

DEC 13 1996

Department of Water Resources

State of Idaho
Department of Water Resources**APPLICATION FOR AMENDMENT**

(For Licensing Purposes)

WATER RIGHT NO. 96-08775**Date of Priority:** October 1, 1993**Maximum Diversion Rate:**

0.02 CFS

Maximum Diversion Volume:

1.2 AF

Comes now

ANTHONY SUCH

~~ANTHONY SUCH~~

3942 HWY 95

COCOLALLA ID 83813

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 96-08775, and requests that the permit be changed as follows:

Source: COCOLALLA CREEKtributary to **COCOLALLA LAKE**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF
FIRE PROTECTION	01/01 to 12/31	0.02 CFS	
	Totals	0.02 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:NESW, Sec. 30, Township 55N, Range 02W
BONNER County**PLACE OF USE: DOMESTIC****TWN RGE SEC**

55N 02W 30

NESW

PLACE OF USE:

FIRE PROTECTION, same as DOMESTIC use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at

Anthony Such
Cour Palen

this

145

day of

19

96

MICROFILMED

JAN 10 1997

(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 96-08775

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = 50⁰⁰ Received by db # N010858 Date 12/5/96

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 96-08775 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.
6. An intake screen of 1/2", 1/4", and 1/8" mesh shall be maintained at the point of diversion to prevent any negative impact on juvenile fish.
7. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.
8. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.

Witness my hand this 13th day of December, 1996.

Karl J. Dreher
Acting for **KARL J. DREHER, Director**

MICROFILMED

JAN 10 1997

RECEIVED

STATE OF IDAHO
APR 15 1996 DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08775 Telephone No. 263-4829

2. Name(s) of Permit Holder(s): ANTHONY SACH

3. Mailing Address: 3942 HWY. 95, Cocolalla, Id. 83813

4. Source of Water: COCOLALLA CREEK If **GROUNDWATER** (well), Date Drilled: mo. / yr.

a. Well Driller: Drilling Permit Number: - -

b. **OPTIONAL:**
Pump Horsepower: 1 Pressure (psi): 57 Dynamic pumping level (ft): 125

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock):

Irrigation (No. of acres): Other:

6. Total rate of diversion and/or volume for which proof is submitted: .015 cfs OR 1.5 acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes or No X

Has the measuring device been installed? Yes or No X

Flow Measurement Port: Is a flow measurement port required? Yes or No X

Has the measurement port been installed? Yes or No X

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: TONY SACH Telephone Number: (208) 263-4829

Address: 3942 HWY 95 COCOLALLA ID 83813

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Anthony Sach Date: 4/12/96
(include your title, if on behalf of company or organization)

APR 30 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08775

Proposed Priority: October 1, 1993

Maximum Diversion Rate:

0.015 CFS

This is to certify, that ANTHONY SUCH
MARY SUCH
22320 SKYLINE
LA HONDA CA 94020

has applied for a permit to appropriate water from:

COCOLALLA CREEK

tributary of COCOLALLA LAKE

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.015 CFS
FIRE PROTECTION	01/01 to 12/31	0.015 CFS
	Totals	0.015 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NWSW), Sec. 30, Township 55N, Range 02W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

55N 02W 30

NESW

PLACE OF USE: FIRE PROTECTION, same as DOMESTIC use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1996.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Domestic use is for 1 home.
5. Initial filling of storage tanks will be performed during March/April.
6. Overflow will be returned above the diversion point.
7. Construction and placement of equipment and lines will be done in a manner so as not to disturb the creek. Stabilization measures such as seeding and berms, will be undertaken as necessary.
8. Stream bank and vegetation will not be disturbed and no check dam or diversion method, other than pump intake, will be used or needed.

SEP 22 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08775

CONDITIONS/REMARKS:

9. An intake screen of 1/2-, 1/4-, and 1/8-inch mesh shall be installed at the point of diversion to prevent any negative impact on juvenile fish.
10. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

7th day of June, 1994.

R. Keith Higginson

for
R. Keith Higginson, Director

SEP 22 1994

RECEIVED

JUN 02 1994

Ident. No. 96-08775

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

***** AMENDED *****
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: ANTHONY SUCH 415-941-9499
Address: 22320 SKYLINE
LA HONDA CA 94020
AND/OR
Name: MARY SUCH 415-941-9499
Address: 22320 SKYLINE
LA HONDA CA 94020

2. Source: COCOLALLA CREEK Trib. to: COCOLALLA LAKE
3. Location of Point of Diversion: Lot 3(NWSW), Sec. 30, Township 55N, Range 02W
BONNER County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.015		
FIRE PROTECTION	01/01	12/31	0.015		

5. Total quantity to be appropriated is:
0.015 CFS (and/or) AF

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc.
PUMP IN CREEK & 4500-6000 GAL STORAGE TANK
b. Height of storage dam ϕ feet; active reservoir capacity
acre-feet; total reservoir capacity ϕ acre-feet; period of ^{and}
year when water will be diverted to storage: 11/1 to 12/31 inclusive.
c. Proposed well diameter is inches; proposed depth of well is
feet. ^{NA}
d. Is groundwater with a temperature greater than 85F being sought? NO
e. If well is already drilled, when?
Drilling Firm
Well was drilled for

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is $\frac{1}{2}$ year(s). ^{and}

SEP 22 1994

8. Place of Use: DOMESTIC

TWN RGE SEC
55N 02W 30 NESW

Place of Use: FIRE PROTECTION

TWN RGE SEC
55N 02W 30 NESW

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Paula L. Smith Mary Luch
Applicant

Received by UDF Date 4-7-94 Time 12:48 Preliminary check by

Fee \$ 20.00 Receipted by #N7521 4/7/94
45.00 Receipted by #N007026 Date 10/ 1/1993

Publication prepared by Date Published in

Publication approved Date

SEP 8 8 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant MARY &/OR ANTHONY SUCH Phone (415) 941-9499
Post office address 22320 SKYLINE LAHONDA CA 94020
COCOLALLA LAKE
2. Source of water supply COCOLALLA CREEK which is a tributary of COCOLALLA LAKE
3. Location of point of diversion is _____ ¼ of SW ¼ of SW ¼, Govt. Lot _____
Sec. 30 Township 55N. Range 2W. B.M. BONNER County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.64 for IRRIGATION purposes from 3/13 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.64 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 5 H.P. PUMP IN CREEK
& IRRIGATION SYSTEM.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 85°F being sought? _____
e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____
SEP 22 1994
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
2 years (minimum 1 year).

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. _____

e. Other; describe fully. _____

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

ponding place of use below. See instructions for standard symbols.

[illegible]

32

W/V

APPLICANT

APPLICANT

applicant to make this filing.

12. Remarks:

CAREYWOOD MADRANGLE
IDAHO-BONNER CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)


UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
MODIFIED FOR USDA FOREST SERVICE USE

FEET 526

527 R.3W. R.2W. 116° 7' 30"

529000m.E

530



1) MAP WITH LETTER
DATED 1/27/94

13

R.R. C/L DATA
 $\Delta = 06^{\circ}14'48''$
 $R = 8594.37$
 $T = 469.00$
 $L = 937.06$

R/W DATA
 $\Delta = 06^{\circ}14'48''$
 $R = 8794.37$
 $T = 479.91$
 $L = 958.87$

2646.43
(2646.12' F.L.S. 6107

(DRAINAGE DI.
N86°4
43
PARCEL #2 -
INSTRUMENT #419509
BA

DETAIL "A"

S24°38'08"W
U.S. HWY. #95 R/W
857.65


C/L COCONA

BRIDGE


EXISTING
BARBED WIRE
FENCE

SE

SEP 22 1994



T35N
R02W
S30
LT3(NWSW)



Area of Water Surface 822.92 acres. of Public Land.

Survey Designated	By Whom Surveyed	Date of Contract
-------------------	------------------	------------------

SCHEDULE C

The land referred to in this policy is situated in the State of Idaho and is described as follows: County of Bonner

PARCEL I:

That portion of Government Lots 2 and 3 and the Northeast Quarter of the Southwest Quarter in Section 30, Township 55 North, Range 2 West, Boise Meridian, Bonner County, Idaho, lying East of State Highway No. 95 right of way.

LESS any portion lying within the Burlington Northern Railroad Charter Right of Way.

PARCEL II:

Commencing at the Southwest corner of the Southeast Quarter of the Northwest Quarter of Section 30, Township 55 North, Range 2 West, Boise Meridian, Bonner County, Idaho, thence North 650 feet to the Point of Beginning; thence North 350 feet to a point on drainage ditch; thence East 200 feet to Cocolalla Creek; thence Southwesterly along East Boundary of Cocolalla Creek 350 feet, more or less, to the point of beginning.

LESS any portion lying with the Burlington Northern Railroad Charter Right of Way or within the right of way of the State Highway No. 95.

PARCEL III:

The Northerly 185 feet of the South Half of the Southwest Quarter in Section 30, Township 55 North, Range 2 West, Boise Meridian, Bonner County, Idaho, lying East of State Highway No. 95 right of way.

LESS any portion lying within the Burlington Northern Railroad Charter right of way.

SEP 22 1982

148

148

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

[illegible]

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

cation for permit to appropriate the public waters
 Anthony G. Such
 Mary Such
 (Applicant)

SEP 22 1994

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by 10/11/93 Date 10:20 Preliminary check by 10/11/93

Fee \$ 45.00 Received by 10/13/93 Date 10/13/93 Published in 10/13/93

Publication prepared by 10/13/93 Date 10/13/93

Publication approved 10/13/93 Date 10/13/93



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 23, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

TONY SUCH
221 DINKUM FAIRE
COCOLALLA ID 83813

RE: Water Right No. 96-08775

Dear Right Holder(s):

I have received your note indicating a recent sale of property concerning the above listed water right number.

The enclosed Notice of Change of Water Right Ownership may be filled out and returned to the office nearest you (as indicated on the back side of the form).

If you have any questions regarding this matter, please do not hesitate to call.

Sincerely,

Kari Lynn Townsend
Secretary

/k

Enclosure

9/17/97

IDWR

Re: Water Right 96-08775

10/1/93

RECEIVED

SEP 23 1997

Department of Water Resources

Dear Sir or Madam

I am the holder of the above water right and recently sold the property at the point of diversion. I would like to transfer this right to the new owner. Please advise necessary steps.

thans

TONY SUCH

221 DINKUM FAIRE

COCOLALLA ID 83813



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 13, 1996

ANTHONY SUCH
MARY SUCH
3942 HWY 95
COCOLALLA ID 83813

RE: WATER RIGHT NO. 96-08775

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment. Should you have any questions regarding these documents, please contact me.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

ENCLOSURE

DEC 14 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 13, 1996

ANTHONY SUCH
MARY SUCH
3942 HWY 95
COCOLALLA ID 83813

RE: WATER RIGHT NO. 96-08775

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MEMORANDUM

TO: File 96-08775

FROM: Sharla

DATE: November 8, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 96-08775 are based on the following:

H. RECOMMENDATIONS

1. Recommended Amounts

Domestic	1/1 - 12/31	0.02 cfs	1.2 afa
----------	-------------	----------	---------

Data entry standards require rate of diversion to be rounded to only two places past the decimal. The amended application for permit should have been treated as such. The protestant did not stipulate a condition as to limiting the diversion to 3-7 gpm; their main concern was the timing of yearly initial filling. All applicable conditions from the permit will be carried forward and data entry standards will be followed.

Examiner: Dave Pagel

Exam Date: July 26, 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-08775

DATE 11/8/96

REVIEWER: S H A R L A

NAME Change OK Address Change

SOURCE Is change clarification of originally intended source?
If not, prepare Notice of Intent to Void

POINT OF DIV ✓ Amendment required yes

PLACE OF USE ✓ Amendment required no

Does map agree with written description? ✓ yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate .015 cfs
Fee limit .20 cfs \$50⁰⁰
Measured cfs
Theoretical .02 cfs

Recommended Total Div Rate. .02 cfs

data entry standard

ANNUAL VOLUME/ NATURE OF USES

Use	Volume Calculation
<u>Dom</u>	<u>1.2</u> af
<u>Fore</u>	<u> </u> af
<u> </u>	<u> </u> af
<u> </u>	<u> </u> af
SUBTOTAL	<u>1.2</u> af

Flow rate .02 cfs X 365 days X 1.98~~24~~ = 14.5 af
Total volume recommended 1.2 af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

D/I home.
applicable permit cond. retained
WB6

CONDITIONS Watermaster Control WD#
 GW Measurement/Measuring Device
 Overlap
 Use-specific conditions

Advancement of Priority Date Required yes ✓ no

SRBA Claim Filed N/A
Adjustment Memo

1st Amend Letter P39 P38
2nd Amend Letter P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 19 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-8775

1. Owner: Anthony Such Phone No. (208) 263-4829

Current Address: 3942 Hwy 95, Cocolalla, Id. 83813

2. Accompanied by: Anthony Such EXAM DATE: 7-26-96

Address: Same Phone No. _____

Relationship to Permit Holder: _____

3. Source: Cocolalla Creek tributary to Cocolalla Lake

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NO

2. Other water rights with the same point of diversion: NO

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	<u>B</u>		<u>NE</u>	<u>SW</u>	<u>30</u>	<u>55N</u>	<u>2W</u>	<u>Banner</u>	<u>U.S.G.S. Topo map</u>

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
<u>55N</u>	<u>2W</u>	<u>30</u>									<u>D</u>								

MICROFILMED

JAN 1 1997

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = 100'
 Copy of USGS Quadrangle Attached Showing location(s) of _____
 point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached _____
 (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached _____

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1/2		Star	3/4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

E. NARRATIVE/REMARKS/COMMENTS

Water is pumped from the point of diversion (Cocolalla creek) through a 3/4" line a distance of approx. 600 ft. to an 8000 gal. storage tank. From there the water is gravity fed approx. 100 yds. to the point of use.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

JAN 1 8 1987

Measured Method:

See Theoretical

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

fire protection

Period of Use
From _____ **To** _____

Rate of Diversion

510.

510.

Annual V (a) 1.2

1.2

2. Recommended Amendments

X Change P.D. as reflected above
— Change P.U. as reflected above

— Change P.U. as reflected above

____ Add P.D. as reflected above

____ Add P.U. as reflected above

____ Add P.U. as reflected above

Other _____
None _____

Other _____

1. AUTHENTICATION


Field Examiner's Name _____

Reviewer _____
Date _____

Date 7-31-96

SEAL

T55N
R02W
S30
LT3(NWSW)



Area of Water Surface 822.97 acres. of Public Land.

Surveys Designated	By Whom Surveyed	Date of Contract
--------------------	------------------	------------------

2

R/W DATA
 $\Delta = 06^{\circ}14'49''$
 $R = 8794.37$
 $T = 479.91$
 $L = 958.87$

PARCEL #2 -
INSTRUMENT #419509

DETAIL "A"

S24°38'08"N
U.S. HWY. #95 R/W
857.85

BRIDGE

R.R. C/L DATA
 $\Delta = 03^{\circ}46'06''$
 $R = 5729.58$
 $T = 188.48$
 $L = 376.83$

(SEE DETAIL "A")

PARCEL NO. 2 (INSTRUMENT NO. 419509)

N89°47'42" W
1310.11

N89°47'42"W
1330.07
N89°47'42"W 2640.18

N89°47'42" W
2631.52

EXISTING
BARBED WIRE
FENCE

3,354,119. sq. ft.
77.00 acres

APP. LOC.
4500-6000 GAL
STORAGE
TANKS

BUILDING SITE

ATTN:
DIVERSION
& RETURN
POINT

N89°43'54"W

N89°43'54" W
1313.15

1027.23

N89°43'54" N

1333.40

BARN
(APPX. LOC.)

SET RRR & CAP

 SE

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: ANTHONY SUCH 96-08775

DATE: 26-JUL-96

COMPLETE BY: PAGEL

HORSEPOWER = .5

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 100 FEET

SYSTEM PRESSURE = 40 PSI

QUANTITY = 0.02 CFS

RECEIVED
JUL 27 1996
FBI - NEW YORK

TELEPHONE CONVERSATION MEMORANDUM

Permit No. 96-8775 Name of Contact Anthony Such 263-4829

Employee _____

Date set for examination: 7-26-96

Time _____

Directions N. 459th (post) Driveway on East, across from Valley Vista (Red Barn)
cross bridge + up the hill

Are all the uses on the permit developed? yes

Are there existing water rights used for the same purpose? no well for drinking water

How many points of diversion are used? 1

What is the estimated flow at each point of diversion? _____

Number of Acres irrigated by each P/D ≈ 1/4

Size of Motor used for each P/D 3 1/2 H.P.

Estimate of depth to water _____

How many laterals are used? _____

Length and size of mainline 600' 3/4"

Pressure at well _____


Pressure at sprinkler head _____

Have conditions of approval been complied with? _____

Is land under CRP? yes _____ no _____ (Review Permit Processing Administrative Memorandum #11 for conducting exams for CRP land)

8000
gal
Tank
For Fire
Protection
Storage


Such, 96-08775
T 55 N
R 2 W



PERMIT # 96-8775

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S




Point of Diversion
(Coco Lalla Creek)



Place of use



8000 gal Storage tank



Pump

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 96-08775 Reviewed by [Signature] Date 4-16-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
Ground water source
Drilling permit required?
Copy in the file? Drilling Permit No. _____
Amount paid for permit _____ Correct?
Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
no Required?
✓ Installed?
✓ Waiver requested?

PRIORITY CALCULATION

Date proof received _____
Date proof due _____
No. of days late _____
Priority Date _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address 3942 HWY 95 Proof Made 4-15-96
Cocoa, Fla., Id. 83813



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 17, 1996

ANTHONY SUCH
MARY SUCH
3942 HWY 95
COCOLALLA ID 83813

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 96-08775

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning the field examination, please feel free to contact the NORTHERN Regional Office in Coeur d'Alene, at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

APR 30 1996

March 31, 1996

ANTHONY SUCH
MARY SUCH
22320 SKYLINE
LA HONDA CA 94020

PROOF DUE NOTICE

RE: PERMIT NO. 96-08775

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

APR 30 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 7, 1994

ANTHONY SUCH
MARY SUCH
22320 SKYLINE
LA HONDA CA 94020

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08775

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Jim Johnson'.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

SEP 22 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

Application #: 96-8775 Name: Such Date: 6/3/94

AREA OF CONCERN? - No/Yes Mor GWMA Trust/Non-trust

SYSTEM COMPLETED:

No - ~~*26A-P17~~

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <flo-ch> - T17 (new), 01K (existing), No MD

- 0.2 cfs - No MD <flow chart>

Drilling Permit:

Included w/permit - Permit No. , P99

Existing well - NA (pre 7/1/87)

No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <flow chart>

LOCATION:

Water District(~~dem~~) - WD No.

*Surface water - 005 (req) 01J-P08 <flow chart>
(doesn't sink) or 01H-P01 <flow chart>; No MD

Groundwater - P05 (new irrigation well)

In stream channel - 030 (stream channel alteration)

Irr Dist/Canal Co. - 023 (Twin Falls area)

Drainage Districts - 024

Flood Control Dist. - 063

Boise Front (63) - 058 (-85° Groundwater temp)

Swan Falls Flag - 3 <See condition code chart>

Trust - 051-052-053-P74 (Consumptive Uses), NA

Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA

Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA

Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10

044 (N 1000 Spr)

Irrigation - 803(if GW use SW 1st)(+5A do POU comp), NA

Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09

Mining - 054 (req) & 06A/010/09E-P10

Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

Domestic (surface) - 021(Boise R ↑ L Peak), 27A(Payette R), NA

OWNERSHIP:

Non land owner - 004 (PD/PU)

PROTESTED:

Prehearing agreement- ~~020~~ - list conditions instead of 020

OTHER CONDITIONS:

REMARKS:

*① wsr(1) ② * See protest withdraw conditions

BENEFICIAL USE DUE:

- 6-1-1996

COMMENTS:

- ① Div Desc.

No. a
4/87-06/92n

IDaho DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 96-8715

***** INITIAL REVIEW *****

APPLICANT: SUCH BY: AG DATE: 10 / 1 / 93

ITEM REQUIRED INFORMATION

1. (A) Name and Address
2. (A) Source
3. (A) Point of Diversion & County
4. (A) Quantity
(A) Nature of Proposed Use
(A) Period of Use
5. (W) Total Quantity
6. (W) Description of diverting works
7. (W) Time required for b/u
8. (A) Proposed use
9. (W) Place of use or acres irrigated
10. (W) Other Water Rights
11. (A) Ownership
13. (A) Map
(W) Signature
(W) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y () N ()

ADDITIONAL INFORMATION

Yes No

- Y Field check: by _____
Y Field report attached
Y Analysis Supp. attached (>5cfs/500af)
Y Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 10 / 1 / 93

F (Include Moratorium Remark)

A Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: Bonner County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: W

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: X

***** GROUNDWATER SECTION *****

(Yes) (No)

- Y Groundwater management area
Y Critical ground water area
Y Well Drilling Permit required
Y Well Drilling Application and Fees received
Y Well Drilling Application approved?
Well Drilling Application Number _____

Checked by: _____

Remarks: _____

RECEIVED
JUN 02 1994

Department of Water Resources

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- Y Notice of pending void order issued. Final order response date: ____/____/____
Y Further information required from applicant
Y Affidavit of publication received amendment
Y Application published correctly, If not, record action taken: _____
Y Publication dates and paper recorded on application | Sr. Agent initial AB
Y Protests received. Final protest date: 1/18/93
Y Measuring device required
Y Measuring port required
X Special conditions: APPROACH VELOCITIES AT INTAKE SHALL NOT EXCEED 0.5 F.P.S.
Y Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB

Date: 3 / 14 / 94
5 13 94

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Jean Conacher being first duly sworn on oath

deposes and says that ~~he~~ she is Bookkeeper

of the Bonner County Daily Bee, a newspaper printed and

published at Sandpoint, Bonner County, Idaho; that the

said newspaper has been continuously and uninterruptedly

published in said Bonner County during a period of 12

months prior to the first publication of the hereto attached

notice of publication in the case of:

Notice of Amended Application

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,

commencing on 21 day of April, 1994

and ending on the 28 day of April, 1994

and that said notice was published in said newspaper.

On this 29 day of April in the year

of 1994, before me, a Notary Public, personally

appeared Jean Conacher,

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me first

duly sworn, declared that the statements therein are true,

and acknowledged to me that he executed the same.

Karel Mueller
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 5-3-99

RECEIVED

MAY 04 1994

NORTHERN REGION
IDWR

NOTICE OF AMENDED APPLICATION FOR PERMIT
NOTICE IS HEREBY GIVEN THAT Anthony &/or Mary Such, 22320 Skyline, La Honda, Ca. 94020, have filed with the Department of Water Resources on April 7, 1994, Amended Application for Permit No. 96-8775 changing the Diversion Point, the Uses, and the Place of Use.

The applicant now wishes to show the the Diversion Point as the NWSW (GL 3), S30, T55N, R2W; the Uses as Domestic and Fire Protection with a total diversion rate of 0.015 CFS from 1/1 to 12/31; and the Place of Use as the NESW, S30, T55N, R2W.

(For additional information concerning the property location, call the Northern Regional Office at 769-1450.

Any protest to the proposed Amended Application for Permit must be filed with the applicant and with the Idaho Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before May 9, 1994.

R. KEITH HIGGINSON, Dir.
SNP#6047 Apr 21, 28, 1994

SEP 28 1994

AMENDED

96-08775

SUCH, ANTHONY
SUCH, MARY
22320 SKYLINE
LA HONDA, CA 94020

Source: COCOLALLA CREEK

Tributary: COCOLALLA LAKE

Diversion Pt: LOT 3 (NWSW) Sec 30 T 55N R 02W in BONNER County.

Use: DOMESTIC (.015 CFS)
FIRE PROTECTION (.015 CFS)
Total Diversion: (.015 CFS)

Date Filed: 10/ 1/1993

In: BONNER County
T55N R02W S30 NESW

SEP 22 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 Fax (208) 769-1454

CECIL D. ANDRUS

Governor

April 14, 1994

R. KEITH HIGGINSON

Director

Mr. and Mrs. Anthony Such
22320 Skyline
LaHonda, Ca. 94020

Dear Mr. and Mrs. Such:

Subject: Amended Application for Permit Number 96-8775.

The Idaho Department of Water Resources hereby acknowledges receipt of the above-referenced Amended Application for Permit to appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N7521. Please refer to your Application for Permit Number in future matters concerning this water right application.

Your Amended Application for Permit is currently being prepared for advertising in the local county newspaper. The advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for submittal of protests.

If your application is not protested, it will be forwarded to Boise for processing. Normal processing time is approximately 3 to 4 months, if the application is not protested. If your Amended Application for Permit is protested, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before your Amended Application for Permit can be approved. If the protest is not resolved, this Department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State Office in Boise.

If I can be of further assistance, please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE

Senior Water Resource Agent

Enc. - Receipt

MESSAGE CONFIRMATION
TRANSMISSION

APR 24 THU 08:23

TERM ID: 208 969 1454
TEL NO.: 208 969 1454

SEP 22 1994 9599

NO.	DATE	ST. TIME	TOTAL TIME	ASER/SBD	ID	DEPT CODE	HPGS
249	04-14	08:23	00:01:31		12639091		OK- 2 NG- 0

NOTICE OF AMENDED APPLICATION FOR PERMIT

NOTICE IS HEREBY GIVEN THAT Anthony &/or Mary Such, 22320 Skyline, La Honda, Ca. 94020, have filed with the Department of Water Resources on April 7, 1994, Amended Application for Permit No. 96-8775 changing the Diversion Point, the Uses, and the Place of Use.

The applicant now wishes to show the the Diversion Point as the NWSW (GL 3), S30, T55N, R2W; the Uses as Domestic and Fire Protection with a total diversion rate of 0.015 CFS from 1/1 to 12/31; and the Place of Use as the NESW, S30, T55N, R2W.

(For additional information concerning the property location, call the Northern Regional Office at 769-1450.

Any protest to the proposed Amended Application for Permit must be filed with the applicant and with the Idaho Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before May 9, 1994.

R. KEITH HIGGINSON, Dir.

Published in the Bonner County Daily Bee on April 21 & 28, 1994.

SEP 22 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region
1910 Northwest Blvd., Suite 210

Coeur d'Alene, Idaho 83814
(208) 769-1450

APRIL 13, 1994

SANDPOINT DAILY BEE
P. O. BOX 159
SANDPOINT, ID 83864


Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 9, 1994.

Yours truly,


PATRICIA M. STYPA
Secretary/Office Coordinator

Enclosure

Post-It™ brand fax transmittal memo 7671

of pages ▶ 2

To <i>Adm. Sec</i>	From <i>IDWR</i>
Co.	Co.
Dept.	Phone #
Fax #	Fax #

SEP 22 1994

March 29, 1994

Mr. & Mrs. Anthony Such
22320 Skyline
La Honda CA 94020

RE: Application for Permit 96-08775

Dear Mr. & Mrs. Such:

Please find enclosed Amended Application for Permit Number 96-08775.

Based on your letter dated January 27, 1994, to Mr. Chip Corsi of Idaho State Fish & Game, I have modified your Application for Permit as follows:

ITEM 3.0 (POINT OF DIVERSION) Originally listed as the SW1/4 SW1/4, Sec. 30, TWP.55N., RGE.2W., Now reads, NW1/4 SW1/4, Sec. 30, TWP.55N., RGE.2W, as per map with January 27, 1994, letter.

ITEM 4.0 (USES) Originally filed for 0.64 CFS for irrigation uses, from 3/15 to 11/15. Changed to Domestic and Fire Protection with a total diversion rate of 0.015 CFS (7.0 GPM), from 1/1 to 12/31. Domestic use is defined by statute as including 1/2 acre of lawn and garden.

ITEM 9.0 (PLACE OF USE) Irrigation uses were removed. Domestic & Fire protection listed within the NE1/4 SW1/4, Sec. 30, TWP.55N., RGE.2W. Also as per map with January 27, 1994, letter.

Please review all of the information on the Amended Application for Permit, make any necessary changes, sign the second page and return it with the \$20.00 filing fee as soon as possible.

If I can be of further assistance, please feel free to contact me at this office.

Sincerely,

Allen Beardslee
Sr. Water Resource Agent

ENC. - Amended Application for Permit


SEP 22 1994



IDAHO FISH & GAME
PANHANDLE REGION
2750 Kathleen Avenue
Coeur d'Alene, Idaho 83814

Cecil D. Andrus / Governor
Jerry M. Conley / Director

March 8, 1994



Mr. Robert G. Haynes
Idaho Department of Water Resources
1910 Northwest Boulevard, Suite 210
Coeur d'Alene, ID 83814

Dear Bob:

REFERENCE: 96-08775 SUCH/COCOLALLA CREEK

Attached is a copy of a letter from Mr. Anthony Such to Chip Corsi of my staff regarding his water right application. The letter, dated March 1, 1994, states five conditions which Mr. Such has agreed to to protect the stream and the fishery. Provided these conditions are incorporated into the permit, with the additional stipulation that approach velocities at the intake do not exceed 0.5 feet per second, we will withdraw our protest of this application.

Please contact Chip if additional discussion is needed.

Sincerely,

David W. Ortmann
Regional Supervisor

DWO:CEC:njk


Attachments

C: Mr. Anthony Such
Cocolalla Local Working Committee, C/O Dennis Clark
Natural Resource Policy Bureau

SEP 22 1994

MAR 07 84

Anthony G. Such
22320 Skyline Boulevard
La Honda, California 94020



March 1, 1994

Reg Super _____
Fish _____ Game _____
Enf _____ I & E _____
Lands _____ L/S _____
ESB ☒ R/V _____
S/OC _____ TT _____
R/C _____ Per _____
Route & E. _____
Remarks _____

C. E. Corsi
Idaho Fish and Game

Re: 96-08775 Such/Cocalalla Creek water diversion

Dear Mr. Corsi:

Thank you for your quick response to our letter of 1/27/94 describing our intended diversion project. We are happy to comply with your requests of 2/17/94 as follows:

1. Initial filling of storage tanks will be performed during March/April.
2. Overflow will be returned at or above diversion point as indicated on our earlier map - in fact, return will be above diversion.
3. Intake screening will be 1/2", 1/4" and, additionally, 1/8".
4. Construction and placement of equipment and lines will be done in a manner so as not to disturb creek. Stabilization measures will be undertaken--seeding, berms--as necessary.
5. Stream bank and vegetation will not be disturbed and no check dam or diversion method, other than pump intake, will be used or needed.

I have enclosed a copy of my letter to the Department of Water Resources (DWR). I anticipate the forgoing and my request to modify to DWR should solve any qualms you had remaining and look forward to your withdrawal of protest.

I will be in Idaho in June and look forward to meeting and thanking you personally for your understanding and cooperation.

Sincerely,

Anthony G. Such

Anthony G. Such

Enclosure
cc: DWR - R. G. Haynes


SEP 28 1994

protest conditions

Anthony G. Such
22320 Skyline Boulevard
La Honda, California 94020

March 3, 1994

R. G. Haynes
Department of Water Resources



Re: 96-08775 Such/Cocalalla Creek water diversion

Dear Mr. Haynes:

As you know, I have been in contact with Mr. C. E. Corsi, Idaho Fish & Game (F&G), to resolve their protest to water diversion from Cocalalla Creek. With the inclusion of Mr. Corsi's points of 2/17/94 in my letter of 3/1/94 (copy enclosed), I believe we have resolved the problem.

Please amend our application to conform to the points in our letters to F&G of 1/27/94 and 3/1/94. Intended diversion will be accomplished at 3 gallons per minute during March/April to fill storage tanks and tanks maintained at 3 gallons per minute, 50 gallons per day, to preserve freshness.

Please feel free to call on me should additional information be necessary and I thank you for your consideration.

Sincerely,

Anthony G. Such
Anthony G. Such *by Mary Such*

Enclosure

cc: Idaho Fish & Game - C. E. Corsi



SEP 22 1994



IDAHO FISH & GAME
PANHANDLE REGION
2750 Kathleen Avenue
Coeur d'Alene, Idaho 83814

Cecil D. Andrus / Governor
Jerry M. Conley / Director



February 17, 1994

Mr. Anthony Such
22320 Skyline Boulevard
La Honda, CA 93020

Dear Mr. Such:

REFERENCE: 96-08775 SUCH/COCOLALLA CREEK

Thanks for your letter of January 27 describing your proposed modifications to your water diversion project. In general, I believe your new proposal is better suited to protecting water quality and fishery attributes of Cocolalla Creek and Lake.

At this point, we would like you to commit to initial filling of your tanks during the high flow period (March-April) to minimize the effect on streamflow. By returning overflow to the stream at or upstream of the point of diversion during maintenance pumping (3 gpm up to 50 gallons per day) impacts to the creek should be minimal or non-existent. Your proposed screening is satisfactory provided approach velocities at the intake are below 0.5 feet per second.

Construction and placement of your lines and pump should be conducted in such a way that water quality is protected. If trenching is used to bury pipe, the disturbed site should be stabilized and seeded to prevent erosion. In general, you should try to maintain natural vegetation along the streambank to the greatest extent possible. Any structure used to aid in water diversion (such as a check-dam) should be passable by upstream migrating fish.

We appreciate your willingness to modify your plans to address our concerns. I will also be more than happy to provide you with technical assistance on streamside management in general. If the conditions you propose in your January 27 letter, and the additional stipulations I have identified in this letter are incorporated into a modified application to the Department of Water Resources, we will withdraw our protest.

Mr. Anthony Such - Page 2
February 17, 1994

Please contact me if you have any further questions.

Sincerely,



Charles E. Corsi

Environmental Staff Biologist

CEC:kh

C: Idaho Department of Lands, Sandpoint (Dennis Clark, Cocolalla LWC)
Idaho Department of Water Resources, Cd'A
Natural Resource Policy Bureau



SEP 22 1994

RECEIVED

FEB 02 1994

NORTHERN REGION
IDWR

Anthony G. Such
22320 Skyline Boulevard
La Honda, California 94020

January 27, 1994

Idaho Fish and Game

Attention: Chip Corsi

Re: 96-08775 Such/Cocalalla Creek water diversion

Dear Sir:

Following your protest of 10/15/93 and advice by the Department of Water Resources on 11/16/93, we had a phone conversation which hopefully resolved your objections. As you have requested, I have enclosed a map describing the property and proposed location of diversion and return points and water storage tanks.

As we discussed, our desire and intent is to secure a back-up domestic water supply and provide water storage for fire fighting purposes. Obviously, this water would be available to protect the watershed as well as our home.


It is our intention to provide pumps and motors to divert 3-7 gallons per minute. Initial diversion would be at 3 gpm until the tanks are filled and then approximately 50 gallons per day at 3 gpm to freshen storage with the overflow being returned to the creek. A floating intake, double screened at $\frac{1}{2}$ inch and $\frac{1}{4}$ inch, will be provided in the creek to accomplish intake of water.

We will, of course, be happy to comply with any recommendations or suggestions you wish to make to accomplish this project. Further, we solicit your advice on any and all methodologies to provide better habitat for fish and to enhance creek production and preservation. We have studied a handbook on logging practices provided by Fish and Game and found it very helpful, enlightening, and heartening.

We ask that Fish and Game withdraw its protest and allow the Department of Water Resources to continue and permit our diversion request under the guide lines outlined herein.

Thank you for your cooperation and prompt attention to this matter.

Sincerely,



Anthony G. Such

Attachments

cc: DWR - R. G. Haynes

SEP 22 1994

(1)

1000.04

914.96

(2)

2846.43
(2846.12' P.L.S. 6107)

MAP WITH LETTER
DATED 7/27/94
B

R.R. C/L DATA
 $\Delta = 06^{\circ}14'48''$
 $R = 8594.37$
 $T = 469.00$
 $L = 937.06$

R/W DATA
 $\Delta = 06^{\circ}14'48''$
 $R = 8794.37$
 $T = 479.91$
 $L = 958.87$

(DRAINAGE DIST.)
N86°4'43"
PARCEL #2 -
INSTRUMENT #419509
BA

DETAIL "A"

RANGE 2 WEST

N89°41'27"W
1306.07

N89°41'27"W
1326.64

GL#1

GL#2

R.R. C/L DATA
 $\Delta = 03^{\circ}46'08''$
 $R = 5729.58$
 $T = 188.48$
 $L = 378.83$

SEE DETAIL "A"
PARCEL NO. 2 (INSTRUMENT NO. 419509)

(1)

N89°47'42"W
1310.11

N89°47'42"W
1330.07
N89°47'42"W 2840.18

N89°47'42"W
2631.52

30

BRIDGE

CREEK

EXISTING
BARBED WIRE
FENCE

NORTHERN
RAILROAD

HWY. #95 NORTH

RAILROAD

N20°32'04"E 1416.80
N20°32'04"E 1416.80

3,354,119. sq. ft.
77.00 acres

APP. DIVERSION
& RETURN
POINT

APP. LOC.
4500-6000 GAL
STORAGE
TANKS

BUILDING SITE

N89°43'54"W
1313.15

N89°43'54"W
1332.47

1027.23

N89°43'54"W

1333.40

158.50

BARN
(APPX. LOC.)

N00°03'52"W
2660.58

1330.29

1488.79

1314.59

1314.59

2629.18

N00°03'52"W

EP 82 804

SE

HEARING SCHEDULE

Northern Region

COOPERATIVE EXTENSION BUILDING, 315 KOOTENAI AVE., BONNERS FERRY, ID 83805

Tuesday, March 29, 1994

12:30 PM - 98-7714 - Scott A. &/or Mary Peterson

IDWR NORTHERN REGIONAL OFFICE, 1910 NORTHWEST BLVD., COEUR D'ALENE, ID 83814

Wednesday, March 30, 1994

9:00 AM - 96-8736 - Brian L. &/or Cindy L. Dockins

SEP 22 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION,
(208) 769-1450

Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
~~XXXXXXXXXXXXXXXXXXXX~~ Fax (208) 769-1454

CECIL D. ANDRUS

R. KEITH HIGGINSON
Director

November 16, 1993

Mr. and Mrs. Anthony Such
22320 Skyline
LaHonda Ca. 94020

Re: 96-8775

Dear Mr. and Mrs. Such:

Enclosed is a copy of a protest filed against the approval of the above-referenced application for permit to appropriate the public waters of the State of Idaho. The Department suggests you contact the protestants directly in an effort to determine the nature of the protest and attempt to resolve the protest.

If you do not advise us within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearing. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying the Application for Permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purpose intended?
3. Is the application made in good faith or for delay or speculation?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use conflict with the local public interest?
6. Will the proposed use be contrary to the conservation of water resources within the State of Idaho?


You will be notified at a later date of the time and place of the conference and/or hearing. If we can be of any assistance, please contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager
RGH/pms
Enclosure



SEP 22 1994



SEP 22 1994




October 15, 1993

IDAHO FISH & GAME

REGION 1

2320 Government Way
Coeur d'Alene, ID 83814-3683
(208) 765-3111

Mr. Robert G. Haynes
Idaho Department of Water Resources
1910 Northwest Blvd. Suite 210
Coeur d'Alene, ID 83814



Dear Bob:

REFERENCE: 96-08775 SUCH/COCOLALLA CREEK

We recently received notice of water right filing for 0.64 cfs from Cocolalla Creek for irrigation purposes.

As you are aware, Cocolalla Creek is a designated stream segment of concern and is the primary tributary to Cocolalla Lake. It provides spawning and rearing habitat for resident and migratory salmonids, including westslope cutthroat trout. Water quality in Cocolalla Lake has deteriorated with agricultural, silvicultural, and residential development in the watershed, rendering only a very limited portion of the lake suitable for salmonids during warm summer months.

We believe diversion of 0.64 cfs from the creek for consumptive purposes will contribute to declining water quality in the creek and in the lake and could potentially reduce instream habitat of fish or result in fish losses due to diversion entrainment. For these reasons we are formally protesting this application.

If the applicants can demonstrate their proposed diversion would have no impact on the creek, lake, and fishery, we will be happy to withdraw this protest.

Chip Corsi of my staff will be the contact person. Thank you for the opportunity to comment.

Sincerely,

David W. Ortmann
Regional Supervisor

DWO:CEC:kh

C: Division of Environmental Quality, CdA
Idaho Department of Lands, Sandpoint
Legal
Natural Resource Policy Bureau

Cecil D. Andrus / Governor
Jerry M. Conley / Director
Equal Opportunity Employer



Working for wildlife - since 1938

SEP 22 1994

AFFIDAVIT OF PUBLICATION

State of Idaho

NOV 1993

ss.

County of Bonner,

B. Jean Conacher being first duly sworn on oath

deposes and says that he/she is B. Jean Conacher

of the Bonner County Daily Bee, a newspaper printed and published at Sandpoint, Bonner County, Idaho; that the said newspaper has been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached

notice of publication in the case of:

Notice of Application
for Water Right

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,

commencing on 21 day of Oct, 1993

and ending on the 28 day of Oct, 1993

and that said notice was published in said newspaper.

On this 28 day of Oct in the year of 1993, before me, a Notary Public, personally

appeared B. Jean Conacher,

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me first

duly sworn, declared that the statements therein are true,

and acknowledged to me that he executed the same.

Karel Mueller
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 5-3-99

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-08775

SUCH, ANTHONY

SUCH, MARY

22320 SKYLINE

LA HONDA, CA 94020

Source: COCOLALLA CREEK

Tributary: COCOLALLA LAKE

Diversion Pt: SWSW Sec 30 T 55N

R 02W in BONNER County.

Use: IRRIGATION (.640 CFS)

Total Diversion: (.640 CFS)

Date Filed: 10/1/1993

In: BONNER County

T55N R02W S30 SWNW NESW

NWSW SWSW SESW

32.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before NOVEMBER 8, 1993.

R. KEITH HIGGINSON,
Director

**NOTICE OF CLAIMS
TO WATER RIGHT**

The following claim(s) have been filed on water rights created by diversion and beneficial use:

96-04556

FULTON, RAYMOND G

1035 GARFIELD BAY RD

SAGLE, ID 83860

Source: SPRING Tributary:
SINKS

Diversion Pt: SENENE Sec 17 T

56N R 01W in BONNER County.

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 8/5/1970

In: BONNER County

T56N R01W S17 SENE

For additional information concerning the property location, call the Northern Regional Office at (208) 769-4639.

Exceptions to a claim may be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814.

R. KEITH HIGGINSON,
Director
SNP#5731 Oct 21, 28, 1993

[Handwritten signature and date 11/4/93]

SEP 22 1993

96-08775

SUCH, ANTHONY
SUCH, MARY
22320 SKYLINE
LA HONDA, CA 94020

Source: COCOLALLA CREEK

Tributary: COCOLALLA LAKE

Diversion Pt: SWSW Sec 30 T 55N R 02W in BONNER County.

Use: IRRIGATION (.640 CFS)
Total Diversion: (.640 CFS)

Date Filed: 10/ 1/1993

In: BONNER County
T55N R02W S30

SWNW
SESW

NESW

NWSW

SWSW

22.0 ACRES TOTAL

*see
amended
appn.*

SEP 22 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 ~~208-769-1450~~ Fax (208) 769-1454

CECIL D. ANDRUS

September 13, 1993

R. KEITH HIGGINSON
Director

Mr. and Mrs. Anthony Such
22320 Skyline
La Honda, Ca. 94020

Dear Mr. and Mrs. Such:

Re: Water Appropriation Application No. 96-8775.

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB/pms



SEP 22 1994