

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECORDED

OCT 29 1993

Jack E. Woods
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 100'

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	05	2801059915	NL	1"
				Jet Type	


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



Creek

TRAIL

KANIKSU

NATIONAL

FOREST

Creek

Town

PACK

JEOP
K
N
K

Creek

RIVER

FOREST

KANIKSU

NATIONAL

Creek

PACK

Wood's

96-08762

T59N R2W

Sec 14

RPO

PERMIT # 96-08762

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT



PD

Pond



Back
To creek

deck

96-08762-96



pu



pu



pu

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

B. Jean Conacher being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice: Application
for Water Right

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 2 day of Sept., 1993
and ending on the 9 day of Sept., 1993
and that said notice was published in said newspaper.

On this 18 day of Oct. in the year
of 1993, before me, a Notary Public, personally
appeared B. Jean Conacher
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Karel Mueller
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 3-3-99

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08759

ROJIC, EDWARD T.
ROJIC, NANCY M.
9680 RAPID LIGHTNING CREEK
RD
SANDPOINT, ID 83864
Source: UNNAMED STREAM
Tributary: FLUME CREEK
Diversion Pt: NESW Sec 18 T 58N
R 02E in BONNER County.
Use: POWER (040 CFS)
DOMESTIC (040 CFS)
Total Diversion: (040 CFS)
Date Filed: 5/17/1993
In: BONNER County
T58N R02E S18 NESW
96-08760
HANDY FAMILY TRUST, WAYNE

D
PO BOX 377
CAREYWOOD, ID 83809
Source: THREE SISTERS CREEK
Tributary: COCOLALLA CREEK
Diversion Pt: NESWSW Sec 4 T
54N R 02W in BONNER County.
Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)
Date Filed: 5/21/1993
In: BONNER County
T54N R02W S04 SWSW

96-08761

SOUDERS, MICHAEL
SOUDERS, JUDITH
PO BOX 81
KOOTENAI, ID 83840
Source: SYRINGA CREEK
Tributary: FEND OREILLE RIVER
Diversion Pt: NENE Sec 7 T 57N
R 03W in BONNER County.
Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)
Date Filed: 5/18/1993
In: BONNER County
T57N R02W S07 NENE

96-08762

WOODS, NICK E
WOODS, JULIE A
850 CARIBOU CREEK RD
SANDPOINT, ID 83864
Source: CARIBOU CREEK
Tributary: PACK RIVER
Diversion Pt: NENENW Sec 14 T
59N R 02W in BONNER County.
Use: IRRIGATION STORAGE
(3.00 AF)
IRRIGATION FROM STORAGE
(3.00 AF)
RECREATION STORAGE (3.00
AF)
FIRE PROTECTION STORAGE
(3.00 AF)
DIVERSION TO STORAGE (2.000
CFS)

Total Diversion: (2.000 CFS)

Date Filed: 5/25/1993

In: BONNER County

T59N R02W S11 SESW

S14 NENW

1.0 ACRES TOTAL

For additional information
concerning the property location,
call the Northern Regional Office at
765-4639.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the applicant and the
Director, Dept. of Water Resources,
Northern Region, 1910 Northwest
Blvd., Suite 216, Coeur d'Alene,
Idaho 83814 on or before
SEPTEMBER 20, 1993.

R. KEITH HIGGINSON,

Director

SP #5566 Sept. 2, 9, 1993

OCT 29 1993

FOR OFFICE USE ONLY
Amt. of Fee \$: 100.00
Receipt No. 012313
Receipt By: RS
Date Received: 9/17/98

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

SEP 17 1998

PROOF OF BENEFICIAL USE

Department of Water Resources
Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08262 Telephone No. 208-263-8483

2. Name(s) of Permit Holder(s): Nick E. & Julie A. Woods

3. Mailing Address: 180 Caribou Creek Rd. Sandpoint, Idaho 83864

4. Source of Water: Caribou Creek if GROUNDWATER (well), Date Drilled: mo. / yr.

a. Well Driller: Drilling Permit Number: - -

b. OPTIONAL:
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock):

Irrigation (No. of acres): 1 Other:

6. Total rate of diversion and/or volume for which proof is submitted: 1.00 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes or No

Has the measuring device been installed? Yes or No

Flow Measurement Port: Is a flow measurement port required? Yes or No

Has the measurement port been installed? Yes or No

8. Fee Enclosed: \$ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Nick Woods Telephone Number: 208-263-8483

Address: 180 Caribou Creek Rd., Sandpoint Idaho 83864

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Nick Woods Date: 9-14-98

(include your title, if on behalf of company or organization)

MICROFILMED

OCT 28 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
OCT 27 1997

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 96 97-08762

Name(s) of Permit Holder: Nick C Woods AND Julie A. Woods

Mailing Address: 850 Caribou Creek Road, Sandpoint, Idaho 83869

Date Proof is Due: November 1st, 1997 Telephone No. 208-263-8483

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Excavation complete - Electrical & pump installed -
irrigation lines - Creek bank reinforced with RipRap
6" Pipe purchased
Costing \$ 1660.⁰⁰

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Before we begin to place 6" Pipe, we felt we should
monitor the bank reinforcement of RipRaps stability -
Creek bank has held well & we should be able to complete
project by next fall 1998
Permit holder(s) request an extension to Nov, 19 98.

FEE: \$50.00

Mark Woods
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to November 1, 1998.

MICROFILMED

DEC 11 1997

Signed this 7th day of November, 19 97

J. Glen Saylor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08762

Proposed Priority: May 25, 1993

Maximum Diversion Rate:

1.00 CFS

This is to certify, that **NICK E WOODS**
JULIE A WOODS
850 CARIBOU CREEK RD
SANDPOINT ID 83864

has applied for a permit to appropriate water from:

CARIBOU CREEK

tributary of **PACK RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION STORAGE	03/15 to 11/15		3.0 AF
IRRIGATION FROM STORAGE	03/15 to 11/15		3.0 AF
RECREATION STORAGE	01/01 to 12/31		3.0 AF
FIRE PROTECTION STORAGE	01/01 to 12/31		3.0 AF
DIVERSION TO STORAGE	01/01 to 12/31	1.00 CFS	
	Totals	1.00 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NENENW , Sec. 14, Township 59N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION FROM STORAGE

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
59N	02W	11	SESW	0.5		0.5
		14	NENW	0.5		0.5

Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **November 1, 1997.**
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The storage of water under this right is contingent upon the certification of the dam and authorization of storage per the dam safety provisions of the Idaho Code.
5. Use of water under this right may be affected by an agreement between the protestant and the right holder.
6. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

RECEIVED

OCT 29 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08762

CONDITIONS/REMARKS:

7. The distance from the point of diversion to the point of return on Caribou Creek shall not exceed 150 feet.
8. In the event that diversion of water results in loss of surface flow in the bypass reach, water shall not be diverted under this permit.
9. Diversion structures that prevent or hinder upstream migration of fish are not authorized under this permit.
10. An intake screen of 1/4 inch or smaller mesh shall be installed at the point of diversion to prevent any negative impact on juvenile fish.
11. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this

25th day of October, 1993.

R. Keith Higginson
for R. Keith Higginson, Director

RECEIVED

OCT 29 1993

Ident. No. 96-8762**RECEIVED**

OCT 21 1993

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT**

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant Nick E. Woods for Julie A. Woods Phone 208-263-8483
850 Caribou Creek Rd
 Post office address ~~850 Caribou Creek Rd~~ Road Sandpoint, Idaho 83864
2. Source of water supply Caribou Creek which is a tributary of Pack River
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
 Sec. 14 Township 59 N Range 2W B.M. Bonner County; additional
 points of diversion if any: _____
4. Water will be used for the following purposes:
- Amount 2.0 for STORAGE FOR RCL - purposes from JAN 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 3.0 for STORAGE FOR purposes from JAN 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 2.0 for DIVERSION purposes from JAN 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 3.0 for IRRIGATION purposes from MARCH 15 to NOV. 15 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.0 and/or (b) 3.0
cubic feet per second acre feet per annum
6. Proposed diverting works: 1.0*
- a. Description of ditches, flumes, pumps, headgates, etc. 2 6" plastic pipes
underground = inlet 2 6" plastic pipes = outlet
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
 reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
 _____ to _____ inclusive.
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
3-4 years (minimum 1 year).

OCT 29 1993

*per protest agreement of 9-8-93 43

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____

e. Other; describe fully. 50 ft by 150 ft pond 10 to 12 feet deep
for fish RECREATION propagation, also storage for fire protection
Irrigation of lawns & gardens

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
59N	2W	14					1/2	STORAGE											1/2
		14					1/4												
59N	2W	11											1/2						1/2

Total number of acres to be irrigated 1


10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? self
- b. Who owns the land to be irrigated or place of use? self
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

OCT 29 1993

- 13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.**



Scale: 2 inches equal 1 mile.

SECRET

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Yusef E. Williams
(Applicant)

Received by UDF Date 3/25/93 Time 12:15 PM Preliminary check by AB
Fee \$ 65.00 Receipted by UDF # N0006374 Date 3/16/93
Publication prepared by UDF Date 3/26/93 Published in 6/3-12/93 8/5-12/93
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:


- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED

OCT 9 1993

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 100'

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	05	2801059915	NL	1"
				Jet Type	


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


2. Measurements: _____



Woods
96-08762
T59N R2W
Sec 14

PERMIT # 96-08762

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT



PD

Pond


Back
To Creek

over

96-08762



pu



pu



pu

•
•
•
•

2

yes

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

$$\frac{5 \text{ gal bucket } 5 \text{ gal in } 3 \text{ sec} = 100 \text{ gpm}}{100 \times .133681} = .02 \text{ cfs}$$

$$\frac{60}{60}$$

IRR of ACRE Theoretical $\frac{8.8(6.5)(6.7)}{10 + (2.31 \times 50)} = \frac{3.08}{125.5} = .02 \text{ cfs}$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 3 = 3$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 345 \times 1.9835 = 9.7$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3$

2. Volume Calculations for Other Uses:

Pond (Storage) $\frac{90' \times 45' \times 7' \times .4}{43560} = .026 = .3 \text{ AF}$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Irrigation Stor	03-15	11-15		.3
Irrigation from Stor	03-15	11-15	.02	.3
Rel. Storage	01-01	12-31		.3
Flood Protect. Stor	01-01	12-31		.3
Diversion to Stor	01-01	12-31	.2	
Totals:			.2	3.3

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Wayne Baldin Date 9-17-99

Reviewer _____ Date _____

SEAL

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 96-08762

Reviewed by [Signature]

Date 10-22-98

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?

dom. irr

NO Address same as permit?

yes Proof timely received?

Correct Uses? NO

If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

☐ Drilling permit required?

☐ Copy in the file? Drilling Permit No. _____

☐ Amount paid for permit

☐ Correct?

☐ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?

NO Required?

100 Amount Submitted

☐ Installed?

yes Correct?

☐ Waiver requested?

PRIORITY CALCULATION

Date proof received

Date proof due

No. of days late

Priority Date

New Priority Date

DEFICIENCIES OR ACTION ITEMS

Proof Acceptable

DATA ENTRY

New Address 180 Caribou Creek Rd

Proof Made 9-17-98



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 22, 1998

Nick E and Julie A Woods
180 Caribou Creek Rd
Sandpoint ID 83864

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08762

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **NORTHERN** Regional Office of the department in Coeur d'Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED

OCT 28 1998

August 31, 1998

NICK E WOODS
JULIE A WOODS
850 CARIBOU CREEK RD
SANDPOINT ID 83864

PROOF DUE NOTICE

RE: PERMIT NO. 96-08762

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1998.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED
OCT 28 1998



ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No. 96-0 8762 Reviewed by [Signature] Date 11-7-97

BASIC INFORMATION

10-27-97 Date stamp received
YES Extension received timely
YES Fee received and receipted
YES Name and signature same as permit
NO Address Change

BASIS FOR EXTENSION REQUEST

YES Has adequate work been completed to demonstrate due diligence?
_____ Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____
_____ Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____
_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN *Recommend extend to Nov. 1, 1998, on basis of due diligence.*

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address X
Change Proof Due Date 11-1-98
Change Priority Date X



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 7, 1997

Nick E. Woods
Julie A. Woods
850 Caribou Creek Rd.
Sandpoint, ID 83864

RE: Permit No. 96-08762

Dear Permit Holder:

I have enclosed a copy of the approved request for extension of time submitted in connection with the above referenced permit which extends the time within which to submit proof of beneficial use to **November 1, 1998**. Please note that the department granted the extension based on **due diligence**. It is important that you work diligently toward the completion of the development during the construction period allowed since the department **will not** be able to grant additional extensions based on due diligence.

Section 42-248, Idaho Code, which became effective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact this office or any regional office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner.

Please contact me at (208)327-7953, if you have any questions regarding this matter.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary, Water Allocation Bureau

Enclosure

C: IDWR - Regional Office

MICROFILMED

DEC 11 1997

August 31, 1997

NICK E WOODS
JULIE A WOODS
850 CARIBOU CREEK RD
SANDPOINT ID 83864

PROOF DUE NOTICE

RE: PERMIT NO. 96-08762

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1997.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECORDED
DEC 11 1997





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 25, 1993

NICK E WOODS
JULIE A WOODS
850 CARIBOU CREEK RD
SANDPOINT ID 83864

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08762

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

If the diversion dam is 10 feet or more in height, or has an impounding capacity of 50 acre-feet or more, certain dam safety requirements must be met. Please contact the regional office nearest you for details.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECORDED

OCT 29 1993

APPLICATION FOR PERMIT
STATE OFFICE REVIEW

Application #: 96-8762 Date: 10/21/93 Reviewer: Cindy Zimmerman

AREA OF CONCERN? - No/Yes _____
SYSTEM COMPLETED:
No - 26A-P17
Complete in 1 year - P16
Yes
Proof not submitted - P16
Proof submitted - N/A
GROUNDWATER:
+ 0.2 cfs <flo-ch> - 01G-P03 (new), 01C-P03 (existing), NMR
- 0.2 cfs - NMR <flow chart>
Drilling Permit:
Included w/permit - P99 Permit No. _____
Existing well - N/A (if drilled before 7/1/87)
No WD permit? - 046-46A<Irr>-46B-P23 (if drilled after 7/1/87)
SURFACE WATER: not in WD - 01C-P03 (+.2 w/pump), NMR <flow chart>
LOCATION:
Water District - WD No. _____
Surface water - 005 or 005-01J-P08 (+.2, or -.2 no pump)
or 005-01H-P01 (-.2 w/pump); NMR
Groundwater - P05 (if well has not been drilled)
In stream channel - 030 (stream channel alteration)
Irrigation Dist. - 023
Canal Co. Areas - 023
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (Groundwater temperature)
Swan Falls Flag - B <See condition code chart>
Trust - 051-052-053-P74 (Consumptive Uses)
Non Trust <1> - 048-049
RIVER BASINS (Surface): Water District Control Condition (005) &....
Boise (63) - 05A (req), 11E (non-domestic use), NA
Payette (65) - 064 (consump. use), 047-P04 (Payette Lake), NA
Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.), NA
USE:
Fish Propagation - 010/06A/09E-P10 (WQ) & 07A-042-002-P06 (MD) (req)
044 (N 1000 Spr)
Irrigation - 803 (if GW use SW 1st) (+5A do POU comparison) N/A
Power - 08A-17K-025-027 (req); 01F-P19; 09E-P10;
+25 cfs-P18; 17G (FERC) or 17M (FERE); 18B-P09
Mining - 06A/010/09E-P10 & 054 (req)
Storage (✓ 3 compo.) - 18A-for multi MD in WD, 18B-P09 (+10' high dam)
Domestic (surface) - 021 (Boise R ↑ L Peak), 27A (Payette R)
OWNERSHIP:
Non land owner - 004 (P/D or P/U)
PROTESTED:
Prehearing agreement - 020
OTHER CONDITIONS: - _____
REMARKS: - _____
BENEFICIAL USE DUE: - 11-1-1997
COMMENTS: - ① Div Desc. _____

WR0749NP
No. P96-08762

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 10/21/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	NICK E WOODS	05/25/1993	IRRIGATION STORAGE	03-15 11-15		3.0 AFA
C	JULIE A WOODS		IRRIGATION FROM STORAGE	03-15 11-15		3.0 AFA
	850 CARIBOU CREEK RD		RECREATION STORAGE	01-01 12-31		3.0 AFA
	SANDPOINT ID 83864		FIRE PROTECTION STORAGE	01-01 12-31		3.0 AFA
	(208) 263-8483		DIVERSION TO STORAGE	01-01 12-31	1.00 CFS	
TOTAL DIVERSION:					1.00 CFS	

Water Source: CARIBOU CREEK

Tributary to: PACK RIVER

Stage: PERMIT

Point(s) of Diversion: T59N R02W S14 NE NE NW

Place of use Legal Description for: IRRIGATION FROM STORAGE

NE												NW				SW				SE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		NENE		NWNE		SWNE		SENE				NENW		NWNW		SWNW		SENW				NESW		NWSW		SWSW		SESW				NESE		NWSE		SWSE		SESE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
---			:	---	---	---	---	---	---	---	---	:	---	---	---	---	---	---	---	---	:	---	---	---	---	---	---	---	---	---	:	---	---	---	---	---	---	---	:	---	---	---	---	:																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
59N	02W	11	:									:									:									:									:					:	0.5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
59N	02W	14	:									:		.5							:									:									:				:	0.5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
			:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:									:	</							

Pou County: BONNER

Conditions of Approval:

- 26A - Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
- 18B - The storage of water under this right is contingent upon the certification of the dam and authorization of storage per the dam safety provisions of the Idaho Code.
- 020 - Use of water under this right may be affected by an agreement between the protestant and the right holder.
- 03A - The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Remarks: The distance from the point of diversion to the point of return on Caribou Creek shall not exceed 150 feet.
In the event that diversion of water results in loss of surface flow in the bypass reach, no water shall be diverted under this permit.
Diversion structures that prevent or hinder upstream migration of fish are not authorized under this permit.
An intake screen of 1/4 inch or smaller mesh shall be installed at the point of diversion to prevent any negative impact on juvenile fish.
The approach velocity at the point of diversion shall not exceed 0.5 feet per second.

WR0749NP
No. P96-08762

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 10/21/93
PAGE: 2

=====

Dates:	App. Received: 05/25/1993	Priority Date: 05/25/1993
	Proof Due Date: 11/01/1997	Proof Made Date:
	Exam Made Date:	Exam Sent to S.O.:
	Licensed Date:	
Misc:	Water District Number:	Field Exam Fee:
Comments:	Date: 05/25/1993 User-ID: STYPA Subject: DIVERSION DESCRIPTION	
	Pipe inlet and pipe outlet.	
	Pond - 60' x 150' and 10' to 12' deep.	
Audit:	10/21/93 ZIMMERMA	

Application No. 96-8762

SPECIAL NOTE: _____

PROTEST INFORMATION SHEET

Protestant(s)

	NAME	ADDRESS	PROTEST DATE
1	Dept. of Fish & Game	2320 Government Way, CDA, Id. 83814	6/22/93
2			
3			
4			
5			
6			
7			
8			
9			
10			

ATTORNEY

ADDRESS

DATE FILED: 6/22/93 PROTEST DUE DATE: _____

ISSUES: F&G does not believe this would be in the public interest.

Applicant

ATTORNEY

ADDRESS

DATE

Protest Date Entered on Computer

7/19/93

Acknowledgment Letters Sent

7/21/93

Hearing Date

(Other Dates)

Other Information: _____

Protest information submitted to computer (following hearing): _____

007 29 1993

No. a
4/87-06/92n

U.S. DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED
OCT 21 1993

APPLICATION # _____

***** INITIAL REVIEW ***** Department of Water Resources *****

APPLICANT:

WOODS

BY:

AB

DATE:

5 / 25 / 93

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other Water Rights
11. ☒ Ownership
13. ☒ Map
☒ Signature
☒ Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
- ☒ Field report attached
- ☒ Analysis Supp. attached(>5cfs/500af)
- ☒ Water delivered by water master?
- Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 5 / 25 / 93

☒

(Include Moratorium Remark)

☒

Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BONNER County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- ☒ Groundwater management area
- ☒ Critical ground water area
- ☒ Well Drilling Permit required
- ☒ Well Drilling Application and Fees received
- ☒ Well Drilling Application approved?
- Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ☒ Notice of pending void order issued. Final order response date: ____/____/____
- ☒ Further information required from applicant
- ☒ Affidavit of publication received
- ☒ Application published correctly, If not, record action taken: Had to be re-advised. wrong date
- ☒ Publication dates and paper recorded on application | Sr. Agent initial AB
- ☒ Protests received. Final protest date: 9/22/93
- ☒ Measuring device required
- ☒ Measuring port required
- ☒ Special conditions: See letter from Fish & Game on protest
- ☒ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by:

AB RMA

Date: 10/18/93



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 ~~(208) 769-1450 FAX (208) 769-1454~~ Fax (208) 769-1454

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

October 18, 1993

Mr. and Mrs. Nick E. Woods
850 Caribou Creek Rd.
Sandpoint, Id. 83864

Re: 96-8762 Woods/Caribou Creek

Dear Mr. and Mrs. Woods:

We acknowledge receipt of your acceptance of the conditions required by the Idaho Department of Fish & Game in their letter of August 26, 1993. We are advising them of your agreement.

The Department has received a FAX copy of your Affidavit of Publication from the newspaper today, and it is being reviewed in our office. The file will then be forwarded to our State Office in Boise for further processing.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms

c IDFG - w/enc.

RECEIVED
OCT 29 1993

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

B. Sean Conacher being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice: Application
for Water Right

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,

commencing on 2 day of Sept. 1993
and ending on the 9 day of Sept. 1993

and that said notice was published in said newspaper.

On this 18 day of Oct. in the year
of 1993, before me, a Notary Public, personally
appeared B. Sean Conacher
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Karel Mueller
Notary Public for Idaho

Residing at Sandpoint

My commission expires 3-3-99

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08759

ROJIC, EDWARD T.
ROJIC, NANCY M.
9680 RAPID LIGHTNING CREEK
RD

SANDPOINT ID 83864
Source: UNNAMED STREAM
Tributary: FLUME CREEK
Diversion Pt: NESW Sec 18 T 58N
R 02E in BONNER County.
Use: POWER (.040 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 5/17/1993
In: BONNER County
T58N R02E S18 NESW
96-08760

HANDY FAMILY TRUST, WAYNE

PO BOX 377
CAREYWOOD, ID 83809

Source: THREE SISTERS CREEK
Tributary: COCOLALLA CREEK
Diversion Pt: NESWSW Sec
54N R 02W in BONNER County.
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 5/21/1993
In: BONNER County
T54N R02W S04 SWSW
96-08761

SOUDERS, MICHAEL
SOUDERS, JUDITH
PO BOX 91
KOOTENAI ID 83840

Source: SYRINGA CREEK
Tributary: PEND OREILLE RIVER
Diversion Pt: NENE Sec 7 T 52N
R 02W in BONNER County.
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 5/18/1993
In: BONNER County
T57N R02W S07 NENE
96-08762

WOODS, NICK E.
WOODS, JULIE A.
850 CARIBOU CREEK RD
SANDPOINT ID 83854

Source: CARIBOU CREEK
Tributary: PACK RIVER
Diversion Pt: NENENW Sec 14 T
59N R 02W in BONNER County.

Use: IRRIGATION STORAGE
(3.00 AF)
IRRIGATION FROM STORAGE
(3.00 AF)
RECREATION STORAGE (3.00
AF)
FIRE PROTECTION STORAGE
(3.00 AF)
DIVERSION TO STORAGE (2.000
CFS)

Total Diversion: (2.000 CFS)
Date Filed: 5/25/1993
In: BONNER County
T59N R02W S11 SESW
S14 NENW
1.0 ACRES TOTAL

For additional information
concerning the property location,
call the Northern Regional Office at
765-4639.

The permit(s) will be subject to all
prior water rights. Permits must be
filed with the applicant and the
Director, Dept. of Water Resources,
Northern Region, 1910 Northwest
Blvd., Suite 216, Coeur d'Alene,
Idaho 83814 on or before
SEPTEMBER 20, 1993.

R. KEITH HOGGINS,
Director
SNP#5566 Sept. 2, 9, 1993

OCT 29 1993

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Mike Burns being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice


as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 5 day of Aug, 19 93
and ending on the 12 day of Aug, 19 93
and that said notice was published in said newspaper.

On this 18 day of Aug in the year
of 1993, before me, a Notary Public, personally
appeared Mike Burns,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Karel Meiler
Notary Public for Idaho

Residing at Sandpoint

My commission expires OCT 25 1999



NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08759

ROJIC, EDWARD T
ROJIC, NANCY M
9680 RAPID LIGHTNING CREEK
RD

SANDPOINT, ID 83864
Source: UNNAMED STREAM
Tributary: FLUME CREEK
Diversion Pt: NESW Sec 18 T 58N
R 02E in BONNER County.
Use: POWER (.040 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 5/17/1993
In: BONNER County
T58N R02E S18 NESW

96-08760

HANDY FAMILY TRUST,
WAYNE D
PO BOX 377
CAREYWOOD, ID 83809
Source: THREE SISTERS CREEK
Tributary: COCOLALLA CREEK
Diversion Pt: NESWSW Sec 4 T
54N R 02W in BONNER County.

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 5/21/1993
In: BONNER County
T54N R02W S04 SWSW

96-08761

SOUDERS, MICHAEL
SOUDERS, JUDITH
PO BOX 81
KOOTENAI, ID 83840
Source: SYRINGA CREEK
Tributary: PEND OREILLE RIVER
Diversion Pt: NENE Sec 7 T 57N
R 02W in BONNER County.
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 5/18/1993
In: BONNER County
T57N R02W S07 NENE

96-08762

WOODS, NICK E
WOODS, JULIE A
850 CARIBOU CREEK RD
SANDPOINT, ID 83864
Source: CARIBOU CREEK
Tributary: PACK RIVER
Diversion Pt: NENENW Sec 14 T
59N R 02W in BONNER County.
Use: IRRIGATION STORAGE
(3.00 AF)
IRRIGATION FROM STORAGE
(3.00 AF)
RECREATION STORAGE (3.00
AF)

FIRE PROTECTION STORAGE
(3.00 AF)
DIVERSION TO STORAGE
(2.000 CFS)

Total Diversion: (2.000 CFS)
Date Filed: 5/25/1993
In: BONNER County
T59N R02W S11 SESW
S14 NENW
1.0 ACRES TOTAL

For additional information
concerning the property location,
call the Northern Regional Office at
765-4639.

the permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before JUNE 21, 1993.

R. KEITH HIGGINSON,
Director
SNP#5566 Aug. 5, 12, 1993

PAGE

(Handwritten: *Pay whole Bill*)
 (Handwritten: *7/16/93*)

AMOUNT DUE

OCT 29 1993

AMOUNT OF PAYMENT	

BE RETURNED WITH REMITTANCE.

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Mike Burns being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice


as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 29 day of May, 19 93
and ending on the 5 day of June, 19 93
and that said notice was published in said newspaper.

On this 8 day of June in the year
of 1993, before me, a Notary Public, personally
appeared Mike Burns,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Karel Meeler
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 5-3-99



NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

⁹⁶⁻⁰⁸⁷⁵⁹
ROJIC, EDWARD T
ROJIC, NANCY M
9680 RAPID LIGHTNING CREEK
RD
SANDPOINT, ID 83864
Source: UNNAMED STREAM
Tributary: FLUME CREEK
Diversion Pt: NESW Sec 18 T 58N
R 02E in BONNER County.
Use: POWER (.040 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 5/17/1993
In: BONNER County
T58N R02E S18 NESW
96-08760<D>
HANDY FAMILY TRUST, WAYNE

D
PO BOX 377
CAREYWOOD, ID 83809
Source: THREE SISTERS CREEK
Tributary: COCOLALLA CREEK
Diversion Pt: NESWSW Sec 4 T
54N R 02W in BONNER County.
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 5/21/1993
In: BONNER County
T54N R02W S04 SWSW
96-08761<D>

SOUDERS, MICHAEL
SOUDERS, JUDITH
PO BOX 81
KOOTENAI, ID 83840
Source: SYRINGA CREEK
Tributary: PEND OREILLE RIVER
Diversion Pt: NENE Sec 7 T 57N
R 02W in BONNER County.
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 5/18/1993
In: BONNER County
T57N R02W S07 NENE
96-08762<D>

WOODS, NICK E
WOODS, JULIE A
850 CARIBOU CREEK RD
SANDPOINT, ID 83864
Source: CARIBOU CREEK
Tributary: PACK RIVER
Diversion Pt: NENENW Sec 14 T
59N R 02W in BONNER County.
Use: IRRIGATION STORAGE
(3.00 AF)
IRRIGATION FROM STORAGE
(3.00 AF)
RECREATION STORAGE (3.00
AF)
FIRE PROTECTION STORAGE
(3.00 AF)
DIVERSION TO STORAGE (2.000
CFS)

Total Diversion: (2.000 CFS)
Date Filed: 5/25/1993
In: BONNER County
T59N R02W S11 SESW
S14 NENW
1.0 ACRES TOTAL
For additional information
concerning the property location,
call the Northern Regional Office at
765-4639.

the permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before JUNE 21, 1993.

R. KEITH HIGGINSON,
Director
SNP#5459 May 29, Jun 5, 1993

OCT 29 1993

5459

8/25/93

Called Dee -

She will re-adv. on 9/2 & 9/93
& change protest date to
September 20, 1993
Carol at fee took info.

11:46 AM



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 ~~(208) 769-1450~~ ~~(208) 769-1450~~ Fax (208) 769-1454

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

September 1, 1993

Mr. and Mrs. Nick E. Woods
850 Caribou Creek Rd.
Sandpoint, Id. 83864

Re: 96-8762 Woods/Caribou Creek

Dear Mr. and Mrs. Woods:

Enclosed is a copy of a letter, dated August 26, 1993, from the Idaho Department of Fish & Game regarding your above-referenced water right application.


If you accept the conditions that they describe in their letter, then they will withdraw their protest and we can process your application. Please advise if you are willing to accept the conditions as set forth in their letter.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms

Enclosure



Dear Mr. Haynes
We accept the
conditions requested
by Fish & Game, &
hope we can now
move forward with
the final steps of
processing our application.

OCT 29 1993

Thanks
Nick Woods
Julie Woods
9-8-93




IDAHO FISH & GAME

REGION 1

2320 Government Way
Coeur d'Alene, ID 83814-3683
(208) 765-3111

August 26, 1993

Mr. Robert G. Haynes
Idaho Department of Water Resources
1910 Northwest Blvd. Suite 210
Coeur d'Alene, ID 83814



Dear Bob:

REFERENCE: 96-08762 WOODS/CARIBOU CREEK

Chip Corsi of my staff recently discussed this proposed water right with Mr. Woods. As Mr. Woods described his project, water would be diverted through a pipe, into his storage pond, and returned to the creek approximately 150 feet downstream. Limited consumptive use for irrigation would occur. Mr. Woods indicated that 1.0 cfs would be adequate to fill the pond and meet his fire protection and irrigation storage needs. We also discussed the importance of not dewatering the stream, and it is our understanding Mr. Woods would be willing not to divert water during periods of extreme low flow. Therefore, we are willing to withdraw our protest provided the following conditions can be met in the water right:

1. The distance from the point of diversion to the point of return shall not exceed 150 feet.
2. The total diversion shall not exceed 1.0 cfs. If diversion of water would result in loss of surface flow in the bypass reach, no water shall be diverted by the applicant.
3. The rate of diversion for consumptive purposes shall not exceed 0.02 cfs per acre.
4. The diversion intake shall be screened with one quarter inch or finer mesh, and approach velocities shall not exceed 0.5 fps.
5. No diversion structures should prevent or hinder upstream migration of fish.

Mr. Woods has indicated he does not desire to build a diversion dam. If he buries the diversion pipe in the streambed with appropriate screening, items 4 and 5 will be addressed. Item 3 is to ensure return flow into the downstream portion of the creek.

Cecil D. Andrus / Governor
Jerry M. Conley / Director
Equal Opportunity Employer



Working for wildlife - since 1938


RECORDED

OCT 29 1993

Mr. Robert G. Haynes - Page 2
August 26, 1993

Please forward a copy of this letter to Mr. Woods as we do not have his address. If these conditions are satisfactory and are incorporated into the permit, our protest is withdrawn. Please contact Chip Corsi at this office if this needs further discussion.

Sincerely,

A handwritten signature in dark ink, appearing to read "David W. Ortmann".

FOR
David W. Ortmann
Regional Supervisor

DWO:CEC:kh

C: Steve Goddard, Legal
Natural Resource Policy Bureau

RECEIVED
OCT 29 1993

96-08762

WOODS, NICK E
WOODS, JULIE A
850 CARIBOU CREEK RD
SANDPOINT, ID 83864

Source: CARIBOU CREEK

Tributary: PACK RIVER

Diversion Pt: NENENW Sec 14 T 59N R 02W in BONNER County.

Use: IRRIGATION STORAGE	(3.00 AF)
IRRIGATION FROM STORAGE	(3.00 AF)
RECREATION STORAGE	(3.00 AF)
FIRE PROTECTION STORAGE	(3.00 AF)
DIVERSION TO STORAGE	(2.000 CFS)
Total Diversion:	(2.000 CFS)

Date Filed: 5/25/1993

In: BONNER County	
T59N R02W S11	SESW
S14	NENW

1.0 ACRES TOTAL

RECORDED

OCT 29 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION,

(208) 769-1450

Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615

~~(208) 769-1450 • (208) 769-1454~~

Fax (208) 769-1454

CECIL D. ANDRUS

Governor

R. KEITH HIGGINSON

Director

September 1, 1993

Mr. and Mrs. Nick E. Woods
850 Caribou Creek Rd.
Sandpoint, Id. 83864

Re: 96-8762 Woods/Caribou Creek

Dear Mr. and Mrs. Woods:

Enclosed is a copy of a letter, dated August 26, 1993, from the Idaho Department of Fish & Game regarding your above-referenced water right application.

If you accept the conditions that they describe in their letter, then they will withdraw their protest and we can process your application. Please advise if you are willing to accept the conditions as set forth in their letter.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms

Enclosure

RECEIVED

OCT 29 1993




IDAHO FISH & GAME

REGION 1

2320 Government Way
Coeur d'Alene, ID 83814-3683
(208) 765-3111

August 26, 1993

Mr. Robert G. Haynes
Idaho Department of Water Resources
1910 Northwest Blvd. Suite 210
Coeur d'Alene, ID 83814



Dear Bob:

REFERENCE: 96-08762 WOODS/CARIBOU CREEK

Chip Corsi of my staff recently discussed this proposed water right with Mr. Woods. As Mr. Woods described his project, water would be diverted through a pipe, into his storage pond, and returned to the creek approximately 150 feet downstream. Limited consumptive use for irrigation would occur. Mr. Woods indicated that 1.0 cfs would be adequate to fill the pond and meet his fire protection and irrigation storage needs. We also discussed the importance of not dewatering the stream, and it is our understanding Mr. Woods would be willing not to divert water during periods of extreme low flow. Therefore, we are willing to withdraw our protest provided the following conditions can be met in the water right:

1. The distance from the point of diversion to the point of return shall not exceed 150 feet.
2. The total diversion shall not exceed 1.0 cfs. If diversion of water would result in loss of surface flow in the bypass reach, no water shall be diverted by the applicant.
3. The rate of diversion for consumptive purposes shall not exceed 0.02 cfs per acre.
4. The diversion intake shall be screened with one quarter inch or finer mesh, and approach velocities shall not exceed 0.5 fps.
5. No diversion structures should prevent or hinder upstream migration of fish.

Mr. Woods has indicated he does not desire to build a diversion dam. If he buries the diversion pipe in the streambed with appropriate screening, items 4 and 5 will be addressed. Item 3 is to ensure return flow into the downstream portion of the creek.

Cecil D. Andrus / Governor
Jerry M. Conley / Director

Equal Opportunity Employer



Working for wildlife - since 1938

OCT 29 1993

Mr. Robert G. Haynes - Page 2
August 26, 1993

Please forward a copy of this letter to Mr. Woods as we do not have his address. If these conditions are satisfactory and are incorporated into the permit, our protest is withdrawn. Please contact Chip Corsi at this office if this needs further discussion.

Sincerely,



FOR
David W. Ortmann
Regional Supervisor

DWO:CEC:kh

C: Steve Goddard, Legal
Natural Resource Policy Bureau

RECEIVED
OCT 29 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION,

(208) 769-1450

Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615

~~(208) 769-1450 • Fax (208) 769-1454~~

Fax (208) 769-1454

CECIL D. ANDRUS

Governor
July 21, 1993

R. KEITH HIGGINSON
Director

Mr. and Mrs. Nick E. Woods
850 Caribou Creek Rd.
Sandpoint, Id. 83864

Re: 96-8762

Dear Mr. Woods:

Enclosed is a copy of a protest filed against the approval of the above-referenced application for permit to appropriate the public waters of the State of Idaho. The Department suggests you contact the protestants directly in an effort to determine the nature of the protest and attempt to resolve the protest.

If you do not advise us within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearing. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying the Application for Permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purpose intended?
3. Is the application made in good faith or for delay or speculation?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use conflict with the local public interest?
6. Will the proposed use be contrary to the conservation of water resources within the State of Idaho?

You will be notified at a later date of the time and place of the conference and/or hearing. If we can be of any assistance, please contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager
RGH/pms
Enclosure

OCT 29 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615

(208) 769-1450

~~(208) 769-1450 x 500~~ ~~(208) 769-2088 x~~

Fax (208) 769-1454

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

July 21, 1993

Idaho Dept. of Fish & Game
2320 Government Way
Coeur d'Alene, Id. 83814

Re: 96-8762

Gentlemen:

Your protest against the approval of the above-referenced application has been received and a copy has been sent to the applicant. The Department suggests that you contact the applicant directly in an effort to determine what is proposed by the application and to attempt to resolve the protest.

If you do not advise us within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearing. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying the Application for Permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purpose intended?
3. Is the application made in good faith or for delay or speculation?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use conflict with the local public interest?
6. Will the proposed use be contrary to the conservation of water resources within the State of Idaho?

You will be notified at a later date of the time and place of the conference and/or hearing. If we can be of any assistance, please contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager
RGH/pms

MAILED


OCT 29 1993



IDAHO FISH & GAME

REGION 1

2320 Government Way
Coeur d'Alene, ID 83814-3683
(208) 765-3111



June 15, 1993

Mr. Robert G. Haynes
Idaho Department of Water Resources
1910 Northwest Boulevard, Suite 210
Coeur d'Alene, ID 83814

Dear Bob:

REFERENCE: 96-08762 WOODS/CARIBOU CREEK

We have reviewed Mr. and Mrs. Woods' application to divert 2.00 cfs from Caribou Creek on a year-round basis. Caribou Creek is an important spawning and rearing stream for cutthroat and rainbow trout in the Lake Pend Oreille system. Studies in the mid-1980's indicated lower Caribou Creek supported high densities of migratory rainbow trout juveniles. Cutthroat trout are native to the drainage, provide important sport fishing opportunities, and a Species of Special Concern in Idaho. The migratory rainbow trout in the Lake Pend Oreille system provide a world class fishery for trophy sized fish and are the principle target species in the lake fishery, which is estimated to be worth several million dollars annually to the local economy. Bull trout, a candidate species for listing as "Threatened" or "Endangered" by the US Fish and Wildlife Service, may also inhabit Caribou Creek.

Development of water rights can have detrimental effects on fish populations by reducing flows through critical habitat, creating obstructions to fish migration, causing loss of fish by entrainment, or otherwise altering habitat or migration conditions. Diversion of 2.00 cfs from Caribou Creek represents a significant portion of the flow, particularly during low flow conditions. No data are provided which indicate what existing flow regimen or water rights are on Caribou Creek.

Because of the value of the fishery and the high potential for negative impacts to this beneficial use, we do not believe granting this water right would be in the public interest. We are therefore protesting this water right application at this time.

PROTESTED

Cecil D. Andrus / Governor
Jerry M. Conley / Director

Equal Opportunity Employer



Working for wildlife - since 1938

OCT 29 1993


Mr. Robert G. Haynes

Page 2

June 15, 1993

If the applicants can demonstrate that no significant impact to fish habitat or populations will result from their proposed diversion, we will withdraw our protest. Chip Corsi of my staff will be the contact person if you or the applicants would like to discuss our position further. Thanks for the opportunity to comment.

Sincerely,



David W. Ortmann
Regional Supervisor

DWO:CEC:njk

C: Natural Resource Policy Bureau
Steve Goddard
USF&WS, Cd'A

OCT 29 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 765-4639 • Fax (208) 765-2088

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

MR NICK WOODS
850 CARIBOU CREEK RD
SANDPOINT ID 83864

Dear Mr. Woods:

Re: Water Appropriation Application No. 96-8762.

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB/pms

RECEIVED
OCT 29 1993

5-21-93

Dear Sir,


I have reviewed & corrected our application, including a map from Bonner Co. Courthouse.

I was able to attend a meeting in Sandpoint on 5-20-93 with the Idaho Dept. of Water Resources. Fortunately Mr. Keith Higginson was available to review this application with me.

Everything should be in order for your office to continue processing our application.

We would like to begin preliminary preparations for appropriated water rights as soon as possible. (This summer)

We hope to hear from you soon.



DISCONTINUED

OCT 29 1993

Sincerely,

Mark Woods



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 765-4639 • Fax (208) 765-2088

CECIL D. ANDRUS
Governor

May 3, 1993

R. KEITH HIGGINSON
Director

Mr. Nick Woods
850 Caribou Creek Rd.
Sandpoint, ID 83864

RE: Application for Permit.

Dear Sir:

We are returning your Application for Permit along with Receipt Number N006374 for the amount of \$65.00.

Your Application for Permit is not acceptable at this time. Please review the following items.

(MAP)

I have included a map with your Application for Permit. Please mark where your point of diversion (source) and Place of use are located.

ITEM NUMBER 3.

(POINT OF DIVERSION)

The legal description for the point of diversion must be listed to the nearest 40-acre tract (for example: NE1/4 SW1/4) Section, Township and Range as established by the Public Land Survey. The Point of Diversion description should reflect the same location as marked on the map.

ITEM NUMBER 9.

(PLACE OF USE)

This item must be completed by listing the location of all proposed water uses to the nearest 40 acre tract. This may be done by following these steps: First insert Township (Twp.) Ranges (Rge.), Sections (Sec); next, identify each use and location of that use within the section by placing the indicated symbol in the appropriate box as shown below.

STOCKWATER = S; DOMESTIC = D; COOLING = L; FISH PROPAGATION = H;
RECREATION = R; COMMERCIAL = C; FIRE PROTECTION = F; INDUSTRIAL = I;
MINING = X; AESTHETICS = J; GROUNDWATER RECHARGE = E; WILDLIFE = W;
HEATING = G; MUNICIPAL = M; POWER = P;
IRRIGATION = (NUMBER OF ACRES TO BE IRRIGATED IN EACH 40 ACRE TRACT);

Twp.	Rge.	Sec	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	04W	3	S	D	L	I	20	10	6										36

This example shows that within Township 50 North, Range 4 West, Section 3, there is Stockwater use in the NE1/4 NE1/4; Domestic use in the NW1/4 NE1/4; Cooling (L) in the SW1/4 NE1/4; Industrial in the SE1/4 NE1/4; and irrigation of 20 acres in the NE1/4 NW1/4, 10 acres in the NW1/4 NW1/4 and 6 acres in the SW1/4 NW1/4, for a total of 36 irrigated acres.

RECEIVED

OCT 29 1993

Page 2.

Woods, Nick

May 3, 1993

ITEM NUMBER 9.

(PLACE OF USE) (continued)

The property listed in this item must be the same property as shown on the map. If you need assistance determining legal description, I may be able to do so upon your request, if the required information is on the map.

As we discussed earlier, the diversion rates and volumes may be higher than what you will divert or store. However, these rates are acceptable and if they are close to being accurate, you may want to file the application with these figures any way.

Please accept my apology for not responding to you before now. I was temporarily assigned a task that took me away from my usual work.

If I can be of further assistance, please contact me at this office.

Sincerely,



ALLEN BEARDSLEE

SENIOR WATER RESOURCE AGENT

Enc. - Application for Permit and Receipt.

MICROFILMED

OCT 29 1993