


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

1 inch = 338 feet.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Joyce Pence
 Konrad Dahl
 (Applicant)

LICENSE REVIEW CHECKLIST

Reviewed by Sharla Curtis on 1/30/00

Permit No. 96-08739

BU Fee Pd \$ 100.00

Name/Address: ☒ OK ☐ CHANGE

Govt Lots n/a plat copy attached

AREA OF CONCERN: ☒ No/Yes ☐ Moratorium ☒ GWMA ☒ TRUST/NON-TRUST

GROUNDWATER: (✓Flow Chart)

Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M (if on permit)

LOCATION:

Trust - R55(consumptive uses)
Non-Trust - 048-049 (consumptive uses
or non-cons. > 1.0 cfs)

PD Change - P39/P47 - feds(P40)
PD Add - P45/P42

PU Change - P41/P47 - feds(P43)
PU Add - P41/P42

PD & PU Change - P37 - feds(P48)

USES:

STORAGE - 18A-R02-01P-18B-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/USFS)
MINING - 081
FISH/PROP - 029(70'S only)-042-081
HEAT/COOL - R07(injection well)
FIRE PROT. - 077

Use Change/Add - P46

ADVANCE PRIORITY? Yes ☒ No

MISC CONDITIONS/REMARKS:

Multiple pd's per 1/4 - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - C/tire shop
Non-consumptive - 027
Water Quality - 081-R07
Mitigation - 121 (if on permit)
PPU acre limit - W27

CHECK NEW IRR SEASON MAP 1/1-10/31

SURFACE WATER: (✓Flow Chart)

In/Above MSF - WB9
WD - R04 (WD#)
≤ 0.20 cfs/others - R02- 01P or No MD
> 0.20 cfs - R43

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W22, N/A
(02,03) - WB9 if above Weiser
Payette R (65) - 047(Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

POWER - R22-R23 (+uses)-025-081-W42-W43-027
MUNICIPAL
Restricted area - 022,075
Irr., GW supp to SW - 102

DOMESTIC

Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
> 1 in restricted area - 070-071-075 (no parks/common areas, etc)
Irr use listed separate - WB5
Lawn/garden included - W01

OVERLAP ANALYSIS/RATES/VOLUMES:

PD overlap rights - W35-W36 Right #
PU overlap rights - WB7-W31(<1 ac)
GW replaced SW - 050

Permit Rate 1.00 cfs Fee Limit 1.00 cfs
Measured .01 cfs Theoretical cfs

Use	Rate	Volume	af
01	.01	4.5	af 4.2 (24 days)
43	.01	.6	af
			af
TOTALS		5.1	af 4.8

OTHER CONDITIONS/REMARKS/COMMENTS

Source known locally as Silver Creek

SRBA Claim Filed Yes ☒ No

If no, is a claim required: Yes ☒ No


AMENDMENTS REQUIRED ☒ Yes ☒ No

If yes, paragraph codes:

Adjustment Memo Needed ☒ Yes ☒ No

Source rounded rate & volume / season

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 100 ft

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GRAVITY SYSTEM				


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



PERMIT # 96-08739



90



90



90



90

MICROFILMED
FEB 03 2000

96-08739

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 96-08739

Priority: March 6, 1993

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:

4.8 AF

This is to certify, that KONRAD DAHLSTROM
JOYCE PENCE

PO BOX 439

CLARK FORK ID 83811-0439

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 25, 1993; and has submitted Proof of Beneficial Use on June 10, 1998. An examination indicates that the works have a diversion capacity of 0.010 cfs of water from:

UNNAMED STREAM

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	05/01 to 11/01	0.01 CFS	4.2 AF
DOMESTIC	01/01 to 12/31	0.01 CFS	0.6 AF
	Totals	0.01 CFS	4.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 35, Township 56N, Range 02E
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
56N	02E	35	SENW	1.5		1.5

Total number of acres irrigated: 1.5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
2. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
3. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.
4. Source is known locally as Silver Creek.


MICROFILMED
FEB 03 2000

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 96-08739

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 3rd day of FEBRUARY, 2000


Acting for KARL J. DREHER, Director



MICROFILMED
FEB 03 2000

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE FLOW)
MEASUREMENT PORT OR MEASURING DEVICE)
CONDITION OF APPROVAL FOR PERMIT NO.) **ORDER**
96-08739 IN THE NAME OF KINRAD DAHLSTROM)
AND JOYCE PENCE)
_____)


WHEREAS, the Department of Water Resources (department) issued the above captioned water right permit with a condition of approval requiring the permit holder to provide a means of measurement of water from the points of diversion; and

WHEREAS, the department has determined that the rate of flow for the above captioned permit can be estimated for licensing purposes without the use of a flow measurement port;

IT IS THEREFORE, HEREBY ORDERED that this condition of approval is changed to read as follows:

After specific notification by the department, the right holder shall install a suitable measuring device or shall enter an agreement with the department to determine the amount of water diverted from power records and shall annually report information to the department.

Dated this 25th day of November, 1998.



L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED
NOV 27 1998

IN THE MATTER OF PERMIT NO. 96-08739)
)
IN THE NAME OF KINRAD DAHLSTROM &)
JOYCE PENCE)
)

**ORDER OF
REINSTATEMENT**

AUG 25 1998

RECEIVED

STATE OF IDAHO
JUN 10 1998 DEPARTMENT OF WATER RESOURCES

JUN 12 1998

NORTHERN REGION
IDWR

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08739 Telephone No. 208 266-1107
2. Name(s) of Permit Holder(s): Konrad Dahlstrom : Joyce Pence
3. Mailing Address: Box 439 Clark Fork ID 83811-0439
4. Source of Water: Silver Creek If **GROUNDWATER** (well), Date Drilled: mo. _____ / yr. _____
 - a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____ - _____
 - b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 3 Other: Power
6. Total rate of diversion and/or volume for which proof is submitted: 1 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____ or No _____
	Has the measuring device been installed?	Yes _____ or No _____
Flow Measurement Port:	Is a flow measurement port required?	Yes _____ or No _____
	Has the measurement port been installed?	Yes _____ or No _____
8. Fee Enclosed: \$ 100.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: As above Telephone Number: _____
Address: _____
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

Pence
(include your title, if on behalf of company or organization)

Date:

6/10/98

MICROFILMED

AUG 25 1998

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08739

Proposed Priority: February 25, 1993 Maximum Diversion Rate: 1.00 CFS

This is to certify, that **KONRAD DAHLSTROM**

JOYCE PENCE

PO BOX 439

CLARK FORK ID 838110439

has applied for a permit to appropriate water from:

SILVER CREEK

tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	05/01 to 11/01	0.09 CFS
POWER	01/01 to 12/31	0.85 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
Totals		1.00 CFS

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 35, Township 56N, Range 02E
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
56N	02E	35	SENW	3		3

Total number of acres irrigated: 3

PLACE OF USE: POWER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1998.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. This right is subject to the provisions of Sections 42-205 through 42-210, Idaho Code, restricting the sale, transfer, assignment, or mortgage of this right. Failure to comply with these provisions is cause for immediate cancellation of this right.

APPROVED

JUL 07 1993

State of Idaho
Department of Water Resources**Permit To Appropriate Water**

NO. 96-08739

CONDITIONS/REMARKS:

5. The water right acquired under this permit for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
6. This right does not constitute Idaho Public Utilities Commission or Federal Energy Regulatory Commission approval that may be required.
7. The right holder shall either install a measuring device or a flow measurement port or provide a certified measurement or computation of flow based upon system design to be prepared by a professional engineer.
8. Water used under this right if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
9. The Director retains jurisdiction of this right in order to limit the use of water for hydropower generation purposes to a specific term of years as required by Section 42-203B(7), Idaho Code.
10. A separate stream alteration permit from the IDWR is required for any activity in the stream channel other than construction and/or maintenance of the diversion structure. If the proposed construction or operation involves construction of an outfall or any other work in the stream channel other than a water diversion, the right holder contact the Department and obtain a Stream Channel Alteration permit prior to the start of construction.
11. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
12. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

17 day of June, 1993.

R. Keith Higginson
R. Keith Higginson, Director

for

RECEIVED

JUL 07 1993

RECEIVED

MAY 19 1993
STATE OF IDAHO

Ident. No. 26-8739

DEPARTMENT OF WATER RESOURCES
Department of Water Resources
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant KONRAD DAHLSTROM and JOYCE PENCE Phone 266-1107
Post office address P.O. BOX 439 CLARK FORK ID 83844
2. Source of water supply SILVER CREEK which is a tributary of ~~SINKS~~ LIGHTNING CRK.
3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of _____ $\frac{1}{4}$, Govt. Lot _____
Sec. 35 Township 56 N Range 2 E B.M. BONNER County; additional
points of diversion if any: NONE
4. Water will be used for the following purposes:
Amount .04 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .09 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .02 for STOCKWATER purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
→ Amount .85 for POWER purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.0 ~~.85~~ cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. electric pump at reservoir
with pipe running to house, stock pens, garden and orchard.
with four-nozzle Harris hydro generator connected at reservoir.
b. Height of storage dam 6 feet; active reservoir capacity 39.93 ~~30.0~~ acre-feet; total
reservoir capacity same acre-feet; period of year when water will be diverted to storage:
Jan 1 to Dec 31 inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
FIVE years (minimum 1 year).

MICROFILMED
JUL 07 1993

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. 25 feet, 2.5 KW/day
- b. Stockwatering; list number and kind of livestock. 2 goats, 10 rabbits, 4 chickens
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. ONE
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
<u>56N</u>	<u>2E</u>	<u>35</u>								<u>B</u>									<u>B</u>

Total number of acres to be irrigated 235 acres

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? APPLICANTS

b. Who owns the land to be irrigated or place of use? APPLICANTS


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

JUL 07 1993

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



RECORDED

JUL 07 1993

Scale: 2 inches equal 1 mile.

1 inch = 338. feet.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Joyce Pence
Konrad Dahl
 (Applicant)

Received by TDK Date 2/25/93 Time 11:20 A Preliminary check by _____
Fee \$ 500 Received by TDK # 106315 Date 2-25-93
Publication prepared by _____ Date 3/25/93 Published in Boise City Bee
Publication approved _____ Date 5/10/93

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED


JUL 07 1993

State of Idaho
Department of Water Resources

96-8139

Water Right No.

**AFFIDAVIT FOR WATER RIGHTS TO BE USED
FOR POWER PURPOSES**



A. Establishment of Residency: (Complete either 1, or 2).

1. Individual Applicant or Individual Members of a Partnership:

I, Joyce Pence and Konrad Dahlstrom
(name)

(city)

County of Bonner, State of Idaho, being duly sworn, do hereby
certify that I am a bona fide resident of the State of Idaho.

2. Corporation:

I, _____ of _____
(name) (city)

County of _____, State of Idaho, being duly sworn, depose
and say: That I am the designated registered agent of the _____

_____ : that as such I am in charge of the registered office
(name of corporation)

of the said corporation as required by Section 30-1-12, Idaho Code, at _____
(city)

Idaho, wherein are kept the corporate records required by Section 30-1-52, Idaho Code: and that _____

_____ is a corporation qualified to do business in the State of Idaho under the laws
(name of corporation)
of the State of Idaho.

B. Ownership of Facilities: (To be completed for hydropower projects only)

The hydropower facility to be developed pursuant to the attached Application for Permit:

- (check one)
- ☒ Will not utilize existing man-made irrigation facilities such as a dam or a canal.
 - ☐ Will utilize existing man-made irrigation facilities such as a dam or a canal, and permission of the owner is documented in an affidavit attached hereto.
 - ☐ Will utilize existing man-made irrigation facilities such as a dam or a canal, and the owner of the facilities is the signee of this affidavit.

Joyce Pence

Konrad Dahlstrom

Applicant

State of Idaho)
County of BONNER) ss.

On this 6th day of MARCH, 1993, personally appeared before me
the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Diane Newcome
Notary Public residing at

seal

My commission expires:

JAN 7, 1994

CLARK FORK ID.

RECEIVED
JUL 07 1993

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Karel Mueller being first duly sworn on oath
deposes and says that he/she is Bookkeeper

of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 1 day of Apr, 1993
and ending on the 8 day of Apr, 1993
and that said notice was published in said newspaper.

On this 12th day of April in the year
of 93 before me, a Notary Public, personally
appeared Karel Mueller,

known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Keith Higginson
Notary Public for Idaho

Residing at

Sandpoint

My commission expires:

10/22/93

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08739

DAHLSTROM, RONRAD

PENCE, JOYCE

PO BOX 439

CLARK FORK, ID 83811

Source: SILVER CREEK Tribu-
tary: SINKS

Diversion Pt: SENW Sec 35 T 56N
R 02E in BONNER County.

Use: IRRIGATION (.090 CFS)

STOCKWATER (.020 CFS)

POWER (.850 CFS)

DOMESTIC (.040 CFS)

Total Diversion: (1.000 CFS)

Date Filed: 2/25/1993

In: BONNER County

T56N R02E S35 SENW

3.0 ACRES TOTAL

96-08740

HOLUB, RICHARD

HOLUB, BARBARA

MORELANI, KELLY

MORRIS, MARCIA

200 TRESTLE CK RD

HOPE, ID 83869725

Source: SPRING Tributary: TRES-
TLE CREEK

Diversion Pt: NESESE Sec 9 T
57N R 01E in BONNER County.

Use: DOMESTIC (.020 CFS)

Total Diversion: (.020 CFS)

Date Filed: 3/19/1993


In: BONNER County

T57N R01E S09 SESE

For additional information con-
cerning the property location, call
the Northern Regional Office at 765-
4639.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before APRIL 19, 1993.

R. KEITH HIGGINSON, Director
SNP#5308 Apr 1, 8, 1993





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 3, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

KONRAD DAHLSTROM
JOYCE PENCE
PO BOX 439
CLARK FORK ID 83811-0439

RE: WATER RIGHT NO. 96-08739

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


FEB 03 2000

CERTIFICATE OF MAILING

I hereby certify that on the 3rd day of February, 2000, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 96-08739

KONRAD DAHLSTROM
JOYCE PENCE
PO BOX 439
CLARK FORK ID 83811-0439


Kari Lynn Townsend
Secretary

MICROFILMED
FEB 03 2000

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED

FEB 03 2000

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

FEB 03 2000

MEMORANDUM

TO: File 96-08739

FROM: Sharla

DATE: January 31, 2000

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit 96-08739 are as follows:

A. GENERAL INFORMATION

3. Source: Unnamed Stream tributary to Sinks

H. RECOMMENDATIONS

Irrigation	4/1 - 10/31	0.01 cfs	4.2 af
Domestic	1/1 - 12/31	0.01 cfs	0.6 af
	TOTALS	0.01 cfs	4.8 af

Silver Creek is not a named source on the USGS maps, thus the source needs to be described as unnamed stream with a remark listing it's locally known name.

Per department data entry standards, diversion rate is rounded to the nearest hundredth; volume is rounded to the nearest tenth. The irrigation volume is limited by the rate. The standard irrigation season for this area is 4/1 - 10/31.

MICROFILMED

FEB 03 2000

LICENSE REVIEW CHECKLIST

Reviewed by Sharla Curtis on 1/30/00

Permit No. 76-08739

BU Fee Pd \$ 100⁰⁰

Name/Address: ☒ OK ☐ CHANGE

Govt Lots n/a plat copy attached

AREA OF CONCERN: ☒ No/Yes ☐ Moratorium ☐ GWMA ☒ TRUST/NON-TRUST

GROUNDWATER: (✓Flow Chart)

Supp irr (irr = only use) - 065-104
 Supp irr (+ other uses) - 100-105
 ≤ 0.24 cfs/5 acres - No MD
 > 0.24 cfs/5 acres - ☒ (if on permit)

SURFACE WATER: (✓Flow Chart)

In/Above MSF - WB9
 WD - R04 (WD#)
 ≤ 0.20 cfs/others - R02- 01P or No MD
 > 0.20 cfs - R43

LOCATION:

Trust - R55 (consumptive uses)
 Non-Trust - 048-049 (consumptive uses
 or non-cons. > 1.0 cfs)

PD Change - P39/P47 - feds(P40)
 PD Add - P45/P42

PU Change - P41/P47 - feds(P43)
 PU Add - P41/P42

PD & PU Change - P37 - feds(P48)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
 > 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

SNAKE R (01) - W22, N/A
 (02, 03) - WB9 if above Weiser
 Payette R (65) - 047 (Payette Lake)
 Salmon R (70's) - 029 (fish screens)
 Weiser R (67) - 086-087

USES:

STORAGE - 18A-R02-01P-18B-NA
 ≤ 5 ac - R06/R67/R68/R69 (0.03 cfs/ac)
 > 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
 STOCK WATER - R37 (BLM/USFS)
 MINING - 081
 FISH/PROP - 029(70's only)-042-081
 HEAT/COOL - R07 (injection well)
 FIRE PROT. - 077

Use Change/Add - P46

USES:

POWER - R22-R23 (+uses)-025-081-W42-W43-027
 MUNICIPAL
 Restricted area - 022, 075
 Irr., GW supp to SW - 102
 DOMESTIC
 Surface water - WB5 (Big Wood or Boise above Star Bridge)
 27A (Payette R)
 > 1 in restricted area - 070-071-075 (no parks/common areas, etc)
 Use listed separately - WB5
 Lawn/garden included - W01

ADVANCE PRIORITY? ☐ Yes ☒ No

MISC CONDITIONS/REMARKS:

Multiple pd's per 1/4 - W32
 Subd lot desc (pd) - W59
 Subd lot desc (pu) - W60
 Use definitions - W02 example - C/tire shop
 Non-consumptive - 027
 Water Quality - 081-R07
 Mitigation - 121 (if on permit)
 PPU acre limit - W27

CHECK NEW IRR SEASON MAP 4/1-10/31

OVERLAP ANALYSIS/RATES/VOLUMES:

PD overlap rights - W35-W36 Right #
 PU overlap rights - WB7-W31(<1 ac)
 GW replaced SW - 050

Permit Rate 1.00 cfs Fee Limit 1.00 cfs
 Measured 01 cfs Theoretical cfs

Use	Rate	Volume	af
01	01 cfs	4.5	af 4.2 (24 days)
43	01 cfs	.6	af
	cfs		af
TOTALS	cfs	5.1	af 4.8

OTHER CONDITIONS/REMARKS/COMMENTS Source known locally as Silver Creek

SRBA Claim Filed ☐ Yes ☒ No

If no, is a claim required: ☐ Yes ☒ No

AMENDMENTS REQUIRED ☒ Yes ☒ No

If yes, paragraph codes:

Adjustment Memo Needed ☒ Yes ☐ No

Source provided rate & volume / season

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 30 1999

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08739

1. Owner: Konrad Dahlstrom & Joyce Pence Phone No. (208) 266-1107

Current Address: PO Box 439 Clark Fork Id. 83811-0439

2. Accompanied by: Joyce Pence EXAM DATE: 7-28-99

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Silver Creek tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NW	35	56N	02E	Bonner	USGS 7.5 min Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	02E	35								1.5									
										D									

MICROFILMED

FEB 03 2000

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 100'

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for Irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GRAVITY SYSTEM				

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. NARRATIVE/REMARKS/COMMENTS

Existing beneficial uses are domestic and 1.5 acres of irrigation. Irrigation is accomplished by soaker or drip line moved around to desired areas

Lower portion of permit has not been developed. (Maybe someday, kind of wishy)

Domestic is inside use only. Outside use figured in with Irr.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
FEB 03 2000

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

$$\frac{5 \text{ gal bucket } 6 \text{ gal} = 5 \text{ min } 19 \text{ sec}}{1 \times 133681} = .002 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.5 \times 3 = 4.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .002 \times 184 \times 1.9835 = .73$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} = .73$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic Irrigation	01-01	12-31	.002	.6
				.73
Totals:			.002	1.3

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION



Field Examiner's Name Wayne Ballard Date 8-24-99

Reviewer _____ Date _____

SEAL

MICROFILMED

FEB 03 2000



96-08739

T56N R2E Sec 35

Dahlstrom / Pence

MICROFILMED
FEB 03 2000

Clark Fork


University of Idaho
(Clark Fork Field Campus)

Antelope Mountain

Antelope Lake

Mile 143

PERMIT # 96-08739



96-08739

PO

PO

PO

PO

MICROFILMED
FEB 03 2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 25, 1998

RE: In the Matter of Permit No.96-08739 in the name of Kinrad Dahlstrom
and Joyce Pence

Dear Permit Holder:

I have enclosed a copy of the order which waives the flow port
condition from the above referenced permit.

If you have any questions concerning the enclosed document, please
contact me directly at (208)327-7953.

Sincerely,

A handwritten signature in cursive script, reading 'Julie L. Yarbrough', is positioned above the typed name.

JULIE L. YARBROUGH, Senior Secretary
Water Allocation Bureau

Enclosure

c: IDWR - Northern Region

MICROFILMED

NOV 27 1998

378 Lightning Creek Rd.
P.O. Box 439
Clark Fork ID 83841

11/12/98

RECEIVED

Julie L. Yarbrough
State of Idaho
Department of Water Resources
1301 N. Orchard St.
P.O. Box 83720
Boise ID 83720-0098

NOV 17 1998

Department of Water Resources

RE: Permit No. 96-08739

Dear Ms. Yarbrough:

We hereby request that the flow measurement port condition be waived due to the fact that Silver Creek is a small stream, and it would be uneconomical to install.

Thank you for your consideration.

Sincerely,
Konrad Dahm

Joyce Pence

MICROFILMED

NOV 27 1998

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 96-08739 Reviewed by [Signature] Date 8-4-98

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
no Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☐ Drilling permit required?
☐ Copy in the file? Drilling Permit No. _____
☐ Amount paid for permit _____ Correct?
☐ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
100- Amount Submitted
yes Correct?
yes ? Installed?
no Waiver requested?

PRIORITY CALCULATION

Date proof received 6-10-98
Date proof due 6-1-98 -
No. of days late 9 = 3-6-93
Priority Date 2-25-93 +
New Priority Date 3-6-93

DEFICIENCIES OR ACTION ITEMS

Reinstate + advance priority to Mar. 6, 1993.
Advise of measurement port requirement
Proof acceptable

DATA ENTRY

New Address [X] Proof Made 6-10-98



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 12, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

Konrad Dahlstrom
Joyce Pence
PO Box 439
Clark Fork ID 83811

PROOF ACKNOWLEDGMENT LETTER

RE: Permit No. 96-08739

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

Enclosed is an order reinstating the permit since proof was submitted after the proof due date. Note that the priority date has been advanced to March 6, 1993, as provided in Section 42-218a.2, Idaho Code.

You did not indicate on the proof statement that a flow measurement port had been installed. Condition No. 7 of your water right permit requires that a port be installed to facilitate the measurement of water. You must comply with this requirement before the field examination, or you can request, in writing, for the department to waive the condition.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. If you have questions concerning the field examination, you may contact the **NORTHERN** Regional Office of the department in Coeur d'Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

Enclosure

c: IDWR - Regional Office

MICROFILMED

AUG 25 1998

March 31, 1998

KONRAD DAHLSTROM
JOYCE PENCE
PO BOX 439
CLARK FORK ID 838110439

PROOF DUE NOTICE

RE: PERMIT NO. 96-08739

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1998.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED
AUG 25 1998





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 17, 1993

KONRAD DAHLSTROM
JOYCE PENCE
PO BOX 439
CLARK FORK ID 83811-0439

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08739

Dear Permit Holder(s):

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port, or to provide a certified measurement or computation of flow based upon the design of the system to be prepared by a professional engineer.

Please be advised that water quality is subject to regulations of the Idaho Department of Health and Welfare. We suggest that you check with them before starting construction.

MICROFILMED

JUL 07 1993

Please be advised that your application for permit has been approved because we no longer wait for approval from the Federal Energy Regulatory Commission (FERC) or the Idaho Public Utilities Commission (PUC) when the flow is less than 25 cfs and the power to be generated is less than 500 HP. However, you may still need to obtain approval from FERC and/or PUC.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

MICROFILMED

JUL 07 1993

APPLICATION FOR PERMIT REVIEW

Application #: 96-08739 Date: 6/8/93 Reviewer: Cindy Zimmerman

SYSTEM COMPLETED:

AREA OF CONCERN? No

No - 26A-~~P17~~
Complete in 1 year - P16

Yes
Proof not submitted - P16
Proof submitted - N/A

GROUNDWATER:

GT. 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing well)
- No measurement required <flow chart>
LT. 0.2 cfs - No measurement required <flow chart>

Drilling Permit:

Approved w/permit - P99 Permit No. _____
Not included - 046-46B-P23 (after 7/1/87), N/A

SURFACE WATER: not in w/d - ~~01C-P03~~ (=GT.2 w/pump), NMR <flow chart>

LOCATION:

Water Districts - WD No. _____
Surface water - 005, 005-01H-P01(LT.2 w/pump)
005-01J-P08(GT.2), NMR <flow chart>
Groundwater - P05 (if well has not been drilled)
Irrigation Districts - 023
Canal Co. Areas - 023
Drainage Districts - 024
Boise Front (63) - 058 (Groundwater)
Swan Falls Flag - _____ (1, Blank or Other)
Trust - 051-052-053-P74(Consumptive Uses)
Non Trust <1> - 048-049

RIVER BASINS:

(Surface Water) Water District Control Condition &....
Boise (63) - 05A & 11E
Payette (65) - 047-P04, 059-P71
Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042 (req), 002-P06(MD), 07A(Special),
044(Policy 5G)
Power - 08A, 17K, 025, ~~027~~ (req); 01F-~~P19~~; 09E-~~P10~~;
<25 cfs-~~P18~~; 17G or 17M; 18B-P09
Mining - 06A, 010, or 09E-P10 & 054 (req)
Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)
Rec/Wildlf/Aes - 027(Non-Consumptive)
Domestic - 021 (Boise River - upstream from L Peak)
(restricted areas) 27A (Payette River & main tributaries)

OWNERSHIP:

Non land owner - 004

PROTESTED:

Agreement - 020

Beneficial Use Due Date - 6-1-1998

Other Conditions - 030

Remarks: - ~~W20~~ WOI (1)

Routed To Env Balloups Stream Channel alteration recommendations on 6/8/93. cz.

MEMORANDUM

DATE: June 8, 1993
TO: File No. 96-08739
FROM: Cindy Zimmerman *CZ*
SUBJECT: Permit Review

=====

During the review of the above application, I found that the water use for stockwater in the amount of 0.02 cfs for 2 goats, 10 rabbits, and 4 chickens is redundant; these animals can be adequately served under the domestic use component.

MICROFILMED
JUL 07 1993

APPLICATION # _____

***** INITIAL REVIEW *****

APPLICANT: DAHLSTROM BY: AB DATE: 3/12/93

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
☒ Dam information requested
or not requested
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other Water Rights
11. ☒ Ownership
13. ☒ Map
☒ Signature
☒ Fee (Amt, recpt, acknowlegment)
Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
☒ Field report attached
☒ Analysis Supp. attached(>5cfs/500af)
☒ Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 2/25/93

☒ (Include Moratorium Remark)

☒ Statewide Avertising: (Diversion rate
greater than 10 cfs or 1,000 af).

 / / Advertised in: _____

County of: BONNER

SEND COPIES TO:

- | | | |
|-----------------------------------|---|---|
| ☐ USFS Cda | ☒ USFS Odo | ☐ USFS Grangeville |
| ☐ BLM | ☒ W/W Corps | ☐ Albeni Corps |
| ☐ F&G Cda | ☒ F&G Lew | ☐ IDL () Region |
| ☐ H&W Cda | ☒ H&W Lew | ☐ Adj Div |
| (Other) _____ | | |

LETTERS SENT REQUESTING:

- ☐ Dam information ☒ Fish Information
☐ Power information ☐ Other

INFORMATION RECEIVED

- ☐ Power information ☒ Dam information
☐ Fish Information ☐ Other

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: / /

- ☒ Groundwater management area
☐ Critical ground water area
☒ Well Drilling Permit required
☒ Well Drilling Application and Fees received
☒ Well Drilling Application approved?
Well Drilling Application Number _____

Remarks: _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ☐ Notice of pending void order issued. Final order response date: / /
☐ Further information required from applicant
☒ Affidavit of publication received
☒ Application published correctly, If not, record action taken: _____
☒ Publication dates and paper recorded on application | Sr. Agent initial AB
☒ Protests received. Final protest date: 4/14/93
☒ Measuring device required
☒ Measuring port required
☒ Special conditions: _____
☒ Special conditions of approval _____ letter attached:

RECEIVED
MAY 19 1993

Approval Recommended by: BRDA

Date: 5/10/93

Thu., 3/11/93

Al -

Thanks so much for your
time and patience in
answering my questions.

I appreciate your getting
a hold of Boise so quickly
and calling me back.

Joyce

07 1993

96-08739

DAHLSTROM, KONRAD
PENCE, JOYCE
PO BOX 439
CLARK FORK, ID 83811

Source: SILVER CREEK

Tributary: SINKS

Diversion Pt: SENW Sec 35 T 56N R 02E in BONNER County.

Use: IRRIGATION	(.090 CFS)
STOCKWATER	(.020 CFS)
POWER	(.850 CFS)
DOMESTIC	(.040 CFS)
Total Diversion:	(1.000 CFS)

Date Filed: 2/25/1993

In: BONNER County
T56N R02E S35 SENW

3.0 ACRES TOTAL

RECORDED

JUL 07 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 765-4639 • Fax (208) 765-2088

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

March 26, 1993

Mr. Konrad Dahlstrom and
Ms. Joyce Pence
P.O. Box 439
Clark Fork, Id. 83811

Re: 96-8739

Dear Applicants:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the application is not protested it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB/pms

RECEIVED

JUL 07 1993