


96-8709

NORTH, RANGE No. 1, EAST, BOISE MERIDIAN, IDAHO

N No. 21, SUBDIVISION West



PEND OREILLE STATE W

Pack River
Flats

96-8709

TRESTLE 2
2064AT

Trestle Creek
HOME

SPRING

LAKE

Mile
128


PEND
Elevation 2062

Mile
129

OREILLE


MICROFILMED

DEC 17 1992



PRODUCED BY THE UNITED STATES GEOLOGICAL SURVEY
 CONTROL BY USGS, NOS/NOAA
 COMPILED FROM AERIAL PHOTOGRAPHS TAKEN 1986
 FIELD CHECKED 1987 MAP EDITED 1989
 PROJECTION TRANSVERSE MERCATOR
 GRID: 1000-METER UNIVERSAL TRANSVERSE MERCATOR ZONE 11
 10,000-FOOT STATE GRID TICKS IDAHO, WEST ZONE
 GRID DECLINATION 0°31' EAST

NORTH





PO



2000 gal Storage



PO

RECORDED

SEP 18 1995

96-08709

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08709

Priority: July 29, 1992

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that LORI GOLDRICK

185 EAGEN MOUNTAIN DR

HOPE ID 83836

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 29, 1992; and has submitted Proof of Beneficial Use on November 17, 1993. An examination indicates that the works have a diversion capacity of 0.030 cfs of water from:

SPRING

tributary to PEND OREILLE LAKE

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.03 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: SESENE , Sec. 21, Township 57N, Range 01E
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

57N 01E 21

SWNE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22nd day of AUGUST, 1995.

Acting for

KARL J. DREHER, Director

SEP 18 1995

RECEIVED

NOV 19 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 50.00

Date 11/17/93

Receipt No. N7179

Receipt by [Signature]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

NOV 17 1993

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08709 Telephone No. 208-264-5241
2. Name(s) of Permit Holder(s): Lori Goldrick
3. Mailing Address: 185 Eagen Mtn. Dr., Hope, ID 83836
4. Source of Water: Spring

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.04 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Lori Goldrick 208-264-5241
Name Telephone No.

185 Eagen Mtn. Dr., Hope, ID 83836
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

11-15-93
Date

Lori Goldrick
Signature (and title, if on behalf of a company or organization)

JAN 21 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08709

Proposed Priority: July 29, 1992 Maximum Diversion Rate: 0.04 CFS

This is to certify, that LORI GOLDRICK
185 EAGEN MOUNTAIN DR
HOPE ID 83836

has applied for a permit to appropriate water from:

SPRING tributary of PEND OREILLE LAKE

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: SESENE, Sec. 21, Township 57N, Range 01E
BONNER County

PLACE OF USE: DOMESTIC
TWN RGE SEC

57N 01E 21 SWNE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1993.
2. Subject to all prior water rights.
3. The issuance of this right in no way grants any right-of-way or easement across the land of another.
4. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

5th day of November, 1992

[Signature]
for R. Keith Higginson, Director

RECORDED
DEC 17 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Lori Goldrick Phone 208-264-5241
Post office address 185 Eagen Mountain Drive, Hope, ID 83836
PEND OREILLE LAKE
2. Source of water supply Spring which is a tributary of unnamed stream
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 21 Township 57N. Range 1E. B.M. BONNER County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from JAN. 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. SPRING, 2 HOLDING TANKS
AND PIPELINE TO HOME

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

RECORDED

DEC 17 1992

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 1 HOME
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
57N.	1E	21			D														

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Martha Castle

b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____


RECORDED


DEC 17 1992

96-8709

NORTH, RANGE No. 1, EAST, BOISE MERIDIAN, IDAHO

N No. 21, SUBDIVISION West





A full-page sheet of white graph paper with a black grid. The grid consists of 20 columns and 20 rows of squares. In the bottom right corner, there is a small, dark, rectangular stamp or mark that appears to contain some illegible text or a logo.

DEC 17 1992

x Jain Nald
(Applicant)

Received by UDF Date July 29, 1992 Time 12:30 pm Preliminary check by AB
Fee \$ 30.00 Received by [signature] # N 5758 Date 7/29/92
Publication prepared by [signature] Date 8/12/92 Published in Bonanza Bee
Publication approved [signature] Date 9/3/92

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

DEC 17 1992

AFFIDAVIT OF PUBLICATION

State of Idaho

SS.

County of Bonner,

Karel Miller being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 20 day of Aug, 1992
and ending on the 27 day of Aug, 1992
and that said notice was published in said newspaper.

On this 19 day of Sept in the year
of 92, before me, a Notary Public, personally
appeared Karel Miller,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Kim Johnson
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 10/22/93

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

< B>96-08709<D>

GOLDRICK, LORI

185 EAGEN MOUNTAIN DR

HOPE, ID 83836

Source: SPRING Tributary: PEND

O'REILLE LAKE

Diversion Pt: SESENE Sec 21 T

57N R 01E in BONNER County.

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 7/29/1992

In: BONNER County

T57N R01E S21 SWNE

< B>96-08710<D>

WATSON, JOHN JESSE

P BOX 172

COLBURN, ID 83865

Source: SAND CREEK Tributary:

PEND O'REILLE RIVER

Diversion Pt: NENW Sec 23 T 59N

R 01W in BONNER County.

Use: IRRIGATION (.090 CFS)

Total Diversion: (.090 CFS)

Date Filed: 7/29/1992

In: BONNER County

T59N R01W S23 NENW

3.0 ACRES TOTAL


For additional information
concerning the property location,
call the Northern Regional Office at
765-4639.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before SEPTEMBER 8, 1992.

R. KEITH HIGGINSON, Director
SNP#4903 Aug 20, 27, 1992

RECEIVED

DEC 17 1992



4903



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 24, 1995

LORI GOLDRICK
185 EAGEN MOUNTAIN DR
HOPE ID 83836

RE: WATER RIGHT NO. 96-08709

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

SEP 18 1995

LICENSE REVIEW
Cindy Zimmerman

Permit #: 96-8709 Name: Goldrick Date: 8/11/95
App Rcd 7/29/92 Priority _____ Examined 6/9/95 ✓ Lots _____

NAME _____ Chng ☒ OK ☒ Or Address Change?
SOURCE _____ ☒ Clarify source _____
_____ ☒ Prelim. Order to Void - Source change.
P/D _____ ☒ Amendment Needed? _____ -P39, P38
Overlap(s) _____
P/U _____ ☒ Amendment Needed? _____ -P41, P38
Overlap(s) _____
*P/D & P/U Amend? P37, P38
(See paragraph list for governmental agencies.)

RATE ☒ Permit/fee limits 0.04/0.20
Measured Q= 0.03 cfs Theoretical Q= _____ cfs
measure with 5 gal. bucket @ 0.03 cfs
dom = 0.03
limited by capacity Recommended capacity 0.03 cfs
Recommended rate 0.03 cfs

VOLUME _____ ☒ Season of Use: (____) 1/1-12/31 = 365 days
Calculations: dom 1hm x 1.2AF/hm = 1.2AF
Flow limit: 0.03 x 365 x 1.9835 = 21.7 AF
Recommended volume 1.2 AF

USES _____ ☒ Same Nature of Use? _____ -P46
_____ ☒ Amendment Needed? _____

REMARKS _____ Multiple p/d's in $\frac{1}{4}$? _____
☒ 0.03/1

CONDITIONS _____ Measuring (R01)/Locking (R02) Devices
_____ Watermaster Control (R04) - WD # _____
_____ Irrigation rate/volume overlap
_____ Irrigation water overlap (065) (If gw use sw)
_____ Water Quality
_____ Other _____

PRIORITY Due 12/1/93 Rc'd 11/17/93 Receipt# N 7179 Fee OK? Yes/No
Order to Reinstate Needed? Yes/No Done? _____
If Yes, Advanced? Yes/No to: _____

COMMENTS: Exam not signed, rate limited by measured capacity

USE	CFS	DIV VOL	Adjustment Memo
<u>Dom/1</u>	<u>0.03</u>	<u>1.2</u>	
_____	_____	_____	
_____	_____	_____	
<u>TOTAL</u>	<u>0.03</u>	<u>1.2</u>	

LICENSE: P49
#1 AMEND LTR: P46 or
P39/P41/P37 & P38
#2 AMEND LTR: P42/P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 13 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08709

1. Owner: Lori Goldrick Phone No. (208) 264-5241

Current Address: 185 EAGEN mountain Dr. Hope Id 83836

2. Accompanied by: Lori Goldrick EXAM DATE: 6-9-95

Address: SAME AS ABOVE Phone No. _____

Relationship to Permit Holder: _____

3. Source: Spring tributary to Pend Oreille LAKE

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 96-08228

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	NE	21	57N	01E	Bonner	U.S.G.S. 7.5 min Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	01E	21			D														

RECEIVED

SEP 18 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 1/4" 1/4"

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GRAVITY System				

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

RECORDED

SEP 18 1995

[illegible]

Abstract

SEP 18 1995

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method: 59A/ Bucket

$$\frac{159 \text{ gpm} \times .133681}{6.0} = .03 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>01-01</u>	<u>12-31</u>	<u>.03</u>	<u>1.2</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.03</u>	<u>1.2</u>

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION


Field Examiner's Name _____ Date _____

Reviewer _____ Date _____

SEAL

MICROFILMED

SEP 18 1995



PD

2000 gal Storage



PD

RECEIVED
SEP 18 1995

96-08709

November 30, 1993

LORI GOLDRICK
185 EAGEN MOUNTAIN DR
HOPE ID 83836

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 96-08709

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur d'Alene, at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

PROCESSED

JAN 21 1994

September 30, 1993

LORI GOLDRICK
185 EAGEN MOUNTAIN DR
HOPE ID 83836

PROOF DUE NOTICE

RE: PERMIT NO. 96-08709

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



JAN 21 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 6, 1992

LORI GOLDRICK
185 EAGEN MOUNTAIN DR
HOPE ID 83836

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08709

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

Brenda L. Miller

BRENDA L. MILLER
Water Resource Agent

BLM:cz

Enclosures

MICROFILMED

DEC 17 1992

96-08709

GOLDRICK, LORI
185 EAGEN MOUNTAIN DR
HOPE, ID 83836

Source: SPRING

Tributary: PEND OREILLE LAKE

Diversion Pt: SESENE Sec 21 T 57N R 01E in BONNER County.

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 7/29/1992

In: BONNER County
T57N R01E S21

SWNE

RECORDED
DEC 17 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 765-4639 • Fax (208) 765-2088

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

August 12, 1992

Ms. Lori Goldrick
185 Eagen Mountain Dr.
Hope, Id. 83836

Re: 96-8709

Dear Ms. Goldrick:

The Idaho Department of Water Resources hereby acknowledges receipt of the above-referenced Application for Permit to appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N 5758. Please refer to your Application for Permit Number in future matters concerning this water right application.

Your Application for Permit is currently being prepared for advertising in the local county newspaper. The advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for submittal of protests.

If your application is not protested, it will be forwarded to Boise for processing. If your Application for Permit is protested, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before your Application for Permit can be approved. If the protest is not resolved, this Department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State Office in Boise.

If your Application for Permit is for a well (groundwater) that was constructed after July 1, 1987, you must apply for a well drilling permit upon approval of your Application for Permit if no permit was obtained by previous owners to construct the well. Well Drilling Permits can only be issued by this office to holders of approved Applications for Permit.

If I can be of further assistance, please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resource Agent

RECEIVED

DEC 17 1992