



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


William J Gadsby & Bilariana Goodrich
(Applicant)



Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS

Topographic by photogrammetric methods from aerial

SCALE



(LACLED)
2680 III NE




← P.O.

← 1500 gallon Hold

← 12V Pump + Motor

← P.O.



← Solar Panel for pump

Stack



Stack



MARCH 1996

MAR 29 1996

96-08696

← P.O.

← 1500 gallon Hold

← 12V Pump + Motor

← P.O.

← Solar Panel for pump

Stack

← Stack

RECEIVED

MAR 29 1996

96-08696

← P.D.

← 1500 gallon Hold

← 12V Pump + motor

← P.D.

← Solar Panel for pump
Stack

← Stack

MISSOURI 1996

MAR 29 1996

96-08696

9270122 N 1 N-12

← P.O.

← 1500 gallon Hold

← 12V Pump + Motor

← P.O.

← Solar Panel for pump

Stack

Stack



MAR 29 1996

MAR 29 1996

96-08696

50
40
30
20
10
0

← P.O.

← 1500 gallon Hold

← 12V Pump + Motor

← P.O.



← Solar Panel for pump
Stack

← Stack



RECEIVED

MAR 29 1996

96-08696

90701

9070122 N 1 111

← P.O.

← 1500 gallon Hold

← 12V Pump + Motor

← P.O.



← Solar Panel for pump

← Stock

← Stock



RECEIVED

MAR 29 1996

96-08696

20001

2000120 N 1 0 1 1 2

← P.U.

← 1500 gallon Hold

← 12V Pump & Motor

← P.D.

← Solar Panel for pump

← Stack



← Stack

MISSOURI RECORD

MAR 29 1996

96-08696

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08696

Priority: April 23, 1992

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

3.1 AF

This is to certify, that WILLIAM T GADSBY
BIBIANA GOODRICH

1650 WRENCOE LOOP
SANDPOINT ID 83864

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 23, 1992; and has submitted Proof of Beneficial Use on August 31, 1993. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

JOHNSON CREEK

tributary to PEND OREILLE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	2.4 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
FIRE PROTECTION	01/01 to 12/31	0.02 CFS	
	Totals	0.02 CFS	3.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW, Sec. 29, Township 57N, Range 03W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
57N	03W	29	NWSW	0.8		0.8

Total number of acres irrigated: 0.8

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

PLACE OF USE:

FIRE PROTECTION, same as IRRIGATION use

MAR 29 1996

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 96-08696

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Water for fire protection purposes shall not be diverted under this right except to fight or repel an existing fire.
7. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 21ST day of MARCH, 1996.

Acting for

KARL J. DREHER

Director

MAR 29 1996

RECEIVED

AUG 31 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 50.00
Date 8-31-93
Receipt No. 0028469
Receipt by GA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08696 Telephone No. 208-263-6885, MOBILE 1142
2. Name(s) of Permit Holder(s): BIBIANA GOODRICH & WILLIAM T. GADSBY
3. Mailing Address: 1650 WRENCOE LOOP, SANDPOINT IDAHO 83864
4. Source of Water: JOHNSON CREEK

If **GROUNDWATER**, Well Driller's Name: — Date Drilled: —

OPTIONAL:

Pump horsepower: — Pressure (psi): — Dynamic pumping level (ft.): —

5. Extent of Use (as authorized by the permit):

Domestic ONE (No. of households) Stockwater 3 DONKEYS, 10 GOATS (No. and type of stock)

Irrigation ONE (No. of acres) Other FIRE PROTECTION

6. Total rate and/or volume for which proof is submitted .20 cfs OR — acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? — Yes — No — Installed? — Yes — No

OR

Flow Measurement Port: Required? — Yes — No — Installed? — Yes — No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

WILLIAM GADSBY 208-263-6885, MOBILE 1142
Name Telephone No.

1650 WRENCOE LOOP, SANDPOINT IDAHO 83864
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

AUG. 25, 1993 William T. Gadsby OCT 28 1993
Date Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08696

Proposed Priority: April 23, 1992 Maximum Diversion Rate: 0.20 CFS
This is to certify, that BIBIANA GOODRICH

WILLIAM T GADSBY
1650 WRENCOE LOOP
SANDPOINT ID 83864

has applied for a permit to appropriate water from:

JOHNSON CREEK tributary of PEND OREILLE RIVER

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.02 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
FIRE PROTECTION	01/01 to 12/31	0.20 CFS
Totals		0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNWSW , Sec. 29, Township 57N, Range 03W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
~~14N~~	~~19E~~	~~15~~	~~SESW~~			
57N	03W	29	NWSW	1		1

Total number of acres irrigated: 1

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

PLACE OF USE: FIRE PROTECTION, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1993.
2. Subject to all prior water rights.
3. Stockwater use is for 3 donkeys and 10 goats.
4. Domestic use is for 1 home.

MICROFILMED

SEP 28 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08696

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

13th day of August, 1992

R. Keith Higginson
for R. Keith Higginson, Director

RECORDED

SEP 22 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicants WILLIAM T. GADSBY & BIBIANA GOODRICH Phone 208-263-6885
Post office address 1650 WRENCOE LOOP, SANDPOINT IDAHO 83864
MOBILE 1142
2. Source of water supply JOHNSON CREEK which is a tributary of PEND OREILLE RIVER
3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot —
Sec. 29 Township 57N Range 3W B.M. BONNER County; additional
points of diversion if any: NONE
4. Water will be used for the following purposes:
- Amount .02 for IRRIGATION purposes from 3/15 APRIL 1 to 11/15 NOV 1 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount .02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
- *BLM Amount .04 ~~.06~~ for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount .20 for FIRE PROTECTION purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .2 cubic feet per second and/or (b) — acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. PRIMARY PUMP: 12 VOLT, SHURFLO,
1/2" DISCHARGE, 4 GPM MAX. SECONDARY PUMP: 110 VOLT, GOULDS-SUBMERSIBLE,
1 1/4" DISCHARGE, PIPELINE: ONE INCH I.D. BLACK PLASTIC
- b. Height of storage dam — feet; active reservoir capacity — acre-feet; total
reservoir capacity — acre-feet; period of year when water will be diverted to storage:
— to — inclusive.
- c. Proposed well diameter is — inches; proposed depth of well is — feet.
- d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to MINOR beneficial use is
ONE year (minimum 1 year).

RECORDED
INDEXED

SEP 22 1992

*Standard maximum cfs allowed.

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. MAXIMUM 10 GOATS & 3 DONKEYS
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. ONE HOUSEHOLD.
- e. Other; describe fully. IRRIGATION - ONE ACRE. FIRE PROTECTION - WOULD ONLY BE USED DURING TIMES OF EMERGENCY, PRECLUDES OTHER USES.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
57N	3W	29										I							
57N	3W	29										S							
												D							

Total number of acres to be irrigated ONE


10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? W. GADSBY & B. GOODRICH (APPLICANTS)
- b. Who owns the land to be irrigated or place of use? W. GADSBY & B. GOODRICH (" " ")
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED
SEP 22 1992

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William J Gadsby & Bilariana Goodrich
(Applicant)

Received by dm Date 4/23/92 Time 1:30 PM Preliminary check by TDL
Fee \$ 30.00 Receipted by pm # N 5381 Date 4/23/92
Publication prepared by pm Date 4/29/92 Published in Bonanza City, Bee
Publication approved pm Date 6/4/92

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED
SEP 22 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 25, 1996

WILLIAM T GADSBY
BIBIANA GOODRICH
1650 WRENCOE LOOP
SANDPOINT ID 83864

RE: WATER RIGHT NO. 96-08696

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

MAR 29 1996
9 1996

MEMORANDUM

TO: File 96-08696 / Bibiana Goodrich and William Gadsby
FROM: Brenda Chapman
DATE: March 11, 1996
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 96-08696 are based on the information below:

D. FLOW MEASUREMENTS

The 5 gallon bucket measurement produced ~.01 cfs. The examiner indicates in the exam that the pump is rated at 8 gallons per minute. The 8 gallons per minute will be recommended.

The domestic rate has been reduced to an internal use rate of .02 cfs. The lawn and garden are covered under the irrigation portion.

The fire protection rate cannot exceed the capacity of .02 cfs.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	3-15 to 11-15	.02	2.4
Domestic	1-01 to 12-31	.02	.6
Stockwater	1-01 to 12-31	.02	.1
Fire Protection	1-01 to 12-31	.02	

The irrigation diversion volume has been reduced to a portion of the annual field headgate requirement for that area. [3.0 afa/acre]

The stockwater volume recommendation has been adjusted to the minimum standard. Per the May 8, 1980 Administrative Memorandum No. 6, volume should be shown with no more precision than tenths.

The domestic volume is reduced to the standard, internal use amount of .6 af.

MAR 29 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-08696 DATE 3-11-96



NAME Change OK ☒ Assignment Needed

PRIORITY DATE ☒ Advance? Advanced to:
 Order to reinstate needed?
 Incorrect fee for rate recommended? NO

SOURCE ☒ Changes or just clarification of originally intended source?
 Notice of Intent to Void necessary?

POINT OF DIV ☒ Amendment needed?
 ☒ Overlaps?

PLACE OF USE ☒ Amendment needed?
 ☒ Overlaps?

DIV RATE ☒ Permit/fee limits: .20 CFS
 Meas Q = .01 Theo Q = Recommend: .02
.8 acre = .02 STOCK = .02
DOM = .02 FIRE = .02
 Combined rates exceed capacity

Pump rated @ 8 gal/min - use that .02 CFS

ANNUAL VOLUME ☒ Volume Limit: Season: D/3.0 (3-15 to 11-15)
 Calculations: .8 acre x 3 = 2.4
DOM = .6 STOCK = .1 FIRE = .02
 Flow limit: cfs x x 1.9835 =
 Combined volumes exceed capacity/allowable

*3 donkeys @ 12 gal/day each = 36 gal/day
 10 goats @ 2 gal/day each = 20 gal/day
 56 gal/day*

USES Change in Nature of Use or additional uses?
 Amendment necessary?

NEW CONDITIONS R29 Irrigation Overlap Replaces Surface Water 050
 Supplemental GW 065
 Water Quality/Dam Safety/Heat-Cool/Fish
 WM Control- District Meas/Lock Devices
 Other

NEW REMARKS Supplemental GW [in Snake River Plain] WB8/WB7
 Irr/Dom Combination WB5 PPU Recommendation
 Boise River/Wood River Source Aes/Rec Uses W38
 Multiple p/d(s) in 1/4 1/4?
YES Fire Protection WB6
 Other

COMMENTS: Delete # of stock conditions

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NA</u>
<u>Irrigation</u>	<u>.02</u>	<u>2.4</u>	Adjustment Memo Needed	<u>YES</u>
<u>Stockwater</u>	<u>.02</u>	<u>.1</u>	LICENSE	☒
<u>Domestic</u>	<u>.02</u>	<u>.6</u>	1ST AMEND LETTER	<u> </u>
<u>Fire Protection</u>	<u>.02</u>	<u> </u>	2ND AMEND LETTER	<u> </u>
<u>TOTAL</u>	<u>.02</u>	<u>3.1</u>		

RECEIVED
6/92
DEC 14 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08696

1. Owner: BIBIANA Goodrich-William Gadsby Phone No. (208) 263-6885

Current Address: 1650 WRENCO Loop SANDPOINT Id 83864

2. Accompanied by: OWNER EXAM DATE: 8-19-94

Address: SAME AS ABOVE Phone No. SAME

Relationship to Permit Holder: _____

3. Source: JOHNSON CREEK tributary to PEND OREILLE RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NW	SW	29	57N	03W	CONNER	USGS 7.5 MIN QUAD

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
* 57N	03W	29																	1

MAR 29 1996

* SEE BACK PAGE FOR CORRECTED ACREAGE. BC

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	12" SHURFLOW		2088-044-135	SHURFLOW	8 gallon/minute

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon Bucket					5 gallon	

2. Measurements: 5 gallons in 56 seconds

MAR 29 1996

E. NARRATIVE/REMARKS/COMMENTS

PUMP FROM JOHNSON CREEK FILLS 1500 GALLON HOLD

THE WATER IS USED FOR THE HOME

YARD GARDEN & ANIMALS

Have conditions of permit approval been met? ☐ yes ☐ no

WATER QUALITY

MAR 29 1996

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: 5-gallon RUCKER

$$\frac{5 \text{ gallon}}{56 \text{ sec}} \times \frac{60 \text{ sec}}{1 \text{ min}} = 5.36 \text{ gallons/minute}$$

$$\frac{5 \times 60}{86} = 5.36$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 3.5 = 3.5 \quad .77 \times 3.5 = 2.69$$

$$* V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 245 \times 1.98 = 9.7$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} = 2.69$$

2. Volume Calculations for Other Uses:

$$\begin{aligned} \text{Irrigation} &= 150 \times 150 = 22,500 \\ 80 \times 40 &= 3,200 \\ 90 \times 90 &= 8,100 \end{aligned}$$

$$33,800 \div 43,560 = 0.77 \text{ acres}$$

Stock Water 3 Donkeys 10 goats

$$\begin{aligned} 12 \times 3 \times 365 / 325,850 &= .04 \\ 10 \times 2 \times 365 / 325,850 &= .02 \end{aligned} \quad .06 \text{ AFA}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	01-01	12-31	.04	1.20
IRRIGATION	03-15	11-15	.02	2.69
FIRE PROTECTION	01-01	12-31	.20	—
STOCK WATER	01-01	12-31	.02	0.06
Totals:			.20	3.95

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name TED McCracken Date 8-19-94

Reviewer _____ Date _____

SEAL


* See attached adjustment memo. BC

MAR 29 1996



Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS

SCALE



(LACLED)
30 IN NE



← P.O.

← 1500 gallon hold

← 12V pump & motor

← P.O.

← Solar panel for pump

Stack

Stack

MAR 29 1996

MAR 29 1996

96-08696

← P.O.

← 1500 gallon hold

← 12V Pump + motor

← P.O.

← Solar Panel for pump
stack

← stack

MAR 29 1996

96-08696

← P.O.

← 1500 gallon Hold

← 12V Pump + Motor

← P.O.

← Solar Panel for pump

Stack

Stack

MAR 29 1996

96-08696

← P.U.

← 1500 gallon Hold

← 12V Pump + motor

← P.D.

← Solar Panel for pump

Stack


Stack

MAR 29 1996

96-08696

↳ 12V Pump + Motor

⊢ P.D.



Stock

Stack

MAR 29 1996

96-08696

5010122

5010122

← P.O.

← 1500 gallon Hold


← 12V Pump + motor

← P.O.

← Solar Panel for pump

← Stack

← Stack



MAR 29 1996

MAR 29 1996

96-08696

10000

10000

← P.O.

← 1500 gallon Hold

← 12V Pump + Motor

← P.O.

← Solar Panel for pump

← Stack



← Stack

RECEIVED

MAR 29 1996

96-08696

September 3, 1993

WILLIAM T GADSBY
BIBIANA GOODRICH
1650 WRENCOE LOOP
SANDPOINT ID 83864

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08696

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

OCT 28 1993

June 30, 1993

WILLIAM T GADSBY
BIBIANA GOODRICH
1650 WRENCOE LOOP
SANDPOINT ID 83864

PROOF DUE NOTICE

RE: PERMIT NO. 96-08696

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



Middot

OCT 28 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 18, 1992

WILLIAM T GADSBY
BIBIANA GOODRICH
1650 WRENCOE LOOP
SANDPOINT ID 83864

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08696

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

BRENDA L. MILLER
Water Resource Agent

BLM:cz

Enclosures

MICROFILMED

SEP 22 1992

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Karel Miller being first duly sworn on oath

deposes and says that he/she is Bookkeeper

of the Bonner County Daily Bee, a newspaper printed and

published at Sandpoint, Bonner County, Idaho; that the

said newspaper has been continuously and uninterruptedly

published in said Bonner County during a period of 12

months prior to the first publication of the hereto attached

notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,

commencing on 7 day of May, 1992

and ending on the 14 day of May, 1992

and that said notice was published in said newspaper.

On this 19th day of May in the year

of 92, before me, a Notary Public, personally

appeared Karel Miller,

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me first

duly sworn, declared that the statements therein are true,

and acknowledged to me that he executed the same.

Kim Johnson
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 10/22/93

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

< B>96-08689<D>
BRANDT, DONNA
POOR, GEORGE E.
4405 LOOP RD.
COCOLALLA, ID 83813
Source: GROUNDWATER
Diversions Pt: SWNESW Sec 7 T
55N R 02W in BONNER County.
Use: COMMERCIAL(.100 CFS)
DOMESTIC
(.040 CFS)

Total Diversion: (.140 CFS)
Date Filed: 4/17/1992
In: BONNER County
T55N R02W S07 NESW
96-08691
WION, MILTON
WION, TONI
9145 RAPID LIGHTNING RD.
SANDPOINT, ID 83864
Source: FLUME CREEK
Tributary: RAPID LIGHTNING CREEK
Diversions Pt: SENE Sec 15 T 58N
R 01E in BONNER County.
Use: IRRIGATION(.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 4/13/1992
In: BONNER County
T58N R01E S15 NENE NWNE
0.5 ACRES TOTAL

96-08692
BRANDT, DONNA
4405 LOOP RD.
COCOLALLA, ID 83813
Source: GROUNDWATER
Diversions Pt: NWSNW Sec 18 T
55N R 02W in BONNER County.
Use: DOMESTIC
(.100 CFS)

Total Diversion: (.100 CFS)
Date Filed: 4/17/1992
In: BONNER County
T55N R02W S18 SWNW

96-08693
ALBERS, DOYLE
1019 GARFIELD BAY RD.
SAGLE, ID 83860
Source: SPRING Tributary: PEND OREILLE LAKE

Diversions Pt: SWSESE Sec 8 T
56N R 01W in BONNER County.
Use: DOMESTIC
(.020 CFS)

Total Diversion: (.020 CFS)
Date Filed: 4/14/1992
In: BONNER County
T56N R01W S17 NENE

96-08694
JANISSE, MICHAEL O.
11133 ROME BEAUTY DR.
CALIFORNIA CITY, CA 93505

Source: PEND OREILLE LAKE
Tributary: PEND OREILLE RIVER
Diversions Pt: NWNW Sec 5 T 56N
R 01E in BONNER County.

Use: IRRIGATION(.020 CFS)
DOMESTIC
(.040 CFS)

Total Diversion: (.040 CFS)
Date Filed: 4/10/1992
In: BONNER County
T56N R01E S05 NWNW
0.5 ACRES TOTAL

96-08696
GADSBY, WILLIAM T.
GOODRICH, BIBIANA
1650 WRENCOE LOOP
SANDPOINT, ID 83864
Source: JOHNSON CREEK
Tributary: PEND OREILLE RIVER
Diversions Pt: SWNWSW Sec 29 T
57N R 03W in BONNER County.
Use: IRRIGATION(.020 CFS)
STOCKWATER(.020 CFS)
DOMESTIC
(.060 CFS)



FIRE PROTECTION(.200 CFS)
Total Diversion: (.200 CFS)
Date filed: 4/23/1992
In: BONNER County

T57N R03W S29 NWSW
1.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before MAY 26, 1992.

R. KEITH HIGGINSON,
Director
SNP#4697 May 7, 14, 1992



41,97

96-08696

GADSBY, WILLIAM T
GOODRICH, BIBIANA
1650 WRENCOE LOOP
SANDPOINT, ID 83864

Source: JOHNSON CREEK

Tributary: PEND OREILLE RIVER

Diversion Pt: SWNWSW Sec 29 T 57N R 03W in BONNER County.

Use: IRRIGATION	(.020 CFS)
STOCKWATER	(.020 CFS)
DOMESTIC	(.060 CFS)
FIRE PROTECTION	(.200 CFS)
Total Diversion:	(.200 CFS)

Date Filed: 4/23/1992

In: BONNER County
T57N R03W S29 NSW

1.0 ACRES TOTAL

UNRECORDED

SEP 22 1992

April 27, 1992

LIVENGOD TREE FARM
1650 WRENCOE LOOP
SANDPOINT ID 83864

Re: Water Appropriation Application

#

96-8696

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application For Permit To appropriate the Public Waters Of The State Of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the application is not protested it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

Tom D. King
Sr. Water Resource Agent

enclosures

RECEIVED
SEP 2 2 1992