



SEP 22 1992

Mark Todd
(Applicant)

(Applicant)

Hand-drawn site plan on grid paper showing a rectangular plot with dimensions 427 ft by 295 ft. The plot is divided into several sections. The top section is labeled "BACK RIVER Rd". The bottom section is labeled "RIVER" and "PAK". The left side is labeled "427 ft" and the right side is labeled "427 ft". The bottom section is also labeled "295 ft". The plot contains several buildings: a "shop" (crossed out), a "shop", a "GARDEN", and a "PAK". There are also labels for "2nd flr", "3rd flr", and "4th flr". The plot is surrounded by a "RIVER" and a "PAK".

NTS

 Aerial Photo Attached
(required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
DP 1 GAS	Briggs & Stratton	5		HomeLite	Hk2991277
DP 2 GAS	Briggs & Stratton	5		HomeLite	2"
Due to swarming bees no nos. Taken off second pump					

*Code to correspond with No. on map and aerial photo

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

AUG 28 1995

NATIONAL FOREST

PACK

11

2205

BR 2180

2167

JEEP

2800

12

3641

TRAIL

3000

13

2159

2140

14

JEEP

2400

TRAIL

2200

23

Creek

2600

3400

26

3800

24

2200

PACK

25

2200

2200

2200

2200

2200

2200

Tanana

3400

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

X 4305

3853

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

18

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

3800

3695

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600

3600


3600

RECORDED
AUG 28 1995

59N 2W 5/3-14

2206

C *b* *B* *a* *A*



Microfilm
AUG 2 1995



PJ



PJ
Seed garden lawn
small trees scattered
throughout as also
being watered.



PJ

MICROFILMED
AUG 28 1995

96-08682

Bees prevented picture
of this pump. It is
identical to #2 pump



Pump at DP #1



Pump at DP 2



Pick up at
DP 2

96-08682

AUG 28 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08682

Priority: January 17, 1992

Maximum Diversion Rate:

0.12 CFS

Maximum Diversion Volume:

15.0 AF

This is to certify, that MARK A TODD
6175 PACK RIVER RD
SANDPOINT ID 83864

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated January 17, 1992; and
has submitted Proof of Beneficial Use on August 19, 1992. An examination indicates
that the works have a diversion capacity of 0.120 cfs of water from:

PACK RIVER tributary to PEND OREILLE LAKE

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.12 CFS	15.0 AF

LOCATION OF POINT(S) OF DIVERSION: NENE , Sec. 14, Township 59N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
59N	02W	13	NWNW	3		3
		14	NENE	2		2

Total number of acres irrigated: 5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.

MADEU MFD

AUG 28 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08682

CONDITIONS/REMARKS:

6. Two points of diversion are located within NENE, S14, T59N, R02W.
7. An intake screen of 1/4 inch or smaller mesh shall be installed at the point of diversion to prevent any negative impact on juvenile fish.
8. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24TH day of AUGUST, 1995.

Acting for


KARL J. DREHER, Director

AUG 28 1995

RECEIVED

AUG 19 1992

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08682 Telephone No. 208-263-6975
2. Name(s) of Permit Holder(s): Mark A. Todd
3. Post Office Address: 6175 PACK RIVER RD. SANDPOINT, ID. 83864
4. Source of Water: PACK RIVER

a. If ground water, well driller's name: _____ Date drilled: _____

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households) Irrigation 5 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.12 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR
Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Mark Todd
Name

208-263-6975
Telephone No.

6175 PACK RIVER RD. SANDPOINT, ID. 83864
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8-17-92
Date

Mark A. Todd
Signature (and title if on behalf of a company or organization)

RECEIVED
SEP 22 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08682

Proposed Priority: January 17, 1992 Maximum Diversion Rate: 0.12 CFS
This is to certify, that **MARK A TODD**
6175 PACK RIVER RD
SANDPOINT ID 83864
has applied for a permit to appropriate water from:

PACK RIVER tributary of **PEND OREILLE LAKE**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.12 CFS

LOCATION OF POINT(S) OF DIVERSION: NENE , Sec. 14, Township 59N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
59N	02W	13	NWNW	3		3
		14	NENE	2		2


Total number of acres irrigated: 5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **July 1, 1993**.
2. Subject to all prior water rights.
3. An intake screen of 1/4 inch or smaller mesh shall be installed at the point of diversion to prevent any negative impact on juvenile fish.
4. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.
5. Two points of diversion are located within NENE, S14, T59N, R02W.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

10th day of June, 1992

for 
R. Keith Higginson, Director

MICROFILMED

SEP 22 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Mark A. Todd Phone 263-6975
Post office address 6175 Pack River Rd. Sandpoint, Id. 83864
2. Source of water supply PACK RIVER which is a tributary of Pond Oreilla Lake
3. Location of point of diversion is _____ 1/4 of NE 1/4 of NE 1/4, Govt. Lot _____
Sec. 14 Township 59N Range 2W B.M. BANNER County; additional
points of diversion if any: TWO POINTS
4. Water will be used for the following purposes:
Amount 0.12 for IRRIGATION purposes from 3/15 MAY to 11/15 OCT 31 (both dates inclusive)
(cfs or acre-feet per annum) (BLM)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.12 TDR and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. TWO 5HP GAS PUMPS
1 1/2" POLYETHYLENE PIPE
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
_____ / _____ years (minimum 1 year).

SEP 22 1992

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
59N	24W	13						3											3
		14	2																2

Total number of acres to be irrigated 5

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPL.

b. Who owns the land to be irrigated or place of use? APPL.


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECORDED
SEP 22 1992

96-8682

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

SEP 22 1992

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mark Todd
(Applicant)

Received by TDK Date 1-17-92 Time 2:15 PM Preliminary check by TDK
Fee \$ 30.00 Received by TDK # N-5132 Date 1-17-92
Publication prepared by [Signature] Date 1/29/92 Published in Idaho City, Dec 2/6+18/92
Publication approved [Signature] Date 2/18/92

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

SEP 22 1992

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Karel Miller being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 4 day of Feb, 1992
and ending on the 13 day of Feb, 1992
and that said notice was published in said newspaper.

On this 13th day of February in the year
of 92 before me, a Notary Public, personally
appeared Karel Miller,

known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Jim Johnson
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 10/22/93

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08682

TODD, MARK A.

6175 PACK RIVER RD.

SANDPOINT, ID 83864

Source: PACK RIVER

Tributary: PEND OREILLE LAKE

Diversion Pt: NENE Sec 14 T 59N

R 02W in BONNER County.

Use: IRRIGATION (.120 CFS)

Total Diversion: (.120 CFS)

Date Filed: 1/17/1992

In: BONNER County

T59N R-2W S13 NWNW

S14 NENE

5.0 ACRES TOTAL

For additional information con-
cerning the property location, call
the Northern Regional Office at 765-
4639.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before FEBRUARY 24, 1992.

R. KEITH HIGGINSON,
Director
SNP #4552 Feb. 6, 13, 1992

RECEIVED

FEB 14 1992

NORTHERN REGION
IDWR

SEP 22 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 24, 1995

MARK A TODD
6175 PACK RIVER RD
SANDPOINT ID 83864

RE: WATER RIGHT NO. 96-08682

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED
AUG 28 1995

LICENSE REVIEW
Cindy Zimmerman

Permit #: 96-8682 Name: Todd Date: 8/17/95
App Rcd 1/17/92 Priority _____ Examined 6/28/95 ✓/Lots _____

NAME Chng OK ✓ Or Address Change?
SOURCE ✓ Clarify source _____
Prelim. Order to Void - Source change.
P/D ✓ Amendment Needed? _____ -P39, P38
Overlap(s) _____
P/U ✓ Amendment Needed? _____ -P41, P38
Overlap(s) _____
*P/D & P/U Amend? P37, P38
(See paragraph list for governmental agencies.)
RATE ✓ Permit/fee limits 0.12 / 0.20
✓ Measured Q = 0.12 cfs Theoretical Q = _____ cfs
(pump #1 = 27 gpm = 0.06 cfs) + (pump #2 = 27 gpm = 0.06 cfs) = 0.12 cfs
Recommended capacity 0.12 cfs
Recommended rate 0.12 cfs
VOLUME ✓ Season of Use: (D) 3/15 - 11/15 = 245 days
Calculations: irr = 5A x 3.0 AF/A = 15.0 AF
Flow limit: 0.12 x 246 x 1.9835 = 58.6 AF
Recommended volume 15.0 AF
USES ✓ Same Nature of Use? _____ -P46
Amendment Needed? _____
REMARKS _____
Multiple p/d's in $\frac{1}{4}$? _____
CONDITIONS _____
Measuring (R01)/Locking (R02) Devices _____
Watermaster Control (R04) - WD # _____
P49 Irrigation rate/volume overlap _____
Irrigation water overlap (065) (If gw use sw) _____
Water Quality _____
Other _____

PRIORITY Due 7/1/93 Rc'd 8/19/92 Receipt# C025238 Fee OK? (Yes) No
Order to Reinstate Needed? Yes/No Done? _____
If Yes, Advanced? Yes/No to: _____

COMMENTS: License as permitted;
most of irrigation use is on native vegetation.

USE	CFS	DIV VOL	Adjustment Memo
<u>irr/5A</u>	<u>0.12</u>	<u>15.0</u>	
_____	_____	_____	
_____	_____	_____	
<u>TOTAL</u>	<u>0.12</u>	<u>15.0</u>	

LICENSE: (P49)
#1 AMEND LTR: P46 or
P39/P41/P37 & P38
#2 AMEND LTR: P42/P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 13 1995
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08682

1. Owner: MARK A Todd Phone No. (208)263-6975

Current Address: 6175 Pack River Road SandPoint Id. 83864

2. Accompanied by: MARK Todd EXAM DATE: 6-28-95

Address: SAME AS above Phone No. _____

Relationship to Permit Holder: _____

3. Source: PACK RIVER tributary to Pend Oreille Lake

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	14	59N	02W	BONNER	U.S.G.S. 7.5 min Quad

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
59N	02W	13					3												3
59N	02W	14	2																2

AUG 28 1995

[illegible]

Photo of Diversion and System Attached

4

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
DP 1 GAS	Briggs & Stratton	5		HomeLite	HK2991277
DP 2 GAS	Briggs & Stratton	5		HomeLite	2"
Due to swarming bees no nos. Taken off second pump					

***Code to correspond with No. on map and aerial photo**

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Microfilm

AUG 28 1995

E. NARRATIVE/REMARKS/COMMENTS

Irrigation is done by moving garden hoses to different hydrants as needed.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

AUG 28 1995

Additional Computation Sheets Attached

5 gal bucket
Rmp.

$$\frac{27 \text{ ppm} \times .133681}{60} = 2.06$$

P_1 and P_2

$$\frac{279 \mu\text{m} \times .133681}{60} = .06$$

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5 \times 3 = 15$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .12 \times 245 \times 1.9835 = 58.3$$

$V = \text{Smaller of } V_{IB} \text{ and } V_{DB} = 15$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	03-15	11-15	.12	15
Totals:			.12	15

2. Recommended Amendments

<u> </u> Change P.D. as reflected above	<u> </u> Add P.D. as reflected above	<u> </u> None
<u> </u> Change P.U. as reflected above	<u> </u> Add P.U. as reflected above	<u> </u> Other

I. AUTHENTICATION

Field Examiner's Name

Wayne Balchuk

Date _____

7-5-95


Reviewer

Date _____

SEAL


NO COPY

AUG 28 1995



59N 2W 5/3-14

AUG 28 1995



PO

PO
Back garden lawn
small trees scattered
throughout as also
being watered.

PO

MICROFILMED

AUG 28 1995

96-08682

Bees prevented picture
of this pump. It is
identical to #2 pump



Pump at DP #1

Pump at DP 2

Pick up at
DP 2

96-08682

AUG 28 1995

August 21, 1992

MARK A TODD
6175 PACK RIVER RD
SANDPOINT ID 83864

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08682

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECORDED
SEP 22 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 11, 1992

MARK A TODD
6175 PACK RIVER RD
SANDPOINT ID 83864

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08682

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

BRENDA L. MILLER
Technical Records Specialist

BLM:cz

Enclosures


RECEIVED

SEP 22 1992



IDAHO FISH & GAME

REGION 1
2320 Government Way
Coeur d'Alene, ID 83814
(208) 765-3111



February 20, 1992

Mr. Robert Haynes
Idaho Department of Water Resources
1910 Northwest Blvd. Suite 210
Coeur d'Alene, ID 83814

Dear Bob:

REFERENCE: 96-08682 TODD/PACK RIVER (.12cfs)

We have discussed this application with Mr. Todd, who has indicated no significant disturbance to the stream channel will occur as a result of his diversion.

Because this is a minor amount of water, we do not anticipate negative impacts to fish, provided the intake is screened with 1/4 inch or smaller mesh and approach velocities do not exceed 0.5 ft/second, to prevent loss of juvenile fish.

If the screening requirements are met and the diversion will not affect fish migration or habitat, we have no objection to this application.

Sincerely,

David W. Ortmann
Regional Supervisor

DWO:CEC:kh

C: Bureau of Program Coordination

Cecil D. Andrus / Governor
Jerry M. Conley / Director
Equal Opportunity Employer



Working for wildlife - since 1938

RECEIVED

SEP 22 1992

96-08682

TODD, MARK A
6175 PACK RIVER RD
SANDPOINT, ID 83864

Source: PACK RIVER

Tributary: PEND OREILLE LAKE

Diversion Pt: NENE Sec 14 T 59N R 02W in BONNER County.

Use: IRRIGATION (.120 CFS)

Total Diversion: (.120 CFS)

Date Filed: 1/17/1992

In: BONNER County
T59N R02W S13 NWNW
S14 NENE

5.0 ACRES TOTAL

RECORDED

SEP 22 1992