




MICROFILMED
JUN 12 1992


96-8678





57 N 1 E

Area of Mineral Claim 2404 Acr. of Public Land 7660.69 Total number of

Survey Designated	By Whom Surveyed	Date of Contract	Amount of Survey	When
Section lines	Osar Sonnenhalb	June 10, 1896	1 38 05	Oct 4-10
Subdivisions	.	.	23 04 64	Sept 13-17
Meanders	.	.	3 63 60	.
Connections	.	.	49 23	.
Small City?	.	Nov 2, 1898	7 17 33	May 1
Standard	.	.	6 76 21	May 1
Large Meander	Fred J. Mills	June 11, 1891	6 00 00	Sept 6



P E I L L E



RECEIVED
AUG 28 1995

5


13712

PEND

SEC. 30

SEC. 28

D'ORVILLE



LAKE

SEC. 28
4600

SEC. 33

AUG 28 1995

T 574
R 1 E
F

General Claim 301 Ac. of Public Land and 700 Ac. of Town Section 7081.73



RECEIVED

AUG 28 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08678

Priority: November 21, 1991

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that W C CARTWRIGHT
631 E DOWNING ST
MIDVALE UT 84047

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated November 21, 1991; and
has submitted Proof of Beneficial Use on February 11, 1993. An examination indicates
that the works have a diversion capacity of 0.040 cfs of water from:

PEND OREILLE LAKE

tributary to PEND OREILLE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NWNW), Sec. 31, Township 57N, Range 01E
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

57N 01E 31 Lot 1(NWNW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.
6. Place of use located within Lot 1, Shady Shores Subdivision.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 22nd
day of August, 1995.

Acting for

KARL J. DREHER, Director

AUG 28 1995

RECEIVED

STATE OF IDAHO

FEB 11 1993

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

RECEIVED

JAN 20 1993

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08678 Telephone No. 801-562-87342. Name(s) of Permit Holder(s): WC CARTWRIGHT3. Post Office Address: 631 E DOWNING ST. MIDVALE UT 840474. Source of Water: PEND GREILLE LAKE

a. If ground water, well driller's name: _____ Date drilled: _____

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic 1 (No. of households) Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

CAMERON BUCK
Name208-265-7257
Telephone No.1002 PINE ST. SANDPOINT ID. 83864
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

1-18-93
DateWC Cartwright
Signature (and title if on behalf of a company or organization)APPROPRIATE
MAY 24 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08678

Proposed Priority: November 21, 1991 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **W C CARTWRIGHT**
631 E DOWNING ST
MIDVALE UT 84047

has applied for a permit to appropriate water from:

PEND OREILLE LAKE

tributary of PEND OREILLE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NWNW), Sec. 31, Township 57N, Range 01E
BONNER County

PLACE OF USE: DOMESTIC
TWN RGE SEC

57N 01E 31 Lot 1(NWNW)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 1993.
2. Subject to all prior water rights.
3. Domestic use is for 1 home.
4. Place of use located within Shady Shores Subdivision.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

10th day of March, 1992

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

JUN 12 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant W C CARTWRIGHT Phone 801 562-8934
Post office address 631 E DOWNING ST. MIDVALE UT. 84047
2. Source of water supply LAKE PEND OREILLE which is a tributary of PEND OREILLE RIVER
LOCATION IS AT POINT THAT BOISE MERIDIAN ENTERS LAKE PEND OREILLE
3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of NK $\frac{1}{4}$, Govt. Lot 1
Sec. 31 Township 57 N. Range 1 EAST B.M. BANNER County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.20 and/or (b) _____
DIVERSION RATE REDUCED PER LETTER 11-25-91 TDK
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. PUMP INTO HOME APPROX
50 FT ABOVE LAKE WATER LEVEL

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
ONE YEAR years (minimum 1 year).

MINUTEMAN FILMED
JUN 12 1992

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. ONE (1)
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
57N	1E	31					D												0.20

Total number of acres to be irrigated 0


10. Describe any other water rights used for the same purposes as described above. NONE

- Who owns the property at the point of diversion? APPLICANT
- Who owns the land to be irrigated or place of use? APPLICANT
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECEIVED
JUN 12 1992

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

W.C. Carter
(Applicant)

MICROFILMED
JUN 12 1992

Received by [Signature] Date 11/21/91 Time 12:15 PM Preliminary check by TDK
Fee \$ 30.00 Receipted by [Signature] # NSD 51 Date 11/21/91
Publication prepared by [Signature] Date 11/27/91 Published in Bonneville City Daily Bee
Publication approved [Signature] Date 12/24/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.


1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECORDED
JUN 12 1992

127





AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Karel Meeler being first duly sworn on oath

deposes and says that he/she is Bookkeeper

of the Bonner County Daily Bee, a newspaper printed and

published at Sandpoint, Bonner County, Idaho; that the

said newspaper has been continuously and uninterruptedly

published in said Bonner County during a period of 12

months prior to the first publication of the hereto attached

notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,

commencing on 5th day of December, 19 91

and ending on the 12th day of December, 19 91

and that said notice was published in said newspaper.

On this 17th day of December in the year

of 91 before me, a Notary Public, personally

appeared Karel Meeler,

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me first

duly sworn, declared that the statements therein are true,

and acknowledged to me that he executed the same.

Kim Johnson
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 10/22/93

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-08676

BROWN, ELLSWORTH D.

2720 GYPSY BAY RD

SAGLE, ID 83860

Source: GROUNDWATER

Diversion Pt: NENE Sec 34 T 57N R 03W In BONNER County.

Use: IRRIGATION (200 CFS)

DOMESTIC (150 CFS)

Total Diversion: (200 CFS)

Date Filed: 10/30/1991

In: BONNER County

T57N R03W S26 SWSW

S34 Lot 1 (NENE) SENE

S35 NWNW

24.0 ACRES TOTAL

96-08677

ODEN VIEW ESTATES IMPROVEMENT ASSN

RICHARD OSBORN PRESIDENT

4480 ODEN BAY DR

SANDPOINT, ID 83864

Source: GROUNDWATER

Diversion Pt: SWSE Sec 5 T 57N R 01W In BONNER County.

Use: IRRIGATION (200 CFS)

DOMESTIC (200 CFS)

Total Diversion: (200 CFS)

Date Filed: 11/19/1991

In: BONNER County

T57N R01W S05 NWSE SWSE

10.0 ACRES TOTAL

96-08678

CARTWRIGHT, W.C.

631 E. DOWNING ST.

MIDVALE, UT 84047

Source: PEND OREILLE LAKE

Tributary: PEND OREILLE RIVER

Diversion Pt: LOT 1 (NWNW) Sec

31 T 57N R 01E in BONNER County.

Use: DOMESTIC (200 CFS)

Total Diversion: (200 CFS)

Date Filed: 11/21/1991

In: BONNER County

T57N R01E S31 NWNW

96-08679

KACHEL SCOTT

2400 UPPER PACK RIVER RD

SANDPOINT, ID 83864

Source: CARIBOU CREEK

Tributary: PACK RIVER

Diversion Pt: NWNE Sec 14 T 59N

R 02W In BONNER County.

Use: IRRIGATION (100 CFS)

IRRIGATION STORAGE (5.00

AF)

IRRIGATION FROM STORAGE (5.00 AF)

POWER (200 CFS)

POWER STORAGE (5.00 AF)

POWER FROM STORAGE (5.00

AF)

DOMESTIC (.040 CFS)

RECREATION (200 CFS)

RECREATION STORAGE (5.00

AF)

DIVERSION TO STORAGE (200

CFS)

Total Diversion: (200 CFS)

Date Filed: 11/21/1991

In: BONNER County

T59N R02W S11 SWSE

S14 NWNE

5.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before DECEMBER 23, 1991.

R. KEITH HIGGINSON,

Director

SNP#4464 Dec. 5, 12, 1991





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 24, 1995

W C CARTWRIGHT
631 E DOWNING ST
MIDVALE UT 84047

RE: WATER RIGHT NO. 96-08678

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

AUG 28 1995

LICENSE REVIEW

Cindy Zimmerman

Permit #: 96-8678 Name: Cartwright Date: 8/10/95
App Rcd 11/21/91 Priority 11/21/91 Examined 6/14/95 ✓ Lots ✓

NAME Chng OK ✓ Or Address Change?
SOURCE ✓ Clarify source _____
_____ Prelim. Order to Void - Source change.
P/D ✓ Amendment Needed? _____ -P39, P38
Overlap(s) _____
P/U ✓ Amendment Needed? per assessor. Ltr 1, Shady Shores Subd. -P41, P38
Overlap(s) _____
*P/D & P/U Amend? P37, P38
(See paragraph list for governmental agencies)
RATE ✓ Permit/fee limits: 0.04 / 0.20
✓ Measured Q= _____ cfs Theoretical Q= 0.04 cfs
$$(HP) \frac{8.8 \times 0.90 \times .5}{15 + (2.31 \times 40)} = \frac{396}{107.4} = 0.036 \approx 0.04 \text{ cfs}$$

Recommended capacity 0.04 cfs
Recommended rate 0.04 cfs
VOLUME ✓ Season of Use: (_____) 1/1 - 12/31 = 365 days
Calculations: Dom 1hm = 1.2 AF
Flow limit: 0.04 x 365 x 1.9835 = 29.0 AF
Recommended volume 1.2 AF
USES ✓ Same Nature of Use? _____ -P46
_____ Amendment Needed? _____
REMARKS ✓ Multiple p/d's in $\frac{1}{4}$? _____
✓ ① WOI/1 ② P/U = Ltr 1, SHADY
CONDITIONS ✓ Measuring (R01)/Locking (R02) Devices _____
✓ Watermaster Control (R04) - WD # _____
✓ Irrigation rate/volume overlap _____
✓ Irrigation water overlap (065) (If gw use sw) _____
✓ Water Quality/Other _____
PRIORITY Due 3/1/93 Rc'd 2/12/93 Receipt# 0026-142 Fee OK? (Yes) No
Order to Reinstate Needed? Yes/No Done? _____
If Yes, Advanced? Yes/No to: _____

COMMENTS: license as permitted

USE	CFS	DIV VOL	Adjustment Memo
<u>Dom / 1</u>	<u>0.04</u>	<u>1.2</u>	LICENSE: <u>P49</u>
<u>_____</u>	<u>_____</u>	<u>_____</u>	#1 AMEND LTR: P46 or
<u>_____</u>	<u>_____</u>	<u>_____</u>	P39/P41/P37 & P38
<u>TOTAL</u>	<u>0.04</u>	<u>1.2</u>	#2 AMEND LTR: P42/P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 2 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08678

1. Owner: W C Cartwright ~~631 E D~~ Phone No. _____

Current Address: 631 E Downing ST. Midvale UT 84047

2. Accompanied by: W C Cartwright EXAM DATE: 6-14-95

Address: SAME AS ABOVE Phone No. _____

Relationship to Permit Holder: _____

3. Source: Pond Oreille Lake tributary to Pond Oreille River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	01	NW	NW	NW	31	57N	01E	Bonner	U.S.G.S. 7.5min QUAD


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	01E	31					01-0												

APPROVED
AUG 28 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible		.5	2801054910		1"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

RECEIVED

AUG 28 1995

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 96-08678

DATE: 21-JUN-95

COMPLETE BY: WAYNE BALDWIN

HORSEPOWER = .5

PUMP EFFICIENCY = 90%

DYNAMIC LIFT = 15 FEET

SYSTEM PRESSURE = 40 PSI

QUANTITY = 0.04 CFS

UNRECORDED
AUG 28 1995

11/22/2023

RECEIVED
AUG 28 1995

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS**1. Volume Calculations for Irrigation:** $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____**2. Volume Calculations for Other Uses:****H. RECOMMENDATIONS****1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>01-01</u>	<u>12-31</u>	<u>.04</u>	<u>1.2</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.04</u>	<u>1.2</u>

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other


I. AUTHENTICATIONField Examiner's Name Wayne Caldwell Date 6-21-95

Reviewer _____ Date _____


SEAL

MICROFILMED

AUG 28 1995



AUG 28 1995



RECEIVED

AUG 28 1995

February 19, 1993

W C CARTWRIGHT
631 E DOWNING ST
MIDVALE UT 84047

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08678

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

MAY 24 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 20, 1993

WC Cartwright
631 E Downing St
Midvale, UT 84047

Re: Permit No. 96-08678

Dear Permit Holder:

Returned is the proof of beneficial use you submitted in connection with the above referenced permit. Unfortunately, it is unacceptable as filed.

The Department has determined, from pertinent sections of the Idaho Code, that the permit holder must meet two requirements in order to be exempt from the license exam fee. They are:

1. The water right must use a groundwater (well) source.
2. The rate of diversion must be .04 cfs or 4.0 AF or less.

As you can see, you do not meet requirement #1 since you use Pend Oreille Lake (surface) for your source. Therefore, a license examination fee of \$50 applies to your permit. I have enclosed a copy of the Instructions for the Proof of Beneficial Use for your convenience.

In order to be in compliance with all of the required dates, you must return the original proof and fee on or before March 1, 1993.

If you have any questions or if I can be of any further assistance, please feel to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

Enclosure

RECEIVED
MAY 24 1993

December 31, 1992

W C CARTWRIGHT
631 E DOWNING ST
MIDVALE UT 84047

PROOF DUE NOTICE

RE: PERMIT NO. 96-08678

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

MAILED
MAY 24 1993

CERTIFIED MAIL

NO. 139768



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 12, 1992

W C CARTWRIGHT
631 E DOWNING ST
MIDVALE UT 84047

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P96-08678

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:clh

Enclosures

RECEIVED
JUN 12 1992

96-08678

CARTWRIGHT, W C
631 E DOWNING ST
MIDVALE, UT 84047

Source: PEND OREILLE LAKE

Tributary: PEND OREILLE RIVER

Diversion Pt: LOT 1 (NWNW) Sec 31 T 57N R 01E in BONNER County.

Use: DOMESTIC

Total Diversion: (~~.200~~ CFS) .04
(~~.200~~ CFS) .04

Date Filed: 11/21/1991

In: BONNER County
T57N R01E S31

NWNW

*Reduced to 0.04 cfs
on computer
12/24/91*

MICROFILMED

JUN 12 1992

November 27, 1991

U. S. Army Corps of Engineers
P. O. Box 310
Newport, Wa. 99156

Re: 96-8678

Gentlemen:

Enclosed is a recent filing with this Department that may be of interest to your agency.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms

Enclosure

MICROFILMED

JUN 12 1992

November 25, 1991

MR. W.C. CARTWRIGHT
631 E. DOWNING ST
MIDVALE UT 84047

Re: Water Appropriation Application # 96-8678

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application For Permit To appropriate the Public Waters Of The State Of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

After the protest period your application would normally be sent to Boise with a recommendation for approval or denial, however before the application can be sent to Boise, you must provide this office with the following information:

The usual diversion rate for domestic purposes is 0.04 cfs/home. You may file for more than this amount for domestic purposes if you wish, but it may not be approved unless you provide evidence that the excess water is needed. Unless you contact this office within 30 days of the receipt of this letter, this office will reduce the appropriation rate to 0.04 cfs.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

Tom D. King
Sr. Water Resource Agent

Enc: Receipt

RECEIVED
JUN 12 1992