


11/1



he undersigned hereby
herein set forth.

Richard J. Cabern
(Applicant) President

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.D. as applicable.



Scale: 1" = N.T.S.

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well #2		3.0	Submersible	Grundfos	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Precision Meter	Inline			#X518233	1 1/2"	

2. Measurements:

MICROFILMED

JAN 10 1997

96-08677



P.D. #1
Well
Head



PUMP
HOUSE





Place
OF
USE

MICROFILMED
JAN 10 1997

PERMIT #

916-08677

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REPORT SUPPLY
PHOTOGRAPH



WATER FILMED
10/19/97

PERMIT #

96-08677

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLY

PHOTOGRAPH

Domestic Use
EXERCISE

Domestic Use
EXERCISE

NOT FILMED
JAN 10 1997



PERMIT #

96-08677

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPERVISOR
PHOTOGRAPH



Place of 455

RECEIVED
JUL 10 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08677

Priority: November 20, 1991

Maximum Diversion Rate:

0.09 CFS

Maximum Diversion Volume:

4.8 AF

This is to certify, that ODEN VIEW ESTATES IMPROVEMENT ASSN
PO BOX 494

SANDPOINT ID 83864

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 19, 1991; and has submitted Proof of Beneficial Use on January 3, 1995. An examination indicates that the works have a diversion capacity of 0.090 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.09 CFS	4.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 5, Township 57N, Range 01W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

57N 01W 5

SWSE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Rights 96-07555 and 96-08677 when combined shall not exceed a total diversion rate of 0.09 cfs.
6. Domestic use is for 8 homes.
7. Domestic use does not include lawn, garden, landscape, or other types of irrigation.
8. Right 96-07555 is also diverted at the point of diversion described above.

RECORDED

JAN 18 1995


State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 96-08677

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 15th
day of November, 1996

Acting for


KARL J. DREHER, Director



RECORDED
JAN 26 1997

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 96-08677)
)
IN THE NAME OF ODEN VIEW ESTATES IMPROVEMENT) **ORDER OF**
ASSOCIATION) **REINSTATEMENT**
)
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before January 2, 1995; and,

WHEREAS, the Department notified the permit holder on October 31, 1994, by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, on January 1, 1995, the permit lapsed for failure of the permit holder to submit an acceptable proof of beneficial use or extension of time; and,

WHEREAS, Section 42-218a, Idaho Code, provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting an acceptable proof of beneficial use on January 3, 1995;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 96-08677 be REINSTATED with an advance in priority to November 20, 1991.

Dated this 12TH day of January, 1995.



L. GLEN SAXTON

Chief, Water Allocation Bureau

JAN 20 1995

RECEIVED

JAN 03 1995

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

FOR OFFICE USE ONLY
Amt. of Fee \$: 50.00
Receipt No. 0031923
Receipt By: RT
Date Received: 1-3-95

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08677 Telephone No. 208-263-7560

2. Name(s) of Permit Holder(s): Oden View Estates Improvement Assn., Inc.

3. Mailing Address: P.O. Box 494 Sandpoint Id. 83864

4. Source of Water: groundwater If GROUNDWATER (well), Date Drilled: mo. 11 / yr. 91

a. Well Driller: Intermountain Drilling Drilling Permit Number: 96-91-N-195

b. **OPTIONAL:**
Pump Horsepower: 3 HP Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 11 Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.11 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No X
Has the measuring device been installed? Yes _____ or No _____

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No X
Has the measurement port been installed? Yes _____ or No _____

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Richard Osborn Telephone Number: 208 263-7560

Address: 4480 ODEN BAY DR SANDPOINT, ID 83864

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Richard Osborn **BOARD MEMBER** Date: 12-28-94
(include your title, if on behalf of company or organization)
ODEN VIEW ESTATES IMPROVEMENT ASSOC., INC.

JAN 20 1995

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08677

Proposed Priority: November 19, 1991 Maximum Diversion Rate: 0.20 CFS
This is to certify, that **ODEN VIEW ESTATES IMPROVEMENT ASSN**

C/O RICHARD OSBORN
4480 ODEN BAY DR
SANDPOINT ID 83864

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.20 CFS
DOMESTIC	01/01 to 12/31	0.20 CFS
	Totals	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSE , Sec. 5, Township 57N, Range 01W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
57N	01W	5	NWSE 5	SWSE 5		10

Total number of acres irrigated: 10

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **January 2, 1995**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Domestic use is for 28 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

3rd day of January, 1992

RECORDED

FEB 12 1992

[Signature]
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Richard Osborn Pres.

1. Name of applicant Oden View Estates Improvement Assoc. Phone 263-7560

Post office address 4480 Oden Bay Drive Sandpoint, ID 83864

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of SW 1/4 of SE 1/4, Govt. Lot _____

Sec. 5 Township 57N Range 1W B.M. Bonner County; additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.20 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.20 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.20 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump + pipeline

b. Height of storage dam NA feet; active reservoir capacity NA acre-feet; total reservoir capacity NA acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. Proposed well diameter is 6 inches; proposed depth of well is 300-350 feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

* FIVE years (minimum 1 year).

FEB 12 1992

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 28
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
57N	1W	5														0	0		—
																5	5		10

Total number of acres to be irrigated 10⁺

10. Describe any other water rights used for the same purposes as described above. 96. 7555

11. a. Who owns the property at the point of diversion? Oden View Estates Improvement Assoc.

b. Who owns the land to be irrigated or place of use? Oden View Estates Property Owners

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: IRRIGATION ^{FOR} UNDER IS LAWN & GARDEN TDK

RECORDED

FEB 12 1992

[illegible]

Richard J. O'Brien
(Applicant) President

Received by Mr. [Signature] Date 11/19/91 Time 3:00 PM Preliminary check by TDK
Fee \$ 30.00 Receipted by Mr. [Signature] # N 5045 Date 11/19/91
Publication prepared by Mr. [Signature] Date 11/27/91 Published in Boomer Bay. Bee
Publication approved Mr. [Signature] Date 12/23/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MISFILED
FEB 12 1992

DATE 12-31-91

FROM Sam Skaggs

TO File 96-8677

SUBJECT Association Officers

See telecon with Richard Osborn.

Richard Osborn - President

Harold Davidson

William Sweigart

Ann Gehring

David Smith - Treasurer

Board Members

FEB 12 1992

Sam Skaggs
SIGNATURE

AVIT OF PUBLICATION

Idaho

ss.

County of Bonner,

Karel Meeler being first duly sworn on oath

deposes and says that he/she is Bookkeeper

of the Bonner County Daily Bee, a newspaper printed and

published at Sandpoint, Bonner County, Idaho; that the

said newspaper has been continuously and uninterruptedly

published in said Bonner County during a period of 12

months prior to the first publication of the hereto attached

notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,

commencing on 5th day of December, 19 91

and ending on the 12th day of December, 19 91

and that said notice was published in said newspaper.

On this 19th day of December in the year

of 91 before me, a Notary Public, personally

appeared Karel Meeler,

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me first

duly sworn, declared that the statements therein are true,

and acknowledged to me that he executed the same.

Kim Johnson
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 10/22/93

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-08676

BROWN, ELLSWORTH D.

2720 GYPSY BAY RD

SAGLE, ID 83860

Source: GROUNDWATER

Diversion Pt: NENE Sec 34 T 57N

R 03W In BONNER County.

Use: IRRIGATION (200 CFS)

DOMESTIC (150 CFS)

Total Diversion: (200 CFS)

Date Filed: 10/30/1991

In: BONNER County

T57N R03W S26 SWSW

S34 Lot 1 (NENE) SENE

S35 NWNW

24.0 ACRES TOTAL

96-08677

ODEN VIEW ESTATES

IMPROVEMENT ASSN

RICHARD OSBORN PRESIDENT

4480 ODEN BAY DR

SANDPOINT, ID 83864

Source: GROUNDWATER

Diversion Pt: SWSE Sec 5 T 57N R

01W in BONNER County.

Use: IRRIGATION (200 CFS)

DOMESTIC (200 CFS)

Total Diversion: (200 CFS)

Date Filed: 11/19/1991

In: BONNER County

T57N R01W S05 NWSE SWSE

10.0 ACRES TOTAL

96-08678

CARTWRIGHT, W.C.

631 E. DOWNING ST.

MIDVALE, UT 84047

Source: PEND OREILLE LAKE

Tributary: PEND OREILLE RIVER

Diversion Pt: LOT 1 (NWNW) Sec

31 T 57N R 01E in BONNER County.

Use: DOMESTIC (200 CFS)

Total Diversion: (200 CFS)

Date Filed: 11/21/1991

In: BONNER County

T57N R01E S31 NWNW

96-08679

KACHEL, SCOTT

2400 UPPER PACK RIVER RD

SANDPOINT, ID 83864

Source: CARIBOU CREEK

Tributary: PACK RIVER

Diversion Pt: NWNE Sec 14 T 59N

R 02W In BONNER County.

Use: IRRIGATION (100 CFS)

IRRIGATION STORAGE (5.00

AF)

IRRIGATION FROM STORAGE

(5.00 AF)

POWER (200 CFS)

POWER STORAGE (5.00 AF)

POWER FROM STORAGE (5.00

AF)

DOMESTIC (040 CFS)

RECREATION (200 CFS)

RECREATION STORAGE (5.00

AF)

DIVERSION TO STORAGE (200

CFS)

Total Diversion: (200 CFS)

Date Filed: 11/21/1991

In: BONNER County

T59N R02W S11 SWSE

S14 NWNE

5.0 ACRES TOTAL

For additional information

concerning the property location,

call the Northern Regional Office at

765-4639.

The permit(s) will be subject to all

prior water rights. Protests must be

filed with the Director, Dept. of

Water Resources, Northern Region,

1910 Northwest Blvd., Suite 210,


Coeur d'Alene, Idaho 83814 on or

before DECEMBER 23, 1991.

R. KEITH HIGGINSON,

Director

SNP#4464 Dec. 5, 12, 1991



FEB 12 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 15, 1996

ODEN VIEW ESTATES IMPROVEMENT ASSN
PO BOX 494
SANDPOINT ID 83864

RE: WATER RIGHT NOS. 96-08629 AND 96-08677

Dear Water Right Holder(s):

Enclosed are copies of the Water Right Licenses issued on the above referenced permits. If you have any questions, please contact me within 10 days of receipt of these licenses.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosures

MICROFILMED
NOV 16 1997

MEMORANDUM

TO: Files 96-08629 & 96-08677

FROM: Sharla

DATE: November 12, 1996

RE: Overlapping Rights

Right 96-08629 is to be licensed for irrigation of 14 acres from the Pend Oreille Lake. The sizes of the 28 lots vary from about $\frac{1}{2}$ to $1\frac{1}{4}$ acres. After removing the homes, driveways, etc., 14 acres is a reasonable amount to be licensed. A previous right, No. 96-08223, diverts from the same point of diversion and irrigates approximately 1 acre of common area in the SE corner of the subdivision. At the time the exam was conducted for 96-08223 (1985), a 2 hp submersible pump in the river was being used as the diversion means. The system has obviously had some changes made, however, the examiner states in his narrative that this is the same diversion used for the prior right.

Right 96-08677 also has a previous right to be considered. Right 96-07555 was licensed for 0.08 cfs, 24.0 acre feet and 20 homes. The well examined under that right is the well mentioned in the narrative as Well #1, which is no longer used. The second well used under the newer permit is also now used for the previous license (no transfer was necessary because the new well is within the same legal description as was identified under the old well). The capacity is based on the theoretical calculation of 0.09 cfs. The new license can be issued for 0.09 cfs and the 8 homes not covered by the previous license; the volume will be listed for in-house use only.

MICROFILMED
JAN 10 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-08677

DATE 11/12/96

REVIEWER: S H A R L A

NAME Change OK Address Change NO

SOURCE Change OK Is change clarification of originally intended source? NO
If not, prepare Notice of Intent to Void NO

POINT OF DIV Change OK Amendment required NO

PLACE OF USE Change OK Amendment required NO

Does map agree with written description? yes no

OVERLAPS NO P/D NO P/U

RATE OF DIV

Permitted Rate .20 cfs

Fee limit .20 cfs \$ 5000

Measured — cfs

Theoretical .09 cfs

Recommended Total Div Rate .09 cfs

ANNUAL VOLUME/ NATURE OF USES

<u>Use</u>	<u>Volume Calculation</u>
<u>Dom</u>	<u>af</u>
<u>—</u>	<u>af</u>
<u>—</u>	<u>af</u>
<u>—</u>	<u>af</u>
<u>—</u>	<u>af</u>
SUBTOTAL	<u>af</u>

Flow rate .09 cfs X 365 days X 1.98 = 65.0 af

Total volume recommended — af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

128 homes - very not incl.

limit to .09 cfs, the above is 16.8 af

w/ 96-09555.

W36(96-07555)

CONDITIONS NO Watermaster Control WD# —

NO GW Measurement/Measuring Device

NO Overlap

NO Use-specific conditions

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A

Adjustment Memo —

1st Amend Letter N/A

2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

OCT 21 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No.

96-086771. Owner: ODEN VIEW ESTATES IMPROVEMENT ASSOC. Phone No. (208)-263-7560Current Address: P.O. Box 494 Sandpoint, Id. 838642. Accompanied by: Richard & Sally OSBORN EXAM DATE: 10-8-96Address: 4480 ODEN BAY DRIVE, SANDPOINT, ID. Phone No. (208)-263-7560Relationship to Permit Holder: Association Board Member3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 96-08233, 96-086292. Other water rights with the same point of diversion: 96-07555

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	05	57N	01W	Bonner	U.S.G.S. 7.5' QUAD; Site Visit

2. Place(s) of Use:


Indicate Method of Determination Plat Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	01W	05															D		

MICROFILMED
JAN 10 1997

Domestic

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: $r =$ N.T.S.

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well #2		3.0	Submersible	Grundfos	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Precision METER	INLINE			#X518233	1 1/2"	

2. Measurements:

MICROFILMED

JAN 10 1997

E. NARRATIVE/REMARKS/COMMENTS

System consist of 1 well w/ 25,000 gallon Reservoir. Water is pumped to the Reservoir where (2) 2 HP Submersible Grundfos pumps alternate pumping water into the Domestic water system. The Reservoir is buried in the Ground and is constructed of Concrete. The system also has 3 pressure Tanks. Water is served to 28 lots within the ODEN BAY ESTATES ASSOCIATION.

Well #1 has no electrical or pump in it. This well is under License #96-07555 but the well has problems and is no longer used. A new well (Well #2) was put in approximately 40' away. This well is being used for the License #96-07555 and Permit # 96-08677. Well #2 is located in the same legal description as well #1.

Well #2 has a capacity of .09 cfs. Permit # 96-08677 combined with License #96-07555 shall not exceed .09 cfs and 28.8 AFA.

Domestic Water use is for In-House use only. Lawn and Garden Watering is done from Pend Oreille Lake under Permit # 96-08629.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JAN 10 1997

F. FLOW CALCULATIONS

Measured Method:

☒ Additional Computation Sheets Attached

*See Theoretical Calculation.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

8 Homes $\times .6 = (4.8 + \text{License } \#96-07555 = \text{DWA})$
Inhouse Domestic = 28.8 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-01	12-31	.09	28.8
Totals:			.09	28.8

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ☒ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

Field Examiner's Name Thomas J. Sample Date 10-9-96

Reviewer _____ Date _____

SEAL

MICROFILMED
JAN 10 1997

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 96-08677

DATE: 9-OCT-96

COMPLETE BY: HERMAN

HORSEPOWER = 3

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 96 FEET

SYSTEM PRESSURE = 50 PSI


QUANTITY = 0.09 CFS

MICROFILMED
JAN 10 1997

96-08677



P.D. #1
Well
Head



PUMP
HOUSE



PLACE
OF
USE

FILED
JAN 18 1957

PERMIT #

91608677

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REPORT SUPPLEMENT
PHOTOGRAPH



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PERMIT REPORT SUPPLY

PHOTOGRAPH

Domestic Use
EXR.

Place of
Use




STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ANNUAL REPORT SUPPLEMENT

PHOTOGRAPH



Place of use



DATE: 09/17/96
PAGE: 1

Stage: PERMIT

BONNER COUNTY

15

10.0

Pou County: BONNER

Other Rights: 96-7555

Other Water Rights with Same Point(s) of Diversion and Source:

96-07555

Other Water Rights Listing Overlapping Place(s) of use:

96-08223 96-08629

Conditions of Approval:

26A - Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.

03A - The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Remarks: Domestic use is for 28 homes.

Dates: **App. Received:** 11/19/1991 **Priority Date:** 11/20/1991 **(Priority Date Advanced.)**

Proof Due Date: 01/02/1995

Proof Made Date: 01/03/1995

(Proof Received Late.)

Licensed Date:

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
84

Misc: **Water District Number:** **Field Exam Fee:** R (Received)

MICROFILMED
JAN 10 1957

WR5809NP
No. 96-08677

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 09/17/96
PAGE: 2

Comments: Date: 11/08/1994 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd
Date: 12/22/1994 User-ID: JYARBRU Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd
Date: 01/04/1995 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd
Audit: 11/21/91 STPA 12/31/91 SKAGGS 11/08/94 COMMENTS 12/22/94 COMMENTS
01/04/95 COMMENTS 01/13/95 JYARBRU

MICROFILMED
JAN 10 1997

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

IMPROVEMENT

Name ODEN VIEW ESTATES ASSN.Address 4480 ODEN BAY DRIVE
SANDPOINT IDA 83864Owner's Permit No. 96-91-N-195

7. WATER LEVEL

Static water level 96 feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ PlugTemperature 50 °F. Quality good
Describe artesian or temperature zones below.

2. NATURE OF WORK

☒ New well ☐ Deepened ☒ Replacement☐ Well diameter increase☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.

Pumping Level

Hours Pumped

60-70as test approx1 hr.

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal☐ Industrial ☐ Stock ☐ Waste Disposal or Injection☒ Other SEE PERMIT # (specify type)96-91-N-195

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☒ Other PVC

Thickness	Diameter	From	To
<u>.250</u> inches	<u>6</u> inches	<u>2</u> feet	<u>18.4 1/2</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____


Placed from _____ feet to _____ feet

Surface seal depth 18 Material used to seal: ☐ Cement grout☐ Bentonite ☐ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld☐ Cemented between strata

Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

ODEN VIEW ESTATES
WELL SITE PARCEL

Lot No. _____ Block No. _____

County Bonner_____ 1/4 _____ 1/4 Sec. 5, T. 52 N. 1 E. 1 W. 1

10.

Work started 11-25-91 finished 12-3-91

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Drilling Firm No. 252Address RT-1 Box 312 Date 12-3-91Signed by (Firm Official) Thomas D. Haggan

and

(Operator) Same



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

RECEIVED

JAN 19 1995

NORTHERN REGION
IDWR

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 12, 1995

ODEN VIEW ESTATES IMPROVMENT ASSN
P O BOX 494
SANDPOINT ID 83864

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 96-08677

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

Enclosed is an order reinstating your permit since proof of beneficial use was received after the proof due date. Please note that the priority date has been advanced to November 20, 1991.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur d'Alene, at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

c: IDWR - Region

MICROFILMED
JAN 10 1997

STATE OF IDAHO

ORDER OF REINSTATEMENT

MICROFILMED
JAN 10 1997

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 96-08677 Reviewed by [Signature] Date 1-10-95

GENERAL CONSIDERATIONS

TYPES OF USE

YLS Name same as permit?
no Address same as permit?
no Proof timely received? Correct Uses? YLS
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
YLS Drilling permit required?
no Copy in the file? Drilling Permit No. 96-91-N-0195-000
200.00 Amount paid for permit YLS Correct?
no Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

YLS Required?
50.00 Amount Submitted
YLS Correct?
no Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received 1-3-95
Date proof due 1-2-95
No. of days late 1 = 1
Priority Date 11-19-91 +
New Priority Date 11-20-91

11/20/91

DEFICIENCIES OR ACTION ITEMS

Reinstate + advance priority to November 20, 1991.
Proof acceptable

DATA ENTRY

New Address P.O. Box 494 Proof Made 1-3-95
Sandpoint, Id. 83864



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 12, 1995

ODEN VIEW ESTATES IMPROVMENT ASSN
P O BOX 494
SANDPOINT ID 83864

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 96-08677

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

Enclosed is an order reinstating your permit since proof of beneficial use was received after the proof due date. Please note that the priority date has been advanced to November 20, 1991.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur d'Alene, at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

c: IDWR - Region

RECEIVED

JAN 20 1995

October 31, 1994

ODEN VIEW ESTATES IMPROVEMENT ASSN
C/O RICHARD OSBORN
4480 ODEN BAY DR
SANDPOINT ID 83864

PROOF DUE NOTICE

RE: PERMIT NO. 96-08677

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1995. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED
JAN 20 1995





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 11, 1992

ODEN VIEW ESTATES IMPROVEMENT ASSN
C/O RICHARD OSBORN
4480 ODEN BAY DR
SANDPOINT ID 83864

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08677

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

RECEIVED

FEB 12 1992

APPLICATION FOR PERMIT REVIEW

Application #: 96-8677
 Date: 12-31-91

Reviewer: Pam Skaggs *PS*

✓ Existing:

✓ No - 26A-P17

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - N/A

✓ Groundwater:

GT. 0.2 cfs - 01G-P03, 01C-P03 (existing well)

LT. ✓ 0.2 cfs - N/A

✓ Drilling Permit:

Approved w/permit - P99

✓ Not included - 046-P23 (All GW, even existing wells)

✓ Location:

✓ Water Districts - WD No. _____

Surface water - 005, 005-01H-P01 (LT.2 w/pump)

005-01J-P08 (GT.2)

Groundwater - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

✓ Swan Falls Flag - _____ (1, Blank or Other)

Trust - 051-052-053-P74 (Consumptive Uses)

Non Trust - 048-049

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02/03 No W.D. Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
 042 (req.), 002-P06 (MD), 07A (Spec.),
 044 (Policy 5G)

Power - Use Power Review

Mining - 06A, 010, or 09E-P10 & 054 (req.)

Storage - 18A-for multiple measuring devices (In WD),
 18B-P09 (Size)

Rec. & Aesthetic - 027 (Non-Consumptive)

Domestic - 021 (restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

MICROFILMED

FEB 12 1992

✓ Beneficial Use Due Date: -

01-02-1995

Other Conditions Recommended

And Association Officers 12-31-91 CS

No. a
4/87-11/91n

IDMO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

***** INITIAL REVIEW *****

APPLICANT: ODEN VIEW EST. By TDR DATE 11/20/91 APPLICATION # 96-08677

REQUIRED INFORMATION

- (1). ☒ Name and Address:
(2). ☒ Source:
(3). ☒ P. D. including county:
(4). ☒ Quantity:
 ☒ Nature of proposed use:
 ☒ Period of use:
(5). ☒ Total Quantity:
(6). ☒ Description of diverting works:
 ☒ Dam information requested
 or not required
(7). ☒ Time required for b/u
(8). ☒ Proposed uses:
(9). ☒ Place of use or acres irrigated:
(10). ☒ Other Water Rights:
(11). ☒ Ownership:
(13). ☒ Map:
 ☒ Signature:
 ☒ Fee: (Amount, receipt number)

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
☒ Field report attached:
☒ Analysis Supp attached (>5cfs/500af)
☒ Water delivered by water master?
 Water District # _____

PROCESSING

Yes No

- Proposed Priority 11/19/91
☒ In form for Advertising in the
 Banner City Daily Bee
 County of BANNER
☒ Statewide advertising: (diversion
 greater than (10cfs/1,000af)

SEND COPIES TO

- | | | |
|---|---|---------------------------------------|
| ☒ USFS CdA. | ☒ USFS Oro. | ☐ USFS Grngvll |
| ☐ BLM | ☐ Corps. | ☐ Adj. Div. |
| ☐ F&G CdA. | ☐ F&G Lew. | ☐ IDL |
| ☒ H&W CdA | ☐ H&W Lew. | ☐ GW Div. |
| (Other) _____ | | |

- ☒ Acknowledgement Letter prepared
☒ Acknowledgement Letter sent

LETTERS SENT REQUESTING:

- ☐ Dam information ☐ Fish Information
☐ Power information

INFORMATION RECEIVED

- ☐ Power information ☐ Dam information
☐ Fish Information

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken: _____
☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest 12/23/91
☒ Notice of pending void order issued: Final date of order response. _____
☒ Groundwater management area:
☒ Critical ground water area:
☒ Well Drilling Permit required:
☒ Well Drilling Application and Fees received:
☒ Well Drilling Application Approved? 96-91-N-195
 Well Drilling Application Number _____
☒ Measuring device required:
☒ Measuring port required:
☒ Special conditions _____
☒ Special conditions of approval supplement and/or cover letter attached:

RECEIVED
DEC 31 1991

Department of Water Resources

Approval Recommended by: RJA

Date 12/24/91

96-08677

ODEN VIEW ESTATES IMPROVEMENT ASSN
RICHARD OSBORN PRESIDENT
4480 ODEN BAY DR
SANDPOINT, ID 83864

Source: GROUNDWATER

Diversion Pt: SWSE Sec 5 T 57N R 01W in BONNER County.

Use: IRRIGATION (.200 CFS)
DOMESTIC (.200 CFS)
Total Diversion: (.200 CFS)

Date Filed: 11/19/1991

In: BONNER County
T57N R01W S05 NWSE SWSE

10.0 ACRES TOTAL

RECORDED

FEB 12 1992

November 27, 1991

Idaho Divn. of Environment
2110 Ironwood Parkway, #101
Coeur d'Alene, Id. 83814

Re: 96-8677

Gentlemen:

Enclosed is a recent filing with this Department that may be of interest to your agency.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms

Enclosure

UNRECORDED

FEB 12 1992

November 20, 1991

Oden View Estates
4480 Oden Bay Drive
Sandpoint, ID. 83864

Re: Water Appropriation Application # 96-8677

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application For Permit To appropriate the Public Waters Of The State Of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

After the protest period your application would normally be sent to Boise with a recommendation for approval or denial, however before the application can be sent to Boise, you must provide this office with the following items: A list of names and addresses of the governing officials of the Association; Applications made by corporations, companies, municipalities or other organizations must be signed by an officer of the corporation/company or an elected official of the municipality or an individual authorized by the organization to sign the application, and the signator's title shall be shown with the signature .

Your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

Tom D. King
Sr. Water Resource Agent

RECEIVED
FEB 12 1992