

R.C.

10.30/11.00

RILEY
-CREEK
CMPGD


LE

00

OREILLE


RIVER

DEC 31 1991



← Proposed water line.

KONDO: GOLF LOT 1 Sec. 36
Twp 56N Range 4W84

[illegible]

WEST

Affidavit of Publication

STATE OF IDAHO
County of Bonner,

SS.

Linda Stacey
being duly sworn, says that he is the Land Manager
of the PRIEST RIVER TIMES, a weekly newspaper printed and
published at Priest River, Bonner County, Idaho, and has been con-
tinuously and uninterruptedly published in said County during a period
of 78 consecutive weeks prior to the first publication of the annexed
notice for publication, is a newspaper of general circulation made up of
at least eight pages of at least six columns each, printed from typemat-
ter or stereotyped forms of at least nineteen and three-fourths inches
depth, has at least 1250 bona fide subscribers living within said Bonner
County, and is published at regular weekly intervals. That the annexed
is a true copy of the notice for publication in the case of

1183

Kondo Water Rights

as it was published in the regular and entire issue of said paper for a
period of two consecutive weeks, commencing on
the 20 day of November, 19 91,
and.....
ending on the 27 day of November, 19 91,
and that said notice was published in said newspaper proper, and not in
supplement form.

STATE OF IDAHO
COUNTY OF

On this 29th day of November in the year of 91, before me,
a Notary Public, personally appeared Linda Stacey
known or identified to me to be the person whose name subscribed to the within instru-
ment, and being by me first duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Notary Public for Idaho


Residing at

My commission expires

NOTICE OF APPLICATION FOR
WATER RIGHT
The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:
96-08675
KONDO, MICHIO
P.O. BOX 326
PRIEST RIVER, ID 83856
Source: PEND OREILLE RIVER
Tributary: COLUMBIA RIVER
Diversion Pt: LOT 1 (SWSW) Sec 36
T 56N R 04W in BONNER County.
Use: DOMESTIC (.040 CFS)
Total Diversion: (0.404 CFS) 0.04
Date Filed: 11/13/1991
In: Bonner County T56N R 04W S36
Lot 1 (SWSW)
For additional information
concerning the property location,
call the Northern Regional Office at
765-4639.
The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before DECEMBER 9, 1991.
R. KEITH HIGGINSON, Director
#1183 PRT Nov. 20, 27, 1991

MICROFILMED
DEC 31 1991

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/nine i d as applicable.



4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	N/A		N/A	Submersible	

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

OCT 16 1995





56 N
4 W

(MORTON)
2680 11 NW

DOVER 11 MI
SANDPOINT 14 MI


10'

T 56 N

OCT 16 1995

96-08675

Mile 100 +
ELEVATION 2062

[illegible]

1030 11.00

RILEY
-CREEK
CMPRD

PEND

OREILLE

RIVER

MICROFILMED
OCT 16 1995

Proposed water line:

Cluster 1

Gov't Lot 1 Sec. 36
Twp 56N Range 4W8

A detailed survey map of Pine Wood Bay and surrounding land parcels. The map shows a river at the top, a bay in the center, and various land parcels with their respective acreages. Handwritten notes include "DUFONT RD. TO RIVER 8.5 miles" with an arrow, "6.30 15.70 2 W 1/4 COR", and "5/4 COR". The map also includes a north arrow and a scale bar.

96-08625-

WEST


Sec. 26.

Sec. 25.

u

Sec. 35.
1.00 acr.

Sec. 36.
67.30



The above Map, of Township 1.st 56 North., of Range 1.st 4 West of the
Boise Meridian. Idaho, is strictly conformable to the
notes of the survey thereof on file in this Office, which have been examined and approved

Surveyor General's Office.
Boise City, Idaho, March 30th 1893.


William H. Pett
Sur. Gen. for

56 4w 36

Microfilm

OCT 16 1995

96-08675



Accepted by

MICROFILMED
OCT 16 1995

The above Map, of Township N. 56 North, of Range E. 7 East, Boise Meridian, Idaho, is strictly conforming to the notes of the survey thereof on file in this Office, which have been examined by the Surveyor General's Office, Boise City, Idaho.
May 14th 1897.

Joseph C. Strayer
Sur.

56 4w 36

9608675






P.U.



P.D.


MICROFILMED
OCT 16 1995



PEND O'REILLE RIVER

FLOW ←

1" = 20'



← DUFORT RD. 8.5 mi. to PRIEST RIVER

IN: PEND O'REILLE RIVER
IN/NEAR PRIEST RIVER
BONNER COUNTY, IDAHO
DATE: Oct. 29, 1991 SHEET 1 OF 1
APPLICATION BY:
M. KONDO

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08675

Priority: November 13, 1991

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that MICHIKO KONDO
2550 THORNDYKE AVE W #302
SEATTLE WA 98199-3539

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated November 13, 1991; and
has submitted Proof of Beneficial Use on October 18, 1993. An examination indicates
that the works have a diversion capacity of 0.040 cfs of water from:

PEND OREILLE RIVER

tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1 (SWSW), Sec. 36, Township 56N, Range 04W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

56N 04W 36 Lot 1(SWSW)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

OCT 16 1995

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 6TH
day of OCTOBER, 1995.


Acting for KARL J. DREHER, Director

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 10-18-93
Receipt No. CD28802
Receipt by Sponsar

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

OCT 18 1993

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08675 Telephone No. 1-206-282-6803
2. Name(s) of Permit Holder(s): MICHIKO KONDO
- NEW → 3. Mailing Address: 2550 THORNDYKE AVE. W. #302 SEATTLE, WA 98199-3539
4. Source of Water: Pend OREILLE RIVER

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.04 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ✓ No _____ Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes ✓ No _____ Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system. after 5/1/94

Michiko Kondo 1-206-282-6803
Name Telephone No.

2550 THORNDYKE AVE. W. #302 Seattle, WA 98199-3539
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

10/15/93 Michiko Kondo
Date Signature (and title, if on behalf of a company or organization)

OCT 28 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08675

Proposed Priority: November 13, 1991 Maximum Diversion Rate: 0.04 CFS
This is to certify, that **MICHIKO KONDO**

PO BOX 326
PRIEST RIVER ID 83856

has applied for a permit to appropriate water from:

PEND OREILLE RIVER tributary of **COLUMBIA RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 1(SWSW), Sec. 36, Township 56N, Range 04W
BONNER County

PLACE OF USE: DOMESTIC
TWN RGE SEC

56N 04W 36 Lot 1(SWSW)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1993**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

17th day of December, 1991.


R. Keith Higginson
for R. Keith Higginson, Director

RECORDED

DEC 31 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho



1. Name of applicant Michiko Kondo Phone (408) 441-1753
Post office address Box 326 Priest River, ID. 83856
2. Source of water supply Pend O'reille River which is a tributary of Columbia River
3. Location of point of diversion is _____ 1/4 of _____ 1/4 of (SWSW) -TDK 1/4, Govt. Lot 1
Sec. 36 Township 56 N Range 4 W. B.M. Bonner County; additional
points of diversion if any: none
4. Water will be used for the following purposes:
Amount .04 cfs for household (domestic) purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 1/4 hp. pump will be placed in Pend Oreille River and water will be diverted through 1 1/4" poly pipe to household where it will be held in an 86 gallon pressure tank for domestic purposes. On shore pipe will be buried approx 3-5 to 4 feet deep.
b. Height of storage dam 0 feet; active reservoir capacity 0 acre-feet; total reservoir capacity 0 acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
c. Proposed well diameter is 0 inches; proposed depth of well is 0 feet.
d. Is ground water with a temperature of greater than 90° being sought? no
7. Time required for the completion of the works and application of the water for the proposed beneficial use is 2 years (minimum 1 year).

RECEIVED
DEC 31 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. one
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols. *(swsw call TDK)*

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
56N	4W6N	36											G41 D						D

Total number of acres to be irrigated D

10. Describe any other water rights used for the same purposes as described above. none

11. a. Who owns the property at the point of diversion? applicant

b. Who owns the land to be irrigated or place of use? applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12. Remarks: I would very much like to have this water-line installed this winter prior to freezing of the ground & water. Otherwise I will not be able to build until 1993. I had hoped to begin building the summer of 1992.

DEC 31 1991

200' 400'

$$\frac{200}{400}$$

12

[illegible]

[illegible]

DEC 21

DEC 31 1991

Michiko Kondo
(Applicant)

(Applicant

Received by mm Date 11/13/91 Time 1:00 PM Preliminary check by DK
Fee \$ 30.00 Received by mm # N 5037 Date 11/13/91
Publication prepared by mm Date 11/14/91 Published in Quint River Times
Publication approved mm Date 12/4/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

DEC 31 1991

Affidavit of Publication

STATE OF IDAHO

County of Bonner,

ss.

Linda Stacey
being duly sworn, says that he is the General Manager
of the PRIEST RIVER TIMES, a weekly newspaper printed and
published at Priest River, Bonner County, Idaho, and has been con-
tinuously and uninterruptedly published in said County during a period
of 78 consecutive weeks prior to the first publication of the annexed
notice for publication, is a newspaper of general circulation made up of
at least eight pages of at least six columns each, printed from typemat-
ter or stereotyped forms of at least nineteen and three-fourths inches
depth, has at least 1250 bona fide subscribers living within said Bonner
County, and is published at regular weekly intervals. That the annexed
is a true copy of the notice for publication in the case of

1183

Kondo Water Rights

as it was published in the regular and entire issue of said paper for a
period of two consecutive weeks, commencing on
the 20 day of November, 19 91,
and

ending on the 27 day of November, 19 91,
and that said notice was published in said newspaper proper, and not in
supplement form.

STATE OF IDAHO

COUNTY OF

On this 29th day of November in the year of 91, before me,

a Notary Public, personally appeared Linda Stacey
known or identified to me to be the person whose name subscribed to the within instru-
ment, and being by me first duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Ann Johnson
Notary Public for Idaho

Residing at Salmon

My commission expires 10/27/93

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08675

KONDO, MICHIO

P.O. BOX 326

PRIEST RIVER, ID 83856

Source: PEND OREILLE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt: LOT 1 (SWSW) Sec 36

T 56N R 04W in BONNER County.

Use: DOMESTIC (.040 CFS)

Total Diversion: (0.404 CFS) 0.04

Date Filed: 11/13/1991

In: Bonner County T56N R 04W S36

Lot 1(SWSW)

For additional information
concerning the property location,
call the Northern Regional Office at
765-4639.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before DECEMBER 9, 1991.

R. KEITH HIGGINSON, Director
#1183 PRT Nov. 20, 27, 1991

MICROFILMED
DEC 31 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 5, 1995

MICHIKO KONDO
2550 THORNDYKE AVE W #302
SEATTLE WA 981993539

RE: WATER RIGHT NO. 96-08675

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

OCT 16 1995

B/U FIELD EXAM REVIEW
Cindy Zimmerman

Permit #: 96-8676 Name: Kondo Date: 10/4/95
App Rcd 11/13/91 Priority 11/13/91 Examined 6/15/95 ✓ Lots ✓

NAME Chng ✓ Same Or Address Change? 2550 Thornbyke Ave W #302
SEATTLE WA 98199-3539

SOURCE — ✓ Clarify source —
— Prelim. Order to Void - Source change.

P/D — ✓ Amendment Needed? Lt 1 -P39, P38
Overlap(s) —

P/U — ✓ Amendment Needed? Lt 1 -P41, P38
Overlap(s) —
*P/D & P/U Amend? P37, P38
(See paragraph list for governmental agencies)

RATE — ✓ Permit/fee limits: 0.04 / 0.2
— ✓ Measured Q= — cfs/Theoretical Q= 0.04 cfs
dom + hm = 0.04 cfs
(HP) 8.8 x 0.70 x 0.75 = 4.62
20 + (2.31 x 40) = 112.4 = 0.04 cfs

— ✓ Recommended capacity 0.04 cfs
— ✓ Recommended rate 0.04 cfs

VOLUME — ✓ Season of Use: () / () 1/1 - 12/31 = 0.04 days
Calculations: dom 1hm = 1.2 AF

— ✓ Flow limit: 0.04 x 365 x 1.9835 = 29.0 AF
— ✓ Recommended volume 1.2 AF

USES — ✓ Same Nature of Use? — -P46
— — Amendment Needed? —

REMARKS — Multiple p/d's in 1 1/4? —
✓ ① woi / 1

CONDITIONS — Measuring (R01)/Locking (R02) Devices —
— Watermaster Control (R04) - WD # —
— Irrigation rate/volume overlap —
— Irrigation water overlap (065) (If gw use sw) —
— Water Quality/Other —

PRIORITY Due 12/1/93 Rc'd 10/18/93 Receipt# 6028802 Fee OK? (Yes) No
Order to Reinstate Needed? Yes (No) Done? —
If Yes, Advanced? Yes/No to: —

COMMENTS: license as permitted

USE	CFS	DIV VOL	Adjustment Memo
<u>Dom / 1</u>	<u>0.04</u>	<u>1.2</u>	LICENSE: <u>(P49)</u>
<u>—</u>	<u>—</u>	<u>—</u>	#1 AMEND LTR: <u>P46</u> or
<u>—</u>	<u>—</u>	<u>—</u>	<u>P39/P41/P37 & P38</u>
<u>TOTAL</u>	<u>0.04</u>	<u>1.2</u>	#2 AMEND LTR: <u>P42/P47</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 29 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08675

1. Owner: MICHIKO KONDO Phone No. _____

Current Address: 2550 Thorndyke Ave. W #302 Seattle WA, 98199-3539

2. Accompanied by: _____ EXAM DATE: 6-15-95

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: PEND OREILLE RIVER tributary to Colombia River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	36	56N	04W	Bonner	tags 7.5 min g. van


2. Place(s) of Use:

Indicate Method of Determination 7.5 min g. van

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	04W	36																	

MICROFILMED
OCT 16 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/ditch id as applicable.



4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	N/A		N/A	Submersible	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

OCT 16 1995

E. NARRATIVE/REMARKS/COMMENTS

Water from river is pumped into cistern
then services house and yard for Domestic
purposes

Have conditions of permit approval been met? ☐ yes ☐ no

MICROFILMED

OCT 16 1995

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>01-01</u>	<u>12-31</u>	<u>.04</u>	<u>1.2</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.04</u>	<u>1.2</u>

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ____ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name John M. Crankin Date 6-15-95

Reviewer _____ Date _____

SEAL

MICROFILMED

01 6 1995

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 96-08675

DATE: 15-JUN-95

COMPLETE BY: TED MCCRACKEN

HORSEPOWER = 0.75



PUMP EFFICIENCY = 75%

DYNAMIC LIFT = 20 FEET

SYSTEM PRESSURE = 40 PSI

QUANTITY = 0.04 CFS

RECEIVED
OCT 1 8 1995



FOOT CONTOURS
LEVEL



QUADRANGLE LOCATION

MAINTAINED
OCT 16 1995

ROAD CLASSIFICATION

Primary highway, all weather, hard surface

Light-duty road, all weather, improved surface

Unimproved road, fair or dry weather

U. S. Route


State Route

(CAREYWOOD)
2660 11 SW

ACCURACY STANDARDS
RADO 80225, OR WASHINGTON, D. C. 20242
1968 U.S. GEOLOGICAL SURVEY

LACLEDE, IDAHO
N4807.5—W11645/7.5

1968



56 N
4 W

(MORTON)
2680 II NW

DOVER 11 MI
SANDPOINT 14 MI

5335

10'

5334

T. 56 N.


5333

MI TO U.S. 95

OCT 16 1995

96-08675

10	11	12
13	14	15
16	17	18
19	20	21
22	23	24
25	26	27
28	29	30
31	32	33

$$\begin{array}{r} 200 \\ \times 20 \\ \hline 4000 \end{array}$$
[illegible]

96-08675-


Sec. 26.

Sec. 25.

u

Sec. 35.
1.00 ac.

Sec. 36.
67.30



The above Map of Township 1.° 56 North., of Range 1.° 4 West of the
Boise Meridian. Idaho is strictly conformable to the
notes of the survey thereof on file in this Office, which have been examined and approved

Surveyor General's Office.
Boise City, Idaho, March 30th 1893.


William H. ...
(Sur. Gen. for

56 4w 3b

Microfilm

OCT 16 1995

96-08675



Accepted by

MICROFILMED

OCT 16 1995

The above Map of Township N. 56 North of Range N. 14 E. Boise Meridian, Idaho is strictly conform notes of the survey thereof on file in this Office, which have been examined

Surveyor General's Office,
Boise City, Idaho.
May 17th 1897.

Joseph C. Strayer
Sur.

56 4w 3h

9608675



P.V.



P.D.

RECEIVED
OCT 1 6 1935

October 22, 1993

MICHIKO KONDO
2550 THORNDYKE AVE W #302
SEATTLE WA 981993539

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08675

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

Karen L. Gustafson
Senior Secretary

c: IDWR - Region

OCT 28 1993

Oct 15, 1993

RECEIVED

OCT 18 1993

Department of Water Resources

Karen L. Gustafson
Sec'y / Records Manager
Idaho Dept. of Water Resource
1301 W. Orchard St.
Boise, Id. 83720-9000

re: Permit # 96-08675

Dear Ms. Gustafson -

Enclosed please find the "Proof of
Beneficial Use" and 50.00 licensing fee
as per our conversation by phone this
morning.

Please note that my permanent
address has changed and all correspondence
should be directed to my new address.

Thank you.

OCT 28 1993

Sincerely yours,
Michelle Kondo
2550 Thorndyke Ave. W.
#302
Seattle, WA 98199-3539

September 30, 1993

MICHIKO KONDO
PO BOX 326
PRIEST RIVER ID 83856

PROOF DUE NOTICE

RE: PERMIT NO. 96-08675

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

NOT RECORDED

OCT 28 1993





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 18, 1991

MICHIKO KONDO
PO BOX 326
PRIEST RIVER ID 83856

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08675

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

DEC 21 1991

96-08675

KONDO, MICHIKO
PO BOX 326
PRIEST RIVER, ID 83856

Source: PEND OREILLE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt: LOT 1 (SWSW) Sec 36 T 56N R 04W in BONNER County.

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 11/13/1991


IN: BONNER COUNTY
T56N R04W S36 Lot 1(SWSW)

RECEIVED
DEC 31 1991

DEC 31 1991

Nov 12, 1991

Tom D. King
Sr. Water Resource Agent
Dept of Water Resources
Suite 210 1910 N.W. Blvd.
Coeur d'Alene, ID 83814



Dear Mr. King,

Enclosed please find the completed application form and 30.00 fee for a permit to use the water resources of the State of Idaho.

Thank you for your assistance in completing the application. As I mentioned on the phone, I am anxious to have the permitting process completed so that possibly the waterline can be placed this winter.

Sincerely yours -

Michi Kondo
Box 326
Pricer River, ID 83856

RECORDED

DEC 31 1991

November 15, 1991

Idaho Dept. of Lands
Statehouse
Boise, Id. 83720

Re: 96-8675

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Idaho Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enclosure

RECEIVED

DEC 31 1991

November 15, 1991

U. S. Army Corps of Engineers
P. O. Box 310
Newport, Wa. 99156

Re: 96-8675

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Idaho Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enclosure

RECEIVED
NOV 16 1991

DEC 31 1991

November 6, 1991

Ms. Michiko Kondo
Box 326
Priest River, Id. 83856

Re: Appropriation Application

Dear Applicant:

It has come to the attention of this Department that you are planning to divert water from Pend Oreille River within Sec. 36, T56N, R4W,. According to Idaho Code 42-201 it is unlawful to divert water from a public water source without a valid water right or permit. Since we have no record of an appropriation application or other rights in your name we are requesting that you suspend any further development or use of the Pend Oreille River until you have completed the enclosed Appropriation Application and returned it to this department with the appropriate fee, as outlined in the instructions.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

Tom D. King
Sr. Water Resource Agent

Enc: Application
 Inst.

RECEIVED
DEC 31 1991

RECEIVED

NOV 05 1991

NORTHERN REGION
IDWRSTANLEY F. HAMILTON
DIRECTORBOARD OF LAND
COMMISSIONERS
CECIL D. ANDRUS
GovernorPETE T. CENARRUSA
Secretary of StateLARRY ECHOHAWK
Attorney GeneralJ.D. WILLIAMS
State AuditorJERRY L. EVANS
Sup't of Public
Instruction

MEMORANDUM

DATE: November 4, 1991

TO: Idaho Department of Fish and Game
Idaho Department of Health and Welfare
Idaho Department of Water Resources
U.S. Army Corps of Engineers, Walla Walla, WA
Panhandle Health District 1
Clean Lake Coordinating Council
Kootenai Environmental Alliance
Adjacent Property Owners: Ray Sheehan
Clement Miyaya

FROM: Carl Washburn
Navigable Waters Specialist *WRP*

RE: NOTICE OF APPLICATION - L-96-S-708 - MICHIKO KONDO

Enclosed is an application and plats requesting permission to install a waterline and pump 135 foot waterward of the OHWM in Pend Oreille Lake.

Please submit your recommendations to me by November 18, 1991, regarding the likely effect of the proposed encroachment upon adjacent property, lake, and streambed value factors of navigation, fish and wildlife habitat, aquatic life, recreation, aesthetic beauty, or water quality. If you have concerns or are opposed to the project as proposed, please list your specific reasons for concern or opposition and any facts or documentation to support your position.

You should recommend alternate plans if they are economically feasible to accomplish the purpose of the proposed encroachment. You should also recommend any mitigation measures or special restrictions/provisions you would like included as part of the permit if one is issued.

If you do not submit a comment, I will assume you have no objections to the application. If you have questions concerning the application, I suggest you contact the applicant. If the applicant cannot answer your questions, please contact me at (208)664-2171.

mc
enclosures
c: Real Estate Specialist, Boise

DEC 31 1991

RECEIVED

NOV 05 1991

JOINT APPLICATION FOR PERMIT
U.S. ARMY CORPS OF ENGINEERS
AND

OF IDAHO, DEPARTMENT OF WATER RESOURCES
STATE OF IDAHO, DEPARTMENT OF LANDS

NORTHERN REGION

SEPARATE PERMIT DECISIONS MUST
BE RECEIVED FROM BOTH THE STATE
OF IDAHO AND THE CORPS OF
ENGINEERS PRIOR TO START OF
WORK

The Department of the Army permit ~~and~~ is authorized by Section 10 of the Rivers and Harbors Act of 1899 and Section 404 of the Clean Water Act. ~~These laws require permits~~ authorizing structures and work in or affecting navigable waters of the United States and the discharge of dredged or fill material into waters of the United States, including their adjacent wetlands. State permits are required under the State of Idaho, Stream Channel Protection Act (Title 42, Chapter 38, Idaho Code) and the Idaho Lake Protection Act, Section 58-142 et. seq, Idaho Code. This application will meet the requirements of the above agencies.

1. Corps of Engineers # _____ Date Received _____	2. State of Idaho # _____ Date Received _____
--	--

PLEASE TYPE OR PRINT

The applicant has sent copies of this application to the agencies checked: ID Dept. Water Res. - Boise _____, Coeur d'Alene _____, Twin Falls _____, Idaho Falls _____; ID Dept. Lands - Boise _____, Coeur d'Alene X; Corps of Engineers - Walla Walla _____.

3. Applicant <u>Michiko Kondo</u> Mailing Address <u>Box 326</u> <u>Priest River, ID. 83856</u> Area _____ Work Phone (208) <u>263-5159</u> Home (208) <u>448-1753</u> Fax Number _____ Date of Application <u>October 23, 1991</u>	4. Authorized Agent _____ Mailing Address _____ Area _____ Work Phone () _____ Home () _____
---	---

5. Location where proposed activity exists or will occur.

Waterway <u>Pend O'neille</u> <u>Priest River</u> In or near city or town _____ <u>Benner</u> ID. <u>83856</u> County State Zip Code	Tributary of: <u>Columbia</u> Assessor's Desc. (Tax No. or Subdivision, Lot & Block No.) <u>* RP 56 N04W 36 000 A</u> *(See instructions)
--	---

6. Describe the proposed activity, including description of the type of structures, if any, to be erected on fills, or pile or float-supported platforms. If additional space is needed, use a separate sheet or Section 16 (Remarks).

I would like to have a waterline placed from Pend O'neille River to
a proposed private non-commercial residence on a river front lot. Please
see attached construction narrative outline for details.

Describe construction methods and equipment: SMALL BACK HOE to dig SHORE line, in
to LOW WATER line to prevent FREEZING of PIPE in winter time

Length of project along the stream or extension into lake or reservoir: App 100 FEET INTO RIVER
Stream gradient: VERY GRADUAL - UNDER 5%

Will material be placed waterward of ordinary high water mark? YES

Will material be placed in wetlands? No

Type of fill material: None (i.e. sand, etc.) Material Source: _____

Volume of material to be placed: none (cubic yards)

Will excavation be required? yes Disposal Location: else for backfill

Method of diverting flow, if needed: NOT NEEDED

Method of controlling turbidity: Very little - and will last only a DEC 3 1991

7. Size and flow capacity of proposed bridge or culvert and area of drainage served (sq. miles):
(Idaho Department of Water Resources requirement.) NA

8. Preparation of drawings. One set of original or good quality reproducible drawings must be attached to this application. NOTE: DRAWINGS NO LARGER THAN 8-1/2 X 11 INCHES IN SIZE. See the instruction pamphlet for instructions and a checklist for completing the drawings.

9. Purpose and intended use:

Commercial _____ Public _____ Private X Other _____

Describe _____

10. Proposed Starting Date AFTER PERMIT IS ISSUED Estimated Duration PERMANENT

11. If any portion of the activity is complete, indicate month and year of completion _____
Indicate the existing work on the drawings.

12. Names, addresses, and telephone numbers of adjoining property owners, lessees, etc., whose property also adjoins the waterway.

Ray Sheehan
1818 E. 16th St
SPOKANE, WA 99203
(509) - 534-3691

Clement Miyaya
3731 79th S.E.
MERCER ISLAND, WA 98040

13. LEGAL OWNER IF
OTHER THAN APPLICANT _____

MAILING ADDRESS _____

CITY, STATE,
ZIP CODE _____

PHONE _____

AREA
WORK() _____

AREA
HOME() _____

14. List other applications, approvals, or certifications from other Federal, interstate, state, or local agencies for any structures, constructions, discharges, deposits, or other activities described in the application.

Issuing Agency	Type of Approval	Identification No.	Date of Application	Date of Approval
<u>Panhandle Health Dist.</u>	<u>Septic permit</u>	<u>17208</u>	<u>6/3/91</u>	<u>6/3/91</u>
<u>Sandwich ID</u>				

15. Has any agency denied approval for the activity described herein or for any activity directly related to the activity described herein? Yes _____ No X (If "Yes" explain)

16. Remarks or additional information: _____

17. Application is hereby made for a permit or permits to authorize the activities described herein. I certify that I am familiar with the information contained in this application, and that to the best of my knowledge and belief, such information is true, complete, and accurate. I further certify that I possess the authority to undertake the proposed activities. I hereby grant to the agencies to which this application is made, the right to come upon the above-described location to inspect the proposed or completed work.

Date Oct 23, 1991

Michiko Kondo
Signature of Applicant (REQUIRED)

The application must be signed by the applicant. If an authorized agent is to be designated, Item 4 and the following information should be completed.

I hereby designate _____ to act as my agent in matters related to this permit application. I understand that if a Federal permit is issued, I must sign the permit.





Date Oct 22, 1991

Signature of Authorized Agent(if applicable)

Signature of Applicant (if applicable)

18 U.S.C. Section 1001 provides that: Whoever, in any manner within the jurisdiction of any department or agency of the United States knowingly falsifies, conceals, or covers up by any trick, scheme, or device a material fact or makes any false, fictitious, or fraudulent statements or representations or makes or uses any false writing or document knowing same to contain any false, fictitious, or fraudulent statement or entry, shall be fined not more than \$10,000 or imprisoned not more than 5 years or both. Do not send a Federal permit processing fee with this application. The appropriate fee will be assessed when a permit is issued.

DO NOT SEND FEDERAL PROCESSING FEE WITH APPLICATION



← DUFOUR RD. 8.5 mi. to PRIEST RIVER

DEC 31

IN: POND O'REILLE RIVER
IN/NEAR PRIEST RIVER
BANNER COUNTY, IDAHO
DATE: OCT. 29, 1991 SHEET 1 OF 1
APPLICATION BY:
M. KONDO

November 13, 1991

Ms. Michiko Kondo
Box 326
Priest River, Id. 83856

Re: Water Appropriation Application #

96-8675

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application For Permit To appropriate the Public Waters Of The State Of Idaho, as well as the required appropriation filing fee, for which your Receipt is enclosed. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the application is not protested it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

Tom D. King
Sr. Water Resource Agent

Enc: Receipt

RECEIVED

DEC 31 1991