




53N 3W 536

NOV 08 1994

ROAD CLASSIFICATION

- | | | | |
|-------------|-------|-----------------|-------|
| Heavy-duty | ————— | Light-duty | ————— |
| Medium-duty | ————— | Unimproved dirt | ----- |

THOL 1:62 500



Delivery system
w/ 40 gallon hold
←



CISTERN w/ submersible
← pump



Delivery system
w/ 40 gallon hold
45 PSI

RECEIVED
NOV 08 1994



PLACE of USE



RECEIVED
NOV 08 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08660

Priority: September 3, 1991

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.4 AF

This is to certify, that GEORGE W BOMAR
ELAINE BOMAR

N 26600 GOOD HOPE RD
ATHOL ID 83801

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 3, 1991; and has submitted Proof of Beneficial Use on September 25, 1992. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

SAGE CREEK

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.01 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	1.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE, Sec. 36, Township 53N, Range 03W
KOOTENAI County

PLACE OF USE: STOCKWATER

TWN RGE SEC

53N 03W 36

NENE

PLACE OF USE:

DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 4 horses and 12 range cattle.
6. Domestic use is for 1 home.

NOV 08 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 96-08660

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 13TH
day of SEPTEMBER, 1994.

Acting for R. Keith Higginson, Director



NOV 08 1994



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08660 Telephone No. (208) 683-2258
2. Name(s) of Permit Holder(s): George & Elaine Romar
3. Mailing Address: N. 26600 Good Hope Rd. - Arthol, Idaho - 83801
4. Source of Water: Sage Creek - Tributary of Snake
If **GROUNDWATER**, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: 3/4 Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic ✓ (No. of households) 1 Stockwater 12 head - Cattle (No. and type of stock)
Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.04 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ✓ No _____ Installed? _____ Yes ✓ No _____

OR

Flow Measurement Port: Required? _____ Yes ✓ No _____ Installed? _____ Yes ✓ No _____

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

George Romar 683-2258
Name Telephone No.
N. 26600 Good Hope Rd. - Arthol, Idaho - 83801
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

9-13-92 Elaine Romar DEC 16 1992
Date Signature (and title, if on behalf of a company or organization)

NO. 96-08660

This is to certify, that **ELAINE BOMAR**
GEORGE W BOMAR
N 26600 GOODHOPE RD
ATHOL ID 83501

SAGE CREEK tributary of **SINKS**

NOV 21 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant GEORGE W. OR ELAINE BOMAR Phone 683-2258
Post office address N. 26600 GOOD HOPE RD. ATHOL, ID 83501
2. Source of water supply SAGE CREEK which is a tributary of SINKS
3. Location of point of diversion is _____ 1/4 of NE 1/4 of NE 1/4, Govt. Lot _____
Sec. 36 Township 53N Range 3W B.M. KOOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. COLLECTION BOX NEXT
TO SAGE CREEK
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

NOV 21 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 24 HORSES & CATTLE
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
53N	36W	36	D ₃																

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECORDED

NOV 21 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T-53N 36
 R-3W
 P.D. 8
 P. 4.
 MAY 1 1991

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

George Bomar
(Applicant)

Received by [Signature] Date 9/3/91 Time 11:00 AM Preliminary check by [Signature]
Fee \$ 30.00 Received by [Signature] # N 48245 Date 9/3/91
Publication prepared by [Signature] Date 9/11/91 Published in Coeur d'Alene Press
Publication approved [Signature] Date 10/4/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

NOV 21 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 15, 1994

GEORGE W BOMAR
ELAINE BOMAR
N 26600 GOOD HOPE RD
ATHOL ID 83801

RE: WATER RIGHT NO. 96-08660

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

NOV 08 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 29 1994
96-08660

Permit No. 96-08660 Department of Water Resources

A. GENERAL INFORMATION

1. Owner: GOERGE W BOMAR Phone No. (208) 683-2258

Current Address: N 26600 Good Hope RD ATHOL ID, 83801

2. Accompanied by: _____ EXAM DATE: 6-29-94

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: SAGE CREEK tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 96-07045

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	NE	36	S3N	03W	KOOTENAI	USGS 7.5 min quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
S3 _N	03 _W	36	S.O																

NOV 08 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3/4		Submersible	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NOV 08 1994

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

STOCK WATER 4 HORSE 12 CATTLE $\times 12 \text{ GPD} \times 365 / 325,850 = .21$ **H. RECOMMENDATIONS**

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
* DOMESTIC	01-01	12-31	.02	1.2
Stock	01-01	12-31	.04	~~1.2~~ .21
Totals:			.04 cfs	1.41 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name TED McCracken Date 6/28/99

Reviewer _____ Date _____

SEAL

* SEE attached memo for explanation. BC

NOV 08 1999

MEMORANDUM

TO: File 96-08660 / George W. Bomar
FROM: Brenda Chapman
DATE: September 1, 1994
RE: Adjustments Made

=====

The final recommendations for the following portion(s) of the field exam were based on the information below.

H. RECOMMENDATIONS


1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Domestic	1-01 to 12-31	.04	1.2
Stockwater	1-01 to 12-31	.01	.2


Rates listed in correct position.

The stockwater rate was adjusted to the currently used Field Examiner's Handbook guideline.

NOV 08 1994



53N 3W 536



ROAD CLASSIFICATION
Heavy-duty Light-duty
Medium-duty Unimproved dirt



Revised, edited, and put
into final form 1/62 5001



Delivery system
w/ 40 gallon Hold



CISTERN w/ submersible
pump



Delivery system
w/ 40 gallon Hold
45 PSI



NOV 08 1994



PLACE of USE



RECEIVED

NOV 08 1994

October 2, 1992

ELAINE BOMAR
GEORGE W BOMAR
N 26600 GOODHOPE RD
ATHOL ID 83501

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08660

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECORDED

DEC 16 1992

~~Franklin electric~~

(91331675)

Grundfos

NO: 9133

PC: 10807-12

Q: 10

n: 3450 RPM

P: .75 H.P

model 2143074416 H.P. $\frac{3}{4}$ Hz 60

Volts 230

AMP 6.4 KW. .55

S.F. MAX AMP 8.0 PH 1

KVA. code m

S.F. 1.5

RECEIVED

DEC 16 1992

July 31, 1992

ELAINE BOMAR
GEORGE W BOMAR
N 26600 GOODHOPE RD
ATHOL ID 83501

PROOF DUE NOTICE

RE: PERMIT NO. 96-08660

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

MAILED

DEC 16 1992





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 16, 1991

ELAINE BOMAR
GEORGE W BOMAR
N 26600 GOODHOPE RD
ATHOL ID 83501

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08660

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

RECEIVED
NOV 21 1991

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Julie Jacobs

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for *2* consecutive *weeks* commencing on the *19th* day of *September*, 19*91*, and ending on the *26th* day of *September*, 19*91*, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Julie Jacobs

Subscribed and sworn to before me this

26th day of *September*

19 *91*

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

3-3-93

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08713
ERICKSON, SHARON N
ERICKSON, MARVIN R
905 E. DAKOTA AVE
HAYDEN LAKE, ID 83835
Source: SPRING
Tributary: SINKS
Diversion Pt: SESESE Sec 30 T 51N R 03W
Use: DOMESTIC (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 9/3/1991
In: T51N R 03W S30 SESE
95-08714

BORLEY, DONALD D
3640 E. 16TH ST
POST FALLS, ID 83854
Source: GROUNDWATER
Diversion Pt: NESE Sec 36 T 51N R 05W
Use: IRRIGATION (.100 CFS);
DOMESTIC (.040 CFS)
Total Diversion: (.140 CFS)
Date Filed: 8/29/1991
In: T51N R05W S36 NESE
5.0 ACRES TOTAL

96-08660
BOMAR, ELAINE
BOMAR, GEORGE W
N. 26600 GOODHOPE RD
ATHOL, ID 83501
Source: SAGE CREEK
Tributary: SINKS
Diversion Pt: NENE Sec 36 T 53N R 03W
Use: STOCKWATER (.020 CFS);
DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 9/3/1991
In: T53N R03W S36 NENE

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before OCTOBER 7, 1991.

R. KEITH HIGGINSON, Director

Legal 422
Sept. 19, 26, 1991

[Signature]
9/30/91

NOV 21 1991

96-08660

BOMAR, ELAINE
BOMAR, GEORGE W
N 26600 GOODHOPE RD
ATHOL, ID 83501

Source: SAGE CREEK

Tributary: SINKS

Diversion Pt: NENE Sec 36 T 53N R 03W

Use: STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 9/ 3/ 1991

In: T53N R03W S36 NENE

RECEIVED

NOV 21 1991

September 3, 1991

Mr. George Bomar
N. 26600 Good Hope Rd.
Athol, Id 83501

Re: Water Appropriation Application

#

96-8660

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application For Permit To appropriate the Public Waters Of The State Of Idaho, as well as the required appropriation filing fee, for which your Receipt is enclosed. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the application is not protested it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

Tom D. King
Sr. Water Resource Agent

Enc: Receipt

RECEIVED
NOV 21 1991