


PLAT OF KULLYSELL ESTATES

A PORTION OF THE SW 1/4 NW 1/4 & THE W 1/2 SE 1/4 NW 1/4 & GOVT LOT 1 & THE N 24.10 OF GOVT LOT 2 IN SEC. 13, T56N, R. 15E, 6M.



APR 23 1991

Q CURVE DATA

Curve	Radius	Center	Tangent Length
1	5.00	0.00	0.00
2	0.16	0.00	0.00
3	0.16	0.00	0.00
4	0.16	0.00	0.00
5	0.16	0.00	0.00
6	0.16	0.00	0.00
7	0.16	0.00	0.00
8	0.16	0.00	0.00
9	0.16	0.00	0.00
10	0.16	0.00	0.00
11	0.16	0.00	0.00
12	0.16	0.00	0.00
13	0.16	0.00	0.00
14	0.16	0.00	0.00
15	0.16	0.00	0.00
16	0.16	0.00	0.00
17	0.16	0.00	0.00
18	0.16	0.00	0.00
19	0.16	0.00	0.00
20	0.16	0.00	0.00
21	0.16	0.00	0.00
22	0.16	0.00	0.00
23	0.16	0.00	0.00
24	0.16	0.00	0.00
25	0.16	0.00	0.00
26	0.16	0.00	0.00
27	0.16	0.00	0.00
28	0.16	0.00	0.00
29	0.16	0.00	0.00
30	0.16	0.00	0.00
31	0.16	0.00	0.00
32	0.16	0.00	0.00
33	0.16	0.00	0.00
34	0.16	0.00	0.00
35	0.16	0.00	0.00
36	0.16	0.00	0.00
37	0.16	0.00	0.00
38	0.16	0.00	0.00
39	0.16	0.00	0.00
40	0.16	0.00	0.00
41	0.16	0.00	0.00
42	0.16	0.00	0.00
43	0.16	0.00	0.00
44	0.16	0.00	0.00
45	0.16	0.00	0.00
46	0.16	0.00	0.00
47	0.16	0.00	0.00
48	0.16	0.00	0.00
49	0.16	0.00	0.00
50	0.16	0.00	0.00
51	0.16	0.00	0.00
52	0.16	0.00	0.00
53	0.16	0.00	0.00
54	0.16	0.00	0.00
55	0.16	0.00	0.00
56	0.16	0.00	0.00
57	0.16	0.00	0.00
58	0.16	0.00	0.00
59	0.16	0.00	0.00
60	0.16	0.00	0.00
61	0.16	0.00	0.00
62	0.16	0.00	0.00
63	0.16	0.00	0.00
64	0.16	0.00	0.00
65	0.16	0.00	0.00
66	0.16	0.00	0.00
67	0.16	0.00	0.00
68	0.16	0.00	0.00
69	0.16	0.00	0.00
70	0.16	0.00	0.00
71	0.16	0.00	0.00
72	0.16	0.00	0.00
73	0.16	0.00	0.00
74	0.16	0.00	0.00
75	0.16	0.00	0.00
76	0.16	0.00	0.00
77	0.16	0.00	0.00
78	0.16	0.00	0.00
79	0.16	0.00	0.00
80	0.16	0.00	0.00
81	0.16	0.00	0.00
82	0.16	0.00	0.00
83	0.16	0.00	0.00
84	0.16	0.00	0.00
85	0.16	0.00	0.00
86	0.16	0.00	0.00
87	0.16	0.00	0.00
88	0.16	0.00	0.00
89	0.16	0.00	0.00
90	0.16	0.00	0.00
91	0.16	0.00	0.00
92	0.16	0.00	0.00
93	0.16	0.00	0.00
94	0.16	0.00	0.00
95	0.16	0.00	0.00
96	0.16	0.00	0.00
97	0.16	0.00	0.00
98	0.16	0.00	0.00
99	0.16	0.00	0.00
100	0.16	0.00	0.00

SANITARY RESTRICTIONS

No building or shelter shall be erected
with, without approval is first obtained from
the local health department approving
plans and specifications for individual
sewage facilities. Special sanitary restrictions
are in effect on lot 6, B1A 5 & lot 7 of B1A 4.

These facts may not be further
subdivided without written
approval of the planning and
zoning coordinator and County
Commissioners.

BASIS OF BEAINGS



Soundings are based on previous
 surveys in TSCN, ALE & NE DM,
 which are based on a 1970 lot survey
 in the SE 1/4 NW 1/4 of Sec 16 T5CN, R2E,
 S.M. by W.N. Matt FE. No. 1148

LEGEND

- 1/2" Iron Rod w/ Cap Set
- Found Monument as Noted

NOTE:


Scale 1"=100'



PLAT OF
KULLYSPILL ESTATES

A PORTION OF THE SW 1/4 NW 1/4 & THE W 1/2
SE 1/4 NW 1/4 & GOVT LOT 1 & THE N. 24.10' OF
GOVT. LOT 2 IN SEC. 15, T. 56 N., R. 1 E., B. M.

APR 23 1991



Mamoose Island, with a
ment and entry, and re-
burying place for the late
E. dated August 25, 1929.

Per letter of 21015, E. dated Oct.
order is received and Mamoes
restored to the public domain.

MICROFILMED
JAN 10 1997

Hope Point
OWENS

KANIKSU
NAT FOR

Campground

Boat
Ramp

Owens

Bay

Memaloose
Island
MEMALOOSE
2091

P.O.U.

2070T


Sheepherd
Point

MICROFILMED
JAN 10 1997

96-08632

T. 56N., R. 01E., Sec. 13
Kully Spell Estates Water System

PRESSURE 96-08632 TANKS



Well Head



MICROFILMED
JAN 10 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08632

Priority: February 6, 1991

Maximum Diversion Rate:

0.07 CFS

Maximum Diversion Volume:

30.0 AF

This is to certify, that KULLYSPELL ESTATES WATER ASSN INC

PO BOX 404

HOPE ID 83836

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 6, 1991; and has submitted Proof of Beneficial Use on March 7, 1994. An examination indicates that the works have a diversion capacity of 0.070 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.07 CFS	30.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 13, Township 56N, Range 01E
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

56N 01E 13

SWNW
Lot 2(SWSW)

SENW

Lot 1(NWSW)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 50 homes.
6. Domestic use does not include lawn, garden, landscape, or other types of irrigation.
7. Place of use known as Lots 1-16, Blk. 1; Lots 1-10, Blk. 2; Lots 1-9, Blk. 3; Lots 1-8, Blk. 4; Lots 1-6, Blk. 5; and one home outside of subdivision plat south of Lots 5, 6, and 8; Blk. 4; Kallyspell Estates.


100 10 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08632

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director affixed at Boise, this 15th
day of November, 1996


Acting for KARL J. DREHER, Director



11000-11112
JAN 18 1997

RECEIVED

MAR 07 1994

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 50.00
Date 3/7/94
Receipt No. 6029750
Receipt by du

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08632 Telephone No. _____
2. Name(s) of Permit Holder(s): KULLYSPELL ESTATES WATER ASSOC. INC.
3. Mailing Address: P.O. BOX 404, HOPE, IDAHO. 83836
4. Source of Water: GROUNDWATER

If GROUNDWATER, Well Driller's Name: BRAND-X (Rathdrum Idaho) Date Drilled: 1978

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 19 (No. of households) Stockwater NIL (No. and type of stock)

Irrigation NIL (No. of acres) Other NIL

6. Total rate and/or volume for which proof is submitted 0.20 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No ☒ Installed? ☒ Yes _____ No

Flow Measurement Port: Required? _____ Yes ☒ No ☒ Installed? ☒ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name

Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

APR 22 1994

Date

Signature (and title, if on behalf of a company or organization)

SECRETARY/TREASURER

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08632

Proposed Priority: February 6, 1991 Maximum Diversion Rate: 0.20 CFS
This is to certify, that KULLYSPELL ESTATES WATER ASSN. INC.

P.O. BOX 404
HOPE, ID 83836

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.20 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		SWSNW Sec. 13, Township 56N, Range 01E BONNER County

PLACE OF USE: DOMESTIC
TWN RGE SEC


56N 01E 13 SWNW SENW LOT 1(NWSW)
LOT 2(SWSW)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1994.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for 50 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

5th day of April, 1991.

for 
R. Keith Higginson, Director

APR 23 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 96-8632

To appropriate the public waters of the State of Idaho

1. Name of applicant KULLYSPELL ESTATES WATER Phone 264-5344
ASSOCIATION, INC.
Post office address Box 404, HOME, ID 83836

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 13 Township 56N Range 1E B.M. BONNER County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .20 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .20 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____
WELL & PUMP

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

APR 23 1997

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 50 IN HOUSE ONLY
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
56N	1E	13						D	D		D	D							
											(Gov LOT 1)	(Gov LOT 2)							

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANT


b. Who owns the land to be irrigated or place of use? WATER USERS

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: WELL DRILLED ON JUNE 6, 1979 FOR KERMIT KIEBER - STEVE HOSS

APR 22 1981

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

APR 23 1991

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Arthur V. Long
Pres. (Applicant)

Received by Ken Date 2/6/90 Time 12:30p Preliminary check by TJK
Fee \$ 30.00 Received by Ken # N4310 Date 2/6/90
Publication prepared by [Signature] Date 2/12/91 Published in Bozeman City Daily Bee
Publication approved [Signature] Date 3/5/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.


d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED
APR 23 1991

PLAT OF
KULLYSELL ESTATES

A PORTION OF THE SW 1/4 NW 1/4 & THE NW 1/4
SE 1/4 NW 1/4 & GOVT LOT 1 & THE N 24 1/2 OF
GOVT LOT 2 IN SEC. 13, T56N, R15E, 6M.



WELL
SITE

PLAY OF KULLYSPELL ESTATES

A PORTION OF THE SW 1/4 NW 1/4 & THE W 1/2 SE 1/4 NW 1/4 & GOVT LOT 1 & THE N 24 LIO' OF GOVT. LOT 2 IN SEC. 13, T. 56 N., R. 1 E., B. M.

No building or shelter shall be erected within a general islet or obtained from the local fishing boats without approval from the Special Agents and in addition, no other facilities, special sanitary facilities are in effect on Lot 6, B14.5 & Lot 7 or 8A4.


These tracts may not be further subdivided without written approval of the planning and zoning coordinator and county commissioners.

Drawings are based on previous surveys in TSGN, ALE and SEAN, which are based on a PTO for survey in the SEAN, ALE and TSGN, ALE. D.M. by W.N. Moffat P.E. No. 1140

- - 1/2" Iron Rod w/ Cap Set
- - Found Moniment as Above

Each tract also includes a D.D. of
tract utility, as determined on site of
proposed lines unless otherwise noted.

"Initial Point"
at Corner Stone - 1 BT
Sec 1 1/2 E Twp N/D C
1 BT



Sheet 2 of 3

APR 23 1991

TYPE: LOC 4
RP 0054900
31-00
TYPE: LOC 4
RP 0054900
31-00
TYPE: LOC 4
RP 0054900
31-00
TYPE: LOC 4
RP 0054900
31-00
TYPE: LOC 4
RP 0054900
31-00
320537 WD
TYPE: LOC 4

DATE 7/1/11
TIME 10:66
** PARCEL
TYPE PARCEL
CODE OLD PAR
MAP NUMBER
DEED # - NEW
RP 0054900
31-00
TYPE: LOCA
RP 0054900
31-00
TYPE: LOCA
RP 0054900
31-00
TYPE: LOCA
RP 0054900
31-00
TYPE: LOCA
RP 0054900
31-00
TYPE: LOCA
RP 0054900
31-00
359491 WD
TYPE: LOCA
RP 0054900
31-00
TYPE: LOCA
RP 0054900
31-00
179639 WD
TYPE: LOCA

DATE 7/1
TIME 10.0
** PARCEL
TYPE PARCEL
CODE OLD PAR
MAP NUMBER
DEED # - NEW
RP 0054901
31-00
TYPE: LD
RP 0054901
31-00
360875 D
TYPE -

APR 23 1991

P-00	HOSS, STEVEN & DONNA X KORCZYK, AS F & MARGARET X KORCZYK, AS A & BARBARA 5014 CEDAR POINT RD NE CEDAR RAPIDS, IA 52402	13-56N-1E KULLYSPELL ESTATES BLK 3 LOT 3	15	1.520	AC	32,000	
TYPE:	LOCATION: 1600			1.520 **		\$32,000 ***	
RP 005450030040 8-00	HOSS, STEVEN & DONNA X HASENSTEIN, DONALD & ERIKA 459 E OAKWOOD DR BARRINGTON, IL 60010	13-56N-1E KULLYSPELL ESTATES BLK 3 LOT 4	15 37	1.970	AC	38,000 40,338	87
TYPE:	LOCATION: 1600			1.970 **		\$78,378 ***	
RP 005450030050 8-00	LONG, ARTHUR W & DOROTHY W P O BOX 157 HOPE, ID 83836	13-56N-1E KULLYSPELL ESTATES BLK 3 LOT 5	15	3.020	AC	48,000	
348017 WD TYPE: 2C LOCATION: 1600				3.020 **		\$48,000 ***	
RP 005450030060 8-00	HOSS, STEVEN & DONNA X GLANTZ, RICHARD L 2014 LE DE ESPANA LAS VEGAS, NV 89102	13-56N-1E KULLYSPELL ESTATES BLK 3 LOT 6	15	2.300	AC	42,000	
349372 TYPE: 2C LOCATION: 1600				2.300 **		\$42,000 ***	
RP 005450030070 8-00	GLANTZ, RICHARD L 2016 CALLA DA ESPANA LAS VEGAS, NV 89102	13-56N-1E KULLYSPELL ESTATES BLK 3 LOT 7	15	3.170	AC	48,000	
TYPE: 2C LOCATION: 1600				3.170 **		\$48,000 ***	
RP 005450030080 8-00	CHILKAT, SALOME W 1308 FACTORY PLACE 50 LOS ANGELES, CA 90013	13-56N-1E KULLYSPELL ESTATES BLK 3 LOT 8	15	1.670	AC	15,000	88
358210 WD TYPE: 2C LOCATION: 1600				1.670 **		\$15,000 ***	
RP 005450030090 8-00	HOSS, STEVEN & DONNA X SCHMIT, MICHAEL CHARLES P O BOX 022116 JUNEAU, AK 99802	13-56N-1E KULLYSPELL ESTATES BLK 3 LOT 9	15	2.250	AC	25,000	88
TYPE: LOCATION: 1600				2.250 **		\$25,000 ***	
RP 005450040010 8-00	HOSS, STEVEN & DONNA X LOVELL, RICHARD & CHRISTINE 1166 BLACKBIRD ST	13-56N-1E KULLYSPELL ESTATES BLK 4 LOT 1	15	1.560	AC	28,000	

1 02

COMPUTER ASSISTED APPRAISAL SUMMARY PROPERTY LISTING 'CAB100'--NUMERIC ROLL							
DATE 7/17/89 TIME 10.08.34						PAGE 1264	
** PARCEL KEY **	NAME/ADDRESS	LEGAL DESCRIPTION	CAT	QUANTITY	UNIT	MARKET	REVIEW YEAR
TYPE PARCEL NO STATUS CODE OLD PARCEL NO MAP NUMBER DEED # NEW							
	EL CAJON, CA 92020			1.560 **		\$28,000 ***	
TYPE: LOCATION: 1600				1.560 **		\$28,000 ***	
RP 005450040020 8-00	WESSEL, WILLIAM B 659 30TH ST HERMOSA BEACH, CA 90254	13-56N-1E KULLYSPELL ESTATES BLK 4 LOT 2	15	1.930	AC	27,000	
TYPE: LOCATION: 1600				1.930 **		\$27,000 ***	
RP 005450040030 8-00	HOSS, STEVEN A & DONNA P O BOX 145 HOPE, ID 83836	13-56N-1E KULLYSPELL ESTATES BLK 4 LOT 3	15	1.500	AC	20,000	88
TYPE: LOCATION: 1600				1.500 **		\$20,000 ***	
RP 005450040040 8-00	DEAN, JOE J & ELIZABETH A 1248 AVES LANE FALLBROOK, CA 92028	13-56N-1E KULLYSPELL ESTATES BLK 4 LOT 4	15	1.540	AC	15,000	88
TYPE: LOCATION: 1600				1.540 **		\$15,000 ***	
RP 005450040050 8-00	HOSS, STEVEN & DONNA X MC KELLY, D B & VICTORIA E 2100 PONDOR PT DR SANDPOINT, ID 83864	13-56N-1E KULLYSPELL ESTATES BLK 4 LOT 5	15	1.780	AC	15,000	
TYPE: LOCATION: 1600				1.780 **		\$15,000 ***	
RP 005450040060 8-00	HOSS, STEVEN & DONNA X RAPIN, JEROME P & SUZANNE E HSGA EDIELL, BOX 922 FPO NEW YORK 09518-1090	13-56N-1E KULLYSPELL ESTATES BLK 4 LOT 6	15	2.320	AC	27,000	88
TYPE: LOCATION: 1600				2.320 **		\$27,000 ***	
RP 005450040070 8-00	HOSS, STEVEN & DONNA X BULL, EDWARD P X WILSON, TREVIS I 5376 HOLLYRIDGE DR CAMARILLO, CA 93010	13-56N-1E KULLYSPELL ESTATES BLK 4 LOT 7	15	1.310	AC	16,200	
TYPE: LOCATION: 1600				1.310 **		\$16,200 ***	
RP 005450040080 8-00	CLARK, THOMAS M & DENISE E.D. P O BOX 93644 PASADENA, CA 91109	13-56N-1E KULLYSPELL ESTATES BLK 4 LOT 8	15	1.680	AC	15,000	88
TYPE: LOCATION: 1600				1.680 **		\$15,000 ***	
RP 00545005001A 8-00 APOC545005001A	RAMSETH, PETER M 1395 PENINSULA RD HOPE, ID 83836	13-56N-1E KULLYSPELL ESTATES BLK 5 LOT 1 LESS VACATED ROAD	15 37	2.110	AC	34,000 67,143	87
TYPE: LOCATION: 1600				2.110 **		\$96,143 ***	
RP 005450050020 8-00	HOSS, STEVEN & DONNA	13-56N-1E KULLYSPELL ESTATES	15	2.860	AC	34,000	

1 02

COMPUTER ASSISTED APPRAISAL SUMMARY PROPERTY LISTING 'CAB100'--NUMERIC ROLL							
DATE 7/17/89 TIME 10.08.34						PAGE 1265	
** PARCEL KEY **	NAME/ADDRESS	LEGAL DESCRIPTION	CAT	QUANTITY	UNIT	MARKET	REVIEW YEAR
TYPE PARCEL NO STATUS CODE OLD PARCEL NO MAP NUMBER DEED # NEW							

APR 23 1991

DATE 7/17/89
TIME 10.08.34

PARCEL KEY **
TYPE PARCEL NO STATUS
CODE DLO PARCEL NO
MAP NUMBER
DEED # - NEW

8-00

NAME/ADDRESS
X HEIDELBERGER, JAMES P
E GRILLO, ELIZABETH A
RT 1 BOX 238-A
BONNERS FERRY, ID 83805

LEGAL DESCRIPTION
BLK 5 LOT 2

CAT QUANTITY UNIT

MARKET

PAGE 1265

87

TYPE: LOCATION: 1600

2.860 **

\$51,441 ***

RP 005450050030 A LIGHTNING CREEK, INC
P O BOX 358
CLARK FORK, ID 83811

13-56N-1E
BLK 5 LOT 3

15

2.320 AC

18,500

TYPE: LOCATION: 1600

RP 005450050040 A MOSE, STEVEN E DONNA
LIGHTNING CREEK INC
P O BOX 358
CLARK FORK, ID 83811

13-56N-1E
BLK 5 LOT 4

15

2.320 **

\$18,500 ***

TYPE: LOCATION: 1600

RP 00545005005A A CLARK, ALTON J & LEONE K
470 RED TIR RD
HOPE, ID 83836

13-56N-1E
BLK 5 LOTS 5 & 6

15

3.980 AC

45,000

TYPE: LOCATION: 1600

RP 005460010010 A COCHRAN, ROGER C & DIANA D
3410 S DEARBORN RT 12
SPOKANE, WA 99223

25-57N-2W
BLK 1 LOT 1

15

1.000 LT

20,000

TYPE: LOCATION: 4500

RP 005460010020 A COCHRAN, ROGER C & DIANA S
5010 S DEARBORN S RT 12
SPOKANE, WA 99223

25-57N-2W
BLK 1 LOT 2

15

1.000 LT

8,000

TYPE: LOCATION: 4500

RP 005460010030 A GOTTSCHALK, MALCOLM O ETUX
E 10806 22ND
SPOKANE, WA 99206

25-57-2W
BLK 1 LOT 3

15

1.000 LT

10,500

TYPE: LOCATION: 4500

RP 005460010040 A GOTTSCHALK, MALCOLM & PATRICIA
10806 E 22ND
SPOKANE, WA 99206

25-57N-2W
BLK 1 LOT 4

15

1.000 LT

10,500

TYPE: LOCATION: 4500

RP 005460010050 A ANDERSON, MERLIN D & CATHERINE
700 S LOGAN
MOSCOW, ID 83843

25-57-2W
BLK 1 LOT 5

15

1.000 LT

10,500

TYPE: LOCATION: 4500

RP 005460010060 A ANDERSON, MERLIN D & CATHERINE
700 S LOGAN
MOSCOW, ID 83843

25-57-2W
BLK 1 LOT 5

15

1.000 LT

10,500

DATE
TIME

PARCEL
KEY
TYPE PARCEL NO STATUS
CODE DLO PARCEL NO
MAP NUMBER
DEED # - NEW

8-00

TYPE:

RP 80-00

TYPE:

RP 80-00

TYPE:

RP 80-00

TYPE:

RP 80-00

TYPE:

RP 80-00

TYPE:

RP 80-00

TYPE:

RP 80-00

TYPE:

RP 80-00

TYPE:

RP 80-00

J 02

K 02

APR 23 1991

INSTRUCTIONS ON REVERSE SIDE

ISSUED: 10-04-1990

No. 62704		Idaho Corporation Annual Report Form		2. Registered Agent and Office																															
Return To Secretary of State Room 203, Statehouse Boise, ID 83720		Due No Later Than November 1, 1. Mailing Address — Please Correct		ARTHUR W. LONG P.O. BOX 157 HOPE ID 83836																															
** FINAL NOTICE ** NO FEE REQUIRED		KULLYSPELL ESTATES WATER AS ARTHUR W. LONG P. O. BOX 157 HOPE ID 83836		3. Incorporated Under The Laws of ID NO: 062704																															
4. Names and Addresses of Officers and Directors																																			
President: Secretary: Directors:		<table border="1"> <thead> <tr> <th>Name</th> <th>Street or P.O. Address</th> <th>City</th> <th>State</th> <th>Zip</th> </tr> </thead> <tbody> <tr> <td>Arthur W. Long</td> <td>P.O. Box 157</td> <td>Hope</td> <td>ID</td> <td>83836</td> </tr> <tr> <td>Bill L. Snyder</td> <td>150 Agency Circle</td> <td>Hope</td> <td>ID</td> <td>83836</td> </tr> <tr> <td>Fred Delosh</td> <td>180 Agency Circle</td> <td>Hope</td> <td>ID</td> <td>83836</td> </tr> <tr> <td>Don Hassenstein</td> <td>459 E. Oakwood Dr.</td> <td>Parrington</td> <td>TX</td> <td>60010</td> </tr> <tr> <td>Donald Steinhilber</td> <td>P.O. Box 171</td> <td>Hope</td> <td>ID</td> <td>83836</td> </tr> </tbody> </table>				Name	Street or P.O. Address	City	State	Zip	Arthur W. Long	P.O. Box 157	Hope	ID	83836	Bill L. Snyder	150 Agency Circle	Hope	ID	83836	Fred Delosh	180 Agency Circle	Hope	ID	83836	Don Hassenstein	459 E. Oakwood Dr.	Parrington	TX	60010	Donald Steinhilber	P.O. Box 171	Hope	ID	83836
Name	Street or P.O. Address	City	State	Zip																															
Arthur W. Long	P.O. Box 157	Hope	ID	83836																															
Bill L. Snyder	150 Agency Circle	Hope	ID	83836																															
Fred Delosh	180 Agency Circle	Hope	ID	83836																															
Don Hassenstein	459 E. Oakwood Dr.	Parrington	TX	60010																															
Donald Steinhilber	P.O. Box 171	Hope	ID	83836																															
5. Nature of Business Community Water Associations		6. I certify that this Annual Report has been examined by me and is to the best of my knowledge true, correct and complete.																																	
Signature (Typed or Printed Name)		Date		Title																															
Arthur W. Long		Oct 13 1991		President																															

OCT 23 1991

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Tina Vandenberg being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 21 day of Feb., 1991
and ending on the 28 day of Feb., 1991
and that said notice was published in said newspaper.

On this 28th day of February in the year
of 91, before me, a Notary Public, personally
appeared Tina Vandenberg,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Kim Johnson
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 10/22/93

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08632
KULLYSPELL ESTATES WATER
ASSN. INC.
P.O. BOX 404
HOPE, ID 83836
Source: GROUNDWATER
Diversion Pt: SWSNW Sec 13 T

56N R 01E
Use: DOMESTIC (200 CFS)
Total Diversion: (200 CFS)
Date Filed: 2/6/1991

In: T56N R01E S13 SWNW SENW
Lot 1 (NWSW) Lot 2 (SWSW)
For additional information
concerning the property location,
call the Northern Regional Office at
765-4639.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before MARCH 11, 1991.

R. KEITH HIGGINSON,
Director
SNP #3990 February 21, 28, 1991



APR 23 1991

3990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 15, 1996

KULLYSPELL ESTATES WATER ASSN INC
PO BOX 404
HOPE ID 83836

RE: WATER RIGHT NO. 96-08632

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED

JAN 10 1997

Analysis of System Capacity for Subdivisions

Operator: S. W. Keen

Date: 11/15/96

Right No.: 96-08632

Existing or Proposed System

Storage capacity in gallons	10400 gal	
Pump horsepower	5 hp	
Dynamic lift	380 ft	
Pump discharge pressure	45 psi	
Theoretical pumping capacity	0.06 cfs	28.6 gpm
Measured pumping capacity	cfs	. gpm

Requirements

Number of homes	50 homes
Gallons per day per home	500 gal
Area irrigated	0 acres
Peak demand period	60 min

Calculations

Peak instantaneous demand	0.34 cfs	151.5 gpm
Suggested pump capacity	0.10 cfs	45.4 gpm
Peak demand volume	7573 gal	
Max potential daily diversion vol.	41131 gal	
Total daily volume required	25000 gal	0.077 af
Time required to pump daily vol.	14.6 hr	875 min
Time required to refill tank	4.4 hr	265 min

Key Questions

Does existing storage capacity exceed peak demand volume?	Yes
Does existing pumping capacity meet or exceed the suggested pumping capacity?	No
Can the system produce the required daily volume in under 24 hours?	Yes

Notes:

The pump appears to be slightly undersized, but the dynamic lift figure may be less than the estimate. The significant feature of this system seems to be the large storage volume, which compensates for the undersized pump.

MICROFILMED

JAN 10 1997

Page 1 1337

MEMORANDUM

TO: File 96-08632

FROM: Sharla

DATE: November 14, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 96-08632 are based on the following:

H. RECOMMENDATIONS

1. Recommended Amounts

Domestic	1/1 - 12/31	0.07 cfs	30.0 afa
----------	-------------	----------	----------

In a telephone conversation with Mrs. Long (wife of Art Long, representative of the association) on this date, she confirmed that water is only used for in-house purposes (as originally stated on the application). She stated that no one waters their yards - they are located in a rocky wooded area and there is no need to water outside. The volume for domestic purposes has been adjusted accordingly.

Examiner: Herman Spangle

Exam date: September 11, 1996

RECEIVED

JAN 10 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-08632

DATE 11/7/96

REVIEWER: S H A R L A

NAME	Change	OK ☒	Address Change <u>No</u>
SOURCE		☒	Is change clarification of originally intended source? <u> </u> If not, prepare Notice of Intent to Void <u> </u>
POINT OF DIV		☒	Amendment required <u>No</u>
PLACE OF USE		☒	Amendment required <u>No</u>

Does map agree with written description? ☒ yes ☐ no

OVERLAPS ☐ P/D ☐ P/U

RATE OF DIV

Permitted Rate	<u>.20</u>	cfs	
Fee limit	<u>.20</u>	cfs	<u>\$50⁰⁰</u>
Measured	<u> </u>	cfs	
Theoretical	<u>.07</u>	cfs	

well log = .07 cfs

Recommended Total Div Rate .07 cfs

ANNUAL VOLUME/ NATURE OF USES	☒	Use <u>Dom.</u>	Volume Calculation
			<u>50X.6 = 30.0</u> af
			<u> </u> af
			<u> </u> af
			<u> </u> af
			<u> </u> af
		SUBTOTAL	<u>30.0</u> af

Flow rate .07 cfs X 365 days X 1.983 = 50.6 af

Total volume recommended 30.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

50 home - irrig not incl.
Plu aka Lots 1-10 Blk 1; 1-10 Blk 2;
1-9, Blk 3; 1-8, Blk 4; 1-6, Blk 5; and 1 home

CONDITIONS ☐ Watermaster Control WD#

☐ GW Measurement/Measuring Device

☐ Overlap

☐ Use-specific conditions

Advancement of Priority Date Required ☐ yes ☒ no

SRBA Claim Filed N/A

Adjustment Memo Rate


1st Amend Letter N/A

2nd Amend Letter

volume - in house only

Manitowish and without
 ment and entry, and rese-
 burying place for the ill-
 I dated August 25, 1929.

Per letter 9 21013, E, dated Feb
order is received and March 10
referred to the Public Domain



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 19 1996

Department of Water Resources

96-08632

A. GENERAL INFORMATION

Permit No.

1. Owner: Kully Spell Estates Water Assoc. Phone No. 264-5344

Current Address: P.O. Box 404 Hope, Id. 83836

2. Accompanied by: ART LONG EXAM DATE: 9-11-96

Address: Same as above Phone No. Same as above

Relationship to Permit Holder: Representative

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 96-04523

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NW	13	56N	01E	Bonner	U.S.G.S. 7.5 QUAD; PLAT MAP

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	01E	13							D	D			D	D					

MICROFILMED
JAN 10 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well #1		5			45 P.I.

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

1/20/2007

JAN 10 2007

E. NARRATIVE/REMARKS/COMMENTS

WATER IS PUMPED FROM WELL TO 10,400 GAL
RESERVOIR, THEN ANOTHER PUMP IS USED TO
DIENT/PRESSURISE SYSTEM - 4 PRESSURE
TANKS. SYSTEM CONSISTS OF VARIOUS SIZES
PVC LINES. ALL LOTS ARE STUBBED IN.
FOR A TOTAL OF 50 LOTS.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JAN 10 1987

F. FLOW CALCULATIONS

X Additional Computation Sheets Attached

Measured Method:

**See Theoretical Calculation*

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

(1.2^{AFA}) (50) = 60^{AFA}

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>1-01</u>	<u>12-31</u>	<u>.20</u>	<u>60.0</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.20</u>	<u>60.0</u>

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

Field Examiner's Name

Norman L. Spang

Date

9-11-96

Reviewer _____

Date _____

SEAL

MICROFILMED

JAN 10 1997

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 96-08632

DATE: 11-SEP-96

COMPLETE BY: BEARDSL

HORSEPOWER = 5

PUMP EFFICIENCY = 75%

DYNAMIC LIFT = 380 FEET

SYSTEM PRESSURE = 45 PSI


QUANTITY = 0.07 CFS

MICROFILMED

JAN 16 1997



PRESSURE
96-08632 TANKS



Well Head

10/2/77
1/2/78

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Kullipelli Estates Water Assn.Address HOPE 1DAOwner's Permit No. 96-08632

7. WATER LEVEL

Static water level 150 feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement☐ Abandoned (describe method of abandoning) _____

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.

Pumping Level

Hours Pumped

30 Gpm3702

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal☐ Industrial ☐ Stock ☐ Waste Disposal or Injection☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>130</u> inches	<u>6</u> inches	<u>1</u> feet	<u>19</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 12 Material used in seal: ☐ Cement grout☐ Puddling clay ☒ Well cuttingsSealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strata

Describe access port _____

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
<u>6</u>	<u>0</u>	<u>16</u>	<u>top soil</u>		
	<u>16</u>	<u>20</u>	<u>CLAY + BROKEN ROCK</u>		
	<u>20</u>	<u>236</u>	<u>MIXED REDD ROCK</u>		
	<u>136</u>	<u>170</u>	" " " "		
	<u>170</u>	<u>368</u>	" " " "		
	<u>368</u>	<u>385</u>	" " " "		
	<u>385</u>	<u>395</u>	" " " "		


RECEIVED

JUL 13 1979

Department of Water Resources
Northern District Office

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County BONNERN.W. 1/4 N.E. 1/4 Sec. 72 T. 56 N. R. 1 E. 10

10.

Work started 6-4-79 finished 6-6-79

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name BRAND X Firm No. 289Address Risky 1da Date 6-13-79Signed by (Firm Official) Landon Cordons

and

(Operator) Landon Cordons

March 18, 1994

KULLYSPELL ESTATES WATER ASSN. INC.
P.O. BOX 404
HOPE ID 83836

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08632

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

APR 22 1994

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 96-08632

Reviewed by JW

Date 3-16-94

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Dom
Correct Uses? yes

SOURCE OF WATER

 Surface water source
✓ Ground water source
no Drilling permit required?
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50.00 Amount Submitted
yes Correct?

MEASURING DEVICE

 Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>		<u> </u>
Date proof due	<u> </u>	-	<u> </u>
No. of days late	<u> </u>	=	<u> </u>
Priority Date	<u> </u>	+	<u> </u>
New Priority Date	<u> </u>		<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address

Proof Made 3-7-94

January 31, 1994

KULLYSPELL ESTATES WATER ASSN. INC.
P.O. BOX 404
HOPE ID 83836

PROOF DUE NOTICE

RE: PERMIT NO. 96-08632

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1994.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MAILED

APR 22 1994



April 11, 1991

KULLYSPELL ESTATES WATER ASSN. INC.
P.O. BOX 404
HOPE, ID 83836

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08632

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

APR 28 1991

APPLICATION FOR PERMIT REVIEW

Application #: 96-8632
Date: 4-2-91

Reviewer: Pam Skaggs

- ✓ Existing:
 - ✓ No - 26A-P17
 - Complete in 1 year - P16
 - Yes
 - Proof not submitted - P16
 - Proof submitted - N/A
- ✓ Groundwater:
 - GT. 0.7 cfs - 01G-P03, 01C-P03(existing well)
 - ✓ LT. 0.7 cfs - N/A
- ✓ Drilling Permit:
 - Approved w/permit - P99
 - ✓ Not included - 046-P23(All GW, even existing wells)
- ✓ Location:
 - Water Districts - WD No. _____
 - Surface water - 005, 005-01H-P01(LT.7 w/pump)
005-01J-P08(GT.7)
 - Groundwater - P05
 - Irrigation Districts - 023
 - Canal Co. Areas - 023
 - Drainage Districts - 024
 - Boise Front (63) - 058 (Groundwater)
 - ✓ Swan Falls Flag - _____ (1, Blank or Other)
 - Trust - 051-052-053-P74(Cons.), 041(DCMI, w/Irr
or Irr & Dom)
 - Non Trust - 048-049
 - River Basins:
 - (Surface Water) Water District Control Condition &....
 - Boise (63) - 11D-P72
 - Payette (65) - 047-P04, 059-P71
 - Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)
 - Use:
 - Fish Propagation - 06A, 09E-P10 & 010 (Choose One), 042(req.)
002-P06(M.D.), 007(Spec.), 044(Policy 5G)
 - Power - _____ Use Power Review
 - Mining - 06A or 010, 09E-P10 & 054(req.)
 - Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)
 - Rec. & Aesthetic - 027(Non-Consumptive)
 - Domestic - 021(restricted areas)
- ✓ Ownership:
 - ✓ Non land owner - 004
- Protested:
 - Agreement - 020
- Minimum Stream Flow:
 - Overlapping uses - 029-P20
- ✓ Beneficial Use Due Date: - 04-01-1994
- Other Conditions Recommended _____

APR 23 1991

[Signature]
4-3-91

Application Number 96-8632

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ Additional information received:
☒ Notice of pending void order issued: Final date of order response. _____
☒ Comments added
☒ Maps Copied

✓ Affidavit of publication received:

✓ Application published correctly: If not, record action taken.

✓ Publication dates and paper recorded on application:

✓ Protests received, Final date for protest 3/11/91

✓ Recommendations attached:

✓ Measuring device required:

Measuring port required:

✓ Water delivered by water master? District #

Special conditions of approval or cover letter: (see additional info. below)

Recomended Date of Priority 2-6-91

Recomended by: TRIC PJA Date 3/15/91

STATE OFFICE REVIEW

See remarks for additional information. By _____ Date _____

REMARKS

[illegible]

96-08632

KULLYSPELL ESTATES WATER ASSN. INC.
P.O. BOX 404
HOPE, ID 83836

Source: GROUNDWATER

Diversion Pt: SWSNW Sec 13 T 56N R 01E

Use: DOMESTIC (.200 CFS)
Total Diversion: (.200 CFS)

Date Filed: 2/ 6/ 1991

In: T56N R01E S13 SWNW SENW Lot 1 (NWSW) Lot 2 (SWSW)

APR 23 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

February 14, 1991

Idaho Divn. of Environment
2110 Ironwood Parkway, #101
Coeur d'Alene, Id. 83814

Re: 96-8632

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Idaho Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enclosure

APR 23 1991

