



T54N R2W36


BAYVIEW Q
ID/
7.5 MINUTE SERIES
NE/4 ATROL





MICROFILMED
NOV 08 1996

Accepted






pu

pu

pu



-pu

MICROFILMED
NOV 08 1996


96-08631



pu

pu

pu



-pu

MICROFILMED
NOV 08 1996

96-08631



pu

pu



pu



-pu

MICROFILMED
NOV 08 1996

96-08631

2490121 NNNN2

pu

pu

pu



-PD

MICROFILMED
NOV 08 1996

96-08631

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08631

Priority: January 29, 1991

Maximum Diversion Rate:

0.08 CFS

Maximum Diversion Volume:

2.4 AF

This is to certify, that DOUG GRAHAM
ROBERT H RICKEL

PO BOX 307

PALM DESERT CA 92261

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 29, 1991; and has submitted Proof of Beneficial Use on July 22, 1991. An examination indicates that the works have a diversion capacity of 0.080 cfs of water from:

PEND OREILLE LAKE

tributary to PEND OREILLE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.08 CFS	2.4 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NESW), Sec. 36, Township 54N, Range 02W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

54N 02W 36 Lot 3(NESW)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 3 homes.

MICROFILMED
NOV 08 1996


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08631

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14TH
day of SEPTEMBER, 1996.


Acting for KARL J. DREHER, Director



MICROFILMED
NOV 08 1996

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08631

Proposed Priority: January 29, 1991 Maximum Diversion Rate: 0.14 CFS

This is to certify, that ROBERT H. RICKEL
DOUG GRAHAM
P.O. BOX 157
BAYVIEW, ID 83803

has applied for a permit to appropriate water from:

PEND OREILLE LAKE tributary of PEND OREILLE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.06 CFS
DOMESTIC	01/01 to 12/31	0.08 CFS
Totals		0.14 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 2(NESW), Sec. 36, Township 54N, Range 02W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
54N	02W	36	LOT 2(NESW)	2		2

Total number of acres irrigated: 2

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1992.
2. Subject to all prior water rights.
3. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. Domestic use is for 3 homes.
6. Prior to diversion of water under this permit, the permit holder must obtain approval of the Idaho Department of Lands.

APR 23 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08631

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

10th day of April, 1991.

for R. Keith Higginson
R. Keith Higginson, Director

APR 23 1991

Ident. No. 96-08631

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: ROBERT H. RICKEL 208-683-2385
Address: P.O. BOX 157
BAYVIEW, ID 83803
AND/OR
Name: DOUG GRAHAM 619-346-3585
Address: P.O. BOX 307
PALM DESERT, CA 92261
2. Source: PEND OREILLE LAKE Trib. to: PEND OREILLE RIVER
3. Location of Point of Diversion: LOT 2 (NE 1/4), Sec. 36, Township 54N, Range 02W
KOOTENAI County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.060		
DOMESTIC	01/01	12/31	0.080		
5. Total quantity to be appropriated is:
0.140 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
PUMP AND PIPELINE
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:

APR 23 1991

9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
54N	02W	36	LOT 2(N&S)	2		2

Total number of acres irrigated: 2

Place of Use: DOMESTIC, same as IRRIGATION use

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?
STATE OF IDAHO

b. Who owns the land to be irrigated or place of use?
APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
ENCROACHMENT PERMIT L-96-S-626

12. Remarks:
DOMESTIC USE IS FOR THREE HOMES.

13. Map of proposed point of diversion and place of use attached? [1]

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Robert H. Bickel
Applicant

Received by RVA Date 1/29/91 Time 3:30 Preliminary check by TDK

Fee \$30.00 Receipted by RVA # N4296 Date 1/29/91


Publication prepared by pm Date 1/30/91 Published in Chem & Alkaline Green 2/74/91

Publication approved pm Date 2/22/91

MICROFILMED

APR 23 1991

NE/4 ATHOL.



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Julie Jacobs

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Legal Notice*

of which the annexed is a printed copy, was published in the regular *Thurs* issue of said newspaper for *2* consecutive *weeks* commencing on the *7th* day of *February*, 19*91*, and ending on the *14th* day of *February*, 19*91*, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice

Subscribed and sworn to before me this *14th* day of *February*, 19*91*

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
My commission expires *2-3-93*

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08680
WACHHOLZ, HAROLD A.
N. 4750 MEYER RD.
RATHDRUM, ID 83858
Source: GROUNDWATER
Diversions Pt: SWSWSW Sec 20 T 51N R 04W

Use: IRRIGATION (.740 CFS)
Total Diversion: (.740 CFS)

Date Filed: 1/28/1991
In: T51N R04W S20 SWSW
37.0 ACRES TOTAL
96-08631

GRAHAM, DOUG
RICKEL, ROBERT H.
P.O. BOX 307
PALM DESERT, CA 92261
Source: PEND OREILLE LAKE
Tributary: PEND OREILLE RIVER
Diversions Pt: LOT 2 (NESW) Sec 36 T 54N R 02W

Use: IRRIGATION (.060 CFS)
DOMESTIC (.080 CFS)
Total Diversion: (.140 CFS)
Date Filed: 1/28/1991 *1/29/91*
In: T54N R02W S36 Lot 2 (NESW)
2.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before FEBRUARY 25, 1991.

R. KEITH HIGGINSON, Director
Legal 19
Feb. 7, 14, 1991

RECEIVED

FEB 15 1991

NORTHERN REGION
IDWR

APR 23 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 16, 1996

DOUG GRAHAM
ROBERT H RICKEL
PO BOX 307
PALM DESERT CA 92261

RE: WATER RIGHT NO. 96-08631

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED
NOV 08 1996

MEMORANDUM

TO: File 96-08631

FROM: Sharla

DATE: June 17, 1996

RE: Recommendation Adjustment(s)


The final license recommendations for Right 96-08631 are based on the following:

C. DIVERSION AND DELIVERY SYSTEM

1. Point of Diversion - Gov. Lot 3 (NESW), S36, T54N, R2W
2. Place of Use - same as point of diversion

The original application for permit identified the NESW, however, the wrong govt. lot was listed. Lot 2 is actually the NWSE. A copy of the govt. plat map is attached. The p/d and p/u were shown in the NESW on the map attached with the application for permit. The examiner's mark for the point of diversion (on the map attached to the field exam) is slightly off, however, his written description confirms the $\frac{1}{4}\frac{1}{4}$ as the NESW.

MICROFILMED
JUN 18 1996



Accepted

MICROFILMED
NOV 18 1983

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-08631

DATE 6/17/96

REVIEWER: S H A R L A

NAME	Change <u>OK</u>	Address Change <u>NO</u>
SOURCE	<u>✓</u>	Is change clarification of originally intended source? <u>✓</u> If not, prepare Notice of Intent to Void <u> </u>
POINT OF DIV	<u>✓</u>	Amendment required <u>NO</u> <u>Copy govt. plat</u>
PLACE OF USE	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? yes ✓ no - adj. memo needed

OVERLAPS P/D P/U N/A

RATE OF DIV

Permitted Rate	<u>.14</u> cfs
Fee limit	<u>.20</u> cfs <u>\$50⁰⁰</u>
Measured	<u> </u> cfs <u>NO MEASUREMENT MADE</u>
Theoretical	<u>N/A</u> cfs <u>- Pump hp not known</u>
Recommended Total Div Rate <u>.08</u> cfs	

ANNUAL VOLUME/ NATURE OF USES	<u>✓</u>	Use <u>43</u>	Volume Calculation
			<u>3 X 1.2 = 3.6</u> af
			<u> </u> af
			<u> </u> af
			<u> </u> af
		SUBTOTAL	<u>3.6</u> af

Flow rate .08 cfs X 365 days X 1.9835 = 57.9 af
 Total volume recommended 3.6 af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS D/3 homes.

CONDITIONS Watermaster Control WD# N/A
 GW Measurement/Measuring Device
 Overlap
 Use-specific conditions

Advancement of Priority Date Required yes ✓ no

SRBA Claim Filed <u>✓</u>	1st Amend Letter <u> </u>
Adjustment Memo <u> </u>	2nd Amend Letter <u> </u>

RECEIVED
DEC 14 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08631

1. Owner: ROBERT Rickel Phone No. 208 683-2385

Current Address: P.O. Box 157 Bayview Id 83803

2. Accompanied by: MRS Rickel EXAM DATE: 9-7-94

Address: SAME AS ABOVE Phone No. SAME

Relationship to Permit Holder: Wife

3. Source: PEND OREILLE LAKE tributary to PEND OREILLE RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SW	36	54N	02W	KOOTENAI	USGS 7.5 MIN QUAD

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
54N	02W	36									0								

MICROFILMED
NOV 08 1996

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>01-01</u>	<u>12-31</u>	<u>.08</u>	<u>2.4</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.08</u>	<u>2.4</u>

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ____ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name Ted McCracken Date 9-7-94


Reviewer _____ Date _____

SEAL

MICROFILMED

NOV 08 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Goulds			Submersible	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____


MICROFILMED
NOV 08 1996

E. NARRATIVE/REMARKS/COMMENTS

Pump supplies 3 Homes AND YARDS


Have conditions of permit approval been met? ☐ yes ☐ no

MICROFILMED
NOV 08 1996



96-08631
T54N R2W
S36

MICROFILMED
NOV 08 1955



pu

pu

pu

-pp

MICROFILMED
NOV 0 8 1996

96-08631

PO



PO

PO



-PP

MICROFILMED
NOV 0 8 1995

96-08631

0121 1070

PO

PO



PO



-PD

MICROFILMED
NOV 0 8 1996

96-08631

000011 1210485

pu

pu

pu



-pp

MICROFILMED
NOV 08 1995

96-08631

December 5, 1991

DOUG GRAHAM
ROBERT H. RICKEL
P.O. BOX 157
BAYVIEW ID 83803

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08631

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
DEC 31 1991

07/90

RECEIVED

JUL 22 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
 Amt. of Fee \$ 50.00
 Date 7-22-91
 Receipt No. 6021271
 Received by JH

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08631 Telephone No. (208) 683-2385

2. Name(s) of Permit Holder(s): ROBERT H. RICKEL / DOUG GRAHAM

3. Post Office Address: P.O. BOX 157 BAYVIEW, ID 83803

4. Source of Water: PEND OREILLE LAKE

a. If ground water, well driller's name: _____ Date drilled: _____

b. Pump horsepower: 5 Pressure (psi): 50-70 Dynamic pumping level (ft.): +20

5. Extent of Use:

Domestic 2 (No. of households) Irrigation 1 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.14 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes X No Installed? Yes X No

OR

Flow Measurement Port: Required? Yes X No Installed? Yes X No

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

ROBERT H. RICKEL / DOUG GRAHAM (208) 683-2385
 Name Telephone No.

P.O. BOX 157, BAYVIEW, ID 83803

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7/17/91
 Date

[Signature]
 Signature (and title if on behalf of a company or organization)

RECEIVED
 DEC 31 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 96-08631

Date 11/29/91

GENERAL CONSIDERATIONS

Yes Name same as permit?
Yes Address same as permit? If no, indicate below.
Yes Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
NA Drill permit req'd?
☐ Copy in file? Drill permit no. _____
☐ Amt paid for drilling permit? _____ Correct?
☒ Well log in file?

LICENSE EXAMINATION FEE

Yes Required?
50 Amount submitted?
Yes Correct amount?

MEASURING DEVICE

NA Measuring device or access port required?
☐ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	_____
Date proof due	<u>/</u>	- _____
No. of days late	<u>/</u>	= _____
Priority date	<u>/</u>	+ _____
NEW PRIORITY DATE	<u>/</u>	= _____

DATA ENTRY

ADDRESS CHANGE _____

PROOF MADE 12/6/91 KLG



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 12, 1991

DOUG GRAHAM
ROBERT H. RICKEL
P.O. BOX 157
BAYVIEW, ID 83803

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08631

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

APR 23 1991

APPLICATION FOR PERMIT REVIEW

Application #: 96-8631
Date: 4-3-91

Reviewer: Pam Skaggs

Existing:

✓ No - 26A-P17

✓ Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - N/A

Groundwater:

GT. 0.7 cfs - 01G-P03, 01C-P03(existing well)

LT. 0.7 cfs - N/A

Drilling Permit:

Approved w/permit - P99

Not included - 046-P23(All GW, even existing wells)

Location:

Water Districts - WD No. _____

Surface water - 005, 005-01H-P01(LT.7 w/pump)
005-01J-P08(GT.7)

Groundwater - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

✓ Swan Falls Flag - (1, Blank or Other)

Trust - 051-052-053-P74(Cons.), 041(DCMI, w/Irr

Non Trust - 048-049 or Irr & Dom)

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (Choose One), 042(req.)
002-P06(M.D.), 007(Spec.), 044(Policy 5G)

Power - Use Power Review

Mining - 06A or 010, 09E-P10 & 054(req.)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic - 027(Non-Consumptive)

Domestic - 021(restricted areas)

Ownership:

✓ Non land owner - 004

Protested:

Agreement - 020

Minimum Stream Flow:

Overlapping uses - 029-P20

✓ Beneficial Use Due Date: - 04-01-1992

✓ Other Conditions Recommended Outside Agency Condition

APR 23 1991

4-8-91

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: TDK DATE: 1-29-90 APPLICATION NUMBER: 96-09631

APPLICANT: _____

REQUIRED INFORMATION

- (1). (✓) Name & Address: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
- (2). (✓) Source: (See USGS Quad for names of water sources)
- (3). (✓) Point of Diversion including county: (10 acre tract, Subd. lot & block)
- (4). (✓) Quantity: (flow and/or volume)
(✓) Nature of proposed use: (Include description of use)
(✓) Period of use:
- (5). (✓) Total Quantity: (flow and/or volume)
- (6). (✓) Description of diverting works:
- (7). (✓) Time required for beneficial use of water:
- (8). (✓) Proposed uses:
- (9). (✓) Place of use or acres irrigated:
- (10). (✓) Other Water Rights:
- (11). (✓) Ownership:
- (13). (✓) Map:
(✓) Signature: (signator title required for corp., partnership, etc)
(✓) Fee: (Amount, receipt number and date recorded on application)
(✓) Acknowledgement Letter:
(✓) Overlap Review: Attachment? (Y) _____ (N) _____ Remarks? (Y) _____ (N) ✓

ADDITIONAL INFORMATION

YES NO

- ___ ✓ Field check required: Field check by: _____
- ___ ✓ Field report attached:
- ___ ✓ Critical groundwater area:
- ___ ✓ Groundwater management area:
- ___ ✓ Send dam safety information:
- ___ ✓ Send letter for additional fish information:
- ___ ✓ Send letter for additional power information:
- ___ ✓ Within trust water boundary: (Attach Trust Water Supp. Analysis Sheet):
- ___ ✓ Diversion greater than 5 cfs or 500 af, supp. analysis sheet attached:
- ___ ✓ Well drilling permit required:

PROCESSING

YES NO

- ✓ ___ In form for advertising:
- ___ ✓ Statewide advertising: (10.00 or more cfs.)

Send Copies To

YES NO

- ___ ✓ I.D. H & W
- ___ ✓ I.D. F & G
- ✓ ___ I.D. Lands
- ___ ✓ Adj. Bur.

YES NO

- ✓ ___ U.S. BLM
- ___ ✓ U.S.F.S.
- ___ ✓ W District # _____
- ___ ✓ G.W. Prot. Div.

YES NO

Other
RECEIVED
MAR 18 1991

Department of Water Resources

Application Number 96-08631

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ Additional information received:
☒ Notice of pending void order issued: Final date of order response. _____
☒ Comments added
☒ Maps Copied
☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest 2/25/91
☒ Recommendations attached:
☒ Measuring device required:
☒ Measuring port required:
☒ Water delivered by water master? District # _____
☒ Special conditions of approval or cover letter: (see additional info. below)

Recomended Date of Priority 1/29/91

Recommended by: TDK RJA Date 3/15/91

STATE OFFICE REVIEW

See remarks for additional information. By _____ Date _____

REMARKS

96-08631

GRAHAM, DOUG
RICKEL, ROBERT H.
P.O. BOX 307
PALM DESERT, CA 92261

Source: PEND OREILLE LAKE

Tributary: PEND OREILLE RIVER

Diversion Pt: LOT 2 (NESW) Sec 36 T 54N R 02W

Use: IRRIGATION (.060 CFS)
DOMESTIC (.080 CFS)
Total Diversion: (.140 CFS)

Date Filed: 1/28/ 1991

In: T54N R02W S36 Lot 2 (NESW)

2.0 ACRES TOTAL

MICROFILMED

APR 23 1991

STANLEY F. HAMILTON
DIRECTOR

**BOARD OF LAND
COMMISSIONERS**

CECIL D. ANDRUS
Governor

PETE T. CENARRUSA
Secretary of State

LARRY ECHOHAWK
Attorney General

J.D. WILLIAMS
State Auditor

JERRY L. EVANS
Sup't of Public
Instruction

February 6, 1991

TO: Department of Water Resources
Northern Region

FROM: Bryce D. Taylor
Leasing Specialist

RE: 96-8631
Doug Graham
Robert H. Rickel

Pend Oreille Lake is a navigable lake. The applicant will need to get an encroachment permit from the Department of Lands at our Lake Protection Act administrative offices in Coeur d'Alene.

BT

c: Will Pitman
- LPA Manager



MICROFILMED

APR 23 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

January 30, 1991

Idaho Dept. of Lands
Statehouse
Boise, Id. 83720

Re: 96-8631

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Idaho Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enclosure

RECEIVED

APR 23 1991

