





BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

APR 23 1991

David A. Smith Sec. Treas
(Applicant)

STATE OF IDAHO
DEPT OF WATER
REPORT SUP
O T O G R A



7.5 HP PUMP
3 PRESSURE TANKS



Time for 96-08223
INTAKE 2" PVC



PERMIT #

96-08629

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT



PHOTOGRAPH


PLACE OF USE



Lined area for handwritten notes.

MICROFILMED

1997



PD

20

5
4

MICROFILMED
JAN 10 1997



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08629

Priority: January 4, 1991

Maximum Diversion Rate:

0.28 CFS

Maximum Diversion Volume:

42.0 AF

This is to certify, that ODEN VIEW ESTATES IMPROVEMENT ASSN
PO BOX 494

SANDPOINT ID 83864 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated January 4, 1991; and
has submitted Proof of Beneficial Use on February 24, 1994. An examination indicates
that the works have a diversion capacity of 0.280 cfs of water from:

PEND OREILLE LAKE

tributary to PEND OREILLE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.28 CFS	42.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 5, Township 57N, Range 01W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
57N	01W	5	SWSE	14		14

Total number of acres irrigated: 14

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

MICROFILMED

12/10/97

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 96-08629

CONDITIONS OF APPROVAL AND REMARKS


6. Rights 96-08223 and 96-08629 when combined shall not exceed a total diversion rate of 0.28 cfs.
7. Right 96-08223 is also diverted at the point of diversion described above.
8. Place of use known as Lots 1-28, Oden View Estates.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15th day of November, 1996.


Acting for KARL J. DREHER, Director



RECEIVED
JAN 10 1997



RECEIVED
FEB 28 1994

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY

Amt. of Fee \$ 100.00

Date 2/24/94

Receipt No. N 7397

Receipt by [Signature]

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08629 Telephone No. 208-243-1501
2. Name(s) of Permit Holder(s): Oden View Estates Improvement Assn., Inc.
3. Mailing Address: P.O. Box 494 Sandpoint Id. 83864
4. Source of Water: Lake Pend Oreille

If **GROUNDWATER**, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 14 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .28 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No _____ Installed? _____ Yes _____ No

Flow Measurement Port: Required? _____ Yes ☒ No _____ Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 100.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name Ann Gehring (Pres) Telephone No. 208-243-6294

Address P.O. Box 494 Sandpoint Id 83864

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

APR 22 1994

2-22-94
Date

David Smith Sec./Treas.
Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08629

Proposed Priority: January 4, 1991 Maximum Diversion Rate: 0.28 CFS
This is to certify, that ODEN VIEW ESTATES IMPROVEMENT ASSN.
P.O. BOX 494
SANDPOINT, ID 83864
has applied for a permit to appropriate water from:

PEND OREILLE LAKE tributary of PEND OREILLE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.28 CFS

LOCATION OF POINT(S) OF DIVERSION: NWSWSE Sec. 5, Township 57N, Range 01W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
57N	01W	5	SWSE	14		14

Total number of acres irrigated: 14

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 1994.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
6. Prior to diversion of water under this permit, the permit holder must obtain approval of the Idaho Department of Lands.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

18th day of March, 1991.

RECEIVED

APR 23 1991

R. Keith Higginson
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant ODEN VIEW ESTATES IMPROVEMENT ASSN. Phone 263-4618
Post office address Box 494 SANDPOINT, ID 83864
2. Source of water supply PENDOREILLE LAKE which is a tributary of PENDOREILLE R.
3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 5 Township 57N Range 1W B.M. BONNER County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.28 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.28 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 2 1/2 HP SUBMERSIBLE
PUMP WITH PRESSURE SYSTEM & PIPE LINES TO 28 HOMES FOR
LAWN & GARDEN IRRIGATION
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

APR 23 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
57N	14W	5															14		14


Total number of acres to be irrigated 14

10. Describe any other water rights used for the same purposes as described above. 96-07555

- Who owns the property at the point of diversion? APPLICANT
- Who owns the land to be irrigated or place of use? MEMBERS
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

APR 23 1991



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

APR 28 1991
 X David W. Smith Sec. Treas
 (Applicant)

Received by mm Date 1/4/91 Time 1:30 PM Preliminary check by RGN/IDK
Fee \$ 450 Received by mm # N 427 Date 1/4/91
Publication prepared by mm Date 1/8/91 Published in Idaho (Boone Co) Bee
Publication approved mm Date 1/25/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

APR 23 1991

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Tina Vandenberg being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 17 day of January, 1991
and ending on the 24 day of January, 1991
and that said notice was published in said newspaper.

On this 24th day of January in the year
of 91, before me, a Notary Public, personally
appeared Tina Vandenberg,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Kim Johnson
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 10-22-93

NOTICE OF APPLICATION
FOR WATER RIGHT


The Following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

96-08628
MORTENSEN, VERNON JERRY
MORTENSEN, MARTI ELLEN
P.O. BOX 98
HAYDEN LAKE, ID 83835
Source: UNNAMED POND
Tributary: SINKS
Diversion Pt SWNENE Sec 21 T 59N R
01W
Use: IRRIGATION (3,000 CFS)
Total Diversion: (3,000 CFS)
Date Filed: 12/27/1990
In: T59N R01W S16 NESE SESE
S21 NENE SENE
S22 NENE NWNW NENW NWNW
SWNW
199.0 ACRES TOTAL

96-08629
ODEN VIEW ESTATES IMPROVE-
MENT ASSN
P.O. BOX 494
SANDPOINT, ID 83864
Source: PEND OREILLE LAKE
Tributary: PEND OREILLE RIVER
Diversion Pt NWSWSE Sec 5 T 57N R
01W

Use: IRRIGATION (280 CFS)
Total Diversion: (280 CFS)
Date Filed: 1/4/1991
In: T57N R01W S05 SWSE
14.0 ACRES TOTAL
For additional information concerning
the property location, call the Northern
Regional Office at 765-4639.
The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources.

Northern Region, 1910 Northwest Blvd.,
Suite 210, Coeur d'Alene, Idaho 83814 on
or before FEBRUARY 4, 1991.
R. KEITH HIGGINSON, Director
SNP #3941 January 17, 24, 1991





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 15, 1996

ODEN VIEW ESTATES IMPROVEMENT ASSN
PO BOX 494
SANDPOINT ID 83864

RE: WATER RIGHT NOS. 96-08629 AND 96-08677

Dear Water Right Holder(s):

Enclosed are copies of the Water Right Licenses issued on the above referenced permits. If you have any questions, please contact me within 10 days of receipt of these licenses.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosures

RECORDED
JAN 18 1997

MEMORANDUM

TO: Files 96-08629 & 96-08677

FROM: Sharla

DATE: November 12, 1996

RE: Overlapping Rights

Right 96-08629 is to be licensed for irrigation of 14 acres from the Pend Oreille Lake. The sizes of the 28 lots vary from about $\frac{1}{2}$ to $1\frac{1}{4}$ acres. After removing the homes, driveways, etc., 14 acres is a reasonable amount to be licensed. A previous right, No. 96-08223, diverts from the same point of diversion and irrigates approximately 1 acre of common area in the SE corner of the subdivision. At the time the exam was conducted for 96-08223 (1985), a 2 hp submersible pump in the river was being used as the diversion means. The system has obviously had some changes made, however, the examiner states in his narrative that this is the same diversion used for the prior right.

Right 96-08677 also has a previous right to be considered. Right 96-07555 was licensed for 0.08 cfs, 24.0 acre feet and 20 homes. The well examined under that right is the well mentioned in the narrative as Well #1, which is no longer used. The second well used under the newer permit is also now used for the previous license (no transfer was necessary because the new well is within the same legal description as was identified under the old well). The capacity is based on the theoretical calculation of 0.09 cfs. The new license can be issued for 0.09 cfs and the 8 homes not covered by the previous license; the volume will be listed for in-house use only.

REC'D - 11-12-96
JAN 10 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-08629

DATE 11/12/96

REVIEWER: S H A R L A

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	Change <u>—</u>	OK <u>✓</u>	Is change clarification of originally intended source? <u>—</u> If not, prepare Notice of Intent to Void <u>—</u>
POINT OF DIV	Change <u>—</u>	OK <u>✓</u>	Amendment required <u>NO</u>
PLACE OF USE	Change <u>—</u>	OK <u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS

✓ P/D — P/U 1 ac common area
96-08223 - 2 hp sub. pump in river '85

RATE OF DIV

Permitted Rate .28 cfs

Fee limit 1.0 cfs \$100⁰⁰—

Measured — cfs

Theoretical .28 cfs

96-7555 - gw (20 homes domestic use)
96-08677 (permit) gw Jon Yarlett (1.2 ea)
.20 10 acres - irrig
28 homes - done

Recommended Total Div Rate .28 cfs

ANNUAL VOLUME/
NATURE OF USES

Change —

Use ✓

Volume Calculation

14 x 3.0 = 42.0 af

— af

— af

— af

SUBTOTAL 42.0 af

Flow rate .28 cfs X 245 days X 1.98 = 135.8 af

Total volume recommended 42.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

R29 Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed NA

Adjustment Memo —

1st Amend Letter NA

2nd Amend Letter NA

MICROFILMED
JAN 10 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

OCT 21 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No.

96-08629

1. Owner: ODEN VIEW ESTATES IMPROVEMENT ASSOC. Phone No. (208)-263-7560

Current Address: P.O. Box 494 SANDPOINT, ID. 83864

2. Accompanied by: RICHARD OSBORN EXAM DATE: 10-8-96

Address: 4480 ODEN Bay DRIVE, Sandpoint, ID. Phone No. (208) 263-7560

Relationship to Permit Holder: Association Board Member

3. Source: Pond Oreille LAKE tributary to Pond Oreille River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 96-08223, 96-08677

2. Other water rights with the same point of diversion: 96-08223

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	05	57N	01W	Bonner	U.S.G.S. 7.5' QUAD, Site Visit

2. Place(s) of Use:


Indicate Method of Determination QUAD Map - Site Visit

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	01W	05															14	14.0	

MICROFILMED
JAN 10 1997

Total = 14.0

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
DIVERSION #1	Marathon	7.5	1282269	STA-Rite	213TC - 2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical - Buried AND short length pipes make the Polysonic meter unusable, No Flowmeter is on system.

MICROFILMED

JAN 10 1997

E. NARRATIVE/REMARKS/COMMENTS

System is a 2" main intake line that fills a 4' ft. Round 12' deep Concrete Cistern by Lake Level Gravity feed. From here, A 7.5HP Marathon Motor w/ Sta-Rite pump pumps water to a Pump House with 3 pressure tanks. The water line is pressurized and pumped up hill to 28 lots within the Oden View Estates Improvement Association.

This point of diversion is the same point of Diversion for 96-08223, which covers 1^{ac} of irrigation of the Association's common area by or abutting the Lake.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

JAN 10 1987

F. FLOW CALCULATIONS

Measured Method:

X Additional Computation Sheets Attached

**See Theoretical Calculation*

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (14)(3) = 42.0 \text{ ACFT}$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.28)(245)(1.9835) = 136.1$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

28 Homes w/ 1/2 acre LAWN & GARDEN
= 14 ACRES

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>IRRIGATION</i>	<i>3-15</i>	<i>11-15</i>	<i>.28</i>	<i>42.0</i>
Totals:			<i>.28</i>	<i>42.0</i>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

Harman I. Spangle

Date

10-8-96

Reviewer

Date

SEAL

MAILED

JAN 10 1997

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 96-08629

DATE: 8-OCT-96

COMPLETE BY: HERMAN

HORSEPOWER = 7.5

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 50 FEET

SYSTEM PRESSURE = 50 PSI

QUANTITY = 0.28 CFS

WACCO-11442
JAN 10 1997

PERMIT #

96-08629



STATE OF IDAHO
DEPARTMENT OF WATER
AND SOIL CONSERVATION
REPORT SUPPLEMENT
OCTOBER 1995

7.5 HP PUMP

3 PRESSURE TANKS

Time for 96-0822 B

INTAKE 2" PVC



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT


PERMIT #

96-08629




PHOTOGRAPH

PLACE OF USE



Lined area for handwritten notes or descriptions.

100-1000



ODEN VIEW IMPROVEMENT ASSOCIATION

T. 57 N., R. 01 W., Sec. 5

96-08629

Mile 122

2 410 000 FEET

Point Light

Contest Point

P E N
ELEVATION 20



March 1, 1994

ODEN VIEW ESTATES IMPROVEMENT ASSN.
P.O. BOX 494
SANDPOINT ID 83864

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08629

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region



ENCLOSURE

JAN 10 1997

March 1, 1994

ODEN VIEW ESTATES IMPROVEMENT ASSN.
P.O. BOX 494
SANDPOINT ID 83864

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08629

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED
APR 22 1994

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 96-08629

Reviewed by Jr.

Date 3-1-94

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Jrr.

Correct Uses? yes

SOURCE OF WATER

☒ Surface water source
☐ Ground water source

	Drilling permit required?
	Copy in the file? Drilling Permit No. _____
	Amount paid for permit _____ Correct?
	Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
100.00 Amount Submitted
yes Correct?

MEASURING DEVICE

	Required?
	Installed?
	Waiver requested?

PRIORITY CALCULATION

Date proof received		
Date proof due	-	
No. of days late	=	
Priority Date	+	
New Priority Date		

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address _____

Proof Made 2-24-94

December 31, 1993

ODEN VIEW ESTATES IMPROVEMENT ASSN.
P.O. BOX 494
SANDPOINT ID 83864

PROOF DUE NOTICE

RE: PERMIT NO. 96-08629

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED

APR 22 1994





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 20, 1991

ODEN VIEW ESTATES IMPROVEMENT ASSN.
P.O. BOX 494
SANDPOINT, ID 83864

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08629

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED

APR 23 1991

APPLICATION FOR PERMIT REVIEW

Application #: 96-8629
Date: 3-14-91

Reviewer: Pam Skaggs *PS*

- ✓ Existing:
- ✓ No - 26A-P17
 - Complete in 1 year - P16
 - Yes
 - Proof not submitted - P16
 - Proof submitted - N/A
 - Groundwater:
 - GT. 0.7 cfs - 01G-P03, 01C-P03(existing well)
 - LT. 0.7 cfs - N/A
 - Drilling Permit:
 - Approved w/permit - P99
 - Not included - 046-P23(All GW, even existing wells)
 - ✓ Location:
 - Water Districts - WD No. _____
 - Surface water - 005, 005-01H-P01(LT.7 w/pump)
005-01J-P08(GT.7)
 - Groundwater - P05
 - Irrigation Districts - 023
 - Canal Co. Areas - 023
 - Drainage Districts - 024
 - Boise Front (63) - 058 (Groundwater)
 - ✓ Swan Falls Flag - _____ (1, Blank or Other)
 - Trust - 051-052-053-P74(Cons.), 041(DCMI, w/Irr
 - Non Trust - 048-049 or Irr & Dom)
 - River Basins:
 - (Surface Water) Water District Control Condition &....
 - Boise (63) - 11D-P72
 - Payette (65) - 047-P04, 059-P71
 - Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)
 - Use:
 - Fish Propagation - 002-P06, 06A, 007, 09E-P10, 010, 042, 044
 - Power - Use Power Review
 - Mining - 06A, 006, 010, 09E-P10 & 054(req.)
 - Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)
 - Rec. & Aesthetic - 027(Non-Consumptive)
 - Domestic - 021(restricted areas)
 - ✓ Ownership:
 - ✓ Non land owner - 004
 - Protested:
 - Agreement - 020
 - Minimum Stream Flow:
 - Overlapping uses - 029-P20
 - ✓ Beneficial Use Due Date: - 03-01-1994
 - ✓ Other Conditions Recommended Outside Agency Approval
(see remarks)

APR 23 1991

Form No. 202a.
4/87-8/89N

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RMA DATE: 1/7/91 APPLICATION NUMBER: 96-8a29

APPLICANT: _____

REQUIRED INFORMATION

- (1). ☒ Name & Address: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
- (2). ☒ Source: (See USGS Quad for names of water sources)
- (3). ☒ Point of Diversion including county: (spring/10 ac., Subd. lot & block)
- (4). ☒ Quantity: (flow and/or volume)
☒ Nature of proposed use: (Include description of use)
☒ Period of use:
- (5). ☒ Total Quantity: (flow and/or volume)
- (6). ☒ Description of diverting works:
- (7). ☒ Time required for beneficial use of water:
- (8). ☒ Proposed uses:
- (9). ☒ Place of use or acres irrigated:
- (10). ☒ Other Water Rights:
- (11). ☒ Ownership:
- (13). ☒ Map:
☒ Signature: (signator title required for corp., partnership, etc)
☒ Fee: (Amount, receipt number and date recorded on application)
☒ Acknowledgement Letter:
☒ Overlap Review: Attachment? (Y)____ (N)____ Remarks? (Y)____ (N)____

ADDITIONAL INFORMATION

- YES NO
- ☒ Field check required: Field check by: _____
 - ☒ Field report attached:
 - ☒ Critical groundwater area:
 - ☒ Groundwater management area:
 - ☒ Send dam safety information:
 - ☒ Send letter for additional fish information:
 - ☒ Send letter for additional power information:
 - ☒ Within trust water boundary: (Attach Trust Water Supp. Analysis Sheet):
 - ☒ Diversion greater than 5 cfs or 500 af, supp. analysis sheet attached:
 - ☒ Well drilling permit required:

PROCESSING

- YES NO
- ☒ In form for advertising:
 - ☒ Statewide advertising: (10.00 or more cfs.)

Send Copies To

- | | | |
|--|--|---|
| YES NO | YES NO | YES NO |
| ☒ I.D. H & W | ☒ U.S. BLM | ☒ Other _____ |
| ☒ I.D. F & G | ☒ U.S.F.S. | |
| ☒ I.D. Lands | ☒ W District # _____ | |
| ☒ Adj. Bur. | ☒ G.W. Prot. Div. | |

RECEIVED
FEB 25 1991
Department of Water Resources

Application Number 96-829

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ Additional information received:
☒ Notice of pending void order issued: Final date of order response. _____
☒ Comments added
☒ Maps Copied
☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

✓ Publication dates and paper recorded on application:

✓ Protests received, Final date for protest 1/28/91

✓ Recommendations attached:

✓ Measuring device required:

✓ Measuring port required:

✓ Water delivered by water master? District # _____

✓ Special conditions of approval or cover letter: (see additional info. below)

Recommended Date of Priority 1/4/91

Recommended by: Date 2/19/91

STATE OFFICE REVIEW

See remarks for additional information. By _____ Date _____

REMARKS

[illegible]

96-08629

ODEN VIEW ESTATES IMPROVEMENT ASSN
P O BOX 494
SANDPOINT, ID 83864

Source: PEND OREILLE LAKE

Tributary: PEND OREILLE RIVER

Diversion Pt: NWSWSE Sec 5 T 57N R 01W

Use: IRRIGATION (.280 CFS)

Total Diversion: (.280 CFS)

Date Filed: 1/ 4/ 1991


In: T57N R01W S05 SWSE

14.0 ACRES TOTAL

RECEIVED

APR 23 1991

STANLEY F. HAMILTON
DIRECTOR



January 17, 1991

BOARD OF LAND
COMMISSIONERS

CECIL D. ANDRUS
Governor

PETE T. CENARRUSA
Secretary of State

LARRY ECHOHAWK
Attorney General

J.D. WILLIAMS
State Auditor

JERRY L. EVANS
Sup't of Public
Instruction

TO: Department of Water Resources
Northern Region

FROM: Bryce D. Taylor
Leasing Specialist
Bureau of Range Management
and Surface Leasing

RE: 96-8629
Ogden View Estates Improvement
Association

Pend Oreille Lake is a navigable lake. The applicant is required to obtain an encroachment permit from the Idaho Department of Lands Lake Protection Act administrative office in Coeur d'Alene.

BDT:lr *Bryce Taylor*

c: Will Pitman
- LPA Manager, Cd'A

APR 23 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

January 14, 1991

Idaho Dept. of Lands
Statehouse
Boise, Id. 83720

Re: 96-8629

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Idaho Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enclosure



RECEIVED

APR 23 1991