




BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Joyce X

Joyce Loney
(Applicant)

Betty Stachwell

Township N^o 55 North Range N^o 2 W

G f F e E d



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 10 1992

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08620

1. Owner: ROMEY WATER SYSTEM

Phone No. _____

Current Address: 4855 LOOP RD. COCONALLO, ID 83813

2. Accompanied by: BILL NEIL

EXAM. DATE: 3/24/92

Address: SAME

Phone No. _____

Relationship to Permit Holder: TREASURER

3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached





Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required)

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, a





96-8620
T. 55 N. R. 2 W.
S. 7 & 18

INFORMED
DEC 16 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08620

Priority: October 2, 1990

Maximum Diversion Rate:

0.12 CFS

Maximum Diversion Volume:

5.4 AF

This is to certify, that ROMNEY WATER SYSTEM

4755 LOOP RD

COCOLALLA ID 83813

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 2, 1990; and has submitted Proof of Beneficial Use on July 29, 1991. An examination indicates that the works have a diversion capacity of .140 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.12 CFS	5.4 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(SWSW), Sec. 7, Township 55N, Range 02W
BONNER County

PLACE OF USE: DOMESTIC
TWN RGE SEC

55N 02W	7	Lot 4(SWSW)	Lot 4(SESW)
	18	Lot 6(NENW)	

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Two points of diversion located within SWSW, Lot 4, S07, T55N, R02W.
7. Domestic use is for 9 homes.

RECORDED

DEC 16 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08620

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of NOVEMBER, 1992.


Acting for R. Keith Higginson, Director



DEC 16 1992

State of Idaho
Department of Water Resources

RECEIVED

NOV 12 1992

APPROVED

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 96-08620

Department of Water Resources

Date of Priority: October 2, 1990

Maximum Diversion Rate:

0.12 CFS

Maximum Diversion Volume:

5.4 AF

Comes now

ROMEY WATER SYSTEM

4855 LOOP RD.

COCOLALLA ID 83813

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 96-08620, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.12 CFS	5.4 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(SWSW), Sec. 7, Township 55N, Range 02W
BONNER County

PLACE OF USE: DOMESTIC
TWN RGE SEC

55N 02W	7	Lot 4(SWSW)	Lot 4(SESW)
	18	Lot 6(NENW)	

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Cocolalla Idaho, this 9 day of Nov., 1992.

RECEIVED

DEC 16 1992

William J. Neif
(Signature)

Romey water system.

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 96-08620

FOR DEPARTMENT USE ONLY

Preliminary check by CS Fee = \$20.00 Receipted by JY # C025987 Date 11-12-92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 96-08620 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Two points of diversion located within SWSW, Lot 4, S07, T55N, R02W.
7. Domestic use is for 9 homes.

Witness my hand this 24TH day of NOVEMBER, 1992.

Norman C. Young
Acting for R. Keith Higginson, Director

RECEIVED

DEC 16 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08620

Proposed Priority: October 2, 1990 Maximum Diversion Rate: 0.12 CFS
This is to certify, that **ROMEY WATER SYSTEM**
307 N. MONROE ST.
MOSCOW, ID 83843
has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.12 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 4(SWSW), Sec. 7, Township 55N, Range 02W
BONNER County

PLACE OF USE: DOMESTIC
TWN RGE SEC

55N 02W	7	SWSW
	18	NWNW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1992.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
5. Two points of diversion located within SWSW, Lot 4, Section 7, Township 55N, Range 02W.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

18th day of January, 1991.

[Signature]
for R. Keith Higginson, Director

MICROFILMED

FEB 08 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant ROMEY WATER SYSTEM Phone (208) 882-1377
Post office address 307 N. MONROE ST. MOSCOW, ID 83843
2. Source of water supply GROUND WATER which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of SW 1/4 of SW 1/4, Govt. Lot 4
Sec. 7 Township 55 N Range 2 W B.M. BONNER County; additional
points of diversion if any: 2 POINTS
4. Water will be used for the following purposes:
Amount 0.12 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.12 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 2 WELLS, PUMP, PIPELINE,
PRESSURE SYSTEM AND PIPES TO HOMES
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 48 inches; proposed depth of well is 8 feet.
EXISTING WELLS (BOTH) SW/4 6.5'
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and diversion of the water to the proposed beneficial use is
1 YEAR years (minimum 1 year).

MICROFILMED

FEB 08 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. NINE
- Other; describe fully. LAKE WATER IS USED FOR IRRIGATION OF LAWN & GARDENS

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
55N	2W	7											D						
55N	2W	18						D											

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. LAKE WATER IS USED FOR IRRIGATION OF LAWN & GARDENS

- Who owns the property at the point of diversion? ALAN V. CARLSON + VELDA S. CARLSON, HUSBAND + WIFE
- Who owns the land to be irrigated or place of use? SEE ATTACHED PLATS
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. RECORDED EASEMENT, BOOK NO. 142 DEEDS PG 448

12. Remarks: WATER TO BE USED IN HOUSE ONLY

PRES./ SECRETARY - JOYCE ROMNEY

TREASURER - BETTY STOCKWELL

RECORDED

FEB 18 1991

Joyce Romeo Betty Stachwell
(Applicant)

Received by TDK Date 10-2-90 Time 2:00 P Preliminary check by TDK
Fee \$ 30⁰⁰ Receipted by TDK # N4129 Date 10-2-90
Publication prepared by [Signature] Date 10/10/90 Published in Donner County, Id See 10/18-25/90
Publication approved [Signature] Date 11/8/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

FEB 18 1991

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Tina VanDenBerg being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 18 day of October, 1990
and ending on the 25 day of October, 1990
and that said notice was published in said newspaper.

On this 31 day of October in the year
of 90, before me, a Notary Public, personally
appeared Tina VanDenBerg,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Kim Johnson
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 10/22/93

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08618

SOURDOUGH POINT OWNERS
ASSN. INC.
P.O. BOX 29
SANDPOINT, ID 83864
Source: GROUNDWATER
Diversion Pt: SENESW Sec 29 T 57N
R 01W

Use: DOMESTIC (.013 CFS)

Total Diversion: (.013 CFS)

Date Filed: 9/26/1990

In: T57N R01W S29 SWNW SENW
NESW NWSW

SWSW SESW SWSE

S32 NENW

96-08619

SOURDOUGH POINT OWNERS

ASSN. INC.

P.O. BOX 29

SANDPOINT, ID 83864

Source: GROUNDWATER

Diversion Pt: NWNW Sec 32 T 57N R
01W

Use: DOMESTIC (.011 CFS)

Total Diversion: (.011 CFS)

Date Filed: 9/26/1990

In: T57N R01W S29 SWNW SENW
NESW NWSW

SWSW SESW SWSE

S32 NENW

96-08620

ROMEY WATER SYSTEM

307 N. MONROE ST.

MOSCOW, ID 83843

Source: GROUNDWATER

Diversion Pt: LOT 4 (SWSW) Sec 7 T
55N R 02W

Use: DOMESTIC (.120 CFS)

Total Diversion: (.120 CFS)

Date Filed: 10/2/1990

In: T55N R02W S07 SWSW
S18 NWNW



For additional information con-
cerning the property location, call
the Northern Regional Office at 765-
4639.

The permit(s) will be subject to all
prior water rights. Protests must be

filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before NOVEMBER 5, 1990.

R. Keith Higginson, Director

#3786 October 18, 25, 1990





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 24, 1992

ROMEY WATER SYSTEM
4755 LOOP RD
COCOLALLA ID 83813

RE: WATER RIGHT NO. 96-08620

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECORDED

DEC 16 1992

Romey Water System
4755 Loop Rd
Catalalla, Id, 83813

Address updated
11-13-92 CS

DEC 16 1992

Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho. 83720-9000





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 14, 1992

ROMEY WATER SYSTEM
4855 LOOP RD
COCOLALLA ID 83813

RE: WATER RIGHT NO. 96-08620

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

DEC 16 1992

LICENSE REVIEW CHECKLIST

Permit # 96-08620

Date 10-06-92
CS

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement?
			<u>.12 cfs (DOM)</u>
	☐	☒	Disagree with Theoretical?
	☐	☒	Limited by Capacity? <u>.14 cfs</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations?
			<u>9 x .6 = 5.4 afa (DOM) Internal Use</u>
	☐	☒	Limited by Flow?
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
			Notice of Intent to Void.
P/D	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☒	☐	Verify with Map <u>Change NWNW to NENW, S18</u>
	☐	☒	Amendment Needed? <u>Add SESW, S7 (Lot 4, per Permit)</u>
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☒	☐	Multiple P/Ds in 1/4 1/4? <u>2 P/Ds / SWSW</u>
	☒	☐	Non-Irr. Uses <u>DOM / 9 Homes</u>
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	☐	☒	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Amend P/U</u>		
	<u>App. states In-House use only / Lake water</u>		
	<u>used for yards & gardens / FE states minimal IRR</u>		
	<u>found + insufficient for IRR.</u>		
License	<u>10-Day</u>	<u>15-Day</u>	☒ Special Correspondence

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ROMEY WATER SYSTEM 4855 LOOP RD COCOLALLA ID 83813 (208) 882-1377	10/02/1990	DOMESTIC	01-01 12-31	0.12 CFS	5.4 AFA
TOTAL DIVERSION:					0.12 CFS	5.4 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.14 CFS

Point(s) of Diversion: T55N R02W S07 Lot 04(SW SW)

Place of use Legal Description for: DOMESTIC

			NE				NW				SW				SE			
T	R	S	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE
			Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac
55N	02W	.7											04-D	04-D				
55N	02W	18					06-D											

Pou County: BONNER

Other Water Rights Listing Overlapping Place(s) of use:
96-08028

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way or easement across the land of another.

Remarks: Two points of diversion located within SWSW, Lot 4, S07, T55N, R02W.
Domestic use is for 9 homes.

Dates: App. Received: 10/02/1990 Priority Date: 10/02/1990
Proof Due Date: 02/01/1992 Proof Made Date: 07/29/1991
Exam Made Date: 03/24/1992 Exam Sent to S.O.: 08/03/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee:


Comments: Date: 12/02/1991 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Date: 12/06/1991 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 10/06/92 SKAGGS

Township N° 55 North Range N° 21

G F E D



MICROFILMED
DEC 16 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 10 1992
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08620

1. Owner: ROMNEY WATER SYSTEM

Phone No. _____

Current Address: 4855 LOOP RD. COCAMA, ID 83813

2. Accompanied by: BILL NEIL

EXAM. DATE: 3/24/92

Address: SAME

Phone No. _____

Relationship to Permit Holder: TREASURER

3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for all but single household domestic groundwater)

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater)



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD INVESTIGATION

A. GENERAL INFORMATION


1. Owner: ROMNEY WATER SYSTEM
Current Address: 4855 LOOP RD. COCONA, AZ
2. Accompanied by: BILL NEIL
Address: SAME
Relationship to Permit Holder: TREASURER
3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
2. Other water rights with same point of diversion: NONE
- _____ ☐ Copies

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram



MICROFILMED

DEC 16 1992

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 42" CMP INSTALLED VERTICALLY ^{TO COLLECT GROUNDWATER} ~~W/ 3HP PUMP~~ 1" LINE TO PRESSURE SYSTEM. A BURIED CISTERN WHICH COLLECTS GROUNDWATER, a 1" pipe & 2 1/2 HP PUMP TO PRESSURE SYSTEM. THEN BY 1 1/2" MAINLINE TO HOMES - THESE SYSTEMS ARE USED ALTERNATELY. WHEN ONE RUNS DRY THE OTHER COMES ON LINE.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
PEERLESS →		3	UNABLE TO READ		1 1/2
WAYNE →		2 1/2	" " " "		" "

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
~~4~~	4	SE	SW	SW	7	55N	2W	BONNETT	MAP

6. **Place(s) of Use:**

Indicate Method of Determination MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
55N	2W	7											D	D					
		18																	

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{8.8(3)708}{2.31(50)+12} = 0.14 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

PERMIT 0.12 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

940000 (1.2 AF)

Minimal LAWN IRR. 10.8 AFA

RECEIVED

DEC 16 1992

INSUFFICIENT WATER FOR IRRIGATION. AT TIMES THE
USERS MUST CEASE USING TO ALLOW CISTERNS TO
RECHARGE


1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic (9)	1-1	12-31	0.12	10.8
		Totals:	.12	10.8

☐ Change P.D. as reflected above ☒ Add P.D. as reflected above

☒ Change P.U. as reflected above ☒ Add P.U. as reflected above


Field Examiner's Name Tom Drake
Signature Tom Drake
Certification Date 4/10/91
Field Report Preparation Date 3/24/92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

UNCLASSIFIED

DEC 16 1992



DEC 16 1992

96-8620
T-55N, R-2W
S. 7E 18

December 5, 1991

ROMEY WATER SYSTEM
4855 LOOP ROAD
COCOLALLA ID 83813

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08620

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
DEC 31 1991

For Office Use Only
Amt. of Fee \$ 5000
Date 7/29/91
Receipt No. 114103
Received by RJA

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

JUL 29 1991

NORTHERN REGION
IDWR

RECEIVED
AUG 01 1991

The Idaho Department of Water Resources will consider this form as a statement that the permit holder has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08620 Telephone No. _____

2. Name(s) of Permit Holder(s): Romey Water System

3. Post Office Address: 4855 Loop Rd. Cocolalla ID 83813

4. Source of Water: Well

a. If ground water, well driller's name: Dave Anthony Date drilled: 1965

b. Pump horsepower: 3hp + 2 1/2 hp Pressure (psi): 50 Dynamic pumping level (ft.): 12

5. Extent of Use: 1 Home & 2 vacant lots

Domestic 9 (No. of households) Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted .12 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☒ No ☐

OR
Flow Measurement Port: Required? Yes ☒ No ☐ Installed? Yes ☒ No ☐

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Bill & Betty Stockwell

Name

Telephone No. _____

As above

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date _____

Betty Stockwell

Signature (and title if on behalf of a company or organization)

DEC 31 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 96-08620

Date 11/29/91

GENERAL CONSIDERATIONS

yes Name same as permit?
no Address same as permit? If no, indicate below.
yes Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
NA Drill permit req'd?
1965 ✓ Copy in file? Drill permit no.
✓ Amt paid for drilling permit? Correct?
✓ Well log in file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount submitted?
yes Correct amount?

MEASURING DEVICE

NA Measuring device or access port required?
✓ Installed?
✓ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

new address: 4855 Loop Road
Cocolalla, ID 83813

proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	<u> </u>
Date proof due	<u> </u>	<u>-</u>
No. of days late	<u> </u>	<u>=</u>
Priority date	<u> </u>	<u>+</u>
NEW PRIORITY DATE	<u> </u>	<u>=</u>

DATA ENTRY

ADDRESS CHANGE 11/29/91 KZg

PROOF MADE 12/6/91 KZg



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 22, 1991

ROMEY WATER SYSTEM
307 N. MONROE ST.
MOSCOW, ID 83843

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08620

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MICROFILMED

FEB 08 1991

Application #: 96-8620
Date: 1-16-91

✓ Existing:

- No - 26A-P17
- Complete in 1 year - P16
- ✓ Yes
 - ✓ Proof not submitted - P16
 - Proof submitted - N/A
- ✓ Groundwater:
 - GT. 0.7 cfs - 01G-P03, 01C-P03(existing well)
 - ✓ LT. 0.7 cfs - N/A
- ✓ Drilling Permit:
 - Approved w/permit - P99
 - ✓ Not included - 046-P23(All GW, even existing wells)
- ✓ Location:
 - Water Districts - WD No. _____
 - Surface water - 005, 005-01H-P01(LT.7 w/pump)
005-01J-P08(GT.7)
 - Groundwater - P05
 - Irrigation Districts - 023
 - Canal Co. Areas - 023
 - Drainage Districts - 024
 - Boise Front (63) - 058 (Groundwater)
 - ✓ Swan Falls Flag - _____ (1 or Blank)
 - Trust - 051-052-053-P74(Cons.), 041(DCMI, w/Irr
or Irr & Dom)
 - Non Trust - 048-049
- River Basins:
 - (Surface Water) Water District Control Condition &....
 - Boise (63) - 11D-P72
 - Payette (65) - 047-P04, 059-P71
 - SNAKE (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)
- Use:
 - Fish Propagation - 002-P06, 06A, 007, 09E-P10, 010, 042, 044
 - Power - (less than 25cfs P18), 01F-P19, 08A(Req.),
17K, 17G-17M(Choose One), 025
 - Mining - 06A, 006, 09E-P10, 010, 54
 - Storage - 18A-P09(In W.D.), 18B-P09(Size)
 - Domestic - 021(restricted areas)
- ✓ Ownership:
 - ✓ Non land owner - 004
- Protested:
 - Agreement - 020
- Minimum Stream Flow:
 - Overlapping uses - 029-P20
- ✓ Beneficial Use Due Date: - 02-01-1991

MicroFILMED

FEB 18 1941

Application Number _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ Additional information received:

☐ Notice of pending void order issued: Final date of order response. _____

☒ Affidavit of publication received:

☒ Application published correctly: If not, record action taken.

☒ Publication dates and paper recorded on application:

☒ Protests received, Final date for protest ~~7/8/86~~ 11/5/90

☒ Recommendations attached:

☒ Measuring device required:

☒ Measuring port required:

☒ Water delivered by water master? District # _____

☒ Special conditions of approval or cover letter: (see additional info. below)

Recommended Date of Priority 10-2-90

Recommended by: TDK PVA Date 11/13/90

STATE OFFICE REVIEW

See remarks for additional information. By _____ Date _____

REMARKS

RECEIVED
NOV 15 1990

Department of Water Resources

96-08620

ROMEY WATER SYSTEM
307 N. MONROE ST.
MOSCOW, ID 83843

Source: GROUNDWATER

Diversion Pt: LOT 4 (SWSW) Sec 7 T 55N R 02W

Use: DOMESTIC (.120 CFS)
Total Diversion: (.120 CFS)

Date Filed: 10/ 2/ 1990

In: T55N R02W S07	SWSW
S18	NWNW

MICROFILMED

FEB 08 1991



State Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

October 10, 1990

Panhandle Health District
2195 Ironwood Ct.
Coeur d'Alene, Id. 83814

Re: 96-8620

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Idaho Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enclosure

MICROFILMED

FEB 08 1991

