

Bay

ODEN

26627

2060AT

5349

Breakwater
TENAI 21637

Kootenai
Point

17' 30"

5348

X Mile
122

L A K E

5347

2 410 000
FEET

Contest
Point

5346

MICROFILMED

MAY 26 1993

PU's

5345

28417

2068AT

Sourdough
Point

PROTEN

Bridge

2094AT

Bottle Bay
Point

BOTTLE

KANIKSU
NATIONAL FOREST

BOTTLE
BAY

40° 15'

3618T

KANIKSU

2155

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT II
P H O T O G R A P H S

PP
well
#2



PP
well
#1



16,000
gallon
reservoir



MISSOURI MED

MAY 26 1993

BENE

PD
well
#2

PD

well
#1

16,000
gallon
reservoir



RECEIVED

MAY 26 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08618

Priority: September 26, 1990

Maximum Diversion Rate: 0.13 CFS

Maximum Diversion Volume: 20.4 AF

This is to certify, that SOURDOUGH POINT OWNERS ASSN INC

PO BOX 29

SANDPOINT ID 83864

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 26, 1990; and has submitted Proof of Beneficial Use on May 3, 1991. An examination indicates that the works have a diversion capacity of .510 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.13 CFS	20.4 AF

LOCATION OF POINT(S) OF DIVERSION: SENESW , Sec. 29, Township 57N, Range 01W
BONNER County

PLACE OF USE: DOMESTIC
TWN RGE SEC

57N 01W 29	SWNW	SENW	NESW
	NWSW	SWSW	SESW
32	SWSE		
	NENW		

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The total combined rate of diversion under this right and Right No. 96-08619 shall not exceed 0.24 cubic feet per second nor a combined volume of 40.8 acre feet.
6. Domestic use is for 34 homes.

MICROFILMED

MAY 26 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08618

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 18th
day of MAY, 1993.

Acting for

R. Keith Higginson, Director

RECORDED

MAY 26 1993

RECEIVED

MAY 3 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only
Amt. of Fee \$ 50.00
Date 5/3/91
Receipt No. 2020381
Received by J. L. Linn

#1

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08618 Telephone No. _____

2. Name(s) of Permit Holder(s): SOUBOUGH POINT OWNERS ASSOC. INC.

3. Post Office Address: P.O. BOX 29, SANDPOINT, IDAHO 83864

4. Source of Water: GROUND WATER

a. If ground water, well driller's name: ASSOC. DRILLING, INC. Date drilled: 1982

b. Pump horsepower: 5 Pressure (psi): 200 Dynamic pumping level (ft.): 310

5. Extent of Use:

Domestic 35 (No. of households) Irrigation _____ (No. of acres) 250

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.13 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

HARRY SCHUL 213-0500
Name Telephone No.

1205 BOTTLE BAY RD. SANDPOINT, IDAHO 83864
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4-25-91
Date

Harry A. Schul (WATER MANAGEMENT COM. MEMBER)
Signature (and title if on behalf of a company or organization)

JUL 17 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08618

Proposed Priority: September 26, 1990 Maximum Diversion Rate: 0.13 CFS
This is to certify, that **SOURDOUGH POINT OWNERS ASSN. INC.**

P.O. BOX 29
SANDPOINT, ID 83864

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.13 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		SENESEW Sec. 29, Township 57N, Range 01W BONNER County

PLACE OF USE: DOMESTIC
TWN RGE SEC


57N 01W 29	SWNW	SENE	NESW
	NWSW	SWSW	SESW
	SWSE		
32	NENW		

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 1992.**
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Domestic use is for 35 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

21 st day of March, 1991.


for R. Keith Higginson, Director

MICROFILMED

APR 23 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Sourdough Point Owners Assoc., Inc. Phone (263-0500)
Post office address P.O. Box 29, Sandpoint, Id. 83864

2. Source of water supply ground water which is a tributary of N/A
3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot 2
Sec. 29 Township 57N Range R1W B.M. Bonner County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.13 ^{cfs} for domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.13 ^{cfs} and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 4 1/2 mi 4" pipeline
5 h.p. submersible pump.

b. Height of storage dam 4621 ^(20 ft. high tank) feet; active reservoir capacity .05 acre-feet; total
reservoir capacity .05 acre-feet; period of year when water will be diverted to storage:
Jan 1 to Dec. 31 inclusive.

c. Proposed well diameter is 6 inches; proposed depth of well is 295 feet.

d. Is ground water with a temperature of greater than 90°F being sought? no

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
completed years (minimum 1 year).

approx 1980
depend 1989

APR 23 1991

3. Description of proposed use of irrigated land:
- Hydropower; show total feet of head. _____
 - Stockwatering; list number and acreage. _____
 - Municipal; show name of municipality. _____
 - Domestic; show number of houses. _____
 - Other; describe fully. _____

(see item 9):

Proposed capacity in KW. _____

~~32 present~~ ~~169 potential~~ **35**

PER TEL/CON w/HARRY SCHUAL

TDK 2/12/90

9. Description of place of use:

- If water is for irrigation, indicate a place of use in each subdivision in the tabulation below.
- If water is used for other purposes, indicate a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				
			NE¼	NW¼	SW¼	SE¼	NE¼
57N	1W	29					
57N	1W	32					D

		SW¼				SE¼				TOTALS
		NW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	
D	D	D	D	D	D				D	

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. 96-08619
NW ¼ of NW ¼ of Sec. 32 Township 57N Range 1W Bonner County
11. a. Who owns the property at the point of diversion? Sourdough Point Owners Assoc., Inc.
 b. Who owns the land to be irrigated or place of use? Sourdough Point Owners' members
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECORDED

APR 23 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

please see enclosed maps

MICROFILMED

APR 23 1991

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Donald L. Smith for Sandover, Inc. Assoc.
(Applicant)
President

Received by mm Date 9/26/90 Time 2:00pm Preliminary check by TDR
Fee \$ 30.00 Receipted by mm # N4109 Date 9/26/90
Publication prepared by mm Date 20/10/90 Published in Banner City Daily Bee
Publication approved mm Date 3/5/91 10/18/90 2/21+28/91
11/4/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.


c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

APR 23 1991

SOURDOUGH POINT OWNERS ASSOC.
POST OFFICE BOX 29
SANDPOINT, IDAHO 83864



9/20/90

The following is a list of Directors
to Sourdough.

Ronald Southwick, president

P.O. Box 1103 Sandpoint, Id. 83864

Bill Bowman, vice-president

P.O. Box 1108 Sandpoint Id. 83864

Susan Lee, secretary

1129 Battle Bay Rd Sandpoint Id. 83864

Janet Lomodal, treasurer

1115 Battle Bay Rd. Sandpt. Id. 83864

Wes Westermann

S. 4301 Eastern Rd. Spokane, Wa. 99223

Heraldine Kernen

1155 Battle Bay Rd. Sandpt. Id. 83864

Philip Foster

1150 Battle Bay Rd. Sandpt. Id. 83864

MICROFILMED
APR 23 1991

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Tina Vandenberg being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 21 day of Feb., 1991
and ending on the 28 day of Feb., 1991
and that said notice was published in said newspaper.

On this 28th day of February in the year
of 91, before me, a Notary Public, personally
appeared Tina Vandenberg,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Ken Johnson
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 10/22/93

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN that
the following applications for permit
to appropriate the public waters of
the State of Idaho were advertised
incorrectly on 10/18 & 25/1990.

96-8618 — Sourdough Point
Owners Assn. Inc.

The amount of water for Domestic
use and the total amount of water
diverted were both advertised
incorrectly as 0.013 CFS; whereas,
correctly they should both be 0.13
CFS.

96-8619 — Sourdough Point
Owners Assn. Inc.

The amount of water for Domestic
use and the total amount of water
diverted were both advertised
incorrectly as 0.011 CFS; whereas,
correctly they should both be 0.11
CFS.

(For additional information
concerning the property location,
call the Northern Regional Office at
765-4639.)

Protests to the above-referenced
correction must be filed with the
Director, Dept. of Water Resources,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Id 83814 on or before
March 11, 1991.

R. KEITH HIGGINSON, Dir.
3989 February 21, 28, 1991



MICROFILMED

APR 23 1991

3989

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN that the following applications for permit to appropriate the public waters of the State of Idaho were advertised incorrectly on 10/18 & 25/1990.

96-8618 - Sourdough Point Owners Assn. Inc.

The amount of water for Domestic use and the total amount of water diverted were both advertised incorrectly as 0.013 CFS; whereas, correctly they should both be 0.13 CFS.

K
m
3/2/91

96-8619 - Sourdough Point Owners Assn. Inc.

The amount of water for Domestic use and the total amount of water diverted were both advertised incorrectly as 0.011 CFS; whereas, correctly they should both be 0.11 CFS.

(For additional information concerning the property location, call the Northern Regional Office at 765-4639.)

Protests to the above-referenced correction must be filed with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814 on or before March 11, 1991.

R. KEITH HIGGINSON, Dir.

Published in the Bonner County Daily Bee on 2/21 & 28/1991.

APR 23 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 19, 1993


SOURDOUGH POINT OWNERS ASSN INC
PO BOX 29
SANDPOINT ID 83864

RE: WATER RIGHT NO. 96-08618

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

MAY 26 1993

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 05/17/93
PAGE: 1

BC

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	SOURDOUGH POINT OWNERS ASSN INC PO BOX 29 SANDPOINT ID 83864 (208) 263-0500	09/26/1990	DOMESTIC	01-01 12-31	0.13 CFS	20.4 AFA
TOTAL DIVERSION:					0.13 CFS	20.4 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.51 CFS

Point(s) of Diversion: T57N R01W S29 SE NE SW

Place of use Legal Description for: DOMESTIC

NE				NW				SW				SE			
NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac
57N	01W	29	:				D	D		D	D			D	
57N	01W	32	:				D								

Pou County: BONNER

Remarks: The total combined rate of diversion under this right and Right No. 96-08619 shall not exceed 0.24 cubic feet per second nor a combined volume of 40.8 acre feet.
Domestic use is for 34 homes.

Dates: App. Received: 09/26/1990 Priority Date: 09/26/1990
Proof Due Date: 02/01/1992 Proof Made Date: 05/03/1991
Exam Made Date: 05/26/1992 Exam Sent to S.O.: 05/10/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 05/17/93 CHAPMAN

(L)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 96-08618

1. Owner: Sourdough Pt. Owners Assn. Inc. Phone No. (208) 263-0500

Current Address: P.O. Box 29, Sandpoint ID 83864

2. Accompanied by: Harry Schwal EXAM. DATE: 5/26/92

Address: 1205 Bottle Box Rd., Sandpoint Phone No. 263-0500

Relationship to Permit Holder: on Water Board

3. Source: Groundwater tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached

2. Other water rights with same point of diversion: _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

RECEIVED

MAY 26 1993

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Water from wells #1 + #2 (static water levels 40' + 30') is pumped by a 3hp + 5hp pumps to a 16,000 gallon reservoir through 4" PVC. From the reservoir water is gravity fed through 4" main from which 1" laterals run off of to 109 lots. The laterals can be shut on + off with a valve. Reservoir H₂O height 220 ft. 34 domestic homes on system @ time of examination.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		5hp		Sta-Rite	CP4J02

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
									Map
		SE	NE	SW	29	57N	01W	Bonner	

6. Place(s) of Use:

Indicate Method of Determination

Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
57N	01W	29							0	0	0	0	0	0			0		
57N	01W	32					0												

MICROFILMED

MAY 26 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

$8.8 \times 5 \times .7$
 $(20 + 40) + (2.31 \times 40 \text{ psi}) = .20 \text{ CFS}$
pumping
✓ (Used 40' for static WATER level rather than 30' static level)

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $\# 2 \Rightarrow Q = \frac{(8.8)(5 \text{ hp})(.7)}{20 \text{ ft} + 390 \text{ ft} + 30 \text{ ft}} = .07 \text{ cfs}$ $\frac{8.8 \times 5 \times .7}{20 + 40} = .51 \text{ cfs}$

2. Alternate Method for Checking Purposes: $\# 1 \Rightarrow Q = \frac{8.8(3 \text{ hp})(.7)}{40 \text{ ft} + 20 \text{ ft}} = .26 \text{ cfs}$
Total of both not to exceed $\Rightarrow .13 \text{ cfs}$ * use same formula as for 96-8619

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$ MAY 26 1993

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$

2. Volume Calculations for Other Uses:

$(34 \text{ Domestic}) \times (0.6 \text{ AFA/Domestic})$
 $\Rightarrow 20.4 \text{ AFA}$

* Because going into a tank can classify as "open discharge" with ZERO PSI.

H. REMARKS AND OVERLAP REVIEW ANALYSIS

- No irrigation permitted on permit

- Mr. Schual stated there were 34 homes in subdivision @ time of examination.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic (34)	1/1	12/31	0.13	20.4
Totals:			0.13 cfs	20.4 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Robert Knoblock
Signature Robert Knoblock
Certification Date _____
Field Report Preparation Date 6/1/92

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

MAY 26 1993

Bay

ODEN

26627

2060AT

5349

Breakwater
TENAI 21637

Kootenai
Point

17' 30"

5348

Mile
122

L A K E

5347

2 410 000
FEET

Contest
Point

5346

MICROFILMED

MAY 26 1993

5345

26417

2068AT

Sourdough
Point

BROTEN

Bridge

2094AT

Bottle Bay
Point

BOTTLE

BOTTLE
BAY

KATIKSU
NATIONAL FOREST

305T

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

2400

40° 15'

3618T

2174T


2155

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT II
P H O T O G R A P H S

PD
well
#2

PD
well
#1

16,000
gallon
reservoir



RECEIVED

MAY 26 1993

BENE

PP
well
#2

PP
well
#1

16,000
gallon
reservoir



RECEIVED

MAY 26 1993

May 14, 1991

SOURDOUGH POINT OWNERS ASSN. INC.
P.O. BOX 29
SANDPOINT, ID 83864

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08618

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

PROCESSED
JUL 17 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 96-8618

Date 5-7-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
NA Drill permit req'd?
1982 Copy in file? Drill permit no. _____
Amt paid for drilling permit? _____ Correct?
Well log in file?

LICENSE EXAMINATION FEE

- Yes Required?
50.00 Amount submitted?
Yes Correct amount?

MEASURING DEVICE

- NO Measuring device or access port required?
Yes Installed?
Yes Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

LB

Date proof received	<u>NA</u>	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 28, 1991

SOURDOUGH POINT OWNERS ASSN. INC.
P.O. BOX 29
SANDPOINT, ID 83864

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08618

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm


Enclosures

MICROFILMED

APR 23 1991

MEMORANDUM


TO: NORTHERN REGION
FROM: PAM SKAGGS/^{as}JIM JOHNSON
RE: PROPOSED USE/APP #96-8618/8619
DATE: 17-JAN-1991



=====

During State Office review of applications #96-8618 and #96-8619, a question of the extent of the proposed use came up. Considering the small diversion rates of 0.011 and 0.013 cfs, the number of existing and potential homes seems excessive. We would normally allow a 0.50 cfs for 141 homes according to the flow chart from Administrator's Memorandum #22.


Could you please supply more information to justify the diversion rate and proposed use as submitted. Perhaps there are some facts available to you that were not included in the application files. I appreciate your assistance in clarifying this matter so that the applications can be processed without undue delay.



MAXIMUM
INSTANTANEOUS
WATER REQUIREMENTS
FOR
* DOMESTIC USE

APR 23 1961
CFS.
1.50

Houses Served	Rate of Flow (cfs)
1	.04
2	.06
3	.08
4	.10
5	.11
6	.11
7	.12
8	.13
9	.14
10	.15
15	.18
20	.20
30	.25
40	.30
50	.33



APPLICATION FOR PERMIT REVIEW

Application #: 96-8618
Date: 1-17-91

Reviewer: Pam Skaggs *PS*

Existing:

No - 26A-P17
Complete in 1 year - P16

Yes

✓Proof not submitted - P16
Proof submitted - N/A

Groundwater:

GT. 0.7 cfs - 01G-P03, 01C-P03(existing well)
✓LT. 0.7 cfs - N/A

Drilling Permit:

Approved w/permit - P99
✓Not included - 046-P23 All GW, even existing wells)

Location:

Water Districts - WD No. _____
Surface water - 005, 005-01H-P01(LT.7 w/pump)
005-01J-P08(GT.7)
Groundwater - P05
Irrigation Districts - 023
Canal Co. Areas - 023
Drainage Districts - 024
Boise Front (63) - 058 (Groundwater)
✓Swan Falls Flag - _____ (1 or Blank)
Trust - 051-052-053-P74(Cons.), 041(DCMI, w/Irr
Non Trust - 048-049 or Irr & Dom)

River Basins:

(Surface Water) Water District Control Condition &....
Boise (63) - 11D-P72
Payette (65) - 047-P04, 059-P71
Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 002-P06, 06A, 007, 09E-P10, 010, 042, 044
Power - (less than 25cfs P18), 01F-P19, 08A(Req.),
17K, 17G-17M(Choose One), 025
Mining - 06A, 006, 09E-P10, 010, 54
Storage - 18A-P09(In W.D.), 18B-P09(Size)
Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

Minimum Stream Flow:

Overlapping uses - 029-P20

✓Beneficial Use Due Date: - 02-01-1992

Other Conditions Recommended _____

MICROFILMED

APR 23 1991

Application Number 96-8618

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ Additional information received:

☒ Notice of pending void order issued: Final date of order response. _____

☒ Affidavit of publication received:

☒ Application published correctly: If not, record action taken.

☒ Publication dates and paper recorded on application:

☒ Protests received, Final date for protest 11/5/90 3/11/91

☒ Recommendations attached:

☒ Measuring device required:

☒ Measuring port required:

☒ Water delivered by water master? District # _____

☒ Special conditions of approval or cover letter: (see additional info. below)

Recommended Date of Priority 9-26-90

Recommended by: TDK PJA Date 11/13/90

STATE OFFICE REVIEW

See remarks for additional information. By _____ Date _____

REMARKS

RECEIVED
NOV 15 1990

Department of Water Resources

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Tina VanDenBerg being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 18 day of October, 19 90
and ending on the 25 day of October, 19 90
and that said notice was published in said newspaper.

On this 31 day of October in the year
of 90, before me, a Notary Public, personally
appeared Tina VanDenBerg,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Kim Johnson
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 10/22/93

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08618

SOURDOUGH POINT OWNERS

ASSN. INC.

P.O. BOX 29

SANDPOINT, ID 83864

Source: GROUNDWATER

Division Pt: SENESW Sec 29 T 57N
R 01W

Use: DOMESTIC (.013 CFS) 13

Total Diversion: (.013 CFS)

Date Filed: 9/26/1990

In: T57N R01W S29 SWNW SENW
NESW NWSW

SWSW SESW SWSE

S32 NENW

96-08619

SOURDOUGH POINT OWNERS

ASSN. INC.

P.O. BOX 29

SANDPOINT, ID 83864

Source: GROUNDWATER

Division Pt: NWNW Sec 32 T 57N R
01W

Use: DOMESTIC (.011 CFS)

Total Diversion: (.011 CFS)

Date Filed: 9/26/1990

In: T57N R01W S29 SWNW SENW
NESW NWSW

SWSW SESW SWSE

S32 NENW

96-08620

ROMEY WATER SYSTEM

307 N. MONROE ST.

MOSCOW, ID 83843

Source: GROUNDWATER

Division Pt: LOT 4 (SWSW) Sec 7 T
55N R 02W

Use: DOMESTIC (.120 CFS)

Total Diversion: (.120 CFS)

Date Filed: 10/2/1990

In: T55N R02W S07 SWSW
S18 NWNW

For additional information con-
cerning the property location, call
the Northern Regional Office at 765-
4639.


The permit(s) will be subject to all
prior water rights. Protests must be

filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before NOVEMBER 5, 1990.

R. Keith Higginson, Director

#3786 October 18, 25, 1990

APR 23 1991



96-08618

SOURDOUGH POINT OWNERS ASSN. INC.
P.O. BOX 29
SANDPOINT, ID 83864

Source: GROUNDWATER

Diversion Pt: SENESW Sec 29 T 57N R 01W

Use: DOMESTIC (.013 CFS)
Total Diversion: (.013 CFS)

Date Filed: 9/26/ 1990

In: T57N R01W S29	SWNW	SENW	NESW	NWSW
	SWSW	SESW	SWSE	
S32	NENW			

APR 23 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region Office

1910 Northwest Blvd. * Suite 210 * Coeur d'Alene, Id. * 83814 * (208) 765-4639

Cecil D. Andrus
Governor

R. Keith Higginson
Director

APPROPRIATION APPLICATION ACKNOWLEDGEMENT

Re: Water Appropriation Application

96-08618

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application For Permit To appropriate the Public Waters Of The State Of Idaho, as well as the required appropriation filing fee, for which your Receipt is enclosed. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.


If the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If the application is not protested it will be forwarded to Boise to be considered for approval by the Director. You will be notified by mail of the Directors decision.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,


Tom D. King
Sr. Water Resource Agent

Enc: Receipt

APR 23 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

October 10, 1990

Idaho Divn. of Environment
2110 Ironwood Parkway, #101
Coeur d'Alene, Id. 83814

Re: 96-8618

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Idaho Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enclosure



APR 23 1991