




SCALE 1:24 000

1 0 1 000 2000 3000 4000 5000 6000 7000 FEET

1 0.5 1 KILOMETER

CONTOUR INTERVAL 40 FEET


NATIONAL GEODETIC VERTICAL DATUM OF 1929

MICROFILMED

SEP 27 1990



THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST.





96-08608

NOT FILMED
APR 10 1992

KEELEY, DONNA

T.60N. R, 02W., SEC. 34

PERMIT #

STATE OF IDAHO
DEPARTMENT OF WATER
AND REPORT SUPPLY
PHOTOGRAPH

510 Briggs & Stratton Pump

INTAKE



510 Briggs & Stratton Pump

SPRINKLER HEAD

6/19/98





STATE OF IDAHO
 DEPARTMENT OF WATER RESOURCES
 FIELD REPORT SUPPLEMENT
 PHOTOGRAPH


PLACE OF USE
 35N 40 E 17N



PLACE OF USE
 35N 40 E 17N

UNRECORDED
 11/19/98





APR 10 1998
LAWN SPRINKLER
PLACE OF USE



5/32 SPRINKLER HEADS
GARDEN NOSE
STATE OF IDAHO
DEPT OF WATER
REPORT SUPPLY
PROGRAM



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08608

Priority: July 12, 1990

Maximum Diversion Rate: 0.12 CFS

Maximum Diversion Volume: 18.0 AF

This is to certify, that DONNA M KEELEY

4480 PACK RIVER RD

SANDPOINT ID 83864

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 12, 1990; and has submitted Proof of Beneficial Use on October 3, 1994. An examination indicates that the works have a diversion capacity of 0.160 cfs of water from:

PACK RIVER

tributary to PEND OREILLE LAKE

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.12 CFS	18.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 34, Township 60N, Range 02W
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
60N	02W	34	NESE 4	NWSE 2		6

Total number of acres irrigated: 6

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

MICROFILMED

APR 10 1998

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 96-08608

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 28th
day of FEBRUARY, 1998.

Acting for  KARL J. DREHER, Director

MICROFILMED
APR 10 1998

RECEIVED

OCT 3 1994

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 50.00

Date 10-3-94

Receipt No. CO 31384

Receipt by [Signature]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08608 Telephone No. 208-263-6344
2. Name(s) of Permit Holder(s): DONNA M. KEELEY
3. Mailing Address: 4480 PACK RIVER RD., SANDPOINT, ID. 83864
4. Source of Water: PACK RIVER - SURFACE

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 15 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .220 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes NO Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes NO Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

DONNA M. KEELEY 208-263-6344
Name Telephone No.

4480 PACK RIVER RD., SANDPOINT, ID. 83864
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

09-29-94
Date

Donna M. Keeley
Signature (and title, if on behalf of a company or organization)

NOV 08 1994

RECEIVED
OCT 04 1993
Department of Water Resources

RECEIVED
SEP 30 1993
NORTHWESTERN REGION
IDWR

For Office Use Only
\$15 Fee Received by _____
Date 9/30/93
Receipt No. N7624

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 96-08608

Name(s) of Permit Holder: DONNA M. KEELEY

Mailing Address: 4480 PACK RIVER Rd Sandpoint, ID 83864

Date Proof is Due Oct. 1, 1993 Telephone No. 263-6344

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Trees felled, Some Stumps pulled, Brushed ~~in~~ about
1/4 of area away from River.

Costing \$ 50.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

In order to install system, land must be leveled.
Because of wet spring and unavailability of back hoe-system was
not installed. In order to do work now, top soil ^{would need} ~~vegetation~~ off into
pack river in spring. Vegetation has to secure soil.

Permit holder(s) request an extension to 9/10/11, 19 93 94

FEE: \$15.00

Donna M. Keelley
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

OCT 28 1993

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED
and the time within which to submit proof of beneficial use is
extended to October 1, 1994.

Signed this 6th day October, 19 93

J. Shaw Saylor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08608

Proposed Priority: July 12, 1990 Maximum Diversion Rate: 0.20 CFS
This is to certify, that DONNA M. KEELEY
4480 PACK RIVER RD.
SANDPOINT, ID 83864
has applied for a permit to appropriate water from:

PACK RIVER tributary of PEND OREILLE LAKE

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.20 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
	Totals	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: NESE Sec. 34, Township 60N, Range 02W
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
60N 02W 34	NESE 9	NWSE 6		15
	Total number of acres irrigated:			15

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1993.
2. Subject to all prior water rights.
3. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Stockwater use is for 25 cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of September, 1990

MICROFILMED

SEP 27 1990

R. Keith Higginson
for R. Keith Higginson, Director

Ident. No. 96-08608

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: DONNA M. KEELEY 208-263-6344
Address: 4480 PACK RIVER RD.
SANDPOINT, ID 83864

2. Source: PACK RIVER Trib. to: PEND OREILLE LAKE

3. Location of Point of Diversion: NESE Sec. 34, Township 60N, Range 02W
BOUNDARY County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/01	11/01	0.200		
STOCKWATER	01/01	12/31	0.020		

5. Total quantity appropriated is:
0.200 CFS (and/or) AF

6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
PORTABLE PUMP
 - Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is inches; proposed depth of well is
feet.
 - Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 3 years.

8. Description of proposed uses:

9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
60N	02W	34	NESE 9	NWSE 6		15
Total number of acres irrigated:						15

Place of Use: STOCKWATER, same as IRRIGATION use

10. Describe any other water rights used for the same purposes.

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

STOCKWATER FOR 25 HEAD OF CATTLE.

13. Map of proposed point of diversion and place of use attached? []



BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Donna H. Kueley
Applicant

Received by RAT Date 7/12/90 Time 3:15 Preliminary check by TPK
Fee \$ 3000 Receipted by RAT # U3918 Date 7/12/90
Publication prepared by pm Date 7/25/90 Published in Bonanza Valley Herald
Publication approved pm Date 8/13/90

MICROFILMED

SEP 27 1990



CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

SEP 27 1990



QUADRANGLE LOCATION

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST.

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Boundary,

Carol Arthur being first duly sworn on oath
deposes and says that he/she is manager
of the Bonners Ferry Herald, a newspaper printed and
published at Bonners Ferry, Boundary County, Idaho; that
the said newspaper has been continuously and
uninterruptedly published in said Boundary County during
a period of 12 months prior to the first publication of the
hereto attached notice of publication in the case of:

96-08608 ; 98-07673

1632

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 1 day of Aug, 19 90
and ending on the 8 day of Aug, 19 90
and that said notice was published in said newspaper.

Dated: Aug. 8, 1990

Carol A. Arthur

Subscribed and sworn to before me this 8 day

of Aug, 19 90.

Anna Thomas
Notary Public for Idaho

Residing at Bonners Ferry

My Commission expires: 12-1-1994

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08608

KEELEY, DONNA M.
4480 PACK RIVER RD.

SANDPOINT, ID 83864
Source: PACK RIVER Tributary:
PEND OREILLE LAKE
Diversion Pt: NESE Sec 34 T 60N R
02W
Use: IRRIGATION (.200 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.200 CFS)
Date Filed: 7/12/1990
In: T60N R02W S34 NESE NWSE
15.0 ACRES TOTAL
98-07673

BACE, JIM L.
HCR 61 BOX 134A
BONNERS FERRY, ID 83805
Source: UNNAMED STREAMS
Tributary: FLEMMING CREEK
Diversion Pt: SENW Sec 28 T 63N R
01E
NESW Sec 28 T 63N R 01E
Use: STOCKWATER (.020 CFS) MS
STOCKWATER STORAGE (147.00 AF) NR
DOMESTIC (.080 CFS)
RECREATION STORAGE (147.00 AF)
DIVERSION TO STORAGE (.120 CFS) 7.00
Total Diversion: (.120 CFS) 17.00
Date Filed: 7/17/1990
In: T63N R01E S28 SENW (.120 CFS)
For additional information con-
cerning the property location, call
the Northern Regional Office at 765-
4639.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before AUGUST 20, 1990.
R. Keith Higginson, Director
#1632 August 1, 8, 1990
Water Resources Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before AUGUST 20, 1990.
R. Keith Higginson, Director
#1632 August 1, 8, 1990

MICROFILMED

SEP 27 1990

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Boundary,

Carol Arthur being first duly sworn on oath
deposes and says that he/she is Manager
of the Bonners Ferry Herald, a newspaper printed and
published at Bonners Ferry, Boundary County, Idaho; that
the said newspaper has been continuously and
uninterruptedly published in said Boundary County during
a period of 12 months prior to the first publication of the
hereto attached notice of publication in the case of:

96-08608 ; 98-07673

1632

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 1 day of Aug, 19 90
and ending on the 8 day of Aug, 19 90
and that said notice was published in said newspaper.

Dated: Aug. 8, 1990

Carol A. Arthur

Subscribed and sworn to before me this 8 day
of Aug, 19 90

Anna Thomas
Notary Public for Idaho

Residing at Bonners Ferry

My Commission expires: 12-1-1994

activities.
associated with timber harvest
available through the R-V Act
funding is limited. Monies would be
resources and visual quality, but

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08608

KEELEY, DONNA M.
4480 PACK RIVER RD.

SANDPOINT, ID 83864

Source: PACK RIVER Tributary:
PEND OREILLE LAKE

Diversion Pt: NESE Sec 34 T 60N R
02W

Use: IRRIGATION (.200 CFS)

STOCKWATER (.020 CFS)

Total Diversion: (.200 CFS)

Date Filed: 7/12/1990

In: T60N R02W S34 NESE NWSE

15.0 ACRES TOTAL

98-07673

BACE, JIM L.

HCR 61 BOX 134A

BONNERS FERRY, ID 83805

Source: UNNAMED STREAMS

Tributary: FLEMMING CREEK

Diversion Pt: SENW Sec 28 T 63N R
01E

NESW Sec 28 T 63N R 01E

Use: STOCKWATER (.020 CFS)

STOCKWATER STORAGE (147.00
AF)

DOMESTIC (.080 CFS)

RECREATION STORAGE (147.00
AF)

DIVERSION TO STORAGE (.120
CFS)

Total Diversion: (.120 CFS)
(147.00 AF)

Date Filed: 7/17/1990

In: T63N R01E S28 SENW

For additional information con-
cerning the property location, call
the Northern Regional Office at 765-
4639.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before AUGUST 20, 1990.

R. Keith Higginson, Director

#1632 August 1, 8, 1990

MICROFILMED

SEP 27 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 2, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

DONNA M KEELEY
4480 PACK RIVER RD
SANDPOINT ID 83864

RE: WATER RIGHT NO. 96-08608

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

APR 10 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


APR 10 1998

CERTIFICATE OF MAILING

I hereby certify that on the 2nd day of March, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 96-08608

DONNA M KEELEY
4480 PACK RIVER RD
SANDPOINT ID 83864



Kari Lynn Townsend
Secretary

MICROFILMED

APR 10 1998

MEMORANDUM

TO: File 96-08608

FROM: Sharla

DATE: February 26, 1998

RE: Licensing Recommendation Adjustments

The adjustments to licensing recommendations for Permit No. 96-08608 are as follows:

H. RECOMMENDATIONS

Irrigation	3/15 - 11/15	0.12 cfs	18.0 afa
------------	--------------	----------	----------

The standard irrigation season for this area is 3/15 to 11/15.

Examiner: Herman Spangle

Exam Date: June 19, 1997

MICROFILMED

APR 10 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-08608

DATE 2/26/98

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change/clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U
Overlap file pulled & reviewed —

RATE OF DIV

Permitted Rate	<u>.20</u> cfs
Fee limit	<u>.20</u> cfs <u>\$50⁰⁰</u>
Measured	<u>.10</u> cfs
Theoretical	<u>.16</u> cfs

Recommended Total Div Rate 12 cfs

ANNUAL VOLUME/
NATURE OF USES —

<u>✓</u>	Use <u>irr.</u>	cfs <u>.12</u>	Volume Calc <u>643 ~~33~~ =</u>	af
				af
				af
				af
	SUBTOTAL	<u>.12</u>	<u>18.0</u>	af

Flow rate .12 cfs X 246 days X 1.98 = 58.4 af

Total volume recommended 18.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS — Watermaster Control WD# —

Rd GW Measurement/Measuring Device
Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed NA
Adjustment Memo Season

1st Amend Letter NA
2nd Amend Letter NA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 27 1998

Department of Water Resources

96-08608

A. GENERAL INFORMATION

Permit No.

1. Owner: Donna Keeley Phone No. (208)-263-6344

Current Address: 4480 Pack River Rd. Sandpoint, Id. 83864

2. Accompanied by: Donna Keeley EXAM DATE: 6-19-97

Address: SAME AS ABOVE Phone No. SAME AS ABOVE

Relationship to Permit Holder: Permit Holder

3. Source: Pack River tributary to Pend Oreille Lake

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
RD #1	N/A	SW	NE	SE	34	60N	02W	Boundary	USGS 7.5' QUAD; Site Visit, Assessor


2. Place(s) of Use:

Indicate Method of Determination Site Visit, USGS QUAD

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
60N	02W	34																	

MICROFILMED
APR 10 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
PD.#1	Briggs Stratton	5.0		ITP Pump	JP5/4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

$5/2 @ 60 \text{ psi} = 5.65 \text{ gpm} = \text{therefore } 8 \times 5.65 = 45.2 \text{ gpm}$

MICROFILMED

APR 10 1988

E. NARRATIVE/REMARKS/COMMENTS

System consist of 5 HP Briggs & Stratton motor with a 2" inch IPT pump. The intake line is 2" and the discharge line is 4" inch. The main line runs perpendicular to the Park River. Approx 300' ft. There are 8 boxes on the main line along with sprinkler heads and hose bibs. The sprinkler heads are 5/32" in pipe. The box bibs are used to run several hundred feet of garden hose to irrigate approx 6 acres. The irrigated area includes lawn and garden and several varieties of wild grasses and clover. The design of the system was to keep with-in some of the natural plant life to cause little impact on the area.

No stockwater is recommended on license.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
APR 10 1998

F. FLOW CALCULATIONS

Measured Method:

~~*~~ Additional Computation Sheets Attached

See Theoretical Calculation.

G. VOLUME CALCULATIONS


1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (6.0)(3.0) = 18.0 \text{ ACRE FT}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.12)(214)(1.9835) = 50.9$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 18.0 \text{ ACRE FEET}$$

2. Volume Calculations for Other Uses:



$$650' \times 400' = (650)(400) = \frac{260000}{43,560} = 5.97 \text{ ACRES}$$

6.00 ACRES

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>IRRIGATION</u>	<u>4-1</u>	<u>11-1</u>	<u>.12</u>	<u>18.0</u>
Totals:			<u>.12</u>	<u>18.0</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

Hamm Gorge

Date

6-25-97

Reviewer

Date

SEAL

MICROFILMED

APR 10 1998

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 96-08608
DATE: 25-JUN-97
COMPLETE BY: HERM

HORSEPOWER = 5.0


PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 50 FEET

SYSTEM PRESSURE = 60 PSI

QUANTITY = 0.16 CFS

MICROFILMED
APR 10 1998




NATIONAL

96-08608

KEELEY, DONNA

T. 60N, R. 02W.



48° 30' 116° 37' 30"

1-60 N BOUNDARY CO
5-1-59 N BONNER CO

290 000 FEET

APR 10 1999 TO U.S. 2 & 95
ELMIRA 11 MI.

(COLB)
2680 1

RECEIVED

JUN 26 1997

NORTHERN REGION
IDWR

Creek

0010
U.S.F.S.

5910
Tungsten
Hlan.

4911
W-I

7910
Hutaler/
Wallace

7810
Lynch

1810
Dunkle

7210
Dunkle

PU

PO*

5944
Wright

5850
Wright

5100

6750

4911
W-I

8060
Jones

8252

8144

8845

8860

8860

8870

8870

8870

8870

8870

8870

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

8860

NATIONAL

MICROFILMED

APR 10 1999

96-08608

1811
Dunkel
2
NEIC
MERRELL
ET AL
2
3

51002
6750

WE
4813

KEELER

KEELER

KEELER

NEFFY

96-00608

DELMED

APR 1 1960


KEELER

T-60N. R, 02W, SEC. 34

PERMIT #

STATE OF IDAHO
DEPARTMENT OF WATER
AND REPORT SUPPLY
PROGRAM

5HP Briggs & Stratton Pump
INTAKE




5HP 1/2 HP Pump
5/2" Sprinkler Head



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ANNUAL REPORT SUPPLY

PHOTOGRAPH

PLACE OF USE



PLACE OF USE





LAWN SPRINKLER
PLACE OF USE



5/32 SPRINKLER HEADS
GARDEN HOSE



STATE OF IDAHO
DEPT. OF WATER
REPORT SUPPLY
O S R A

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 96-08608 Reviewed by Jy Date 10/13/94

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Irr.
Correct Uses? yes

SOURCE OF WATER

✓ Surface water source
 Ground water source
 Drilling permit required?
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50.00 Amount Submitted
yes Correct?

MEASURING DEVICE

no Required?
✓ Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received
Date proof due -
No. of days late =
Priority Date +
New Priority Date

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address

Proof Made 10/3/94

October 13, 1994

DONNA M. KEELEY
4480 PACK RIVER RD.
SANDPOINT ID 83864

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08608

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED 10/13/94

NOV 08 1994

July 31, 1994

DONNA M. KEELEY
4480 PACK RIVER RD.
SANDPOINT ID 83864

PROOF DUE NOTICE

RE: PERMIT NO. 96-08608

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

NOV 08 1994





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 6, 1993

Donna M Keeley
4480 Pack River Rd
Sandpoint, ID 83864

Re: Permit No. 96-08608

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to October 1, 1994. Please note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed since the department will not be able to grant additional extensions based on due diligence.

If you have any questions or if I can be of any further assistance, please feel free to contact this office.

Sincerely,

Karen L. Gustafson
Senior Secretary

Enclosure

C: IDWR-Regional Office

RECEIVED

OCT 28 1993

ANALYSIS SHEET
FOR
EXTENSION OF TIME

Permit No. 96-08608 Reviewed by Klg Date 10/5/93

BASIC INFORMATION

9/30/93 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
NO Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?
Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? Requested?
Is delay by a government agency?
Is supporting documentation needed to complete the file? Requested?
Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

Recommend for approval Based on due diligence - Extend to 10/1/94

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address _____
Change Proof Due Date 10/7/93 Klg
Change Priority Date _____

July 31, 1993

DONNA M. KEELEY
4480 PACK RIVER RD.
SANDPOINT ID 83864

PROOF DUE NOTICE

RE: PERMIT NO. 96-08608

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



OCT 28 1993

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
September 13, 1990

DONNA M. KEELEY
4480 PACK RIVER RD.
SANDPOINT, ID 83864

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08608

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ: SC
Enclosures

MICROFILMED

SEP 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: TDK DATE: 7/16/90 APPLICATION NUMBER: 96-08608

APPLICANT: _____

REQUIRED INFORMATION

- (1). ☒ Name & Address: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
(2). ☒ Source: (See USGS Quad for names of water sources)
(3). ☒ Point of Diversion including county: (spring/10 ac., Subd. lot & block)
(4). ☒ Quantity: (flow and/or volume)
 ☒ Nature of proposed use: (Include description of use)
 ☒ Period of use:
(5). ☒ Total Quantity: (flow and/or volume)
(6). ☒ Description of diverting works:
(7). ☒ Time required for beneficial use of water:
(8). ☒ Proposed uses:
(9). ☒ Place of use or acres irrigated:
(10). ☒ Other Water Rights:
(11). ☒ Ownership:
TDK (13). ☒ Map: P.D.?
 ☒ Signature: (signator title required for corp., partnership, etc)
 ☒ Fee: (Amount, receipt number and date recorded on application)
 ☒ Acknowledgement Letter:
 ☒ Overlap Review: Attachment? (Y)____ (N) ☒ Remarks? (Y)____ (N) ☒

ADDITIONAL INFORMATION

YES NO

- ___ ☒ Field check required: Field check by: _____
___ ☒ Field report attached:
___ ☒ Critical groundwater area:
___ ☒ Groundwater management area:
___ ☒ Send dam safety information:
___ ☒ Send fish farm requirement letter:
___ ☒ Send power requirement letter:
___ ☒ Send Power residency affidavit:
___ ☒ Send Power efficiency form:
___ ☒ Within trust water boundry: (Attach Trust Water Supp. Analysis Sheet):
___ ☒ Diversion greater than 5 cfs or 500 af, supp. analysis sheet attached:
___ ☒ Well drilling permit required:

PROCESSING

YES NO

- ☒ In form for advertising:
___ ☒ Statewide advertising: (10.00 or more cfs.)

Send Copies To

YES NO

- ___ ☒ I.D. Health and Welfare
___ ☒ I.D. Fish and Game
___ ☒ I.D. Lands
___ ☒ Adjudication Bureau

YES NO

- ___ ☒ U.S. BLM
___ ☒ U.S. Forest Svc.
___ ☒ Water District # _____
___ ☒ Other _____

RECEIVED
AUG 28 1990

Department of Water Resources

Application Number 96-868

FINAL REGIONAL PROCESSING REVIEW

YES NO

 Additional information received:

 Notice of pending void order issued: Final date of order response.

✓ Affidavit of publication received:

 Application published correctly: If not, record action taken.

✓ Publication dates and paper recorded on application:

 Protests received, Final date for protest 8/20/90

 Recommendations attached:

 Measuring device required:

 Measuring port required:

 Water delivered by water master? District #

 Special conditions of approval or cover letter: (see additional info. below)

Recommended Date of Priority 7/12/90 ✓

Recommended by: T.D.K. RMA Date 8/22/90

STATE OFFICE REVIEW PIM 26

 See remarks for additional information. By KW Date 9-5-90

REMARKS

OK to allow 3 yrs. to complete -

96-08608

KEELEY, DONNA M.
4480 PACK RIVER RD.
SANDPOINT, ID 83864

Source: PACK RIVER

Tributary: PEND OREILLE LAKE

Diversion Pt: NESE Sec 34 T 60N R 02W

Use: IRRIGATION (.200 CFS)
 STOCKWATER (.020 CFS)
 Total Diversion: (.200 CFS)

Date Filed: 7/12/ 1990

In: T60N R02W S34 NESE NWSE

15.0 ACRES TOTAL

MICROFILMED

SEP 27 1990