

WARREN

ELLIS
BM
2092

East Hope

Ellisport

Bay

Marina

Hope Point
OWENS

Owens

Boat
Ramp

Campground

NAT FOR
KANIKSI

Bay

Denton

Slough

Creek

Creek

DAVID THOMPSON

STATE WILDLIFE PRESERVE

Memaloose
Island
MEMALOOSE
2091

2070 T

2069 T

2228 T

2108 T

2

12

99

2153 T

2188 T

2118 T

2153

2153

2153

2153

2153

2153

2153

2153

2153

2153

2153

2153

2153

2153

2153

2153

2847 T

BM
2085

2220

2066 T

2062

2062

2062

2062

2062

2062

2062

REPORTED
MAY 26 1993

Sheepherder
Point

STEEPLE ROSE

PEND OREILLE
STATE WILDLIFE
Mgmt AREA

c C b B a A

LAT. 48° 14' N
LONG. 116° 16'

VO D'OREILLE
PLACER
U.S. SUR. N° 789
7.64 ac.

Sec. 1.
8.25

ELLISPORT PLACER

Sec. 2.
8.15

ATTACH
LAND

Sec. 10.
8.25

Sec. 11.
6.4.76

Sec. 12.
6.23.50

AKE

Sec. 15.

MANLOOSE
ISLAND

Sec. 16.
5.8.25

Sec. 13.
6.28.77

Sec. 22.

Sec. 23.

Sec. 24.
16.3.10

RECEIVED
MAY 26 1993



PERMIT # 96-08607

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S

PD



DU

RECEIVED
MAY 26 1993



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08607

Priority: June 25, 1990

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 1.2 AF

This is to certify, that CARL KOELKER
PO BOX 113
900 PENINSULA RD
HOPE ID 83836

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 25, 1990; and has submitted Proof of Beneficial Use on December 17, 1990. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2(NWSW), Sec. 12, Township 56N, Range 01E
BONNER County


PLACE OF USE: DOMESTIC
TWN RGE SEC

56N 01E 12 Lot 3(SWSW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 17th day of MAY, 1993.

Acting for 
R. Keith Higginson, Director

MAY 26 1993

DEC 17 1990

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

Received by

Date _____

Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08607

Proposed Priority: June 25, 1990 Maximum Diversion Rate: 0.04 CFS
This is to certify, that **CARL KOELKER**

900 PENINSULA RD.
HOPE, ID 83836

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 2(NWSW), Sec. 12, Township 56N, Range 01E
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC


56N 01E 12 LOT 3(SWSW)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28th day of August, 1990.

for 
R. Keith Higginson, Director

MICROFILMED

SEP 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: CARL KOELKER
Address: 900 PENINSULA RD.
HOPE, ID 83836

208-264-5266

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion: LOT 2(NWSW), Sec. 12, Township 56N, Range 01E
BONNER County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.040		

5. Total quantity appropriated is:
0.040 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.

WELL, PUMP AND PIPELINE

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is 6 inches; proposed depth of well is 172
feet.

d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:

9. Place of Use: DOMESTIC

TWN RGE SEC
56N 01E 12 LOT 3(SWSW)

MICROFILMED

SEP 27 1991

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:
ONE HOME

13. Map of proposed point of diversion and place of use attached? ☒


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by TDK Date 6/25/90 Time 11:37 Preliminary check by TDK
Fee \$ 30.00 Receipted by TDK # 11003860 Date 6/25/90
Publication prepared by me Date 6/27/90 Published in Donnerstag, 28. Juni 1990
Publication approved me Date 7/23/90

MICROFILMED

SEP 27 1990



MICROFILMED

SEP 27 1990

96-08607

T56N R1E SEC 12

END

PEN. STAT. MC.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 18, 1993

CARL KOELKER
PO BOX 113
900 PENINSULA RD
HOPE ID 83836

RE: WATER RIGHT NO. 96-08607

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

MICROFILMED

MAY 26 1993

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CARL KOELKER PO BOX 113 900 PENINSULA RD	06/25/1990	DOMESTIC	01-01 12-31	0.04 CFS	1.2 AFA
				TOTAL DIVERSION:	0.04 CFS	1.2 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T56N R01E S12 Lot 02(NW SW)

Place of use Legal Description for: DOMESTIC

								NE				NW				SW				SE								
								NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SSSW	SESW	:	NESE	NWSE	SWSE	SESE		
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac		
---	---	---	:	---	---	---	---	---	---	---	---	---	---	---	---	:	---	---	---	---	---	---	---	---	---	---	---	---
56N	01E	12	:													:												

Pou County: BONNER

Remarks: Domestic use is for 1 home.

Dates: App. Received: 06/25/1990 Priority Date: 06/25/1990
Proof Due Date: 09/01/1991 Proof Made Date: 12/17/1990
Exam Made Date: 06/18/1992 Exam Sent to S.O.: 05/10/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 05/13/93 CHAPMAN

④

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAY 11 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08607


1. Owner: Carl Koelker Phone No. 208-264-5266
Current Address: P.O. Box 113 / 900 peninsula Road, Hope ID 83836
2. Accompanied by: Carl Koelker EXAM. DATE: 6/18/92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

RECEIVED

MAY 26 1993

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

water from well is pumped with a 1 1/2 hp pump into a 60 gallon pressure tank then to the place of residence

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
6		1 1/2		Sta-Rite	VP4F02-07

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
-	2		NW	SW	12	56N	01E	Banner	Map

6. Place(s) of Use:

Indicate Method of Determination Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
56N	01E	12																	

MICROFILMED

MAY 26 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS *None* ☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS ☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes: *1 domestic w/ lawn $\Rightarrow 7.04$ cfs*

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1 domestic w/ lawn $\Rightarrow 1.2$ AF

MICROFILMED

MAY 26 1993

[illegible]

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
1 domestic	1/1	12/31	.04 cfs	1.2 AF
Totals:			1.04 cfs	1.2 AF

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


Field Examiner's Name Robert Knoblock
Signature Robert Knoblock
Certification Date _____
Field Report Preparation Date 6/19/92


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

INDEXED

MAY 26 1993





State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 96-08607

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. 56 N, Rge. 1E Sec. 12, - NW $\frac{1}{4}$ SW $\frac{1}{4}$ Gov. Lot _____

2. Owner: Carl Koelker

Address: P.O. Box 113 / 900 Peninsula Rd,

City Hope, State ID 83836

3. Casing $\geq$ 12 inches above ground: Yes _____ No _____

4. Access Port: Y ☒ N _____ Static Water Level: ~175ft
Pressure Gauge: Y _____ N 1 did not work Casing Diameter: 6"
Flowing: Y _____ N _____ Temperature: cool

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y _____ N _____

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: There is no well log; well was drilled
Circa 1960

RECEIVED
MAY 26 1993

J11

1. The first step is to identify the key components of the system. This involves understanding the hardware, software, and data involved in the process.

513

APPROVED

PERMIT # 96-08607


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS

PD



DU



UNRECORDED

MAY 26 1993

December 28, 1990

CARL KOELKER
900 PENINSULA RD.
HOPE, ID 83836

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08607

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

FEB 08 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 96-8607

Date 12-26

GENERAL CONSIDERATIONS

☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

☐ Surface water source
☒ Ground water source
☒ Drill permit req'd?
☐ Copy in file? Drill permit no. N/A
☐ Well log in file?
☐ Amt paid for drilling permit? Correct?

LICENSE EXAMINATION FEE

☒ Required?
☒ Amount submitted?
☒ Correct amount?

MEASURING DEVICE

☒ Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

proof acceptable

PRIORITY CALCULATION

Date proof received
Date proof due
No. of days late
Priority date
NEW PRIORITY DATE

December 15, 1990

Ms. Rita Fleck
State of Idaho
Department of Water Resources
Boise, Idaho 83720

Re: Permit #96=08607


Dear Ms. Fleck:

Sometime in August, 1990, I spoke with Mr. Gary Spackman, Supervisor, Water Right Permits Section. Mr. Spackman advised me to complete the enclosed form and mail it to you.

We purchased the home in June, 1990, and were unaware that the former owners had not obtained water rights. We later learned that we are required under State law to file with the State for water rights, which we did. As the well has existed for over 30 years, Mr. Spackman stated we did not need a permit for the well.

Should you wish to contact me, I can be reached at 208-264-5266.

Sincerely,



Carl L. Koelker
900 Peninsula Road
Hope, Idaho 83836

MICROFILMED

FEB 08 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
August 30, 1990

CARL KOELKER
900 PENINSULA RD.
HOPE, ID 83836

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08607

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

SEP 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: Ken DATE: 6/25/90 APPLICATION NUMBER: 96-8607

APPLICANT: _____

REQUIRED INFORMATION

- (1). ☒ Name & Address: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
(2). ☒ Source: (See USGS Quad for names of water sources)
(3). ☒ Point of Diversion including county: (spring/10 ac., Subd. lot & block)
(4). ☒ Quantity: (flow and/or volume)
☒ Nature of proposed use: (Include description of use)
☒ Period of use:
(5). ☒ Total Quantity: (flow and/or volume)
(6). ☒ Description of diverting works:
(7). ☒ Time required for beneficial use of water:
(8). ☒ Proposed uses:
(9). ☒ Place of use or acres irrigated:
(10). ☒ Other Water Rights:
(11). ☒ Ownership:
(13). ☒ Map:
☒ Signature: (signator title required for corp., partnership, etc)
☒ Fee: (Amount, receipt number and date recorded on application)
☒ Acknowledgement Letter:
☒ Overlap Review: Attachment? (Y) _____ (N) _____ Remarks? (Y) _____ (N) _____

ADDITIONAL INFORMATION

- YES NO
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send fish farm requirement letter:
☒ Send power requirement letter:
☒ Send Power residency affidavit:
☒ Send Power efficiency form:
☒ Within trust water boundry: (Attach Trust Water Supp. Analysis Sheet):
☒ Diversion greater than 5 cfs or 500 af, supp. analysis sheet attached:
☒ Well drilling permit required: existing well

PROCESSING

- YES NO
☒ In form for advertising:
☒ Statewide advertising: (10.00 or more cfs.)

Send Copies To

- YES NO
☒ I.D. Health and Welfare
☒ I.D. Fish and Game
☒ I.D. Lands
☒ Adjudication Bureau

- YES NO
☒ U.S. BLM
☒ U.S. Forest Svc.
☒ Water District #
☒ Other _____

RECEIVED
AUG 02 1990

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Tina VanDenBerg being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 5 day of July, 19 90
and ending on the 12 day of July, 19 90
and that said notice was published in said newspaper.

On this 17th day of July in the year
of 90, before me, a Notary Public, personally
appeared Tina VanDenBerg,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Kim Johnson
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 10/22/93

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08604

ERICKSON, VERNON
E. 908 EVERETT AVE.
SPOKANE, WA 99207
Source: COCOLALLA LAKE
Tributary: COCOLALLA CREEK
Diversion Pt: LOT 6 (NWSW) Sec 5
T55N R 02W
Use: IRRIGATION (.010 CFS)
Total Diversion: (.010 CFS)
Date Filed: 6/14/1990
In: T55N R02W S05 Lot 6 (NWSW)
0.3 ACRES TOTAL

96-08606

CRANSTON, CLARK
CRANSTON, NANCY
3150 DUFORT RD.
SAGLE, ID 83860
Source: GROUNDWATER
Diversion Pt: SENW Sec 32 T 56N R
03W
Use: DOMESTIC (.100 CFS)
Total Diversion: (.100 CFS)
Date Filed: 6/21/1990
In: T56N R03W S32 NENW SENW

96-08607

KOELKER, CARL
900 PENINSULA RD.
HOPE, ID 83836
Source: GROUNDWATER
Diversion Pt: LOT 2 (NWSW) Sec 12
T 56N R 01E
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 6/25/1990
In: T56N R01E S12 Lot 3 (SWSW)
For additional information con-
cerning the property location, call
the Northern Regional Office at 765-
4639.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before JULY 23, 1990.

R. Keith Higginson, Director

#3581 July 5, 12, 1990

MICROFILMED

SEP 27 1990

RECEIVED

JUL 19 1990

NORTHERN REGION
IDWR

3581

96-08607

KOELKER, CARL
900 PENINSULA RD.
HOPE, ID 83836

Source: GROUNDWATER

Diversion Pt: LOT 2 (NWSW) Sec 12 T 56N R 01E

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 6/25/ 1990

In: T56N R01E S12 Lot 3 (SWSW)

MICROFILMED

SEP 27 1990