






1, edited, and published by the Geological Survey
by USGS and USC&GS

by photogrammetric methods from aerial
photos taken 1966. Field checked 1969.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 10 1992
Department of Water Resources

A. GENERAL INFORMATION


Permit No. 96-08604
1. Owner: VERNON ERICKSON Phone No. 509-487-7681
Current Address: 908 E. EVERETT AVE SPOKANE, WA. 99207
2. Accompanied by: NONE EXAM. DATE: 3/24/92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: COCOLALLA LAKE tributary to COCOLALLA LAKE CREEK

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = UTS


2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED
MAY 26 1993



Township N° 55 North Range N° 2 West

G f F e E d D



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08604

Priority: June 14, 1990

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:

0.9 AF

This is to certify, that VERNON ERICKSON

908 E EVERETT AVE

SPOKANE WA 99207

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 14, 1990; and has submitted Proof of Beneficial Use on September 10, 1990. An examination indicates that the works have a diversion capacity of .010 cfs of water from:

COCOLALLA LAKE

tributary to COCOLALLA CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.01 CFS	0.9 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 5(NWSW), Sec. 5, Township 55N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
55N	02W	5	Lot 5(NWSW)	0.3		0.3

Total number of acres irrigated: 0.3

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.

RECORDED

MAY 26 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08604

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 19TH
day of DECEMBER, 1972.

Acting for R. Keith Higginson, Director

RECORDED

MAY 26 1993

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08604

Proposed Priority: June 14, 1990 Maximum Diversion Rate: 0.01 CFS
This is to certify, that **VERNON ERICKSON**
E. 908 EVERETT AVE.
SPOKANE, WA 99207
has applied for a permit to appropriate water from:

COCOLALLA LAKE tributary of **COCOLALLA CREEK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.01 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: LOT 6(NWSW), Sec. 5, Township 55N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
55N	02W	5	LOT 6(NWSW)	0.3		0.3

Total number of acres irrigated: 0.3

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1991.
2. Subject to all prior water rights.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28th day of August, 1990.

R. Keith Higginson
for
R. Keith Higginson, Director

MICROFILMED

FEB 08 1991

Ident. No. 96-08604

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: VERNON ERICKSON 509-487-7681
Address: E. 908 EVERETT AVE.
SPOKANE, WA 99207
2. Source: COCOLALLA LAKE Trib. to: COCOLALLA CREEK
3. Location of Point of Diversion: LOT 6(NWSW), Sec. 5, Township 55N, Range 02W
BONNER County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|------------|-------|-------|-------|------|----|
| IRRIGATION | 03/15 | 11/15 | 0.010 | | |
5. Total quantity to be appropriated is:
0.010 CFS (and/or) AF
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
PUMP, PIPELINE, SPRINKLERS
 - Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is inches; proposed depth of well is
feet.
 - Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
9. Place of Use: IRRIGATION
- | TWN | RGE | SEC | ACRES | ACRES | ACRES | TOTAL |
|----------------------------------|-----|-----|-------------|-------|-------|-------|
| 55N | 02W | 5 | LOT 6(NWSW) | 0.3 | | 0.3 |
| Total number of acres irrigated: | | | | | | 0.3 |
10. Describe any other water rights used for the same purposes.
DOMESTIC USE FROM CAY-CO COMMUNITY WELL

INTERFILMED

FEB 08 1991

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Vernon W. Erickson
Applicant

Received by TDK Date 6/14/90 Time 4:PM Preliminary check by RGH/TDK


Fee \$ 30⁰⁰ Receipted by TDK # 113837 Date 6/14/90

Publication prepared by pm Date 6/27/90 Published in Donner City D. Bee
7/5-12/90

Publication approved pm Date 7/23/90

MICROFILMED

FEB 08 1991



l, edited, and published by the Geological Survey
 by USGS and USC&GS
 by by photogrammetric methods from aerial

SCALE 1:24 000

9608604

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Tina VanDerBerg being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 5 day of July, 1990
and ending on the 12 day of July, 1990
and that said notice was published in said newspaper.

On this 17th day of July in the year
of 90, before me, a Notary Public, personally
appeared Tina VanDerBerg,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Wm Johnson
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 10/22/93

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08404

ERICKSON, VERNON
E. 908 EVERETT AVE.
SPOKANE, WA 99207
Source: COCOLALLA LAKE
Tributary: COCOLALLA CREEK
Diversion Pt: LOT 6 (NWSW) Sec 5
T55N R 02W
Use: IRRIGATION (.010 CFS)
Total Diversion: (.010 CFS)
Date Filed: 6/14/1990
In: T55N R02W S05 Lot 6 (NWSW)
0.3 ACRES TOTAL

96-08606

CRANSTON, CLARK
CRANSTON, NANCY
3150 DUFORT RD.
SAGLE, ID 83860
Source: GROUNDWATER
Diversion Pt: SENW Sec 32 T 56N R
03W
Use: DOMESTIC (.100 CFS)
Total Diversion: (.100 CFS)
Date Filed: 6/21/1990
In: T56N R03W S32 NENW SENW

96-08607

KOELKER, CARL
900 PENINSULA RD.
HOPE, ID 83836
Source: GROUNDWATER
Diversion Pt: LOT 2 (NWSW) Sec 12
T 56N R 01E
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 6/25/1990
In: T56N R01E S12 Lot 3 (SWSW)

For additional information con-
cerning the property location, call
the Northern Regional Office at 765-
4639.


The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before JULY 23, 1990.

R. Keith Higginson, Director

#3581 July 5, 12, 1990

ASAP

MICROFILMED



3581



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 21, 1992

VERNON ERICKSON
908 E EVERETT AVE
SPOKANE WA 99207

RE: WATER RIGHT NO. 96-08604

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

MAY 26 1993

LICENSE REVIEW CHECKLIST

Permit # 96-8604

Date 11-24-92

as

NAME	<u>Yes</u>	<u>No</u>	Address Change?
PRIORITY DATE	<u>Yes</u>	<u>No</u>	Advance?
	<u>Yes</u>	<u>No</u>	Memo to Advance
	<u>Yes</u>	<u>No</u>	Order to Reinstate Needed?
TOTAL CFS	<u>Yes</u>	<u>No</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u>Yes</u>	Disagree with Actual Measurement?
	<u>NA</u>	<u>Yes</u>	Disagree with Theoretical?
	<u>Yes</u>	<u>No</u>	Limited by Capacity?
TOTAL VOLUME	<u>Yes</u>	<u>No</u>	Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u>
	<u>Yes</u>	<u>No</u>	3-15 to 11-15 Standard Irr. Season
	<u>Yes</u>	<u>No</u>	Same Per Permit Season Recommended
	<u>Yes</u>	<u>No</u>	Disagree with Examiner's Calculations?
	<u>Yes</u>	<u>No</u>	Limited by Flow?
SOURCE	<u>Yes</u>	<u>No</u>	Changes? Clarification of <u>Originally</u>
	<u>Yes</u>	<u>No</u>	<u>Intended</u> source
	<u>Yes</u>	<u>No</u>	Notice of Intent to Void.
P/D	<u>Yes</u>	<u>No</u>	Verify with Map
	<u>Yes</u>	<u>No</u>	Amendment Needed? <u>Change Lot 6 to Lot 5</u>
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?
P/U	<u>Yes</u>	<u>No</u>	Verify with Map
	<u>Yes</u>	<u>No</u>	Amendment Needed? <u>Change Lot 6 to Lot 5</u>
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?
USES	<u>Yes</u>	<u>No</u>	Change(s) in Nature of Use?
	<u>Yes</u>	<u>No</u>	Amendment Needed?
REMARKS	<u>Yes</u>	<u>No</u>	Multiple P/Ds in 1/4 1/4?
	<u>Yes</u>	<u>No</u>	Non-Irr. Uses
	<u>Yes</u>	<u>No</u>	Special Overlap Condition
	<u>Yes</u>	<u>No</u>	Other
CONDITIONS	<u>Yes</u>	<u>No</u>	Measuring Device
	<u>Yes</u>	<u>No</u>	W/Master Control
	<u>Yes</u>	<u>No</u>	Overlap
	<u>Yes</u>	<u>No</u>	Water Quality
	<u>Yes</u>	<u>No</u>	DATES/MISC
	<u>Yes</u>	<u>No</u>	Water Dist.
	<u>Yes</u>	<u>No</u>	App Rec'd
	<u>Yes</u>	<u>No</u>	Exam Made

COMMENTS/MEMOS NEEDED:

Estimate lift 20' & psi 30 sm. IRR / Adequate flow
No info for HP equation in F.E. - Allow .01 Capacity

License ✓ 10-Day 15-Day Special Correspondence

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	VERNON ERICKSON 908 E EVERETT AVE SPOKANE WA 99207 (509) 487-7681	06/14/1990	IRRIGATION	03-15 11-15	0.01 CFS	0.9 AFA
				TOTAL DIVERSION:	0.01 CFS	0.9 AFA

Tributary to: COCOLALLA CREEK

Place of use Legal Description for: IRRIGATION

Audit: 11/25/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 10 1992
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08604

1. Owner: VERNON ERICKSON

Phone No. 509-487-7681

Current Address: 908 E. EVERETT AVE SPOKANE, WA 99207

2. Accompanied by: NONE

EXAM. DATE: 3/24/92

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: COCOLALA LAKE tributary to COCOLALA CREEK

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 25

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

MICROFILMED
MAY 26 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

PORTABLE Pump WITH VINYL HOSE & LAWN SPRINKLER

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	AD SMITH	3/4	#75	STARITE	1

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	NW	SW	5	55N	2W	BENNETT	MAP

6. Place(s) of Use:

Indicate Method of Determination

MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
55N	2W	5										1/3							.3

Do not use this space

MICROFILMED

MAY 26 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$.34c (.03) f_s = .01 cfs$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = \left(\frac{3}{3} \right) \times \left(\frac{1.0}{3} \right) \times (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{1.0}$

2. Volume Calculations for Other Uses:

RECEIVED

MAY 26 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	0.01	1.0
Totals:			0.01	1.0

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION


Field Examiner's Name Tom D. King
Signature Tom D. King
Certification Date 4/10/91
Field Report Preparation Date 3/24/92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


MICROFILMED

MAY 26 1993



Township No 55 North Range No 2 West

G F E D



December 21, 1990

VERNON ERICKSON
E. 908 EVERETT AVE.
SPOKANE, WA 99207

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08604

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
FEB 08 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 96-8604

Date 12-21-90

GENERAL CONSIDERATIONS

Y Name same as permit?
Y Address same as permit? If no, prepare data entry form.
Y Proof timely received? If no, complete priority
advancement below.

SOURCE OF WATER

✓ Surface water source
 Ground water source
 Drill permit req'd?
 Copy in file? Drill permit no.
 Well log in file?
 Amt paid for drilling permit? Correct?

LICENSE EXAMINATION FEE

N Required?
 Amount submitted?
 Correct amount?

MEASURING DEVICE

N Measuring device or access port required?
 Installed?
 Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

proof acceptable

PRIORITY CALCULATION

Date proof received LB
Date proof due -
No. of days late =
Priority date +
NEW PRIORITY DATE =

RECEIVED

SEP 10 1990

no v enclosed
Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-08664 Telephone No. 509-487-7681

Name(s) of Permit Holder(s): Vernon Erickson

Post Office Address: 908 E. Everett Ave

Source of Water: Cocolalla Lake

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic 1 watering lawn (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted _____ cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 9-1-90

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Vernon Erickson 509-487-7681
Name Telephone No.
908 E. Everett Ave Spokane, Wa. 99207
Address

The above information is my true statement of the extent to which the above number of acres has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

FEB 08 1991

9-7-90 Vernon Erickson
Date Signature (and title if on behalf of a company or organization)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
August 30, 1990

VERNON ERICKSON
E. 908 EVERETT AVE.
SPOKANE, WA 99207

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08604

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

INDEXED
FEB 08 1991

Department of Water Resources

Application Number _____

FOLLOWING INFORMATION REQUESTED FROM APPLICANT

Item

Date Requested

FINAL REGIONAL PROCESSING REVIEW

YES NO

___ ☒ Additional information received:

___ ☒ Notice of pending void order issued: Final date of order response. _____

✓ ☒ Affidavit of publication received:

✓ ☒ Application published correctly: If not, record action taken.

✓ ☒ Publication dates and paper recorded on application:

___ ☒ Protests received, Final date for protest 7/23/90

___ ☒ Recommendations attached:

___ ☒ Measuring device required:

___ ☒ Measuring port required:

___ ☒ Water delivered by water master? District # _____

___ ☒ Special conditions of approval or cover letter: (see additional info. below)

Recommended Date of Priority 6/14/90 ✓

Recommended by: LSK PWA Date 7/25/90

STATE OFFICE REVIEW

P/16

___ See remarks for additional information. By kw Date 8/23/90

REMARKS

96-08604

ERICKSON, VERNON
E. 908 EVERETT AVE.
SPOKANE, WA 99207

Source: COCOLALLA LAKE

Tributary: COCOLALLA CREEK

Diversion Pt: LOT 6 (NWSW) Sec 5 T 55N R 02W

Use: IRRIGATION (.010 CFS)

Total Diversion: (.010 CFS)

Date Filed: 6/14/ 1990

In: T55N R02W S05 Lot 6 (NWSW)

0.3 ACRES TOTAL

MICROFILMED

FEB 18 1991