


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.


SEP 27 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wendell Moore Dale
(Applicant)

Rex Wendell Pres-

BM 2076



T56N R1E
SEC. 14

96-08603

MICROFILMED
JUL 18 1997

PEND OREILLE
STATE WILDLIFE
MGMT AREA



PD



22,000 gal
Storage

96-08603

MICROFILM
JUL 18 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08603

Priority: June 6, 1990

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

6.6 AF

This is to certify, that WENDLEMERE WELL WATER INC
C/O MARK WENDLE
PO BOX 592
NEWPORT WA 99156

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 6, 1990; and has submitted Proof of Beneficial Use on August 26, 1993. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	6.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NENE), Sec. 14, Township 56N, Range 01E
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

56N 01E 14 Lot 1(NENE) SWNE SENE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 11 homes in Wendlemere Subdivision and does not include lawn, garden, landscape, or other types of irrigation.
6. Rights 96-07245 and 96-08603 when combined shall not exceed a total diversion rate of 0.04 cfs from the well identified above.
7. Right 96-07245 is also diverted through the point(s) of diversion described above.


MICROFILMED
JUL 18 1987


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08603

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 18th
day of JULY, 1997.

Acting for 
KARL J. DREHER, Director



MICROFILMED
JUL 18 1997

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	CFS
Original App.	96-08603	WENDLEMERE INC C/O REX WENDLE PRES	0.04
Assignment	96-08603	WENDLEMERE WELL WATER C/O MARK WENDLE PRES	0.04

15-00000000

OCT 28 1993

RECEIVED
AUG 26 1993
Department of Water Resources

RECEIVED
AUG 2 1993
Department of Water Resources

OFFICE USE ONLY
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Receipt by _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08603 Telephone No. 509-447-3683
2. Name(s) of Permit Holder(s): Wendlemaere Well Water Co Mark Wendle Pres
3. Mailing Address: Box 592 Newport, WA 99156
4. Source of Water: Ground

If **GROUNDWATER**, Well Driller's Name: United Drilling, Inc., Date Drilled: 8-28-90

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 11 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0-0.04 cfs OR 0.4 acre/feet

NA

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes NO Installed? _____ Yes X No

OR

Flow Measurement Port: Required? _____ Yes NO Installed? _____ Yes X No

8. Fee Enclosed: \$ 0 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Dr. Mark W. Wendle 509-447-3683 208-264-5639
Name Telephone No. weekends

P.O. Box 592 Newport, Washington 99156
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

24 Aug 93
Date

Dr. Mark W. Wendle
Signature (and title, if on behalf of a company or organization)

OCT 28 1993



State of Idaho DEPARTMENT OF WATER RESOURCES

1301 N. Orchard St., Statehouse Mall, Boise ID 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

ASSIGNMENT OF PERMIT

I, Wendlemere Inc. (Rex Wendle, Pres.), hereby assign to Wendlemere Well Water, Inc.
of, Box 592 Newport, Washington 99156
(Full Address)

All my right, title, and interest in and to Permit No. 96-08603
to appropriate the public waters of the State of Idaho.

OR (for partial assignments)

The following described portion of my right, title, and interest in and to
Permit No. NA to appropriate the public waters of the State of Idaho.

Describe portion of the permit assigned listing the number of acres in each 40 acre
subdivision, point of diversion location, and the amount of water in cubic feet per
second.

NA

Made this 26 day of July, 1993.

[Signature]
Applicant

State of Wash.)
~~Idaho~~)
County of Spokane)
SS

On this 26th day of July, 1993, personally appeared before me
the signer of the above instrument, duly acknowledged to me that he/she/they executed the same.

Helen R. Killian
Notary Public

SEAL

OCT 28 1993

Helen R. Killian
Signature

My commission expires: 12-10-93

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 96-08603

Proposed Priority: June 6, 1990 Maximum Diversion Rate: 0.04 CFS
This is to certify, that **WENDLEMER INC.**

3011 S. LINCOLN DR.
SPOKANE, WA 99203

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 1(NENE), Sec. 14, Township 56N, Range 01E
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

56N 01E 14 LOT 1(NENE) SWNE SENE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1993.**
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. Domestic use is for 11 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

21st day of August, 1990


R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

SEP 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho



1. Name of applicant Wendell Moore Inc Phone 509-742-8609
Post office address 3011 S Lincoln Dr. Spokane WA 99203
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NE 1/4 of NE 1/4, Govt. Lot 1
Sec. 14 Township T56N Range 1E B.M. BANKS County; additional
points of diversion if any: NA
4. Water will be used for the following purposes:
Amount 0.04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 40.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 22,000 gal tank & 6" main
Thru Wendell Moore Area.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 6" inches; proposed depth of well is ? - 10 gal feet.
d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MICROFILMED

SEP 21 1990

would not need another well had the second well
produce 15 gal instead of 5 gal if well is 15 gal.

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 35 11
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
56N	1E	14	GLI D		D	D													

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. 96-7245


11. a. Who owns the property at the point of diversion? applicant
- b. Who owns the land to be irrigated or place of use? applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: IN HOUSEHOLD ONLY - PER APPLICANT TDK

MICROFILMED

SEP 27 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



SEP 27 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wendell Lee
(Applicant)

Rep Wendell Pres-

Received by [Signature] Date 6/6/90 Time 11:00 am Preliminary check by [Signature]
Fee \$ 30 Received by [Signature] # N 3822 Date 6/6/90
Publication prepared by [Signature] Date 6/13/90 Published in Banner City Bee
Publication approved [Signature] Date 7/9/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.


1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

SEP 4 1990

Tom D. King



August 18, 1988

TO: Wendlemere Water Users

The State Health Department has just made an inspection of the Wendlemere Water System.

The water passes all the well water requirements. No lead problem as far as your front door.

They have stressed the point that the well water is for domestic use only. Water flow appears to be excessive and would indicate out side watering. There have been some of the Clark Fork area wells go dry, so care should be taken not to waste the well water.

With the State limitation on the number of hook-ups an inspection will be made by LOT usage and water line connections to other lots.

We are complying with the Inspectors suggestions for padlocks and screening to prevent vandalism.

WENDLEMERE INC.

Wendlemere Inc. An Idaho Corporation

President	Rex Wendle	3011 S Lincoln Dr. Spokane, Wn. 99203
Vice President	Chud W. Wendle	3586 Oakcliff Fallbrook Cal. 92028
Secretary	Frances Miller	526 Lakeview Sandpoint, Idaho 83864

MICROFILMED

SEP 27 1990

Wendlemere Inc.

Rex Wendle Pres.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 96-7245 Priority January 18, 1974 Amount 0.10 cfs

THIS IS TO CERTIFY, that Wendlemere Inc.
of Spokane, Washington, has complied with the terms and conditions of Permit
No. 96-7245 issued pursuant to Application for Permit dated January 18, 1974
and has submitted proof to the Department of Water Resources on January 11, 1979
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.10 cfs of water from a groundwater source
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (24 Units)	from <u>January 1</u> to <u>December 31</u>	at <u>0.10</u> cfs and	<u>28.8</u> acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.10 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
28.8 acre feet per year, said waters to be diverted within the (2 Points) Gov. Lot 1,
(NE 1/4) Section 14, Twp 56N, Rge 1E in the County of Bonner

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
56N	1E	14	GL1 X		X	X													

Total number of acres irrigated _____

Place of use known as Wendlemere Subdivision

JAN 26 1984

Department of Water Resources
Northern District Office

MICROFILMED

SEP 27 1990

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 13TH day of

JANUARY, 1984

Acting for the Director

Norm C. Young

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Tina Vandenberg being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 21 day of June, 19 90
and ending on the 28 day of June, 19 90
and that said notice was published in said newspaper.

On this 31st day of July in the year
of 90, before me, a Notary Public, personally
appeared Tina Vandenberg.

known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Kim Johnson
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 10/22/93

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08601

BITTERROOT MOUNTAIN
LODGE
LAKEVIEW LANDING
LAKEVIEW, ID 83803
Source: GROUNDWATER
Diversion Pt: SENW Sec 3 T 53N R
01W
Use: DOMESTIC (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 6/4/1990
In: T53N R01W S03 SENW

96-08602

DAVIS, CLARENCE I.
P.O. BOX 305
SAGLE, ID 83860
Source: GROUNDWATER
Diversion Pt: LOT 2 (NWNE) Sec 34
T 57N R 03W
LOT 5 (SWNE) Sec 34 T 57N R 03W
use: DOMESTIC (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 5/30/1990
In: T57N R03W S34 NWNE SWNE

NWSE

96-08603

WENDLEMERE INC.
3011 S. LINCOLN DR.
SPOKANE, WA 99203
Source: GROUNDWATER
Diversion Pt: LOT 1 (NENE) Sec 14
T 56N R 01E
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 6/6/1990
In: T56N R01E S14 Lot 1 (NENE)
SWNE SENE

For additional information con-
cerning the property location, call
the Northern Regional Office at 765-
4639.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before JULY 9, 1990.

R. Keith Higginson, Director

#3557 June 21, 28, 1990

RECEIVED

JUL 06 1990

NORTHERN REGION
IDWR

MICROFILMED

SEP 27 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 18, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

WENDLEMERER WELL WATER INC
C/O MARK WENDLE
PO BOX 592
NEWPORT WA 99156

RE: WATER RIGHT NO. 96-08603

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED
JUL 18 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

JUL 18 1987

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


JUL 18 1987

CERTIFICATE OF MAILING

I hereby certify that on the 18th day of July, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 96-08603

WENDLEMERE WELL WATER INC
C/O MARK WENDLE
PO BOX 592
NEWPORT WA 99156


Kari Lynn Townsend
Secretary

RECORDED

JUL 18 1997

Analysis of System Capacity for Subdivisions

Operator: S. Curtis

Date: 7/2/97

Right No.: 96-08603 and overlapping right 96-07245

Existing or Proposed System

Storage capacity in gallons	22000 gal	
Pump horsepower	5 hp	
Dynamic lift	300 ft	
Pump discharge pressure	40 psi	
Theoretical pumping capacity	0.08 cfs	35.2 gpm
Measured pumping capacity	0.10 cfs	44.9 gpm

Requirements

Number of homes	35 homes
Gallons per day per home	1000 gal
Area irrigated	0 acres
Peak demand period	60 min

Calculations

Peak instantaneous demand	0.27 cfs	121.2 gpm
Suggested pump capacity	0.08 cfs	36.4 gpm
Peak demand volume	7273 gal	
Max potential daily diversion vol.	64627 gal	
Total daily volume required	35000 gal	0.107 af
Time required to pump daily vol.	13.0 hr	780 min
Time required to refill storage	2.7 hr	162 min

Key Questions

Does existing storage capacity exceed peak demand volume?	Yes
Does existing pumping capacity meet or exceed the suggested pumping capacity?	Yes
Can the system produce the required daily volume in under 24 hours?	Yes

Notes:

MICROFILMED

JUL 18 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-08603

DATE 7/2/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change/clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.04</u> cfs
Fee limit	<u>.04</u> cfs NO FEE PD. OR REQ'D
Measured	<u>.04</u> cfs
Theoretical	<u>.08</u> cfs @ 40 psi and 300' lift
Recommended Total Div Rate <u>.04</u> cfs	

ANNUAL VOLUME/

NATURE OF USES —

Use ✓

Volume Calculation

<u>Dom.</u>	<u>11 x .6 = 6.6</u> af
<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u> af
SUBTOTAL	<u>6.6</u> af

Flow rate .04 cfs X 365 days X 1.98 = 29.0 af

Total volume recommended 6.6 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

D/11 homes irrig not incl.
W3S
W36 (96-07245)

CONDITIONS

— Watermaster Control WD# —
— GW Measurement/Measuring Device
— Overlap
— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo ✓

1st Amend Letter N/A
 2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 12 1997

Department of Water Resources
A. GENERAL INFORMATION

Permit No. 96-8603

1. Owner: Wendlemer Well Water Inc. Phone No. (509) 447-3683

Current Address: Box 592 Newport Wa 99156

2. Accompanied by: Mark Wendle EXAM DATE: 9-27-96

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Ground Water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 96-07245

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	14	56N	6E	Bonner	U.S.G.S 7.5 min Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
			OMD		D	D												11	

MICROFILMED

JUL 18 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	5HP	2821138110		Submersible

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

JUL 18 1997

E. NARRATIVE/REMARKS/COMMENTS

I have been unable to come up with any as butts for this system. A large portion of this system was put in around 1948 by Mr. Wendle's grandfather. Mr. Wendle has tried to find any plans he could, but was unsuccessful in finding any as butts. He did however find a plat map which I have copied and pieced together.

This permit is an under filing. It still leaves Mr. Wendle short approx 10 domestic. He is in the process of filing for the rest. I have been on location and verify 43 domestic, 11 of which are covered under this permit. 24 under 96-07245 & remainder being filed for. There is no lawn or garden irrigation allowed on this system.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JUL 18 1997

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

Flow meter (in line)
18 gpm = .04 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic (11)</i>	<i>01-01</i>	<i>12-31</i>	<i>.04</i>	<i>6.6</i>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<i>.04</i>	<i>6.6</i>

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

Field Examiner's Name

Wayne Baldwin

Date

10-31-96


Reviewer _____

Date _____

SEAL

NOT RECORDED

JUL 18 1997



NATIONAL FOREST

East Hope

Ellisport

Bay

KANIKSILU NAT. FOR.

Owens

Bay

Mamaloose Island

MEMALOOSE

Denton

Slough

DAVID THOMPSON STATE WILDLIFE PRESERVE


TS6N R1E
SEC. 14

96-08603

JUL 18 1990

Shepherd

PEND OREILLE
STATE WILDLIFE
MGT AREA



PD



22,000 gal
Storage

96-08603

MICROFILMED
JUL 18 1997

September 3, 1993

WENDLEMER WELL WATER INC
C/O MARK WENDLE, PRES
BOX 592
NEWPORT WA 99156

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08603

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

OCT 28 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 96-08603 Reviewed by klg Date 8/4/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? domestic - 11
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source

yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 96-90-N-0061
100 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

NA Required?
1 Amount Submitted
1 Correct?

NA Required?
1 Installed?
1 Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due -
No. of days late =
Priority Date +
New Priority Date

DEFICIENCIES OR ACTION ITEMS

needs signature
no D or WL

proof acceptable

DATA ENTRY

New Address

Proof Made 8/26/93 9/3/93

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

9/89

Drilling Permit No.


96-90-N-61

Water Right Permit No.

96-86-03

Injection Permit No.

State of Idaho
Department of Water Resources
DRILLING PERMIT



1. Applicant Wendellmere Inc Rep Wendle PSON
2. Mailing Address 3011 S Lincoln Dr
Spokane, WA 99203 Telephone 509-747-8609
- ☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location SE 1/4 NW 1/4, or Gov't lot No. _____,
Sec. 14, Twp. 56N, Rge. 1E, County BONNER,
Street Address of Well Site _____,
Lot, block and subdivision _____
4. Proposed use of well:
- ☐ Single family or stockwater use (less than 13,000 gallons per day)
- ☐ Irrigation (more than 1/2 acre)
- ☐ Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____ Have 2 wells, need another
- ☐ Other (describe fully) WINDLEMERE WATER SYSTEM
Entire Area Covered in Original Well Permit
5. Well construction information:
- A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9.
- B. Proposed surface diameter 6" Maximum depth ?
- C. Anticipated bottom hole temperature:
- ☒ 85°F or less (Cold water well)
- ☐ 85°F to 212°F (Low temp. geothermal well)
- ☐ 212°F or more (Geothermal well)
6. Construction Start Date AUG 15, 1990
7. Anticipated Well Driller UNKNOWN
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature [Signature] Date 5-29-96
Title Pres. Wendellmere Inc
(Owner, Firm Representative, Other)

Well #1 300 Feet 15 gal
Well #2 500 Feet
MID-PROFILMED
OCT 28 1993

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is approvedDate 7/10/90

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Signature of Authorized Department Representative

Title

Receipt No. NOO 3809 Received by ST Fee \$100 Date 6/1/99

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

OCT 28 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 4, 1993

Mark Wendle
Wendlemere Well Water Inc
Box 592
Newport, WA 99156

Re: Permit No. 63-10777

Dear Permit Holder:

Returned is your Proof of Beneficial Use submitted to this office in connection with the above referenced permit. Unfortunately, the proof is not acceptable because it has not been signed or dated. Furthermore, the Department has been unable to locate either a drilling permit or well log for the well drilled on August 29, 1990 by United Drilling Inc. The Department was able to locate two other wells drilled in the early 70's.

Before the Department can proceed with the analysis of this proof, you will need to supply the Department with both a drilling permit and well log. You will also need to return the signed and dated proof of beneficial.

In order to meet all of the required dates, you must return this information on or before September 1, 1993.

As soon as I receive the requested information, the Department can complete the analysis and continue the licensing process.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

Enclosure

RECEIVED
OCT 28 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 4, 1993

Wendlemere Well Water Inc
c/o Mark Wendle
Box 592
Newport, WA 99156

Re: Permit No. 96-08603

Dear Permit Holder:

We acknowledge receipt of the correspondence and assignment of permit form transferring ownership of the above referenced water right to you. I have modified our computer records to reflect this change in ownership.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

C: IDWR - Regional Office

RECEIVED
OCT 28 1993

June 30, 1993

WENDLEMER INC.
3011 S. LINCOLN DR.
SPOKANE WA 99203

PROOF DUE NOTICE

RE: PERMIT NO. 96-08603

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED
OCT 28 1993



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

COMMENCEMENT OF WORKS

(I do not have
Proof of Beneficial
use form (proof)
Please send to
Box 592 Newport
WA 99156

Permit No.

96-08603

Name(s) of Permit Holder(s):

Wendlemere INC

Post Office Address:

3011 S LINCOLN DR

Spokane, WA 99203

Tel. No.

484-4800

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on 24 Aug 1990 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*If a financing difficulty is
an acceptable reason.

24 Sept 90

Date

Signature of Permit Holder

New operator - after 1 Jan 1991

X Sent 10-5-90 CR

Dr MARK W Wendt
Bx 592 (OCT 1)
Newport Wash 99156



MISDELIVERED

OCT 8 1993

Department of Water Resources
IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
August 21, 1990

WENDLEMER INC.
3011 S. LINCOLN DR.
SPOKANE, WA 99203

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08603

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please be advised that water quality is subject to regulations of the Idaho Department of Health and Welfare. We suggest that you check with them before starting construction.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

MICROFILMED

SEP 27 1990

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

SEP 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: TDK DATE: 6/8/90 APPLICATION NUMBER: 96-08603

APPLICANT: Thendlermere Inc.

REQUIRED INFORMATION

- TDK (1). ☒ Name & Address: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
(2). ☒ Source: (See USGS Quad for names of water sources)
(3). ☒ Point of Diversion including county: (spring/10 ac., Subd. lot & block)
TDK (4). ☒ Quantity: (flow and/or volume)
☒ Nature of proposed use: (Include description of use)
☒ Period of use:
(5). ☒ Total Quantity: (flow and/or volume)
(6). ☒ Description of diverting works:
(7). ☒ Time required for beneficial use of water:
(8). ☒ Proposed uses:
TDK (9). ☒ Place of use or acres irrigated:
(10). ☒ Other Water Rights:
(11). ☒ Ownership:
(13). ☒ Map:
☒ Signature: (signator title required for corp., partnership, etc)
☒ Fee: (Amount, receipt number and date recorded on application)
☒ Acknowledgement Letter:
☒ Overlap Review: Attachment? (Y) ☒ (N) ☐ Remarks? (Y) ☐ (N) ☐

ADDITIONAL INFORMATION

YES NO

- ☐ ☒ Field check required: Field check by: _____
☐ ☒ Field report attached:
☐ ☒ Critical groundwater area:
☐ ☒ Groundwater management area:
☐ ☒ Send dam safety information:
☐ ☒ Send power requirement letter:
☐ ☒ Send fish farm requirement letter:
☐ ☒ Power residency affidavit:
☐ ☒ Power efficiency form:
☐ ☒ Within trust water boundry: (Attach Trust Water Supp. Analysis Sheet.)
☐ ☒ Diversion greater than 5 cfs or 500 af, supplementary analysis sheet attached.

PROCESSING

YES NO

- ☒ ☐ In form for advertising:
☐ ☒ Statewide advertising: (10.00 or more cfs.)

Send Copies To

YES NO

- ☒ ☐ I.D. Health and Welfare
☐ ☒ I.D. Fish and Game
☒ ☒ I.D. Lands
☐ ☒ Adjudication Bureau

YES NO

- ☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Svc.
☐ ☒ Water District # _____
☐ ☒ Other _____

RECEIVED
JUL 24 1990

Department of Water Resources

Application Number 96-08603

FOLLOWING INFORMATION REQUESTED FROM APPLICANT

Item

Date Requested

1/4/9

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒ Additional information received:

Notice of pending void order issued: Final date of order response. _____

☒ ☒ Affidavit of publication received:

☒ Application published correctly: If not, record action taken.

☒ Publication dates and paper recorded on application:

☒ ☒ Protests received, Final date for protest 7/9/90

☒ Recommendations attached:

☒ Measuring device required:

☒ Measuring port required:

☒ Water delivered by water master? District # _____

☒ Special conditions of approval or cover letter: (see additional info. below)

Recommended Date of Priority 6/6/90 ✓

Recommended by: TDK PAK

Date 7/19/90

STATE OFFICE REVIEW P23, P10, P17

46 26

See remarks for additional information. By kw Date 8-20-90

REMARKS

Allow 3 yrs. to complete development

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region Office

1910 Northwest Blvd. * Suite 210 * Coeur d'Alene, Id. * 83814 * (208) 765-4639

Cecil D. Andrus
Governor

R. Keith Higginson
Director

June 12, 1990

Mr. Rex Wendle
WendleMere Inc.
3011 S. Lincoln Dr.
Spokane, Wa. 99203

Re: Water Appropriation Application # 96-08603

Dear Applicant:

The Idaho Department of Water Resources acknowledges receipt of your Application For Permit To appropriate the Public Waters Of The State Of Idaho, with your appropriation filing fee in the amount of \$30.00 for which your Receipt #N-003822 is enclosed. We have assigned #96-08603 to your water appropriation application. To assist us in providing you with prompt, accurate service, please refer to this number in all future matters concerning this water right application.

We also acknowledge receipt of your drilling permit application which has been assigned #96-90-N-61 and your drilling filing fee in the amount of \$100.00 for which your Receipt #N-003809 is enclosed.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If the application is not protested it would normally be forwarded to the main office in Boise for a complete review and approval or denial. However before the application can be forwarded to Boise, you must supply this department with the following additional information

MICROFILMED


SEP 27 1990

Mr. Rex Wendle
Page Two
June 12, 1990

Item #1: You must provide this department with a list of names and addresses of the partners, board of directors, or other governing officials of the organization.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,



Tom D. King
Sr. Water Resource Agent

Enc: Receipt (2)

MICROFILMED

SEP 27 1990

96-08603

WENDLEMERE INC.
3011 S. LINCOLN DR.
SPOKANE, WA 99203

Source: GROUNDWATER

Diversion Pt: LOT 1 (NENE) Sec 14 T 56N R 01E

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 6/ 6/ 1990

In: T56N R01E S14 Lot 1 (NENE) SWNE SENE

MICROFILMED

SEP 27 1990

May 29, 1990

Mr. Rex Wendlemere
3011 S. Lincoln Dr.
Spokane, ID 99203

RE: Requirements for drilling a new well for Wendlemere Sub-Division

Dear Sir:

I am returning your Drilling Permit that you filled out here at our office. You will be required to file an additional water right to divert groundwater for homes that are not included on your original water right number 96-07245.

Please find the enclosed Application for Permit. You may complete the Application for Permit and return it to this office with the appropriate filing fee along with the Drilling Permit. The filing fee for the Drilling Permit is \$100.00 if it is filed concurrent with Application for Permit before July 1, 1990. The Drilling Permit fee will increase to \$200.00 if received after July 1, 1990.

If I can be of further assistance please feel free to contact me at this office.

Thank you,



Allen Beardslee
Sr. Water Resource Agent

MICROFILMED

SEP 27 1990