







FIGURE II
PROJECT LAYOUT MAP





128872646 Under Survey 6768.70 Acres Total number of Acres 19655.96

Whom Surveyed	Date of Contract	Amount of Surveys M. Ch. Lk.	When Surveyed	Mean Declination
H. Robinson & Co.	May 23 rd 1892	9 23 79	Sept 22 nd Nov 24 th 1892	
H. Deke	" " "	37 58 69	Oct 5 th Nov 25 th 1892	21° 53' E
"	" " "	17 17 59	Oct 24 th 27 th	
"	" " "	26 51	Nov 24 th 25 th	

57 N 2W 32

SEP 22 1894

96-08592



Sand filter wall
& delivery system



Clear Well &
Booster Pumps

MISSOURI STATE
SEP 22 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08592

Priority: March 15, 1990

Maximum Diversion Rate:

0.23 CFS

This is to certify, that CITY OF DOVER

PO BOX 464

DOVER ID 83825

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 15, 1990; and has submitted Proof of Beneficial Use on May 18, 1992. An examination indicates that the works have a diversion capacity of .230 cfs of water from:

PEND OREILLE RIVER

tributary to PEND OREILLE LAKE

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	0.23 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NENESW , Sec. 32, Township 57N, Range 02W
BONNER County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The issuance of this right in no way grants any right-of-way or easement across the land of another.
5. Place of use is within the city limits of Dover.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30TH day of AUGUST, 1994.

Acting for R. Keith Higginson, Director

SEP 22 1994

RECEIVED
MAY 18 1992

OFFICE USE ONLY
Amt. of Fee \$ 100.00
Date 5-18-92
Receipt No. 602498
Receipt by WLB

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08592 Telephone No. 208-263-1518
2. Name(s) of Permit Holder(s): City of Dover
3. Mailing Address: P.O. Box 464 Dover, ID 83825
4. Source of Water: Pend Oreille River

If **GROUNDWATER**, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: 2 (3 hp) Pressure (psi): 26 Dynamic pumping level (ft.): 45 ft.

5. Extent of Use (as authorized by the permit):

Domestic -85 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other municipal 5/18/92 Keg

6. Total rate and/or volume for which proof is submitted 0.25 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No Installed? _____ Yes _____ No

Flow Measurement Port: Required? _____ Yes ☒ No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 100.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name Larry Childears Telephone No. 208-263-1753

Address P.O. Box 464 Dover, ID 83825

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 5/12/92 Signature (and title, if on behalf of a company or organization) Loretta Boyle Mayor

SEP 22 1994

STATE OF IDAHO

For Office Use Only

\$15 FEE Received by J.2.Date 4/25/91Receipt # 6020302**RECEIVED**

APR 25 1991

DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME**TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT**

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 96-08592Name(s) of Permit Holder: CITY OF DOVERPost Office Address: P.O. BOX 115DOVER, IDAHO 83825Telephone No. 208-263-4949Date Proof is Due: JUNE 1, 1991

Describe what work has been completed toward the development of this water right: PROJECT DESIGN
(This must be filled out! If no work has been completed, show "none".)

PLANS COMPLETED, PERMITS AND LEASEMENTS APPLIED FOR,
CONSTRUCTION BIDS RECEIVED, BUDGET APPROVAL FOR
CONSTRUCTION BY FARMERS HOME ADMINISTRATION + CITY OF DOVER,
LAND RIGHTS FOR RESERVOIR + FILTER OBTAINED ^{costing \$ 62,000⁰⁰}

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

NOTICE OF AWARD TO THE CONTRACTOR HAS BEEN DELAYED
PENDING RECEIPT OF CORP OF ENGINEERS - DEPARTMENT OF LANDS
PERMIT FOR INTAKE STRUCTURE. HIGH GROUND WATER CONDITIONS WILL
DELAY CONSTRUCTION ACTIVITIES UNTIL SUMMER 1991.

Permit holder(s) request an extension to JUNE 1, 1992.
(1 yr. minimum)

William J. O'Donnell
(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

JUL 17 1991

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to June 1, 1992.

Signed this 30th day of April, 19 91.

J. Glen Taylor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08592

Proposed Priority: March 15, 1990 Maximum Diversion Rate: 0.25 CFS
This is to certify, that CITY OF DOVER

P.O. BOX 115
DOVER, ID 83825

has applied for a permit to appropriate water from:

PEND OREILLE RIVER tributary of PEND OREILLE LAKE

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

MUNICIPAL	01/01 to 12/31	0.25 CFS
-----------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NENESW Sec. 32, Township 57N, Range 02W
BONNER County


PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1991.
2. Subject to all prior water rights.
3. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
4. Place of use within city limits of Dover.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

24th day of May, 1990.

for 
R. Keith Higginson, Director

MICROFILMED

JUL 30 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant City of Dover Phone 208-263-4949
Post office address P.O. Box 115 Dover, ID 83825
2. Source of water supply Pend Oreille River which is a tributary of Pend Oreille Lake
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 32 Township 57N Range 2W B.M. Bonner County; additional
points of diversion if any: None
4. Water will be used for the following purposes:
Amount 0.25 for Municipal purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.25 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Pump and Pipeline

b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is N/A inches; proposed depth of well is N/A feet.
d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 year years (minimum 1 year).

JUL 30 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. City of Dover
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____
- _____
- _____

9. Description of place of use: Within City of Dover city limits

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? State of Idaho - Department of Lands
- b. Who owns the land to be irrigated or place of use? Resident's of City of Dover
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

MICROFILMED

12. Remarks: _____

JUL 30 1990




FIGURE II
PROJECT LAYOUT MAP

[illegible]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William J. O'Connell, Mayor
(Applicant)

Received by TDK Date 3/15/90 Time 4:15 PM Preliminary check by TDK
Fee \$ 45.00 Received by TDK # 4/3584 Date 2/24/90
Publication prepared by TDK Date 3/28/90 Published in County of San Joaquin Bee
Publication approved TDK Date 4/20/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

JUL 30 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 31, 1994

CITY OF DOVER
PO BOX 464
DOVER ID 83825

RE: WATER RIGHT NO. 96-08592

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', followed by a horizontal line.

JIM JOHNSON, Manager
Water Right Permits Section


JJ:dc

Enclosure

RECEIVED
SEP 2 2 1994

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-8592 DATE 7-28-94



NAME	Yes ☐ No ☒	Or Address Change? ☐
PRIORITY DATE	☐ ☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐ ☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☐ ☒	Amendment needed? ☐ Overlaps? ☐
PLACE OF USE	☐ <u>NA</u>	Amendment needed? ☐ Overlaps? <u>CITY OF DOVER</u>
DIV RATE	☐ ☒	Measurement Q = <u>.23</u> Theoretical Q = <u> </u>
Capacity: <u>.23</u> Combined rates exceed capacity ☐ Permit/fee limits: <u>.25</u> Allowable: <u>.23</u>		
ANNUAL VOLUME	☐ <u>NA</u>	Season of use: ☐ Calculations: ☐ Flow limit: ☐ cfs x ☐ x 1.9835 = ☐ Combined volumes exceed capacity/allowable ☐
USES	☐ ☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
REMARKS	☐ ☒	Multiple p/d(s) in $\frac{1}{4}$ $\frac{1}{4}$? ☐ Other ☐
CONDITIONS	☐ ☒	Measuring/Locking Devices ☐ Watermaster control - District ☐ Irrigation Overlap ☐ Water Quality ☐ Other ☐
COMMENTS: <u>Reduce rate to capacity.</u>		

RECOMMENDED	CFS	VOLUME	LICENSE ☒
<u>Municipal</u>	<u>.23</u>	<u> </u>	1ST AMENDMENT LETTER ☐
<u> </u>	<u> </u>	<u> </u>	FINAL AMENDMENT LETTER ☐
<u> </u>	<u> </u>	<u> </u>	



Rob
Ruen-Yeager & Associates, Inc.
Consulting Engineers Land Surveyors

E. 5685 Seltice Way
Post Falls, ID 83854
(208) 667-2464
Fax (208) 765-3782

105 Pine Street
Sandpoint, ID 83864
(208) 265-4629
Fax (208) 263-0404

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 30 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08592

1. Owner: City of Dover Phone No. (208) 263-1518

Current Address: P.O. Box 464 Dover ID 83825

2. Accompanied by: Larry Childers EXAM DATE: 9/29/93

Address: Same Phone No. (208) 263-1753

Relationship to Permit Holder: Manages System for City

3. Source: Pend Oreille River tributary to Columbia River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	SW	32	57N	02W	Bonner	Map

2. Place(s) of Use: City of Dover


Indicate Method of Determination Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

SEP 22 1994

(BC)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS See attached Blue Prints For more detailed drawing.

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
(2)	Franklin		model 70LG	Gould	70 Gpm max 120 gpm
Boosters (2)	Baldor	7 1/2			Centrifugal

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

SEP 22 1994

E. NARRATIVE/REMARKS/COMMENTS

2 submersible pumps with 4 inch intakes are located in the Pend Oreille River. Water is pumped by one pump to 2 Sand Filters which are each 18'3" x 36'10" with a total depth of water being 8'. Water is then gravity fed to a clear well and from here 2 booster pumps pump water to a 75,000 gallon reservoir. From this reservoir water is gravity fed to users in the City of Dover.

Have conditions of permit approval been met? ☒ yes ☐ no

SEP 22 1994

F. FLOW CALCULATIONS

Measured Method:

☒ Additional Computation Sheets Attached**G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Municipal**H. RECOMMENDATIONS**

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Municipal</u>	<u>1-1</u>	<u>12-31</u>	<u>0.23</u>	<u>Municipal</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			_____	_____

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Theresa J. Bright Date 10/19/93

Reviewer _____ Date _____

SEAL

SEP 22 1993

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 96-08592

DATE: 19-OCT-93

COMPLETE BY: T.BRIGHT

HORSEPOWER = 3


PUMP EFFICIENCY = 75%

DYNAMIC LIFT = 85 FEET

SYSTEM PRESSURE = 0 PSI — open discharge to Sand Filter

QUANTITY = 0.23 CFS

SEP 22 1994



300
ET

19

21

5346

KNF

Sandpoint
Jr Academy

High
Sch

KNF
BM
2085

Lakeview
Cem

5345

PRIEST RIVER 18 MI
LA CLEDE 10 MI

Sandpoint
Substation

Rocky Point
Light

PEND

2680 1 SE
(SANDPOINT)

5344

Dover

Sand
Filter

Dover

Tank Hill

Mile 115 +

RIVER

PEND OREILLE

NORMAL POOL ELEVATION 2062

Springy
Point

Spring
2065

Campground

Murphy
Bay


State Fish
Hatchery

Murphy
Slough

Springs

57N2W32

SEP 22 1994




128872046. Undermining 6/6870 ft. Total number of Acres 196155.96

Whom Surveyed	Date of Contract	Amount of Surveys M. Ch. Lk.	When Surveyed	Mean Inclination
Robinson	May 23 rd 1892	9 23 79	Sept 22 nd Nov 24 th 1892	
"	"	37 58 69	Oct 5 th Nov 25 th 1892	21° 53' E.
"	"	17 17 59	Oct 24 th 27 th	
"	"	26 51	Nov 24 th 25 th	


57 N 2W 32

SEP 22 1894

96-08592



Sand Filter Wall
& delivery System



Clear Well &
Booster Pumps

RECEIVED
SEP 22 1994

May 22, 1992

CITY OF DOVER
P.O. BOX 115
DOVER ID 83825

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08592

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

SEP 22 1994

CITY OF DOVER
P.O. BOX 115
DOVER ID 83825

March 31, 1992

CERTIFIED MAIL

NO. 138807

RE: PERMIT NO. 96-08592 PROOF DUE NOTICE

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1992.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

SEP 22 1992

April 30, 1991

CITY OF DOVER
P O BOX 115
DOVER ID 83825

Gentlemen:

Re: Permit No. 96-8592

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to June 1, 1992.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

MICROFILMED

JUL 17 1991

CITY OF DOVER
P.O. BOX 115
DOVER, ID 83825

138359
March 31, 1991

PROOF DUE NOTICE

RE: PERMIT NO. 96-08592

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUL 17 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 24, 1990

CITY OF DOVER
P.O. BOX 115
DOVER, ID 83825

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08592

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Please be advised that water quality is subject to regulations of the Idaho Department of Health and Welfare. We suggest that you check with them before starting construction.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECORDED
JUL 30 1990

IDAHO DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

RECEIVED

APR 06 1990

NORTHERN REGION
LCWR

STANLEY F. HAMILTON
DIRECTOR

BOARD OF LAND
COMMISSIONERS

CECIL D. ANDRUS
Governor

PETE T. CENARRUSA
Secretary of State

JIM JONES
Attorney General

J.D. WILLIAMS
State Auditor

JERRY L. EVANS
Sup't. of Public
Instruction

April 2, 1990

TO: Department of Water Resources
Northern Region

FROM: Department of Lands
Bryce D. Taylor

RE: 96-08592
City of Dover

*for Bryce Taylor
(for the Rockwell)*

Department of Water Resources' permit constitutes
a permit from our department.

LCR

RECEIVED

JUL 30 1990

KEEP IDAHO GREEN
PREVENT WILDFIRE



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

March 29, 1990

Divn. of Env. Quality
2110 Ironwood Pkwy. #101
Coeur d'Alene, Id. 83814

Re: 96-8592

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Idaho Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enclosure

RECEIVED

JUL 11 1990

Celebrate
IDAHO
1890-CENTENNIAL-1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

March 29, 1990

Dept. of Fish & Game
2320 Government Way
Coeur d'Alene, Id. 83814

Re: 96-8592

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Idaho Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enclosure

MICROFILMED

JUL 30 1990





State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

March 29, 1990

Idaho Dept. of Lands
Statehouse
Boise, Id. 83720

Re: 96-8592

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Idaho Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enclosure

RECEIVED

JUL 30 1990

Celebrate
IDAHO
1890 • CENTENNIAL • 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

March 29, 1990

U.S. Army Corps of Engineers
Walla Walla District
Bldg. 602, City-County Airport
Walla Walla, Wa. 99362P

Re: 96-8592

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Idaho Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enclosure

MICROFILMED

JUL 30 1990



AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Tina Vandenberg being first duly sworn on oath
deposes and says that he/she is BOOKKEEPER
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 5 day of April, 1990
and ending on the 12 day of April, 1990
and that said notice was published in said newspaper.

On this 13th day of April in the year
of 90, before me, a Notary Public, personally
appeared Tina Vandenberg,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Kim Johnson
Notary Public for Idaho

Residing at

Sandpoint

My commission expires:

10/22/93

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08592

CITY OF DOVER

P.O. BOX 115

DOVER, ID 83825

Source: PEND OREILLE RIVER

Tributary: PEND OREILLE LAKE

Diversion Pt: NENESW Sec 32 T

57N R 02W

Use: MUNICIPAL (.250 CFS)

Total Diversion: (.250 CFS)

Date Filed: 3/15/1990

In: THE CITY LIMITS OF DOVER.

For additional information con-
cerning the property location, call
the Northern Regional Office at 765-
4639.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before APRIL 23, 1990.

R. Keith Higginson, Director

#3414 April 5, 12, 1990

RECEIVED

APR 20

NORTHERN REGION
IDWR

MICROFILMED

JUL 30 1990

3414

96-08592

CITY OF DOVER
P.O. BOX 115
DOVER, ID 83825

Source: PEND OREILLE RIVER

Tributary: PEND OREILLE LAKE

Diversion Pt: NENESW Sec 32 T 57N R 02W

Use: MUNICIPAL (.250 CFS)
Total Diversion: (.250 CFS)

Date Filed: 3/15/1990

In: THE CITY LIMITS OF DOVER.

RECORDED

JUL 30 1990

DOVER
STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Northern Region Office

1910 Northwest Blvd. * Suite 210 * Coeur d'Alene, Id. * 83814 * (208) 765-4639

Cecil D. Andrus
Governor

R. Keith Higginson
Director

March 13, 1990

Ruen-Yeager & Assoc. Inc.
Box 1119 Ironwood Parkway
Coeur d'Alene, Id. 83814

Re: City of Dover Water Appropriation Application

Gentlemen:

I regret to inform you that the above referenced application is not acceptable in its present form, so I am returning it to allow you to clarify the following:

Item #9: This item must be completed by listing the location of all proposed water uses to the nearest 40 acre tract. This may be done by following these steps: First insert Township (Twp.) Ranges (Rge.), Sections (Sec); next, identify each use and location of that use within the section by placing the indicated symbol in the appropriate box as shown below.

STOCKWATER = S; DOMESTIC = D; COOLING = L; FISH PROPAGATION = H;
RECREATION = R; COMMERCIAL = C; FIRE PROTECTION = F; INDUSTRIAL = I;
MINING = X; AESTHETICS = J; GROUNDWATER RECHARGE = E; WILDLIFE = W;
HEATING = G; MUNICIPAL = M; POWER = P;
IRRIGATION = (NUMBER OF ACRES TO BE IRRIGATED IN EACH 40 ACRE TRACT);


Twp.	Rge.	Sec	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	04W	3	S	D	L	I	20	10	6										

This example shows that within Township 50 North, Range 4 West, Section 3, there is Stockwater use in the NE $\frac{1}{4}$ NE $\frac{1}{4}$; Domestic use in the NW $\frac{1}{4}$ NE $\frac{1}{4}$; Cooling (L) in the SW $\frac{1}{4}$ NE $\frac{1}{4}$; Industrial in the SE $\frac{1}{4}$ NE $\frac{1}{4}$; and irrigation of 20 acres in the NE $\frac{1}{4}$ NW $\frac{1}{4}$, 10 acres in the NW $\frac{1}{4}$ NW $\frac{1}{4}$ and 6 acres in the SW $\frac{1}{4}$ NW $\frac{1}{4}$.

The Application must be completed and returned to this office with any other information you deem appropriate within 30 days of the above date. Failure to communicate with this office within that time may result in the voiding of your application.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,


Tom D. King
Sr. Water Resource Agent

JUL 30 1990

Enc: App.

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Northern Region Office

1910 Northwest Blvd. * Suite 210 * Coeur d'Alene, Id. * 83814 * (208) 765-4639

Cecil D. Andrus
Governor

R. Keith Higginson
Director

February 26, 1990

Ruen-Yeager & assoc. Inc.
Box 1119 Ironwood Pkwy
Coeur d'Alene, Id. 83814

Re: Dover City Water Appropriation Application


Gentlemen:

The Idaho Department of Water Resources has received the Application For Permit To appropriate The Public Waters Of The State Of Idaho for the City of Dover and your filing fee of \$45.00 for which receipt #N-003586 is enclosed. However I regret to inform you that the application is not acceptable in its present form, so I am returning it to allow you to label and outline the place of use. Please insure that the map corresponds with Item #9.

The Application must be completed and returned to this office with any other information you deem appropriate within 30 days of the above date. Failure to communicate with this office within that time may result in the voiding of the Dover City application.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,



Tom D. King
Sr. Water Resource Agent

Enc: App.
Receipt

MICROFILMED

JUL 30 1990