




STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

JUN 28 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08587

1. Owner: Patrick Gunter/Monica Gunter Phone No. 263-7383

Current Address: 8670 S. Sagler Rd, Sagle ID 83860

2. Accompanied by: None EXAM. DATE: 9/17/90

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached

2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

OCT 07 1991

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached N/A (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached Place of use (required for all but single household domestic groundwater, and stockwater).

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08587

Priority: March 6, 1990

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 1.2 AF

This is to certify, that MONICA GUNTER
PATRICK GUNTER

8670 S SAGLE RD.
SAGLE, ID 83860

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 6, 1990; and has submitted Proof of Beneficial Use on March 6, 1990. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: NESE, Sec. 15, Township 56N, Range 02W
BONNER County

PLACE OF USE: DOMESTIC
TWN RGE SEC

56N 02W 15 NESE


CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 28TH day of AUGUST, 1991.

MICROFILMED

Acting for


R. Keith Higginson, Director

OCT 07 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08587

Proposed Priority: March 6, 1990 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **PATRICK GUNTER**
MONICA GUNTER
8670 S. SAGLE RD.
SAGLE, ID 83860

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

DOMESTIC	01/01 to 12/31	0.04 CFS
----------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NWNESE Sec. 15, Township 56N, Range 02W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

56N 02W 15 NESE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1993.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

9th day of May, 1990

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

JUL 30 1990

Ident. No. 96-08587

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: PATRICK GUNTER 208-263-7383
Address: 8670 S. SAGLE RD.
SAGLE, ID 83860
AND/OR
Name: MONICA GUNTER 208-263-7383
Address: 8670 S. SAGLE RD.
SAGLE, ID 83860

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NWNESE Sec. 15, Township 56N, Range 02W
BONNER County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.040		

5. Total quantity appropriated is:
0.040 CFS (and/or) AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP & PIPELINE
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is 6 inches; proposed depth of well is 170
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
D/1 HOME

9. Place of Use: DOMESTIC

TWN RGE SEC
56N 02W 15 NESE

MICROFILMED

JUL 30 1990

10. Describe any other water rights used for the same purposes.

NONE

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? N

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Patrick Hunter
Applicant

Received by RyH Date 3/6/90 Time 450 Preliminary check by TDK


Fee \$ 30.00 Receipted by RyH # N3607 Date 3/6/90

Publication prepared by [signature] Date 3/7/90 Published in Bonne County D. See 3/15+22/90

Publication approved [signature] Date 4/4/90

MICROFILMED

JUL 30 1990



AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Tina VanDenberg being first duly sworn on oath
deposes and says that he/she is BOOKKEEPER
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 15 day of March, 1990
and ending on the 22 day of March, 1990
and that said notice was published in said newspaper.

On this 28th day of March in the year
of 90, before me, a Notary Public, personally
appeared Tina VanDenberg
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are
and acknowledged to me that he executed the same.


Kim Johnson
Notary Public for Idaho

Residing at

Sandpoint

My commission expires:

10/22/93



MICROFILMED

FOR WATER RIGHT
The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08585

WILDER, SHANNON WRIGHT
WILDER, JEFF
505 DENTON RD.
HOPE, ID 83836
Source: RISER CREEK Tributary:
PEND OREILLE LAKE
Diversion Pt: SWNW Sec 6 T 56N R
02E
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 2/27/1990
In: T56N R01E S01 SENE

96-08586

BOYCE, CHARLES E.
BOYCE, NOREEN H.
630 COLBURN-CULVER RD.
SANDPOINT, ID 83864
Source: PACK RIVER Tributary:
PEND OREILLE LAKE
Diversion Pt: SENW Sec 3 T 58N R
01W
Use: IRRIGATION (.040 CFS)
total Diversion: (.040 CFS)
Date Filed: 2/27/1990
In: T58N R01W S04 SENW
3.0 ACRES TOTAL

96-08587

GUNTER, PATRICK
GUNTER, MONICA
8670 S. SAGLE RD.
SAGLE, ID 83860
Source: GROUND WATER
Diversion Pt: NWNESE Sec 15 T
56N R 02W
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 3/06/1990
In: T56N R02W S15 NESE

96-08589

METROPOLITAN MORTGAGE
& SEC. CO. INC.

P.O. BOX 2161
SPOKANE, WA 99210
Source: GROUNDWATER
Diversion Pt: LOT 3 (SWNESW) Sec
22 T 56N R 01W
Use: COMMERCIAL (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 3/01/1990
In: T56N R01W S22 NESW

96-08590

EICH, JEFF
7835 WESTMOND RD.
SAGLE, ID 83860
Source: SPRING Tributary: SINKS
Diversion Pt: SWSE Sec 5 T 55N R
02W
Use: STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 3/07/1990
In: T55N R02W S05 SWSE

For additional information con-
cerning the property location, call
the Northern Regional Office at 765-
4639.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before APRIL 2, 1990.

R. Keith Higginson, Director

#3382 March 15, 22, 1990

3382

AGAR

August 29, 1991

MONICA GUNTER
PATRICK GUNTER
8670 S SAGLE RD.
SAGLE ID 83860

RE: WATER RIGHT NO. 96-08587

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MAILED
OCT 07 1991

LICENSE REVIEW CHECKLIST

Permit No. 96-8587

Name/Address change? ok ✓

Priority date Advance? yes no ✓
Memo to advance no ✓
Order to reinstate needed? yes no ✓

Total cfs Limited by fee N/A
Limited by capacity no

Total volume Limited by flow no
Chart checked for AF rate/ac N/A

Capacity Actual measurement checked no
Theoretical checked no
If greater than permit, check for other rts no

Source Changed? yes no ✓
If so, is memo needed to clarify? no

P/D Verify with map no permit no ✓
More than one per no Remember remark no
Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map no permit no ✓
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in no
Description of non-irrig uses no ✓
Special overlap condition no

Conditions -

Measuring device no
W.Master control no
Overlap no
Water quality no
Other no

Dates/Misc. -

Water Dist no
App Rec'd no ✓
Proof Rec'd no ✓

CHECK FOR ADJ. CLAIM

Needed according to proof filed no
Filed - needs amended no
Add'l fee required no
Not filed - no
Not needed no

RECEIVED
OCT 07 1991

Comments/Changes to Examiner's Recommendations:

License no 10-day no 30-day no

Back of field report signed? no
Reviewer S. Curtis Date 8/19/91 Review time 4 min.

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 96-08587

A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
✓ 6. Compare USGS/Land Survey? Aerial Photos/Permit.
Method of determination,
Irrigation (Rule 5,1,8),

✓ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

✓ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

✓ **F. OPTIONAL**

✓ **G. VOLUME CALCULATIONS**

Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

✓ **H. REMARKS AND OVERLAP ANALYSES**

✓ All actual uses listed (Rule 5,1,2):
✓ All unused, permitted uses listed (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

✓ **I. RECOMMENDATIONS**

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

✓ **J. AUTHENTICATION**

Name, Signature, Certification Date, Exam Date.

✓ **WELL INSPECTION REPORT**

Check with permit and well log for discrepancies

Signature

Shelley King

Date

11/20/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

JUN 28 1991

Department of Water Resources
Permit No. 96-08587

A. GENERAL INFORMATION

1. Owner: Patrick Gunter/Monica Gunter Phone No. 263-7383
Current Address: 8670 S. Sagler Rd, Sagler ID 83860
2. Accompanied by: None EXAM. DATE: 9/12/90
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

Scale: 1" = NTS

OCT 07 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached N/A (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached Place of use (required for all but single household domestic groundwater, and stockwater).

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

JUN 28 1991

A. GENERAL INFORMATION

Department of Water Resources
Permit No. 96-08587

Phone No. 263-7383

ID 83860

EXAM. DATE: 9/17/90

Phone No. _____

1. Owner: Patrick G. Smith

E

☐ Copies Attached

☐ Copies of Field Exam's Attached

C.

is between components. Indicate weir

MICROFILMED

OCT 07 1991

0-1-1-1-1 Home
well

MICROFILMED

OCT 07 1991

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached Place of use
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

well with buried pipeline to home.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>Submersible</i>		<i>Unknown</i>			

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		<i>NE</i>	<i>NE</i>	<i>SE</i>	<i>15</i>	<i>56N</i>	<i>2W</i>	<i>Bonner</i>	<i>Map</i>


6. **Place(s) of Use:**

Indicate Method of Determination *Map*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<i>56N</i>	<i>2W</i>	<i>15</i>													<i>D</i>				


OCT 07 1991

Do not use this space



9608587

AMENDED
OCT 07 1991



CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

T.56N R.2W sec 15 NESE

Do not use this space

D. FLOW MEASUREMENTS *None*

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

None

1 HOME C&G

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1 HOME C&G

UNRECORDED

OCT 07 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	0.04	1.2
Totals:			0.04 cfs	1.2 AF

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name

Signature

Certification Date


Field Report Preparation Date

Theresa J. Bright

Theresa J. Bright

4/16/90

9/13/90



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

OCT 07 1991

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 96-08587

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. 56 N, Rge. 2W Sec. 15, NE $\frac{1}{4}$ SE $\frac{1}{4}$ Gov. Lot _____

2. Owner: Patrick Gunter & Monica Gunter

Address: 8670 S Sagle Rd.

City Sagle, State ID 83860

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Y ☒ N ☐
Pressure Gauge: Y ☐ N ☒
Flowing: Y ☐ N ☒

Static Water Level: 70'
Casing Diameter: 6"
Temperature: cold

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: Possible Well log Attached

MICROFILMED
OCT 07 1991

July 17, 1990

PATRICK GUNTER
MONICA GUNTER
8670 S. SAGLE RD.
SAGLE, ID 83860

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08587

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUL 30 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 96-8587

Date: 7-17-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely
_____ Reinstated

Source of Water:

- _____ Surface water
☒ Groundwater
_____ 1. well log in file 1983
NA 2. drilling permit
NA A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- NO Is a measuring device or access port required?
_____ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received	<u>NA</u>	_____
Date proof due	_____	_____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

JP
SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-08587 Telephone No. 263-7383

Name(s) of Permit Holder(s): Patrick &/or Monica Gunter

Post Office Address: 8670 S. Sagle Rd Sagle ID 83860

Source of Water: Groundwater

If ground water, well driller's name: Intermountain Date drilled: 1983

Extent of Use:
Domestic 1 (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .04 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 1984

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ NA (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

As Above
Name Telephone No.

Address

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

3/6/90 Date
Monica H. Gunter Signature (and title if on behalf of a company or organization)

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 10, 1990

PATRICK GUNTER
MONICA GUNTER
8670 S. SAGLE RD.
SAGLE, ID 83860

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P96-08587

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 30 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: TEK DATE: 3.14.90 APPLICATION: 96-08587

APPLICANT: GUNTER

REQUIRED INFORMATION

- (1). ☒ Name & Address: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
 - (2). ☒ Source: (See USGS Quad for names of water sources)
 - (3). ☒ Point of Diversion including county: (spring/10 ac., Subd. lot & block)
 - (4). ☒ Quantity: (flow and/or volume)
 - ☒ Nature of proposed use: (Include description of use)
 - ☒ Period of use:
 - (5). ☒ Total Quantity: (flow and/or volume)
 - (6). ☒ Description of diverting works:
 - (7). ☒ Time required for beneficial use of water:
 - (8). ☒ Proposed uses:
 - (9). ☒ Place of use or acres irrigated:
 - (10). ☒ Other Water Rights:
 - (11). ☒ Ownership:
 - (13). ☒ Map:
 - ☒ Signature: (signator title required for corp., partnership, etc)
 - ☒ Fee: (Amount, receipt number and date recorded on application)
 - ☒ Acknowledgement Letter:
 - ☒ Overlap Review: Attachment ? (Y) (N) ☒
- (Describe source & relationship to present application in remarks).

ADDITIONAL INFORMATION

YES NO

- ☒ Field check required: Field check by: _____
- ☒ Field report attached:
- ☒ Critical groundwater area:
- ☒ Groundwater management area:
- ☒ Send dam safety information:
- ☒ Send power requirement letter:
- ☒ Send fish farm requirement letter:
- ☒ Power residency affidavit:
- ☒ Power efficiency form:
- ☒ Within trust water boundry: (Attach Trust Water Supp. Analysis Sheet.)
- ☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)

PROCESSING

YES NO

- ☒ In form for advertising:
- ☒ Statewide advertising:

Send Copies To

YES NO

- ☒ I.D. Health and Welfare
- ☒ I.D. Fish and Game
- ☒ I.D. Lands
- ☒ Adjudication Bureau

YES NO

- ☒ U.S. BLM
- ☒ U.S. Forest Svc.
- ☒ Water District # _____
- ☒ Other _____

RECEIVED
APR 17 1990

Department of Water Resources

FOLLOWING INFORMATION REQUESTED FROM APPLICANT

Item

Date Requested

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ Additional information received:

☒ Notice of pending void order issued: Final date of order response. _____

☒ Affidavit of publication received:

☒ Application published correctly: If not, record action taken.

☒ Publication dates and paper recorded on application:

☒ Protests received, Final date for protest 7/2/90

☒ Recommendations attached:

☒ Measuring device required:

☒ Measuring port required:

☒ Water delivered by water master? District # _____

☒ Special conditions of approval or cover letter: (see additional info. below)

Recommended Date of Priority 3/6/90 ✓

Recommended by: JK RWR Date 4/12/90

STATE OFFICE REVIEW P23 WARR 46

See remarks for additional information. By KW Date 4-24-90

REMARKS

OVERLAP REVIEW

96 DTB46 NEARBY WELL

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Northern Region Office

1910 Northwest Blvd. * Suite 210 * Coeur d'Alene, Id. * 83814 * (208) 765-4639

Cecil D. Andrus
Governor

R. Keith Higginson
Director

March 14, 1990

Mr. Patrick Gunter
8670 S. Sagle Rd.
Sagle, Id. 83814

Re: Water Appropriation Application # 96-08587

Dear Applicant:

The Idaho Department of Water Resources acknowledges receipt of your Application For Permit To appropriate the Public Waters Of The State Of Idaho and have assigned to it the above referenced number. To assist us in providing you with prompt, accurate service, please refer to this number in all future matters concerning this application.

Your application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If the application is not protested it will be forwarded to Boise, where departmental staff will conduct a more in depth review of the application, to determine if there is a need for further information that will facilitate the Directors decision on the application. You will be notified by mail of this decision.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,


Tom D. King
Sr. Water Resource Agent

MICROFILMED

JUL 30 1990

96-08587

GUNTER, PATRICK
GUNTER, MONICA
8670 S. SAGLE RD.
SAGLE, ID 83860

Source: GROUNDWATER

Diversion Pt: NWNESE Sec 15 T 56N R 02W

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 3/06/1990

In: T56N R02W S15 NESE

MICROFILMED

JUL 30 1990