


Point of diversion =
Place of Use =
Pipeline = —

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.


TWP 59N Range 1 East Sec. 17



Scale: $\frac{1}{4}$ inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mickey K Redman
(Applicant)
Kathryn D Redman




RECORDED

DEC 16 1992

96-8558

T. 59N. R. 1E. Sec 17 NESW



PERMIT # 96-8558

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



system intake

RECEIVED

DEC 16 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08558

Priority: May 31, 1989

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

3.6 AF

This is to certify, that MICKEY K REDMAN
KATHRYN D REDMAN

PO BOX 31

COLBURN ID 83865

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 31, 1989; and has submitted Proof of Beneficial Use on May 31, 1989. An examination indicates that the works have a diversion capacity of .060 cfs of water from:

UNNAMED STREAM

tributary to GROUSE CREEK, NORTH FORK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	3.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.06 CFS	3.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 17, Township 59N, Range 01E
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
59N	01E	17	NESW	1		1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

DEC 16 1992

State of Idaho
Department of Water Resources

PAGE 2


WATER RIGHT LICENSE

WATER RIGHT NO. 96-08558

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 2ND day of NOVEMBER, 1992.

Acting for  Keith Higginson, Director

DEC 16 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 96-08558

Proposed Priority: May 31, 1989

Maximum Diversion Rate:

0.07 CFS

This is to certify, that MICKEY K. REDMAN
KATHRYN D. REDMAN
P.O. BOX 31
COLBURN, ID 83865

has applied for a permit to appropriate water from:

UNNAMED STREAM

tributary of GROUSE CREEK, NORTH FORK

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.07 CFS

LOCATION OF POINT(S) OF DIVERSION:

NESW Sec. 17, Township 59N, Range 01E
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
59N 01E 17	NESW 1.7			1.7

Total number of acres irrigated: 1.7

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1990.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
4. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

29th day of August, 1989

RECEIVED

SEP 27 1989

for *R. Keith Higginson*
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Mickey K. Redman & Kathryn D. Phone 208-263-1474
Post office address PO Box 31 Colburn, Id 83865
2. Source of water supply unnamed stream which is a tributary to N. Fork of Grouse Creek
3. Location of point of diversion is _____ 1/4 of N.E. 1/4 of S.W. 1/4, Govt. Lot _____
Sec. 17 Township 59N Range R1E B.M. Bonner County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .03cfs for Irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .04cfs for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .07 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Sunken well tile with screen-stand pipe of 2" PVC & 1200' of 1 1/2" PVC pipeline of same to cistern - from there it is piped to house, garden & fruit trees with 250ft of head
 - b. Height of storage dam NA feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is NA inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NA
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year).

SEP 27 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. One
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
59N	1E	17									1.7								1.7
59N	1E	17									D								

Total number of acres to be irrigated 1.7

10. Describe any other water rights used for the same purposes as described above: _____

11. a. Who owns the property at the point of diversion? Mick Redman

b. Who owns the land to be irrigated or place of use? " "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: All overflow returns to N. Fork of Grouse Creek

MICROFILMED


SEP 27 1989

Point of diversion =

Place of Use =

Pipeline =

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. **TWP 59N Range 1 East Sec. 17**



Scale: $\frac{1}{4}$ inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mickey K Redman
(Applicant)
Kathryn D Redman

Received by JK Date 5/31/89 Time 11:30 A Preliminary check by JK
Fee \$ 30.00 Received by JK # 163037 Date 5/31/89
Publication prepared by [Signature] Date 6/7/89 Published in Sept. Rev. 8/15/89
Publication approved [Signature] Date 7/6/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

SEP 27 1989

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Tina VanDenBerg being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 15 day of June, 1989
and ending on the 22 day of June, 1989
and that said notice was published in said newspaper.

On this 30 day of June in the year
of 89, before me, a Notary Public, personally
appeared Tina VanDenBerg,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Tom Johnson
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 10/22/93

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08558

LOMAN, PAUL
LOMAN, BESSIE
518 N. 6TH AVE.
SANDPOINT, ID 83864
Source: CARTER CREEK
Tributary: SINKS
Diversion Pt: NWSE Sec 6 T 56N R
02E

Use: POWER (.150 CFS)
Date Filed: 6/02/1989
In: T56N R02E S06 SWSE

96-08558

REDMAN, MICKEY K.
REDMAN, KATHRYN D.
P.O. BOX 31
COLBURN, ID 83865
Source: UNNAMED STREAM
Tributary: GROUSE CREEK,
NORTH FORK

Diversion Pt: NESW Sec 17 T 59N R
01E

Use: IRRIGATION (.030 CFS)
DOMESTIC (.040 CFS)

Date Filed: 5/31/1989
In: T59N R01E S17 NESW
1.7 ACRES TOTAL

For additional information con-
cerning the property location, call
the Northern Regional Office at 765-
4639.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of

Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before JULY 3, 1989.

R. Keith Higginson, Director

72904 June 15, 22, 1989

RECORDED

SEP 27 1989

RECEIVED
JUL 06 1989
NORTHERN REGION
IDWR



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 9, 1992

MICKEY K REDMAN
KATHRYN D REDMAN
PO BOX 31
COLBURN ID 83865

RE: WATER RIGHT NO. 96-08558

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

DEC 16 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 13, 1992

MICKEY K REDMAN
KATHRYN D REDMAN
PO BOX 31
COLBURN ID 83865

RE: WATER RIGHT NO. 96-08558

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

Pamela Skaggs

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

DEC 16 1992

LICENSE REVIEW CHECKLIST

Permit # 96-08558

Date 10-05-92

C2

NAME	<u>Yes</u>	<u>No</u>	Address Change?
PRIORITY DATE	<u>Yes</u>	<u>No</u>	Advance?
	<u>Yes</u>	<u>No</u>	Memo to Advance
	<u>Yes</u>	<u>No</u>	Order to Reinstate Needed?
TOTAL CFS	<u>Yes</u>	<u>No</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u>Yes</u>	Disagree with Actual Measurement? <u>sprinklers</u>
	<u>NA</u>	<u>Yes</u>	<u>.02 cfs (IRR) .04 cfs (DOM)</u>
	<u>NA</u>	<u>Yes</u>	Disagree with Theoretical?
	<u>Yes</u>	<u>No</u>	Limited by Capacity? <u>.06 cfs</u>
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	<u>Yes</u>	<u>No</u>	Disagree with Examiner's Calculations?
	<u>Yes</u>	<u>No</u>	<u>1 x 3.0 = 3.0 acft (IRR) .60 acft (DOM)</u>
	<u>Yes</u>	<u>No</u>	Limited by Flow?
SOURCE	<u>Yes</u>	<u>No</u>	Changes? Clarification of <u>Originally</u>
	<u>Yes</u>	<u>No</u>	<u>Intended</u> source
	<u>Yes</u>	<u>No</u>	Notice of Intent to Void.
P/D			Verify with Map
	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?
USES	<u>Yes</u>	<u>No</u>	Change(s) in Nature of Use?
	<u>Yes</u>	<u>No</u>	Amendment Needed?
REMARKS	<u>Yes</u>	<u>No</u>	Multiple P/Ds in 1/4 1/4?
	<u>Yes</u>	<u>No</u>	Non-Irr. Uses <u>DOM / 1 Home</u>
	<u>Yes</u>	<u>No</u>	Special Overlap Condition
	<u>Yes</u>	<u>No</u>	Other
CONDITIONS	<u>Yes</u>	<u>No</u>	Measuring Device
	<u>Yes</u>	<u>No</u>	W/Master Control
	<u>Yes</u>	<u>No</u>	Overlap
	<u>Yes</u>	<u>No</u>	Water Quality
	<u>Yes</u>	<u>No</u>	DATES/MISC
	<u>Yes</u>	<u>No</u>	Water Dist.
	<u>Yes</u>	<u>No</u>	App Rec'd
	<u>Yes</u>	<u>No</u>	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acres, rate

License 10-Day 15-Day Special Correspondence

SENIOR AGENT REVIEW

RECEIVED

AUG 10 1992

Check List

for

Beneficial Use Field Report

Department of Water Resources

Permit 96-08558

A. GENERAL INFORMATION

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ☒ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Government Lot ?
Method of determination
☒ 6. Compare USGS/Land Survey? Aerial Photos/Permit.
Method of determination,
Irrigation (Rule 5,1,8),

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- All actual uses listed (Rule 5,1,2):
All unused, permitted uses listed (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

Check with permit and well log for discrepancies

Signature Tom D. King
Tom D. King Sr. Water Resource Agent

Date 12/3/91

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Mickey R. Redman & Kathryn D. Redman Permit No. 96-8558
Current Address: Box 31 Colburn, ID 83865 Phone No. 208 263 1474
2. Accompanied by: Mickey Redman EXAM. DATE: 9/5/91
Address: SAME Phone No. _____
Relationship to Permit Holder: _____
3. Source: Unnamed Stream tributary to N Fork grouse Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

DEC 16 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Small log dam 18" high x 15' wide creates small pond. Water is gravity fed through a screened intake in pond 1440' to home through a 1/2 inch Pvc pipe line there is a shut-off valve 10' from the dam and a second one at the house there is a "T" at the house where water is directed to hose bib. In order to reduce pressure, there is a second "T" on the line to the home that carries water uphill to a 3'x8' cistern.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Gravity					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	SW	17	59N	1E		Map

6. Place(s) of Use:

Indicate Method of Determination

Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
59N	1E	17									P								1

Do not use this space

NOT RECORDED

DEC 16 1992

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

1 home 0.04 cfs

2. Alternate Method for Checking Purposes:

2 (57⁴/₃₂) lawn sprinklers for sym = 0.02 cfs
irrigation of 1 acre

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \text{ acre} \times 3.0 = 3.0 \text{ afa}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.02 \times 245 \times 1.9835 = 9.7 \text{ afa}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.0$

2. Volume Calculations for Other Uses:

1 home 0.6 afa

UNRECORDED

DEC 16 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	0.04 cfs	0.6 afa
Irrigation	3-15	11-15	0.02 cfs	3.0 afa
Totals:			0.06 cfs	3.6 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Theresa J. Bright

Signature


Theresa J. Bright

Certification Date

4/10/91

Field Report Preparation Date


4/10/91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

DEC 16 1992



PERMIT # 96-8558

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



system intake

DEC 16 1992

December 21, 1990

MICKEY K. REDMAN
KATHRYN D. REDMAN
P.O. BOX 31
COLBURN, ID 83865

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08558

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

FEB 08 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 96-8558

Date 12-21-90

GENERAL CONSIDERATIONS

Y Name same as permit?
Y Address same as permit? If no, prepare data entry form.
Y Proof timely received? If no, complete priority
advancement below.

SOURCE OF WATER

✓ Surface water source
 Ground water source
 Drill permit req'd?
 Copy in file? Drill permit no.
 Well log in file?
 Amt paid for drilling permit? Correct?

LICENSE EXAMINATION FEE

Y Required?
50 Amount submitted?
Y Correct amount?

MEASURING DEVICE

N Measuring device or access port required?
 Installed?
 Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

proof acceptable

PRIORITY CALCULATION

Date proof received LB
Date proof due -
No. of days late =
Priority date +
NEW PRIORITY DATE =

For Office Use Only
Fee Received \$50
Date 5/31/89
Receipt # 113037
Receipt by JK
Reviewed by JK
Sent to region

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-8558
Name(s) of Permit Holder: Mickey K. Redman & Kathryn D. Redman
Post Office Address: Box 31 Colburn, Id 83865
Telephone No. 208-263-1474

Source of Water: Unnamed Stream - Tributary to N. Fork of Grouse Creek

Extent of Use:

Domestic One (number of households) Stockwater (number and type of stock)
Irrigation 1.7 (acres) Other/Remark

Total rate and/or volume for which proof is submitted .07 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: July 1985

Measuring Device: Required? Yes X No
Installed? Yes X No

Fee enclosed \$ \$50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes X No

Person to contact to accompany the Department representative during the field examination:

Mickey K Redman 263-1474
(Name) (Telephone Number)

PO Box 31 Colburn, Id. 83865
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Monitored

SEP 27 1989

Date

5/25/89

Signature of Permit Holder (and title, if appropriate)

Mickey K Redman

Kathryn D Redman

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
August 23, 1989

MICKEY K. REDMAN
KATHRYN D. REDMAN
P.O. BOX 31
COLBURN, ID 83865

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P96-08558

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED
SEP 27 1989

Form No. 202a.
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: JK DATE: 5/31/89 APPLICATION: 96-8558
REDMAN

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
Fee:
☐ yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- ☐ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☐ ☐ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☐ Critical groundwater area:
☐ ☐ Groundwater management area:
☐ ☐ Send dam safety information:
☐ ☐ Send power requirement letter:
☐ ☐ Send fish farm requirement letter:
☐ ☐ Power residency affidavit:
☐ ☐ Power efficiency form:
☐ ☐ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☐ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____
Additional information on reverse side:

RECEIVED
JUL 14 1989

Department of Water Resources

PROCESSING

YES NO

___ In form for advertising:
___ Statewide advertising:
___ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

___ I.D. Health and Welfare
___ I.D. Fish and Game
___ I.D. Lands
___ Adjudication Bureau

YES NO

___ U.S. BLM
___ U.S. Forest Svc.
___ Water District #
___ Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest 7/5/89
☒ Protests, dates, resolution of protest recorded on application:
☒ Recommendations attached:
☒ Measuring device required:
☒ Measuring port required:
☒ Water delivered by water master? District #
☒ Special conditions of approval or cover letter: (see additional info. below)
☒ See Below For Additional Information

Recommended Date of Priority 5/31/89 Date 7/11/89
Recommended by: PSH

STATE OFFICE REVIEW

NONE

03A

See below for additional information. By KW Date 8/10/89

ADDITIONAL INFORMATION

Overlap Review Conducted ___ yes ___ no (If no, explain) _____

96-08558

REDMAN, MICKEY K.
REDMAN, KATHRYN D.
P.O. BOX 31
COLBURN, ID 83865

Source: UNNAMED STREAM

Tributary: GROUSE CREEK, NORTH FORK

Diversion Pt: NESW Sec 17 T 59N R 01E

Use: IRRIGATION (.030 CFS)
 DOMESTIC (.040 CFS)

Date Filed: 5/31/1989

In: T59N R01E S17 NESW

1.7 ACRES TOTAL

MICROFILMED

SEP 27 1989