


Sta-rite
pump and
motor



Ackerlund
garden

MICROFILMED

JUL 16 1991



QUAD # C 54

PERMIT # 96-8553

LOCATION: T 57N, R 1W, SEC. 6, SWSWSE

T 57N, R 1W, SEC. 6, SESE

Unchecked elevations are shown in brown

UTM GRID AND 1951 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

1000-meter Universal Transverse Mercator grid ticks,
zone 11, shown in blue

FOR SALE BY U.S. GEOLOGICAL SURVEY
A FOLDER

JUL 16 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08553

Priority: March 20, 1989

Maximum Diversion Rate: 0.03 CFS
Maximum Diversion Volume:¹ 3.0 AF

This is to certify, that ELLA F. ACKERLUND
2156 N. 115TH ST.
SEATTLE, WA 98133

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated March 20, 1989; and
has submitted Proof of Beneficial Use on July 13, 1989. An examination indicates
that the works have a diversion capacity of .030 cfs of water from:

BOYER SLOUGH tributary to PEND OREILLE LAKE

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	3.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWSE , Sec. 6, Township 57N, Range 01W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
57N	01W	6	SWSE	1		1

Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.

MICROFILMED

JUL 16 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08553

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 26TH
day of APRIL, 1991.

Acting for

Norman C. Young
R. Keith Higginson, Director

RECORDED

JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 96-8553

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant ELLA F. ACKERLUND Phone 206-365-2576
Post office address 2156 N. 115TH SEATTLE WA 98133
2. Source of water supply Boyer Slough which is a tributary of LAKE PEND OREILLE
3. Location of point of diversion is SW $\frac{1}{4}$ of SW² $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 6 Township 57N Range 1W B.M. BANNER County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
CA .03 cfs
Amount .03 cfs for Irrigation purposes from May 1 to Sept 15 ANNUALLY (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .03 JK and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 2 HP 3/4" MAINLINE for
LAWN & Garden use
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

SEP 27 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
37N	1W	6																21 JK	1

Total number of acres to be irrigated 21

10. Describe any other water rights used for the same purposes as described above. N/A

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12. Remarks: _____

MICROFILMED

SEP 27 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Sec 6 - T57 N R 1W



Scale: $\frac{1}{8}$ inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

SEP 27 1989

Ells F. Ackelund

(Applicant)

Proposed Priority 3/20/89
Received by [Signature] Date 4/23/89 Time 1:30 PM Preliminary check by SK
Fee \$ 30.00 Received by [Signature] # N 2673 Date 3/20/89
Publication prepared by [Signature] Date 5/10/89 Published in Sept. Bee
Publication approved [Signature] Date 6/7/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8553, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

Witness my hand this 15th day of June, 1989.

[Signature: J. Glen Saxton]

MICROFILMED

SEP 27 1989

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Tina Vandenberg being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 18 day of May, 19 89
and ending on the 25 day of May, 19 89
and that said notice was published in said newspaper.

On this 31 day of May in the year
of 89, before me, a Notary Public, personally
appeared Tina Vandenberg
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Jim Johnson
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 10/22/93

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08549

HAMANN, DENNIS
4975 WHISKEY JACK RD.
SANDPOINT, ID 83864
Source: BOYER SLOUGH
Tributary: PEND OREILLE LAKE
Diversion Pt: SWSWSE Sec 6 T 57N
R 01W
Use: IRRIGATION (.093 CFS)
Date Filed: 3/24/1989
In: T57N R01W S06 SWSE SESE
10.0 ACRES TOTAL

96-08553

ACKERLUND, ELLA F.
2156 N. 115TH ST.
SEATTLE, WA 98133
Source: BOYER SLOUGH
Tributary: PEND OREILLE LAKE
Diversion Pt: SWSWSE Sec 6 T 57N
R 01W
Use: IRRIGATION (.030 CFS)
Date Filed: 3/20/1989
Date Filed: 3/20/1989
In: T57N R01W S06 SWSE
1.0 ACRES TOTAL

96-08554

MC CONNELL, CECIL C.
MC CONNELL, LEOLA M.
P.O. BOX 513
SAGLE, ID 83860
Source: GROUNDWATER
Diversion Pt: SENW Sec 21 T 56N R
02W
Use: DOMESTIC (.080 CFS)
Date Filed: 5/02/1989
In: T56N R02W S21 SENW

96-08555

MC CONNELL, CECIL C.
MC CONNELL, LEOLA M.
P.O. BOX 513
SAGLE, ID 83860
Source: POND Tributary: SINKS
Diversion Pt: SENW Sec 21 T 56N R
02W
Use: RECREATION (13.00 AF)
AESTHETIC (13.00 AF)
Date Filed: 5/02/1989
In: T56N R02W S21 SENW

96-08556

ASARO, JOSEPHINE
DE AMORIM LIMA, ADRIANA
GONCALVES, MARIANA
4200 PACK RIVER RD.
SAMUELS, ID 83862
Source: PACK RIVER Tributary
PEND OREILLE LAKE
Diversion Pt: LOT 1 (NENE) Sec 3
T 59N R 02W
Use: IRRIGATION (.100 CFS)
DOMESTIC (.040 CFS)
FIRE PROTECTION (.100 CFS)
Date Filed: 5/04/1989
In: T59N R02W S03 Lot 1 (NENE)
Lot 2 (NWNE)
5.0 ACRES TOTAL

For additional information con-
cerning the property location, call
the Northern Regional Office at 765-
4639.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or

before JUNE 5, 1989.

R. Keith Higginson, Director
#2846 May 18, 25, 1989

RECEIVED

JUN 06 1989

NORTHERN REGION
IDWR

MICROFILMED

SEP 27 1989

5846

April 29, 1991

ELLA F. ACKERLUND
2156 N. 115TH ST.
SEATTLE, WA 98133

RE: WATER RIGHT NO. 96-08553

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECEIVED
JUL 16 1991

SENIOR AGENT REVIEW

JUN 27 1990

Check List
for
Beneficial Use Field Report

Department of Water Resources

Permit 96-28553

A. GENERAL INFORMATION

1. Name and address are most current available. (Check BU statement)
2. Exam Date
3. Source (Check Permit)

B. OVERLAP REVIEW

1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
3. Word Picture (Rule 5,1,3 / 5,1,4)
4. Diversion (Rule 5,1,3)
5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
6. Irrigation (Rule 5,1,8) method of determination

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- All actual uses listed (Rule 5,1,2):
All unused, permitted uses listed (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

- Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT



- Check with permit and well log for discrepancies

Signature

Date

3/26/90

Sta-Rite
PUMP AND
MOTOR



Ackelund
GARDEN

WILSON

JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Ellen Scherlund Permit No. 96-8553
Current Address: 2156 N. 115th Seattle Wa 98133 Phone No. 206-365-2576
2. Accompanied by: _____ EXAM. DATE: 8/17/89
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Boyer Slough tributary to Fata Pond Drain

B. OVERLAP REVIEW

1. Other water rights with same place of use: none ☐ Copies Attached
2. Other water rights with same point of diversion: none ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 175

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

REC'D
JUL 16 1991

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

1 hp submersible pump 3/4" hose running to riser near garden, watering (less than one acre) (3/4 acre) garden.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>Submersible</i>	<i>Starite</i>	<i>1</i>		<i>Starite</i>	

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		<i>S</i>	<i>E</i>	<i>S</i>	<i>6</i>	<i>57N</i>	<i>1W</i>	<i>Boone</i>	<i>Map</i>


6. **Place(s) of Use:**

Indicate Method of Determination *Map*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<i>57N</i>	<i>1W</i>	<i>6</i>															<i>1</i>	<i>1</i>	

MAILED

JUL 16 1991



QUAD # C 54

PERMIT # 96-8553

LOCATION: T 57N, R 1W, SEC. 6, SW SW SE

T 57N, R 1W, SEC. 6, SE SE

JUL 16 1991

Unchecked elevations are shown in brown

UTM GRID AND 1951 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

FOR SALE BY U.S. GEOLOGICAL SURVEY
A FOLDER

1000-meter Universal Transverse Mercator grid ticks, zone 11, shown in blue

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

JUL 16 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>irrigation</i>	<i>3-15</i>	<i>11-15</i>	<i>.03</i>	<i>2.3</i>
Totals:			<i>.03</i>	<i>2.3</i>

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name *Charlotte Arnesen*
Signature *Charlotte Arnesen*
Certification Date *2/17/89*
Field Report Preparation Date *Aug 17 1989*



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

5/18/91

MICROFILMED

JUL 16 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS

Governor

August 14, 1989

R. KEITH HIGGINSON

Director

Ms. Ella Ackerlund
2156 N. 115th
Seattle, Wa. 98133

Re: 96-8553

Dear Applicant:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/

TOM D. KING

Senior Water Resource Agent

TDK/pms

MICROFILMED

SEP 27 1989



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 96-8553

Date: 7/30/89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
N Reinstated

Source of Water:

Y Surface water
Y Groundwater
N/A 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
N Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof Acceptable

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

JUL 13 1989

in: # enclosed *key*

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-08553

Name(s) of Permit Holder: ELLA F. AKKERLUND

Post Office Address: 2156 N. 115th

SEATTLE WA 98133 Telephone No. 206-365-2576

Source of Water: LAKE PEND ORILLIE SLOUGH (KOOTENAI)

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 1/4 acre (acres) Other/Remark used to water

garden and lawn

Total rate and/or volume for which proof is submitted .03 cfs 1/4 (acres) feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ 7
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

7/10/89
Date

Ella F. Akkerlund SEP 27 1989
Signature of Permit Holder (and title, if appropriate)

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
June 16, 1989

ELLA F. ACKERLUND
2156 N. 115TH ST.
SEATTLE, WA 98133

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 96-08553

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

SEP 27 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: JK DATE: 5/2/89 APPLICATION: 96-8553

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map:
- ☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
- ☒ Fee:
- ☒ Yes ___ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
- ☒ Overlapping point of diversion:
- ☒ Field check required: Field check by: _____
- ☒ Field report attached:
- ☒ Critical groundwater area:
- ☒ Groundwater management area:
- ☒ Send dam safety information:
- ☒ Send power requirement letter:
- ☒ Send fish farm requirement letter:
- ☒ Power residency affidavit:
- ☒ Power efficiency form:
- ☒ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)
- ☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

RECEIVED
JUN 12 1989

Department of Water Resources

PROCESSING

YES NO

☒ ☐ In form for advertising:
☐ ☒ Statewide advertising:
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☐ I.D. Health and Welfare
☐ ☐ I.D. Fish and Game
☐ ☐ I.D. Lands
☐ ☐ Adjudication Bureau

YES NO

☐ ☐ U.S. BLM
☐ ☐ U.S. Forest Svc.
☐ ☐ Water District # _____
☐ ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

~~YES~~ NO

☒ ☒ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☒ ☒ Publication dates and paper recorded on application:
☒ ☒ Protests received, Final date for protest 6/5/89
☒ ☐ Protests, dates, resolution of protest recorded on application:
☒ ☐ Recommendations attached:
☒ ☐ Measuring device required:
☒ ☐ Measuring port required:
☒ ☐ Water delivered by water master? District # _____
☒ ☐ Special conditions of approval or cover letter: (see additional info. below)
☒ ☐ See Below For Additional Information

Recommended Date of Priority

Recommended by: AW 3/20/89

Date 6/6/89

STATE OFFICE REVIEW

P16

See below for additional information. By tw

Date 6/14/89

ADDITIONAL INFORMATION

Overlap Review Conducted ☐ yes ☐ no (If no, explain) _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

May 11, 1989

Dept. of Lands
Statehouse
Boise, Id. 83720

Re: 96-8553

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Idaho Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enclosure

MICROFILMED

SEP 27 1989





STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES NORTHERN DISTRICT

COEUR D'ALENE, IDAHO 83814

1910 Northwest Blvd., Suite 210
Telephone: (208) 765-4639

Re: Application for Permit No. 96 8553

Dear Applicant:

The Department of Water Resources herewith acknowledges receipt of your application for a permit to appropriate a portion of the public water of the State of Idaho as well as the appropriate filing fee, for which a receipt is enclosed. The appropriation application has been assigned the above-referenced number. To assist us in providing you with accurate, speedy service, please refer to this number in all future correspondence.

Your appropriation application is currently in the process of being advertised in the county newspaper. The advertisement will be published for two weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the appropriation application is protested, you will be sent a copy of the protest. All protests must be resolved before the appropriation application can be approved or denied. If the protestant does not voluntarily withdraw the protest, this Department will conduct a conference and/or hearing on the matter.

If the appropriation application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will then conduct a complete review prior to the final processing of the appropriation application and notify you of the outcome of this review. If the appropriation application is approved, a copy of your appropriation permit (bearing the reference number) will be sent to you.

If your source of water is a well (unless you are using a well that is already in existence), you will also have to apply for a permit to construct the well. These drilling permits can be obtained from this office, but can only be issued to holders of valid ground water rights or approved appropriation permits.

If you have any questions or if I can be of any further assistance, please feel to contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms
Enc. - Receipt

MICROFILMED

SEP 27 1989

96-08553

ACKERLUND, ELLA F.
2156 N. 115TH ST.
SEATTLE, WA 98133

Source: BOYER SLOUGH

Tributary: PEND OREILLE LAKE

Diversion Pt: SWSWSE Sec 6 T 57N R 01W

Use: IRRIGATION (.030 CFS)

Date Filed: 3/20/1989

In: T57N R01W S06 SWSE

1.0 ACRES TOTAL

MICROFILMED

SEP 27 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Northern Region Office

1910 Northwest Blvd. * Suite 210 * Coeur d'Alene, Id. * 83814 * (208) 765-4639

Cecil D. Andrus
Governor

R. Keith Higginson
Director

March 21, 1989

MS. Ella F. Ackerlund
2156 N. 115th
Seattle, Wa. 98133

Re: Appropriation Application

Dear Applicant:

I regret to inform you that your Application For Permit To Appropriate The Public Waters Of The State Of Idaho is not acceptable in its present form, so I am returning the application to allow you to supply this department with the following information:

Item #3: The legal description of the point of diversion must agree with item #13, which shows the point of diversion within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$.

Item #4: The maximum rate of diversion for irrigation purposes is 0.03 cfs per acre for irrigation of less than five acres. To seek approval for the excess flow for irrigation you must complete the enclosed fact sheet for excessive irrigation flows.

This information must be received by this office, with any other information you deem appropriate, within 30 days of the above date. Failure to communicate with this office within that time may result in the voiding of your application.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

Tom D. King
Sr. Water Resource Agent

Enc: App.
Fact Sheet

MICROFILMED

SEP 27 1989