

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T57N R3W



Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x *Jack B. Burt*
(Applicant)
GENERAL PARTNER

96-08548

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T57N R30W



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x *Jack B. Bule*
(Applicant)
GENERAL PARTNER



PD



12,500 gal
Storage
Facility



PV



PV
Lot Stub
MICROFILMED
JUL 18 1997

96-08548

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-03548

Priority: April 25, 1989

Maximum Diversion Rate:

0.09 CFS

Maximum Diversion Volume:

29.7 AF

This is to certify, that WESTWOOD ACRES HOMEOWNERS ASSN

C/O JOHN MEAGER

2525 WESTWOOD DR

SAGLE ID 83860

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 3, 1989; and has submitted Proof of Beneficial Use on September 23, 1993. An examination indicates that the works have a diversion capacity of 0.090 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.09 CFS	18.9 AF
DOMESTIC	01/01 to 12/31	0.09 CFS	10.8 AF
	Totals	0.09 CFS	29.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 35, Township 57N, Range 03W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
57N	03W	35	NWNE	6.3		6.3

Total number of acres irrigated: 6.3

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

MICROFILMED

JUL 18 1997

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 96-08548

CONDITIONS OF APPROVAL AND REMARKS

6. Domestic use is for 18 homes and does not include lawn, garden, landscape, or other types of irrigation.
7. Place of use known as Lots 1-11, Blk. 1, and Lots 1-7, Blk. 2, Westwood Acres.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 18th day of July, 1992.


Acting for KARL J. DREHER, Director



MICROFILMED
JUL 18 1997

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	CFS
Original App.	96-08548	Westwood Acres Partnership	0.20
Assignment	96-08548	Westwood Acres Homeowners Association	0.20

RECORDED

OCT 28 1993

RECEIVED

SEP 23 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 50.00

Date 9-23-93

Receipt No. C028638

Receipt by W. Hansen

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08548 Telephone No. (509) 928-8220

2. Name(s) of Permit Holder(s): Westwood Acres Partnership

3. Mailing Address: 1121 North Argonne Rd. Suite 200

4. Source of Water: Groundwater

If GROUNDWATER, Well Driller's Name: Aqua Drilling & Exploration Date Drilled: 2/27/90

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 18 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.178 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes X No Installed? _____ Yes X No

OR

Flow Measurement Port: Required? _____ Yes X No Installed? _____ Yes X No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Bob Lochmiller (509) 928-8220
Name Telephone No.

1121 N. Argonne Rd. Suite 200, Spokane WA 99212
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

9/21/93 Robert R. Lochill - Secretary/Treasurer - Westwood Acres Homeowners' Association

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 96-08548)
IN THE NAME OF WESTWOOD ACRES HOMEOWNERS ASS) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before August 1, 1993; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit had lapsed for failure to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on September 23, 1993;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 96-08548 be REINSTATED with an advance in priority to April 25, 1989.

Dated this 5th day of October, 1993.


L. GLEN SAXTON
Chief, Water Allocation Bureau

OCT 28 1993



State of Idaho DEPARTMENT OF WATER RESOURCES

1301 N. Orchard St., Statehouse Mall, Boise ID 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

ASSIGNMENT OF PERMIT

I, Jack B. Buster, General Partner
of, Westwood Acres Partnership hereby assign to Westwood Acres
of, Homeowners Association, Inc., Address UNKNOWN
(Full Address)

All my right, title, and interest in and to Permit No. 96-08548
to appropriate the public waters of the State of Idaho.

OR (for partial assignments)

The following described portion of my right, title, and interest in and to
Permit No. _____ to appropriate the public waters of the State of Idaho.

Describe portion of the permit assigned listing the number of acres in each 40 acre
subdivision, point of diversion location, and the amount of water in cubic feet per
second.

Made this 20th day of September, 19 93.

Jack B. Buster General Partner
Applicant

State of Oregon)
~~Idaho~~)
County of Jackson)

On this 20 day of September, 199 3, personally appeared before me
the signer of the above instrument, duly acknowledged to me that he/she/they executed the same.



Janice Johnson
Notary Public OCT 28 1993

Janice Johnson
Signature

My commission expires: 3/13/96

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 96-8548

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant WESTWOOD ACRES (LTD. PARTNERSHIP) Phone 907-276-0862
Post office address 200 W 34TH #685 ANCHORAGE, AK 99503
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NW 1/4 of NE 1/4, Govt. Lot _____
Sec. 35 Township 57N Range 3W B.M. BONNER County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 2 cfs for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 2 cfs for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL, DAMP, PIPELINE
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8" inches; proposed depth of well is 150'-300' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MICROFILMED

SEP 27 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 20
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
<u>57N</u>	<u>30</u>	<u>35</u>		<u>20</u>															<u>20</u>

Total number of acres to be irrigated 20

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? 1


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

SEP 27 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T57N R30W



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x *Jack B. Butler*
(Applicant)
GENERAL PARTNER

Proposed Priority 3/3/89

Received by JK Date 3/3/89 Time 2:45P Preliminary check by AB
Fee \$ 30⁰⁰ Received by JK # A 2392 Date 3/3/89
Publication prepared by [signature] Date 3/8/89 Published in Idaho Per 3/16 + 23/89
Publication approved [signature] Date 3/11/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8548, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 93.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 10th day of July, 1989.

[Signature: J. Glen Saylor]

MICROFILMED

SEP 27 1989

REC-110
JUN 27 1989

WESTWOOD ACRES PARTNERSHIP
200 W. 34th, Suite 685
Anchorage, AK 99503

Department of Water Resources

June 20, 1989

State of Idaho - Department of Water Resources
Attn: Kay Walker
1301 N. Orchard Street
Boise, Idaho 83720

Re: Permit No. 96-~~0458~~ ^{8548 kw}

Dear Ms. Walker:

Pursuant to your request of June 13, 1989, the following is submitted:


Westwood Acres is an Alaska limited partnership. The general partner is Jack B. Buster who is the only individual empowered to act on behalf of the partnership. The balance of the partners are limited partners.

Under applicable federal regulations, limited partners may not participate in the management or direction of the partnership. In fact, they are strictly enjoined therefrom. The Internal Revenue Service maintains that participation in the management of a limited partnership by a limited partner results in conversion of the partnership to a corporation for tax purposes. Therefor, you should note that only the general partner can act for the partnership.

When I filed this application in March with Mr. Tom King, he did not understand the organizational framework of a limited partnership. He requested the names and addresses of the limited partners for the file. When I explained the difference between a general and a limited partnership he was satisfied and should have made appropriate remarks in the file. I have since had the opportunity to consult with counsel who advised me against filing the names of any limited partners for any purpose other than taxation because of the danger of having this act construed as limited partner participation in management.

I hope this explanation satisfies your requirements.

Very truly yours,


Jack B. Buster
General Partner

MICROFILMED

SEP 27 1989

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Tina Vandenberg being first duly sworn on oath
deposes and says that he/she is BOOKKEEPER
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 16 day of March, 19 89
and ending on the 23 day of March, 19 89
and that said notice was published in said newspaper.

On this 29th day of March in the year
of 89, before me, a Notary Public, personally
appeared Tina Vandenberg
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Jim Johnson
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 10/22/93

NOTICE OF APPLICATION
FOR WATER RIGHTS

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08548

WESTWOOD ACRES

200 W. 34TH ST. #685

ANCHORAGE, AK 99503

Source: GROUNDWATER

Diversion Pt: NWNE Sec 35 T 57N R
03W

Use: IRRIGATION (.200 CFS)
DOMESTIC (.200 CFS)

Date Filed: 3/03/1989

In: T57N R03W S35 NWNE


20.0 ACRES TOTAL

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before APRIL 3, 1989

R. KEITH HIGGINSON,
Director

#2727 March 16, 23, 1989

X ASAP



MICROFILMED
SEP 27 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 18, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

WESTWOOD ACRES HOMEOWNERS ASSN
C/O JOHN MEAGER
2525 WESTWOOD DR
SAGLE ID 83860

RE: WATER RIGHT NO. 96-08548

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

JUL 18 1967

MICROFILMED


JUL 18 1967

CERTIFICATE OF MAILING

I hereby certify that on the 18th day of July, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 96-08548

WESTWOOD ACRES HOMEOWNERS ASSN
C/O JOHN MEAGER
2525 WESTWOOD DR
SAGLE ID 83860


Kari Lynn Townsend
Secretary

REC'D FILMED

JUL 18 1997

MEMORANDUM

DATE: July 2, 1997

TO: Water Right File 96-08548

FROM: Shelley W. Keen *(SWK)*

RE: Number of acres irrigated

This morning I called field examiner Wayne Baldwin to discuss the method he employed to determine the number of irrigated acres for water right 96-08548. Wayne told me that John Meagher, the person who showed Wayne the water system, said that the area that can be irrigated on each lot is limited by the subdivision covenants. Wayne's 6.3 acre recommendation is 18 lots times 0.35 acres per lot.

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-08548

DATE 6/26/97

REVIEWER: SHARLA

NAME Change OK

Address Change NO

SOURCE Change OK

Is change clarification of originally intended source? NO

POINT OF DIV Change OK

If not, prepare Notice of Intent to Void NO

PLACE OF USE Change OK

Amendment required NO

Does map agree with written description? yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate .20 cfs
 Fee limit .20 cfs \$5000
 Measured — cfs
 Theoretical .09 cfs

Recommended Total Div Rate .09 cfs

ANNUAL VOLUME/
 NATURE OF USES —

Use —

Volume Calculation
17.7
6.3 x 3 = 18.9 af
18 x .6 = 10.8 af
— af
— af
 SUBTOTAL 29.7 af

Flow rate — cfs X — days X 1.9835 = — af

Total volume recommended — af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

All water aka Lots 1-11, Bk. 1
and lots 1-7, Bk. 2,
Westwood Acres.

CONDITIONS Watermaster Control WD#

GW Measurement/Measuring Device

Overlap

Use-specific conditions

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A

1st Amend Letter N/A

Adjustment Memo —

2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 12 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08548

1. Owner: Westwood Acres Homeowners Ass. Phone No. (509) 928-8220

Current Address: 1121 North Argonne Rd Suite 200 Spokane Wa

2. Accompanied by: John Meagher EXAM DATE: 10-10-86

Address: 2525 Westwood Heights Dr, Ingledale Phone No. (208) 263-5683

Relationship to Permit Holder: Member Homeowners Ass. 83860

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NE	35	57N	03W	Bonner	U.S.G.S. 7.5 min Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
				6.3															6.3
				D															18-D

MICROFILMED

1111 1 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

111 1 8 1997

E. NARRATIVE/REMARKS/COMMENTS

Water is pumped from groundwater source to a 12,500 gal storage facility. From storage to 18 lots gravity fed

At Present time all lots are not occupied. 7 lots are, the remainder are all stubbed and Valved.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JUL 18 1997

F. FLOW CALCULATIONS

Measured Method:

Theoretical

Additional Computation Sheets Attached

*.09***G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 6.3 \times 3 = 18.9$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .09 \times 245 \times 1.9835 = 43.7$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 18.9$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>01-01</i>	<i>12-31</i>	<i>.09</i>	<i>10.8</i>
	<i>03-15</i>	<i>11-15</i>	<i>.09</i>	<i>18.9</i>
Totals:			<i>.09</i>	<i>29.7</i>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

Wayne Baldwin

Date

10-30-96

Reviewer

Date

SEAL

MICROFILMED

JUL 18 1997

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 96-08548

DATE: 30-OCT-96

COMPLETE BY: WAYNE BALDWIN

HORSEPOWER = 5

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 170 FEET

SYSTEM PRESSURE = 75 PSI


QUANTITY = 0.09 CFS

MICROFILMED
JUL 18 1987

96-08548

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T57N R30W




BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x *Jack B. B...*
 (Applicant)
 GENERAL PARTNER

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Westwood Acres</u> <u>200 W. 34th #685</u> Address <u>Anchorage, Alaska 99303</u> Owner's Permit No. <u>96-89-2-007</u>	7. WATER LEVEL Static water level <u>135</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____ Describe artesian or temperature zones below.																																																																
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td>Est 80-100 GPMs</td> <td>170 feet</td> <td>9 Hours</td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	Est 80-100 GPMs	170 feet	9 Hours																																																										
Discharge G.P.M.	Pumping Level	Hours Pumped																																																															
Est 80-100 GPMs	170 feet	9 Hours																																																															
3. PROPOSED USE ☒ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td></td> <td>0</td> <td>40</td> <td>Boulders, sand, Gravel</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td>large</td> <td></td> <td></td> </tr> <tr> <td></td> <td>40</td> <td>65</td> <td>Boulders, sand, Gravel</td> <td></td> <td></td> </tr> <tr> <td>8"</td> <td>65</td> <td>110</td> <td>sand, Gravel</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td></td> <td></td> <td>Occabnal Boulders</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>110</td> <td>135</td> <td>Sand fine</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>135</td> <td>155</td> <td>Wet sand</td> <td></td> <td>X</td> </tr> <tr> <td>"</td> <td>155</td> <td>170</td> <td>sand + Gravel</td> <td></td> <td>X</td> </tr> <tr> <td>"</td> <td>170</td> <td>180</td> <td>Coarse sand + Gravel</td> <td></td> <td>X</td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No		0	40	Boulders, sand, Gravel						large				40	65	Boulders, sand, Gravel			8"	65	110	sand, Gravel			"			Occabnal Boulders			"	110	135	Sand fine			"	135	155	Wet sand		X	"	155	170	sand + Gravel		X	"	170	180	Coarse sand + Gravel		X
Bore Diam.	Depth		Material	Water																																																													
	From	To		Yes	No																																																												
	0	40	Boulders, sand, Gravel																																																														
			large																																																														
	40	65	Boulders, sand, Gravel																																																														
8"	65	110	sand, Gravel																																																														
"			Occabnal Boulders																																																														
"	110	135	Sand fine																																																														
"	135	155	Wet sand		X																																																												
"	155	170	sand + Gravel		X																																																												
"	170	180	Coarse sand + Gravel		X																																																												
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	RECEIVED APR 2 1990 Department of Water Resources RECEIVED MAR 16 1990 NORTHERN REGION IDWR MICROFILMED JUL 18 1997																																																																
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table style="width:100%;"> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> <tr> <td>250 inches</td> <td>10" inches</td> <td>+ 1 feet</td> <td>51 feet</td> </tr> <tr> <td>250 inches</td> <td>8" inches</td> <td>+ 2 feet</td> <td>179 feet</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table style="width:100%;"> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18 +</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing Also Bentonite Placed AT <u>51 feet</u> ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____		Thickness	Diameter	From	To	250 inches	10" inches	+ 1 feet	51 feet	250 inches	8" inches	+ 2 feet	179 feet									Number	From	To																																									
Thickness		Diameter	From	To																																																													
250 inches		10" inches	+ 1 feet	51 feet																																																													
250 inches	8" inches	+ 2 feet	179 feet																																																														
Number	From	To																																																															
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location. <u>AUG 13 1990</u>  Subdivision Name <u>Westwood</u> <u>Acres</u> Lot No. _____ Block No. _____ County <u>Bonner</u> NW ¼ NE ¼ Sec. <u>35</u>, T. <u>57</u> N ☒ S ☐ R. <u>3</u> E ☐ W ☒	10. Work started _____ finished <u>Feb 27, 1990</u>																																																																
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. <u>AQUA Drilling &</u> Firm Name <u>Exploration Inc</u> Firm No. <u>163</u> <u>P.O. Box 225</u> Address <u>CDA, Id 83814</u> Date <u>2-28-90</u> Signed by (Firm Official) <u>Scott N. Braum</u> and <u>Scott N. Brown</u> (Operator)	DL																																																																

96-08548



PD
12,500 gal
Storage
Facility



PV



PV
Lot Stub
101 10 200

October 8, 1993

WESTWOOD ACRES HOMEOWNERS ASS
C/O ROBERT LOCHMILLER
1121 N ARGONNE RD STE 200
SPOKANE WA 99212

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08548

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECEIVED
OCT 28 1993

needs an order

Proof Made 9/24/93 10/8/93 *Ylg*



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 1, 1993

Jack B Buster
Westwood Acres
PO Box 3256
Ashland, OR 97520

Re: Permit No. 96-08548

Dear Mr Buster:

Returned is the proof of beneficial use submitted in connection with the above referenced permit. The proof is unnecessary because the homeowners association filed an acceptable proof of beneficial use on September 23, 1993.

I have begun the process to refund the \$50 license exam fee also submitted with the proof of beneficial use. The refund process takes between two and four weeks and will arrive under separate cover.

I have also processed the assignment form and notified the homeowners association.

If you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,


Karen L. Gustafson
Senior Secretary

C: Fiscal

RECEIVED
OCT 28 1993

RECEIVED

SEP 30 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 50.00

Date 9-30-93

Receipt No. C0286810

Receipt by J. V. Adams

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

copy

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08548 Telephone No. _____
2. Name(s) of Permit Holder(s): unable to locate permit Westwood Acres
3. Mailing Address: P.O. Box 3256, Astland, OR 97520
4. Source of Water: Groundwater

If **GROUNDWATER**, Well Driller's Name: Agua Drilling Date Drilled: 1989
completed 2-28-90

OPTIONAL:
Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 18 (No. of households) Stockwater _____ (No. and type of stock)
Irrigation _____ (No. of acres) Other 2 cfs

6. Total rate and/or volume for which proof is submitted 2 cfs OR 1/2 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

OR
Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

8. Fee Enclosed: \$ None (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

No one will be available
Name _____ Telephone No. _____

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

9-20-93 Jack Blunt General Partner, Westwood Acres Partnership
Date Signature (and title, if on behalf of a company or organization)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 1, 1993

Westwood Acres Homeowners Association
c/o Robert Lochmiller
1121 N Argonne Rd Ste 200
Spokane, WA 99212

Re: Permit No. 96-08548

Dear Permit Holder:

The Department acknowledges receipt of the correspondence and assignment of permit form transferring ownership of the above referenced water right to you. The Department has modified our computer records to reflect this change in ownership.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

C: IDWR - Regional Office

RECORDED

OCT 28 1993

3/89

Drilling Permit No. 96-89-2-007Water Permit No. 96-08548

Injection Permit No. _____

RECEIVED

JUL 20 1989

State of Idaho
Department of Water Resources

DRILLING PERMIT

Department of Water Resources

1. Applicant Westwood Acres
2. Address 200 W 34th #685
Anchorage, AK 99503 Telephone (907) 276-0862
- (☒) Well Owner () Well Operator () Other, specify _____
3. Proposed well location NW 1/4 NE 1/4, or Gov't lot No. _____
Sec. 35, Twp. 57N, Rge. 3W, County BONNER
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
- (☒) Domestic () Stockwater () Monitoring
No. of households 18 No. of livestock _____
- (☒) Irrigation () Industrial () Municipal
() Injection () Other, Specify _____
5. Well construction information:
- (☒) New well () Deepen () Replace
- Proposed surface diameter 8" Maximum depth 300 feet
- Anticipated bottom hole temperature:
- (☒) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date August 1989
7. Well Driller (if known) Intermountain Drilling, Inc.
Address Rt 1, Box 312, Priest River, ID 83448-1674
8. Applicant's signature Jack B. Burt
Title General Partner
Date 7-14-89

OCT 28 1993

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is **APPROVED**.

If approved, this permit authorizes the construction of a well subject to the following conditions:

GENERAL CONDITIONS

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS

Dated this 21 day of July, 19 89.

Signed M. H. Shyke
Title Groundwater Protection Section

Received by C. Hong Fee 100.00 Date 7/20/89
Receipt No. C00 8435 Construction start extension to OCT 28 1993
Extension approved by _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Westwood Acres</u> <u>200 W. 34th St. # 285</u> Address <u>Anchorage, Alaska 99503</u> Owner's Permit No. <u>96-89-2-007</u>		7. WATER LEVEL Static water level <u>135</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____ Describe allusion or temperature zones below																																																
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement Well diameter increase _____ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td>Est. 80-100 GPM's</td><td>170 feet</td><td>9 Hours</td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	Est. 80-100 GPM's	170 feet	9 Hours																																									
Discharge G.P.M.	Pumping Level	Hours Pumped																																																
Est. 80-100 GPM's	170 feet	9 Hours																																																
3. PROPOSED USE ☒ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td></td><td>0</td><td>40</td><td>Boulders, sand, Gravel</td><td></td></tr><tr><td></td><td>40</td><td>65</td><td>large sand, Gravel</td><td></td></tr><tr><td></td><td>65</td><td>110</td><td>sand, Gravel</td><td></td></tr><tr><td></td><td>110</td><td>135</td><td>Occasional Boulders</td><td></td></tr><tr><td></td><td>135</td><td>155</td><td>Sand fine</td><td></td></tr><tr><td></td><td>155</td><td>170</td><td>wet sand</td><td>X</td></tr><tr><td></td><td>170</td><td>180</td><td>sand + Gravel</td><td>X</td></tr><tr><td></td><td>180</td><td></td><td>Coarse sand + Gravel</td><td>X</td></tr></tbody></table>		Bore Diam.	Depth		Material	Water Yes No	From	To		0	40	Boulders, sand, Gravel			40	65	large sand, Gravel			65	110	sand, Gravel			110	135	Occasional Boulders			135	155	Sand fine			155	170	wet sand	X		170	180	sand + Gravel	X		180		Coarse sand + Gravel	X
Bore Diam.	Depth		Material		Water Yes No																																													
	From	To																																																
	0	40	Boulders, sand, Gravel																																															
	40	65	large sand, Gravel																																															
	65	110	sand, Gravel																																															
	110	135	Occasional Boulders																																															
	135	155	Sand fine																																															
	155	170	wet sand	X																																														
	170	180	sand + Gravel	X																																														
	180		Coarse sand + Gravel	X																																														
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____																																																		
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>250 inches</td><td>10 inches</td><td>1</td><td>51 feet</td></tr><tr><td>250 inches</td><td>8 inches</td><td>2</td><td>179 feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>perforations</td><td>feet</td><td>feet</td></tr><tr><td>perforations</td><td>feet</td><td>feet</td></tr><tr><td>perforations</td><td>feet</td><td>feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> feet Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing Also Bentonite Placed at <u>51 feet</u> ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____		Thickness	Diameter	From	To	250 inches	10 inches	1	51 feet	250 inches	8 inches	2	179 feet	Number	From	To	perforations	feet	feet	perforations	feet	feet	perforations	feet	feet																									
Thickness	Diameter	From	To																																															
250 inches	10 inches	1	51 feet																																															
250 inches	8 inches	2	179 feet																																															
Number	From	To																																																
perforations	feet	feet																																																
perforations	feet	feet																																																
perforations	feet	feet																																																
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td></td><td>E</td></tr><tr><td>W</td><td>X</td><td></td></tr><tr><td>S</td><td></td><td></td></tr></table> Subdivision Name <u>Westwood</u> Acres <u>Acres</u> Lot No. _____ Block No. _____ County <u>Bonner</u> NW NE Sec. <u>35</u> T. <u>57</u> N. S. R. <u>3</u> E. W. X		N		E	W	X		S			10. Work started _____ finished <u>Feb 27, 1990</u>																																							
N		E																																																
W	X																																																	
S																																																		
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. <u>AQUA Drilling & Exploration, Inc.</u> Firm Name <u>Exploration, Inc.</u> Firm No. <u>163</u> Address <u>Box 225</u> <u>23814</u> Date <u>2-28-90</u> Signed by (Firm Official) <u>Scott M. Brauntre</u> 28 1993 and <u>Scott M. Brown</u> (Operator)																																																		



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 7, 1993

Jack B Buster
Westwood Acres
PO Box 3256
Ashland, OR 97520

RE: Permit No. 96-08548

Dear Mr. Buster:

The Department is in receipt of your correspondence dated September 2, 1993 concerning the above referenced water right permit.

A water right permit is personal property and does not automatically transfer when the property is sold or deeded to another party. In order for the permit to be placed in the name of the Westwood Acres Homeowners Association, you will need to complete the enclosed assignment form and return it to the Department.

Secondly, contrary to your belief, the Department does not possess the information that is being requested at this time. Idaho Code requires that the appropriate forms need to be completed and returned to the Department no later than October 1, 1993. If the forms are not returned, the water right permit will be lost and you and/or the Westwood Acres Homeowners Association will no longer be able to lawfully divert water from this well for any use.

The Department understands from your correspondence that it was your intent to keep the permit valid by deeding it to the Homeowners Association. Therefore, the Department suggests that you complete the enclosed assignment form and contact the Homeowners Association as soon as possible, so that the appropriate forms can be completed and filed no later than October 1, 1993.

If you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

RECORDED

OCT 28 1993

Enclosure

C: Westwood Acres Homeowners Association

Westwood Acres Partnership

P. O. Box 3256
Ashland, OR 97520

September 2, 1993

State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720-9000

RE: Permit No. 96-08548

Dear Agency:

Thank you for your letter of August 5, 1993 regarding the above permit.


Westwood Acres was the developer of the subdivision known by the same name and has since completed development. The water system was deeded to the homeowners association. Accordingly, the partnership known as Westwood Acres is not authorized to expend any further funds on the water system.

I suggest you contact the present owner of the water system as follows:

Westwood Acres Homeowners Association
c/o Robert R. Lochmiller
Schroeder, Simmons & Lochmiller, P.S.
N. 1121 Argonne, Suite 200
Spokane, WA 99212

The balance of the information requested on your forms has been previously furnished you.

Very truly yours,


Jack B. Buster
General Partner

OCT 28 1993

August 5, 1993

WESTWOOD ACRES
200 W. 34TH ST. #685
ANCHORAGE AK 99503

LAPSE NOTICE

RE: PERMIT NO. 96-08548

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated May 31, 1993. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 8/5/93
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Klg

RECORDED

OCT 28 1993

May 31, 1993

WESTWOOD ACRES
200 W. 34TH ST. #685
ANCHORAGE AK 99503

PROOF DUE NOTICE

RE: PERMIT NO. 96-08548

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

CERTIFIED MAIL

NO. 140280

OCT 28 1993

3/89

Drilling Permit No. 96-89-2-007Water Permit No. 96-08548

Injection Permit No. _____

RECEIVED
JUL 20 1989State of Idaho
Department of Water Resources

DRILLING PERMIT

Department of Water Resources

1. Applicant Westwood Acres
2. Address 200 W 34th #685
Anchorage, AK 99503 Telephone (907) 276-0862
- (☒) Well Owner () Well Operator () Other, specify _____
3. Proposed well location NW 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 35, Twp. 57N, Rge. 3W, County Bonner,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
- (☒) Domestic () Stockwater () Monitoring
No. of households 18 No. of livestock _____
- (☒) Irrigation () Industrial () Municipal
- () Injection () Other, Specify _____
5. Well construction information:
- (☒) New well () Deepen () Replace
- Proposed surface diameter 8" Maximum depth 300 feet
- Anticipated bottom hole temperature:
- (☒) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date August 1989
7. Well Driller (if known) Intermountain Drilling, Inc.
Address Rt 1, Box 312, Priest River, ID 448-1674
8. Applicant's signature Paul B. Burt
Title General Partner
Date 7-14-89

MICROFILMED
OCT 28 1993

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is **APPROVED**.

If approved, this permit authorizes the construction of a well subject to the following conditions:

GENERAL CONDITIONS

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS

Dated this 21 day of July, 19 89.

Signed

Mark S. Dykes

Title

Groundwater Protection Section

Received by C. Hong Fee 100.00 Date 7/20/89

Receipt No. C008435 Construction start extension to _____

Extension approved by _____

FILED
OCT 28 1993

3/89

Drilling Permit No. 96-89-2-007Water Permit No. 96-08548

Injection Permit No. _____

RECEIVED

JUL 20 1989

State of Idaho
Department of Water Resources

DRILLING PERMIT

Department of Water Resources

1. Applicant Westwood Acres
2. Address 200 W 34th #685
Anchorage, AK 99503 Telephone (907) 276-0862
- (☒) Well Owner (☐) Well Operator (☐) Other, specify _____
3. Proposed well location NW 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 35, Twp. 57N, Rge. 3W, County Bonner,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
- (☒) Domestic (☐) Stockwater (☐) Monitoring
No. of households 18 No. of livestock _____
- (☒) Irrigation (☐) Industrial (☐) Municipal
- (☐) Injection (☐) Other, Specify _____
5. Well construction information:
- (☒) New well (☐) Deepen (☐) Replace
- Proposed surface diameter 8" Maximum depth 300 feet
- Anticipated bottom hole temperature:
- (☒) 85°F or less (Cold water well)
(☐) 85°F to 212°F (Low temp. geothermal well)
(☐) 212°F or more (Geothermal well)
6. Anticipated construction start date August 1989
7. Well Driller (if known) Intermountain Drilling, Inc.
Address Rt 1, Box 312, Priest River, ID 448-1674
8. Applicant's signature John B. Burt **MICROFILMED**
Title General Partner
Date 7-14-89 SEP 27 1989

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is **APPROVED**.

If approved, this permit authorizes the construction of a well subject to the following conditions:

GENERAL CONDITIONS

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS

Dated this 21 day of July, 19 89.

Signed

Title

M. H. Dyke
Groundwater Protection Section

Received by

Fee

100.00

Date

7/20/89

Receipt No.

C00 843 5

Construction start extension to

MICROFILMED
SEP 27 1989

Extension approved by

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
July 12, 1989

WESTWOOD ACRES
200 W. 34TH ST. #685
ANCHORAGE, AK 99503

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 96-08548

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please be advised that water quality is subject to regulations of the Idaho Department of Health and Welfare. We suggest that you check with them before starting construction.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

MICROFILMED

SEP 27 1989

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED
SEP 27 1989

Form No. 202a.
4/87

WESTWOOD ACRES
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: AB DATE: 08/06/89 APPLICATION: 96-854/8

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
30 Fee:
☒ yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion:
☐ Field check required: Field check by: _____
☐ Field report attached:
☐ Critical groundwater area:
☐ Groundwater management area:
☐ Send dam safety information:
☐ Send power requirement letter:
☐ Send fish farm requirement letter:
☐ Power residency affidavit:
☐ Power efficiency form:
☐ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED
MAY 23 1989

DATE REQUESTED: _____
Additional information on reverse side:

Department of Water Resources

PROCESSING

YES NO

☒ In form for advertising:
☒ Statewide advertising:
☒ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☒ I.D. Health and Welfare
☐ I.D. Fish and Game
☐ I.D. Lands
☐ Adjudication Bureau

YES NO

☐ U.S. BLM
☐ U.S. Forest Svc.
☐ Water District # _____
☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest 4/3/89
☒ Protests, dates, resolution of protest recorded on application:
☒ Recommendations attached:
☒ Measuring device required:
☒ Measuring port required:
☒ Water delivered by water master? District # _____
☒ Special conditions of approval or cover letter: (see additional info. below)
☒ See Below For Additional Information

Recommended Date of Priority 3/3/89
Recommended by: RJA Date 5/17/89

STATE OFFICE REVIEW P23, P10, P17 46 26

See below for additional information. By kw Date 7/6/89

ADDITIONAL INFORMATION

Overlap Review Conducted _____ yes _____ no (If no, explain) _____

SIGNATOR IS SOLE PARTNER _____

allow 4 yrs. for development -
Hold for list of officials - 6/5/89
kw



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

June 13, 1989

RE: Application for Permit No. 96-8458

Westwood Acres
200 W. 34th #685
Anchorage, AK 99503

Gentlemen:

We have received your application for permit, for domestic and irrigation purposes, from our Northern Regional Office for final review. However, prior to final action being taken on the application we need to have a list of the names and addresses of all officials in this partnership who are entitled to take action in regard to this water right. This is a requirement of the Department's Water Appropriation Rules and Regulations.

Please submit this information within the next thirty (30) days so we can continue processing your application.

Sincerely,

Kay Walker
KAY WALKER
Technical Records Specialist

KW:hm

cc: Northern Region

MICROFILMED

SEP 27 1989

*rec'd response
6/27/89 - see
below app.
KW*



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

May 17, 1989

Idaho Divn. of Environment
2110 Ironwood Parkway
Coeur d'Alene, Id. 83814

Re: 96-8548

Gentlemen:

Enclosed is a copy of a recent filing with this Department that may be of interest to your agency.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms

Enc. - Appln.

MICROFILMED

SEP 27 1989

Celebrate
IDAHO
1890 • CENTENNIAL • 1990

96-08548

WESTWOOD ACRES
200 W. 34TH ST. #685
ANCHORAGE, AK 99503

Source: GROUNDWATER

Diversion Pt: NWNE Sec 35 T 57N R 03W

Use: IRRIGATION (.200 CFS)
DOMESTIC (.200 CFS)

Date Filed: 3/03/1989

In: T57N R03W S35 NWNE

20.0 ACRES TOTAL

MicroFILMED

SEP 27 1989