


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



T-94N


A-10
MICROFILMED
APR 05 1989

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Harold D. Standley
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 175'

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	NA	NA		None	gravity

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon bucket						7-8-96

2. Measurements: 5gallon bucket at standpipes, and also
at home - STANDPIPE AVG 5gall 3.5 sec.
Home 5g/15 sec.


MICROFILMED

NOV 08 1996

PERMIT # 96-08521

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



MISC. PICTURES





MICROFILMED
NOV 08 1996

PERMIT # 96-08521

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



PERMIT # 96-08521

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



STOCKWATER

← 2" PVC SPRING - P.D.
O STOCKTANK




← Developed SPRING for STOCKWATER



Developed SPRING for STOCKWATER
EXCESS - WATER
4" PVC From IRR. SYS.
POND for STOCK

MICROFILMED
NOV 08 1996



-31-91

USD

6 00 104 149120

008157



TRIP 100
100 100 100

MICROFILMED
NOV 08 1996 96-08521

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08521

Priority: May 20, 1988

Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume: 60.8 AF

This is to certify, that HAROLD STANDLEY
CEDAR CREEK HC 1 BOX 2
BAYVIEW ID 83803

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 20, 1988; and
has submitted Proof of Beneficial Use on November 5, 1992. An examination indicates
that the works have a diversion capacity of 0.200 cfs of water from:

SPRINGS tributary to CEDAR CREEK
BRUSH CREEK tributary to CEDAR CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.20 CFS	60.0 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
Totals		0.20 CFS	60.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW, Sec. 11, Township 54N, Range 01W
NWSW, Sec. 11, Township 54N, Range 01W
SWSW, Sec. 11, Township 54N, Range 01W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
54N	01W	11	NWSW 10	SWSW 10		20

Total number of acres irrigated: 20

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.

MICROFILMED
NOV 08 1996

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 96-08521

CONDITIONS OF APPROVAL AND REMARKS

2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Two points of diversion located in NESW, S11, T54N, R1W.
7. Two points of diversion located in SWSW, S11, T54N, R1W.
8. Domestic use is for 1 home.
9. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14th
day of SEPTEMBER, 19 96.

Acting for


KARL J. DREHER, Director

MICROFILMED

NOV 03 1996

RECEIVED

SEP 03 1996

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 96-08521

Date of Priority: May 20, 1988

Maximum Diversion Rate: 0.20 CFS

Maximum Diversion Volume: 60.8 AF

Comes now HAROLD STANDLEY
CEDAR CREEK LANDING
BAYVIEW ID 83803

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the
State of Idaho No. 96-08521, and requests that the permit be changed as follows:

Source: SPRINGS

tributary to CEDAR CREEK

Source: BRUSH CREEK

tributary to CEDAR CREEK

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.20 CFS	60.0 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.20 CFS	60.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 11, Township 54N, Range 01W
NWSW , Sec. 11, Township 54N, Range 01W
SWSW , Sec. 11, Township 54N, Range 01W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
54N	01W	11	NWSW 10	SWSW 10		20

Total number of acres irrigated: 20

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

MICROFILMED
NOV 08 1996

Permit holder asserts that no one will be injured by such change and that such change
will be made at permit holder's own risk.

Signed at Cedar Creek, this 29 day of August, 1996.
Bayview, ID

Harold O. Standley
Signature

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 96-08521

FOR DEPARTMENT USE ONLY

Preliminary check by Klt Fee = \$50⁰⁰ Received by Klt # C036447 Date 9-3-96


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 96-08521 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Two points of diversion located in NESW, S11, T54N, R1W.
7. Two points of diversion located in SWSW, S11, T54N, R1W.
8. Domestic use is for 1 home.
9. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

Witness my hand this 14TH day of September, 1996


Acting for KARL J. DREHER, Director

MICROFILMED
NOV 08 1996

RECEIVED

NOV 05 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY

Amt. of Fee \$ 50.00Date 11-5-92Receipt No. 0025939Receipt by [Signature]

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 96-08521 Telephone No. 208-222-2242
2. Name(s) of Permit Holder(s): Harold D and/or Kathleen J. Standley
3. Mailing Address: Cedar Creek HC 01 Box 02 Bayview ID 83803-9702
4. Source of Water: Brush Creek and 5 Springs

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater 6 Head Cattle (No. and type of stock)

Irrigation 3000 (No. of acres) Other orchard wildlife pond

6. Total rate and/or volume for which proof is submitted .20 cfs OR 0.20 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes No Installed? Yes No

OR
Flow Measurement Port: Required? Yes No Installed? Yes No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Harold D. Standley 208-222-2242
Name Telephone No.

Cedar Creek HC 01 Box 02 Bayview ID 83803-9702
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2 Nov 92
Date

Harold D. Standley
Signature (and title, if on behalf of a company or organization)

DEC 16 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 96-08521

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant HAROLD STANDLEY Phone 509 459-5722
Post office address CEDAR CREEK LANDING BAYVIEW, ID 83803
2. Source of water supply SPRINGS & BRUSH CR. which is a tributary of CEDAR CREEK
3. Location of point of diversion is _____ $\frac{1}{4}$ of NW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 11 Township 54N Range 1W B.M. BONNER County; additional
points of diversion if any: SW SW & NESW Sec 11 T54N R1W
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre feet per annum)
Amount 0.02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre feet per annum)
Amount .20 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre feet per annum)
Amount .20 for POWER PROD purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre feet per annum)
5. Total quantity to be appropriated is (a) .20 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 2 SPRINGS IN SW SW, 1 SPRING IN NW SW, BRUSH CREEK IN NESW
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year).

MICROFILMED

APR 05 1989

8. Description of proposed uses (*if irrigation only, go to item 9*): *Can produce 5.4 kw at 80% efficiency - kw 11/25/88
- a. Hydropower; show total feet of head and proposed capacity in KW. 400' & 1 KW
- b. Stockwatering; list number and kind of livestock. 20 HORSES & CATTLE
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1 HOME
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (*example: D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
54N	16	11										5 P	5 D						20


Total number of acres to be irrigated 20

10. Describe any other water rights used for the same purposes as described above. NONE
11. a. Who owns the property at the point of diversion? APPLICANT
- b. Who owns the land to be irrigated or place of use? _____
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: POWER PRODUCTION - FOR PERSONAL USE

APR 05 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



R-10
MICROFILMED
APR 05 1989

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Harold D. Standley
(Applicant)

Proposed Priority 5/20/88

Received by KK Date 5/20/88 Time 1:00 p Preliminary check by RGH
Fee \$ 30.00 Received by KK # N-114 Date 5/20/88
Publication prepared by [signature] Date 4/7/88 Published in 6/6-20/88
Publication approved [signature] Date 7/19/88 9/15/88 8/18-20/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8521, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1992.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: SEE ATTACHED SHEET FOR CONDITIONS e thru 1.

Witness my hand this 21st day of December, 1988.

A. Glen Saylor

MICROFILMED

APR 05 1989

ATTACHMENT TO CONDITIONS OF APPROVAL
Permit No. 96-8521

- e. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
- f. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
- g. The permit holder shall either install a measuring device or a flow measurement port or provide a certified measurement or computation of flow based upon system design to be prepared by a professional engineer.
- h. This permit is subject to the provisions of Sections 42-205 through 42-210, Idaho Code, restricting the sale, transfer, assignment, or mortgage of this permit. Failure to comply with these provisions is cause for immediate cancellation of this permit.
- i. Water used under this permit if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
- j. This permit does not constitute Idaho Public Utilities Commission or Federal Energy Regulatory Commission approval that may be required
- k. The water right acquired under this permit for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- l. The Director retains jurisdiction of this permit in order to limit the use of water for hydropower generation purposes to a specific term of years as required by Section 42-203B(7), Idaho Code.

Witness my hand this 21st day of December, 1988.

Z. Glen Saxton

MICROFILMED

APR 05 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
AFFIDAVIT FOR WATER RIGHTS TO BE USED
FOR POWER PURPOSES

A. Establishment of Residency: (Complete either 1, or 2).

1. Individual Applicant or Individual Members of a Partnership:

I, HAROLD STANDLEY of BAYVIEW,
(name) (city)

county of BONNER, State of Idaho, being duly sworn, do
hereby certify that I am a bona fide resident of the State of Idaho.

2. Corporation:

I, _____ of _____,
(name) (city)

County of _____, State of Idaho, being duly sworn, depose
and say: That I am the designated registered agent of the _____

_____ : that as such I am in charge of the registered
(name of corporation)

office of the said corporation as required by Section 30-1-12, Idaho Code, at

_____ Idaho, wherein are kept the corporate records required
(city)

by Section 30-1-52, Idaho Code: and that _____
(name of corporation)

is a corporation qualified to do business in the State of Idaho under the laws of
the State of Idaho.

B. Ownership of Facilities: (To be completed for hydropower projects only)

The hydropower facility to be developed pursuant to the attached Application for
Permit:

(check one)

- ☒ Will not utilize existing man-made irrigation facilities such as a dam or a canal.
- ☐ Will utilize existing man-made irrigation facilities such as a dam or a canal, and permission of the owner is documented in an affidavit attached hereto.
- ☐ Will utilize existing man-made irrigation facilities such as a dam or a canal and the owner of the facilities is the signee of this affidavit.

State of Idaho _____)
County of Rockwell) ss.

Harold D Standley
Applicant

On this 20 day of May, 19 88, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

Robert S Haynes
Notary Public residing at

COA

My commission expires:

11/10/92

MICROFILMED

APR 05 1989

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Brenda Berger being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Sandpoint Daily Bee, a newspaper printed and
published at Sandpoint, in Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Logan Notice

as it was published in the regular and entire issue of the
said paper for a period of four consecutive
weeks, commencing on 18th day of Aug. 1988
and ending on the 25 day of Aug. 1988
and that said notice was published in said newspaper.

Brenda Berger

Subscribed and sworn to before me this 31st day
of Aug. 1988

Kim Johnson
Notary Public for Idaho

Residing at Sandpoint, Idaho

MICROFILMED

APR 05 1989

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08534/

HARBUCK, JOHN WESLEY
HARBUCK, SUSAN L. BATES
9870 COLBURN-CULVER RD.
SANDPOINT, ID 83864
Source: SPRING Tributary:
GROUSE CREEK

GROUSE CREEK PACK RIVER
Diversion Pt: NWNWSW Sec 2 T 58N
R 01W

SWNWSW Sec 2 T 58N R 01W
Use: IRRIGATION (.060 CFS)
DOMESTIC (.040 CFS)

Dated Filed: 8/02/1988
In: T58N R01W S02 NWSW
2.0 ACRES TOTAL

96-08533

NACCARATO, ROLAND
NACCARATO, PATTI
N 11613 KING ARTHUR DR.
SPOKANE, WA 99218
Source: SPRING Tributary:
HORNBY CREEK

HORNBY CREEK PEND
OREILLE RIVER
Diversion Pt: NENENE Sec 25 T
57N R 03W

Use: IRRIGATION (.010 CFS)
DOMESTIC (.010 CFS)
Date Filed: 8/09/1988

In: T57N R03W S25 NENE
1.0 ACRES TOTAL

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
Government Way, Suite 9, Coeur
d'Alene, Idaho 83814 on or before
SEPTEMBER 6, 1988.

R. Keith Higginson, Director

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN that
Application for Permit No. 96-08521
in the name of Harold Standley was
advertised incorrectly on June 6 and
23, 1988. The place of use was in-
correctly advertised as T51N R01W
S11 NWSW NWSW SWSW SWSW
SWSW; whereas correctly it should
be T54N R01W S11 NWSW NWSW
SWSW SWSW SWSW.

Protests to the above-referenced
correction must be filed with the
Director, Dept. of Water Resources,
4055 Gov't. Way, Coeur d'Alene, ID
83814 on or before September 6, 1988.

R. Keith Higginson, Dir.

72254 August 18, 25, 1988

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Debbie Edwards being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Sandpoint Daily Bee, a newspaper printed and
published at Sandpoint, in Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the
said paper for a period of two consecutive
weeks, commencing on 16th day of Jun 19 88
and ending on the 23rd day of Jun, 19 88
and that said notice was published in said newspaper.

Debbie Edwards
Subscribed and sworn to before me this 24th day
of June, 19 88.

Kim Johnson

Notary Public for Idaho

Residing at Sandpoint, Idaho

FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08520

INGERSOL, CAL
2280 NEWPORT BLVD.
NEWPORT BEACH, CA 92663
Source: UNNAMED STREAM
Tributary: GOLD CREEK
Diversion Pt: SWNE Sec 29 T 59N R
01E
Use: DOMESTIC (.040 CFS)
Date Filed: 6/06/1988
In: T59N R01E S29 SWNE

96-08521

STANDLEY, HAROLD
CEDAR CREEK LANDING
BAYVIEW, ID 83803
Source: SPRINGS Tributary:
CEDAR CREEK
BRUSH CREEK Tributary: CEDAR
CREEK
Diversion Pt: NESW Sec 11 T 54N R
01W
NWSW Sec 11 T 54N R01W
SWSW Sec 11 T 54N R 01W
Use: IRRIGATION (.200 CFS)
STOCKWATER (.020 CFS)
POWER (.200 CFS)
DOMESTIC (.040 CFS)
Date Filed: 5/20/1988
In: T51N R01W S11 NWSW NWSW
SWSW SWSW SWSW
20.0 ACRES TOTAL

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
Government Way Suite 9, Coeur
d'Alene, ID 83814 on or before JUL
5, 1988.

R. Keith Higginson,
Director

#2115 June 16, 23, 1988

RECEIVED

Department of Water Resources

RECEIVED

JUL 12 1988

Department of Water Resources
Northern District Office

MICROFILMED

APR 05 1989

2115



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 16, 1996

HAROLD STANDLEY
CEDAR CREEK HC 1 BOX 2
BAYVIEW ID 83803

RE: WATER RIGHT NO. 96-08521

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment. Should you have any questions regarding these documents, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED
NOV 08 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 30, 1996

HAROLD STANDLEY
CEDAR CREEK LANDING
HC 01 BOX 02
BAYVIEW ID 83803-9702

RE: WATER RIGHT NO. 96-08521

Dear Water Right Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has actually been developed.

As of this date, I have not received this amendment. If I do not receive the amendment within fourteen (14) days, a Water Right License will be issued for less than could have been allowed. In case the amendment form I sent you has been misplaced, a new one is enclosed. Please note that the filing fee for this amendment is \$50.00.

If you have any questions, please call me at (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED

NOV 08 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 15, 1996

HAROLD STANDLEY
CEDAR CREEK LANDING
BAYVIEW ID 83803

RE: WATER RIGHT NO. 96-08521

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED
NOV 08 1996

MEMORANDUM

TO: File 96-08521

FROM: Sharla

DATE: August 8, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 96-08521 are based on the following.

C. DIVERSION AND DELIVERY SYSTEM

2. Place of Use:

NWSW, S11, T54N, R1W (10 acres)

SWSW, S11, T54N, R1W (10 acres)

H. RECOMMENDATIONS

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	3/15 - 11/15	0.20 cfs	60.0 afa
Stockwater	1/1 - 12/31	0.02 cfs	0.2 afa
Domestic	1/1 - 12/31	0.02 cfs	0.6 afa

The place of use to be licensed is as described on the map attached to the field report.

The rate of diversion for domestic is 0.02 cfs (standard allowed for in-house use only - yard/lawn area is within the 20 acres described for irrigation).

The only measurements taken were made with a 5 gallon bucket. The irrigation system filled the bucket in less than 5 seconds, thus the measurement shouldn't have been made by bucket. However, the extensive photos give a clear indication that water diversions produce at least the amount applied for. The license can be issued for 0.20 cfs.

*Need amendment to reflect 2
points of diversion in NESW.
SWKee
8/15/96*

Examiner: Ted McCracken

Exam date: July 9, 1996

MICROFILMED

NOV 08 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-08521

DATE 8/8/96

REVIEWER: S H A R L A

NAME Change OK

Address Change No

SOURCE Change OK

Is change clarification of originally intended source? Yes

If no, prepare Notice of Intent to Void Yes

POINT OF DIV Change OK

Amendment required yes add 5th pld

PLACE OF USE Change OK

Amendment required No

Does map agree with written description? yes no W 1/2 SW 1/4, not SE 1/4

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate .20 cfs

Fee limit .20 cfs \$5000

Measured — cfs .19 + .04 (5 gal bucket) *

Theoretical — cfs

Recommended Total Div Rate .20 cfs

ANNUAL VOLUME/ NATURE OF USES

— ✓

Use

Irr
Stock
Dom.

Volume Calculation

20 X 3.0 = 60.0 af
.2 (15) af
.6 in house af
— af
SUBTOTAL 60.8 af

Flow rate .20 cfs X 245 days X 1.98 = 97.0 af

Total volume recommended 60.8 af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

2 pld NESW
2 pld SWSW
1 pld NWSW

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

P29 Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed NA

Adjustment Memo *bucket pic. ok
dom. volume
plu written desc.

1st Amend Letter —

2nd Amend Letter —

P39, P38
P42

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 22 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08521

1. Owner: Harold Standley Phone No. (509) 459-5722

Current Address: Cedar Creek Landing Bayview Id 83803

2. Accompanied by: Owner - Harold Standley EXAM DATE: 7-9-96

Address: Same as above Phone No. " "

Relationship to Permit Holder: owner

3. Source: Brush Creek - Springs tributary to Cedar Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SW	11	S4N	01W	Bonner	USGS 7.5 QUAD
			NW	SW	11	S4N	01W	" "	" "
			SW	SW	11	S4N	01W	" "	" "


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
S4N	01W	11															10	10	20

MICROFILMED
NOV 08 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	NA	NA		None	gravity

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon bucket						7-8-96

2. Measurements: 5 gallon bucket at standpipes, and also
at home - STANDPIPE AVG 5gall 3.5 sec.
Home 5g/15 sec.

MICROFILMED

NOV 08 1996

E. NARRATIVE/REMARKS/COMMENTS

Water from Bush Creek is dammed then diverted via 4 in PVC to various 1" stand pipes (see system diagram) + 2" stand pipes this water is used for irrigation and supplements 3500 gall storage in cistern in dry times. Water from spring is diverted via 4 in PVC to 3500 gallon cistern then 1300' of 1/2" PVC to home and 1 in 2 inch stand pipe overflow from cistern is used for stockwater. pond and various springs (also see diagram) are for stockwater. Owner did not develop power for economic reasons.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
NOV 08 1996

F. FLOW CALCULATIONS

Measured Method: 5 gal bucket

____ Additional Computation Sheets Attached

$$\text{IRR system } 5 \text{ gal} / 3.5 \text{ sec} = .19$$

$$\text{Dom sys } 5 \text{ gal} / 15 \text{ sec} = .04$$

G. VOLUME CALCULATIONS**1. Volume Calculations for Irrigation:**

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 20 \times 3.0 = 60$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .20 \times 245 \times 1.9835 = 97.2$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses:

$$15 \text{ cows} \times 12 \text{ gpd} \times 365 = \frac{65700 \text{ gpy}}{325.850} = 20 \text{ AP}$$

H. RECOMMENDATIONS**1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	03-15	11-15	0.19	60
Stockwater	01-01	12-31	0.02	0.20
Domestic	01-01	12-31	0.04	1.20
Totals:			0.19	61.40

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Red McCracken Date 7/15/96

Reviewer _____ Date _____

SEAL

MICROFILMED






NOV 08 1996

PERMIT # 96-08521

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



MISC. PICTURES





MICROFILMED
NOV 08 1996

PERMIT # 96-08521

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



PERMIT # 96-08521

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



STOCKWATER


SPRING - P.D.

← 2" PVC STOCKTANK

← Developed SPRING for STOCKWATER



Developed SPRING for STOCKWATER
EXCESS - WATER
4" PVC FROM TRR, SYS
MICROFILMED
NOV 0 8 1976
POND for STOCK



31-91

USD

6 81104

491



MICROFILMED
NOV 08 1986 96-08521

November 6, 1992

HAROLD STANDLEY
CEDAR CREEK LANDING
BAYVIEW ID 83803

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08521

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

DEC 16 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 96-08521

Reviewed by klg

Date 11/5/92

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

domestic - 1 6-Stock
irrigate - 20 pond
Correct Uses? yes

SOURCE OF WATER

✓ Surface water source
Ground water source

NA Drilling permit required?
Copy in the file? Drilling Permit No. _____
Amount paid for permit _____ Correct?
Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
Installed?
Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority Date _____ + _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address _____

Proof Made 11/5/92
11/6/92 klg

September 30, 1992

HAROLD STANDLEY
CEDAR CREEK LANDING
BAYVIEW ID 83803

PROOF DUE NOTICE

RE: PERMIT NO. 96-08521

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED

DEC 16 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 96-8521
Name(s) of Permit Holder(s): Harold Standley
Post Office Address: Cedar Creek Landing
Bayview Id 83803 Tel. No. 509-459-5722

☒ I hereby certify that construction of diversion works for the above referenced permit began on 30 May 1989. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason Beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

6-5-89
Date

Harold D. Standley
Signature of Permit Holder

HAROLD STANDLEY
CEDAR CREEK LANDING
BAYVIEW, ID 83803

RECEIVED

JUN 07 1989

Bread Wagon 1880s
25 USA



JUN 5 1989
PM



Department of Water Resources

MICROFILMED

83803

DEC 16 1992

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

December 29, 1988

RE: Permit No. 96-8521

Harold Standley
Cedar Creek Landing
Bayview, ID 83803

Dear Permit Holder(s):

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the final page.

Please be advised that prior applications for permit have been filed to appropriate water from your source which may impact the availability of water to be used under this permit. Therefore, you should be sure to analyze the impact of these rights before making a major investment into your water use project.

Please be advised that your application for permit has been approved because we no longer wait for approval from the Federal Energy Regulatory Commission (FERC) or the Idaho Public Utilities Commission (PUC) when the flow is less than 25 cfs and the power to be generated is less than 500 HP. However, you may still need to obtain approval from FERC and/or PUC.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port, or to provide a certified measurement or computation of flow based upon the design of the system to be prepared by a professional engineer.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,
Gary Spackman
GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS:ky

Enclosures

MICROFILMED

APR 05 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY RyA

DATE 5/1/88

APPLICATION NUMBER 96-08521

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt


ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion
☐ Yes ☐ No Field check required
Field check by _____
☐ Yes ☐ No Field report attached
☐ Yes ☐ No Critical groundwater area
☐ Yes ☐ No Groundwater management area
☐ Yes ☐ No Send dam safety information
☐ Yes ☐ No Send power requirement letter
☐ Yes ☐ No Send fish farm requirement letter
☐ Yes ☐ No Power residency affidavit
☐ Yes ☐ No Power efficiency form
☐ Yes ☐ No Within trustwater boundary (If yes, attach trustwater supplementary analysis sheet.)
☐ Yes ☐ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

Department of Water Resources



PROCESSING

☐ Yes ☐ No In form for advertising
☐ Yes ☐ No Statewide advertising
☐ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 7/5/88
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☒ No Special conditions of approval or cover letter below. _____

☐ See below for additional information
Date of priority recommended 5/20/88
By RNF Date 7/21/88

STATE OFFICE REVIEW

PH, P18, P19, P17 26 04 01F 08A 09E 17K 17M

☐ See below for additional information
By KW Date 11/25/88

ADDITIONAL INFORMATION

allow 4 years for B/u development -

POWER CALCULATIONS FOR APPLICATION NO. 96-8521

1.
P = Kilowatts .74 X hp
Q = cfs .20
H = feet 400'
e = efficiency

- none →
- ✓ 1.) Affidavit of Residency
 - ✓ 2.) Ownership of Facilities
 - N/A 3.) *Financial Ability
 - 7.) Feasibility of Project
 - a. Plans, drawings
 - b. Economic analysis
 - N/A 5.) *Compliance w/FERC
 - *Only for projects of more than 25 cfs or more than 500 horsepower.

$$e = \frac{P(11.8)}{QH} = \frac{1(11.8)}{.2 \times 400} = \frac{11.8}{80} = 0.14 \text{ --- LOW}$$

$$P = \frac{QHe}{11.8} = \frac{.2 \times 400 \times .8}{11.8} = 5.4 \text{ kW @ 80\% eff.}$$

Based on the above calculations the proposed project must have an _____ % efficiency.

OVERLAP REVIEW

P/D 96-2119 (NWSW) - Lic. - Brush CR.

P/U 96-2119 - irrig., domestic

BYPASSED AREA

use P14 in cover letter -

RECORDED

APR 05 1989

kw
11/25/88

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN that Application for Permit No. 96-08521 in the name of Harold Standley was advertised incorrectly on June 6 and 23, 1988.

The place of use was incorrectly advertised as T51N R01W S11 NWSW NWSW SWSW SWSW SWSW; whereas correctly it should be T54N R01W S11 NWSW NWSW SWSW SWSW SWSW.

Protests to the above-referenced correction must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or before September 6, 1988.

R. KEITH HIGGINSON, Dir.

Published in the Sandpoint Bee on 8/18 & 25/1988.

MICROFILMED

APR 05 1989

FROM

Kay thru Jim

TO

Northern

SUBJECT

App. 96-8521

RECEIVED

AUG 1 1988

Department of Water Resources
Northern District Office

DATE 7-26-88

Map & P/D show land in
Twp. 54N — P/U legal show land
in Twp. 51N (and was advertised
that way)

Please correct & re-advertise

Pr Pat?

Kay

APR 05 1989

SIGNATURE

96-08521

STANDLEY, HAROLD
CEDAR CREEK LANDING
BAYVIEW, ID 83803

Source: SPRINGS
BRUSH CREEK

Tributary: CEDAR CREEK
CEDAR CREEK

Diversion Pt:	NESW	Sec 11 T 54N R 01W
	NWSW	Sec 11 T 54N R 01W
	SWSW	Sec 11 T 54N R 01W

Use: IRRIGATION	(.200 CFS)
STOCKWATER	(.020 CFS)
POWER	(.200 CFS)
DOMESTIC	(.040 CFS)

Date Filed: 5/20/1988

In: T51N R01W S11

NWSW
SWSW

NWSW

SWSW

SWSW

20.0 ACRES TOTAL

*changed
on computer
9/15/88*

MICROFILMED

APR 05 1989