



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


MICROFILMED

AUG 18 1988

x Cal Ingersoll
(Applicant)


SEP 16 1997

MONOTILED



T. 59N, R. 01E.

96-08520



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT



OTOGR
P.D. #1 Concrete Cistern
Concrete Holding Tank



PLACE OF USE



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08520

Priority: June 6, 1988

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that CAL INGERSOLL
150 MEADOWOOD RD
SANDPOINT ID 83864

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 6, 1988; and
has submitted Proof of Beneficial Use on July 5, 1990. An examination indicates
that the works have a diversion capacity of 0.020 cfs of water from:

UNNAMED STREAM

tributary to GOLD CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 29, Township 59N, Range 01E
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

59N 01E 29

SWNE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30th
day of JUNE, 1992.

Acting for  KARL G. DREHER, Director

SEP 10 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT)
NO. 96-08520 IN THE NAME OF)
CAL INGERSOLL)
_____)

**ORDER GRANTING PETITION FOR
RECONSIDERATION AND
RESCINDING PRELIMINARY ORDER
TO VOID PERMIT**

This matter having come before the Department of Water Resources (Department) as a petition to reconsider the order to void a permit to appropriate water, the Department makes the following Findings of Fact, Conclusions of Law, and Order:

FINDINGS OF FACT

1. On November 14, 1994, the Department issued a preliminary order (order) to void water right permit no. 96-08520 (permit), issued in the name of Cal Ingersoll (permit holder), because the Department was not able to confirm that water had been diverted and applied to a beneficial use in accordance with the permit.

2. On November 29, 1994, the Department received a petition for reconsideration of the preliminary order.

3. On May 15, 1997, Department staff conducted a field inspection and determined the permit holder had established a water use in accordance with the permit.

CONCLUSIONS OF LAW

1. Section 67-5243(3), *Idaho Code*, provides in pertinent part as follows:

Unless otherwise provided by statute or rule, any party may file a motion for reconsideration of a recommended order or a preliminary order within fourteen (14) days of the issuance of that order. The presiding officer shall render a written order disposing of the petition.

2. The Department received a timely petition for reconsideration of the preliminary order to void the permit.

3. The permit holder has established a water use in accordance with the permit.

SEP 16 1997


4. The Department should grant the petition for reconsideration of the permit pursuant to Section 67-5243(3), *Idaho Code*.

5. The Department should rescind the preliminary order to void the permit.

ORDER

IT IS HEREBY ORDERED that the petition for reconsideration of the preliminary order to void water right permit no. 96-08520 is **GRANTED** pursuant to Section 67-5243(3), *Idaho Code*. IT IS FURTHER ORDERED that the preliminary order to void permit no. 96-08520 is **RESCINDED** and the permit is **REINSTATED**.

Dated this 30th day of June, 1997.



L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED
SEP 16 1997

BEFORE THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT	)	
	)	
NO. 96-08520 IN THE NAME	)	PRELIMINARY ORDER VOIDING
	)	PERMIT
OF CAL INGERSOLL	)	
_____	)	

This matter having come before the Department of Water Resources (Department) as a result of an examination by Department staff to determine the extent of beneficial use of water, the Department makes the following Findings of Fact, Conclusions of Law, and Order:

FINDINGS OF FACT

1. On June 6, 1988, Cal Ingersoll (permit holder) applied to the Department of Water Resources for a permit to appropriate 0.04 cubic feet per second of water from an unnamed stream, tributary of Gold Creek, within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Section 29, Township 59N, Range 1E, B.M., Bonner County, to be used for domestic purposes.

2. On August 3, 1988, the Department approved the Application for Permit.

3. On July 5, 1990, the permit holder submitted Proof of Beneficial Use for the permit.

4. On June 22, 1994, Department staff attempted to conduct a field examination and was not able to complete the examination to determine any beneficial use of water since the land owner denied access to department staff.

5. The provisions of Section 42-219, Idaho Code, authorize the Director of the Department to void permits for which the applicant has not fully complied with the law and the conditions of the permit.

CONCLUSIONS OF LAW

1. Section 42-219, Idaho Code, provides, in part, as follows:

In the event that the Department shall find that the applicant has not fully complied with the law and the conditions of the permit, it may issue a license for that portion of the use which is in accordance with the permit, or may refuse issuance of a license and void the permit.

2. Permit No. 96-08520 required that the permit holder complete construction of works and apply to the proposed beneficial use within the authorized permit period.


3. Examination by the Department revealed that the permit holder has not complied with the conditions of the permit and has not applied the water to the proposed beneficial use as required by the permit and Section 42-219, Idaho Code.

4. The Department should void the permit pursuant to Section 42-219, Idaho Code.

ORDER

IT IS HEREBY ORDERED that Permit No. 96-08520 is **VOIDED** and issuance of a license is **REFUSED** as authorized in Section 42-219, Idaho Code.

Dated this 14th day of November, 1994.



L. GLEN SAXTON
Chief, Water Allocation Bureau


NOV 16 1994

SEP 16 1997

CERTIFICATE OF MAILING

I HEREBY CERTIFY that on this 15th day of November, 1994, I mailed a true and correct copy, postage prepaid, of the foregoing Preliminary Order to the following:

Cal Ingersoll
c/o J D Culwell
150 Meadowood Rd.
Sandpoint ID 83864



Donna L. Corless
Clerical Specialist

RECORDED

SEP 16 1997

RECEIVED
JUL 5 1990

no fee encl.
Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

75-8-10-90

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-8520 Telephone No. NA

Name(s) of Permit Holder(s): Carl Ingersoll

Post Office Address: 150 Meadowood Rd 83864 Sandpoint Ida

Source of Water: Spring

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:

Domestic ☒ (No. of households)

Irrigation 14 (No. of acres)

Stockwater ☒ (No. and type of stock)

Other Fire Fighting

1 horse 9 chickens
several Rabbits later on 2 cows

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: _____

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☒ Yes ___ No Installed? ___ Yes ___ No

OR

Flow Measurement Port: Required? ___ Yes ___ No Installed? ___ Yes ___ No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Carl Ingersoll NA
Name Telephone No.

150 Meadowood Rd Sandpoint Ida
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

7/2 / 90
Date

Carl Ingersoll
Signature (and title if on behalf of a company or organization)

SEP 16 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant CHL INGRESSOLL Phone 714-673-7591
Post office address 2280 NEWPORT BLVD, NEWPORT BEACH, CA. 92663
2. Source of water supply UNNAMED STREAM which is a tributary of GOLD CR.
3. Location of point of diversion is N² $\frac{1}{4}$ of SW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 29 Township 59N Range 1E B.M. BONNER County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. STALLING WELL BESIDE
STREAM, PUMP & PIPELINE
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

MICROFILMED

AUG 18 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 1
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
59N	15	29			D														

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APP


b. Who owns the land to be irrigated or place of use? APP

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: DOMESTIC FOR HOUSEHOLD, STOCK, LAWN & GARDEN

RECORDED

AUG 18 1988



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED

AUG 18 1988

x *Cal Ingersoll*
(Applicant)

Proposed Priority 6/6/88
Received by JK Date 6/6/88 Time 10:00 AM Preliminary check by RBA
Fee \$ 30.00 Received by pm # N 190 Date 6/6/88
Publication prepared by pm Date 6/8/88 Published in 6/16/88
Publication approved pm Date 7/11/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8520, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 3rd day of August, 1988.

[Signature]
Director

MICROFILMED

AUG 18 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 1, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CAL INGERSOLL
150 MEADOWOOD RD
SANDPOINT ID 83864

RE: WATER RIGHT NO. 96-08520

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license along with an order granting your petition for reconsideration and rescinding the preliminary order to void permit that was issued March 14, 1994. The license confirms that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 1st day of July, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 96-08520

CAL INGERSOLL
150 MEADOWOOD RD
SANDPOINT ID 83864


Kari Lynn Townsend
Secretary

FILED

SEP 18 1997

DATE: 06/26/97
PAGE: 1

Audit: 06/26/97 SCURTIS

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-08520

DATE 6/26/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>—</u> <u>NO ASSIGNMENTS</u> <u>ISSUE TO INGERSOLL</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u> Amendment required <u>NO</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.04</u> cfs	
Fee limit	<u>.04</u> cfs	NO FEE PD. OR REQD AT TIME OF P/U PROCESSING
Measured	<u>—</u> cfs	
Theoretical	<u>.01</u> cfs	.02 @ 10' lift and 40 psi
		Recommended Total Div Rate <u>.02</u> cfs

ANNUAL VOLUME/
NATURE OF USES —

<u>✓</u> Use	<u>Dom</u>	Volume Calculation
		<u>1.2</u> af
		<u>—</u> af
		<u>—</u> af
		<u>—</u> af
	SUBTOTAL	<u>1.2</u> af

Flow rate .02 cfs X 365 days X 1.98 ~~af~~ = 14.5 af
 Total volume recommended 1.2 af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

D/I home.
—
—

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

— Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo —

1st Amend Letter N/A
 2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
RECEIVED BENEFICIAL USE FIELD REPORT
JUN 12 1997

Permit No. **96-08520**

A. GENERAL INFORMATION

1. Owner: Clay Warner Phone No. (208) 265-9605
Current Address: 150 Meadowood Rd Sandpoint, Id. 83864
2. Accompanied by: Clay Warner EXAM DATE: 5-15-97
Address: SAME AS ABOVE Phone No. SAME AS ABOVE
Relationship to Permit Holder: Permit holder - Property owner
3. Source: Unnamed stream tributary to Gold Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None
2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
<u>RD #1</u>			<u>SW</u>	<u>NE</u>	<u>29</u>	<u>59N</u>	<u>01E</u>	<u>Bonner</u>	<u>U.S.G.S. 7.5' QUAD, site visit</u>


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
<u>59N</u>	<u>01E</u>	<u>29</u>			<u>D.</u>														<u>Domestic</u>

PROPOSED LINE
SEP 16 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model# Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
PD.#1	Shurflo	.25	2088	shurflo	3/4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: * See Theoretical Calculation

RECEIVED

SEP 16 1997

E. NARRATIVE/REMARKS/COMMENTS

System Consist of a .25 HP Shurtlo pump that pumps water to a 1600 gallon Holding Tank. From the Holding tank another .25 HP Shurtlo Pump pumps to the home. the intake and discharge lines are both ~~2~~ 3/4" Black P.V.C. It is Approximately 300 ft. from the 2" diameter Concrete cistern to the Holding tank.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
SEP 16 1997

F. FLOW CALCULATIONS

Measured Method:

~~X~~ Additional Computation Sheets Attached
* See Theoretical Calculation

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1 Domestic HOME, .02 cfs @ 1.2 acft.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-01	12-31	.02	1.2
Totals:			.02	1.2

2. Recommended Amendments

___ Change P.D. as reflected above

___ Add P.D. as reflected above

___ None

___ Change P.U. as reflected above

___ Add P.U. as reflected above

~~X~~ Other

* New Owner

I. AUTHENTICATION

Field Examiner's Name

Harman J. Gough Date 5-19-97

Reviewer _____

Date _____

SEAL

RECORDED

SEP 16 1997

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 96-08520

DATE: 19-MAY-97

COMPLETE BY: HERM

HORSEPOWER = .25

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 35 FEET


SYSTEM PRESSURE = 55 PSI

QUANTITY = 0.01 CFS

REC'D
SEP 16 1997

Topographic map of a section of Kaniksu National Forest. The map features contour lines indicating elevation, a grid system, and various geographical features. Key labels include "Kaniksu National Forest", "Gold Creek", "Lightning Peak", and "Grouse Creek". A large rectangular area is outlined in black, with a smaller square inside it. Handwritten text at the bottom reads "T. 59N, R. 01E." and "96-08520". The map also shows various elevation points and grid coordinates.

96-08520



Sandpoint it is approx 18 mi
from sand point to Cabin.

8.4 mi from No. side Sch. to Cabin.

Pack R. Bridge to Gold CK turn 0.8 mi.

When you come to about 10 mail boxes on left
on Meadowood, a green house on left just past this is a

log house on Bank to Rt just past this is cattle guard
go left across meadow - enter woods there are 3 forks


In Rd 182 go Rt 3rd go left & will come

into Cabin - See inset - when you get on Gold CK Rd
1st turn to Rt 1st green gate* off rd. on Rt. (Yd sign

is down) sign in meadowood is on left also has 2 Real estate signs on it, very small sign
& 2 Mail Boxes below -


go No. on 200 7 mi to
Colburn Colver Rd sign - go left
Past Naside Sch. Past Pack R. to Gold
CK Rd 5 mi - go Rt to Meadowood Rd
1.9 mi small sign - go left for 1.3 mi
Past green house on left. small bldg on Rt
just past this - is cattle guard just across
go left 1 mi to cabin. Follow Pack Rd
Couple of forks keep Rt; go down a
small hill at bottom, Rd makes
a sharp elbow to Rt over culvert
just before Culvert Rd to left
this is my Rd 3 mi to Cabin
it is 1 mi from cattle guard
to Cabin.

SEP 13 1971




STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPH



P.D. #1 Concrete Cistern
Concrete Holding Tank

PLACE OF USE





State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615

(208) 769-1450

~~(208) 769-1450~~ ~~Fax (208) 769-1454~~

Fax (208) 769-1454

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

July 12, 1993

Cal Ingersoil
2280 Newport Blvd
Newport Beach CA 92663

Subject: Field Examination

Dear Permit Holder: Permit # 96-08520

The Department of Water Resources is now ready to conduct a field examination of your Water Right Permit as a part of the final licensing process.

I will be contacting you soon to arrange a convenient time for you to be present when this field exam is made. If it is not possible for you to be present at the field exam, we will need to obtain directions to your property.

I will call you within ten days of the date of this letter. If the phone number that was submitted on your Beneficial Use Statement has changed, please contact our Department to insure that the processing of your water right permit can be completed.

If you have any other questions, please contact this office.


Sincerely,

JON M. KUNZ
Water Right Examiner

JMK/pms

RECEIVED

SEP 16 1993



R. KEITH HIGGINSON
Director

Cal Ingersoll
150Meadowood Rd
Sandpoint ID 83864

Subject: Field Examination

Dear Permit Holder: Permit # 96-08520

The Department of Water Resources is now ready to conduct a field examination of your Water Right Permit as a part of the final licensing process.

I will be contacting you soon to arrange a convenient time for you to be present when this field exam is made. If it is not possible for you to be present at the field exam, we will need to obtain directions to your property.

I will call you within ten days of the date of this letter. If the phone number that was submitted on your Beneficial Use Statement has changed, please contact our Department to insure that the processing of your water right permit can be completed.

If you have any other questions, please contact this office.

Sincerely,

Jon M. Kunz
JON M. KUNZ
Water Right Examiner

JMK/pms

SEP 16 1937

November 25, 1994

Jim Johnson, Manager
Water Right Permits Section
State of Idaho, Department of Water Resources
1301 North Orchard Street
Boise, ID 83720-9000

RECEIVED

NOV 29 1994

Department of Water Resources

Re: Permit No. 96-08520
Preliminary Order Voiding Permit

Dear Mr. Johnson:

I have received your letter and accompanying order to void the above mentioned permit. In the Order, Findings Of Fact numbered one through three are correct to the best of my knowledge. Finding Of Fact number four is in error.

On June 22, 1994, I received a phone call from someone identifying themselves as being associated with your department. I was questioned about a permit for water usage that I did not know existed and responded to the caller that I was getting my water from a drilled well that is on the property and that has all the proper permits.

At no time during the telephone call did I deny access for an inspection, I merely stated that I wanted to be present when and if an inspection took place. The caller said that he would look into this matter and get back with me. I was never contacted again and therefore assumed the matter was taken care of.

It wasn't until I received these documents did I realize what the caller was referring to as far as the water permit and applied to on my property. Cal Ingersoll buried concrete rings adjacent to a seasonal creek. We pump out of this holding tank occasionally to water our lawn, garden, and livestock during the summer months. It is for these reasons that I would like to keep this permit valid.

In reference to Conclusion Of Law number three, I feel that the examination by the department was inaccurate and incomplete and had no way of determining that the conditions of the permit had not been fulfilled other than receiving a very confusing phone call.

I am not familiar with the law or guidelines associated with this permit, and am requesting copies of all documents submitted by Cal Ingersoll to your department and any and all replies that are relevant in this matter.

I look forward to hearing from you regarding this matter.

Sincerely,



J.D. Culwell
150 Meadowood Road
Sandpoint, ID 83864
(208) 263-8875 home
(208) 263-4788 work


RECEIVED

SEP 16 1997

MEMORANDUM

Date: January 23, 1995
From: Jim Johnson
To: Bob Haynes
Subject: Returned Examination report

=====



Attached is background information for my returning the field examination for additional follow-up. If you have any questions let me know.

RECEIVED
SEP 16 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-8520 DATE 10-31-94



	Yes	No	
NAME	___	___	Or Address Change? _____
PRIORITY DATE	___	___	Advance? ___ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? _____
SOURCE	___	___	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	___	___	Amendment needed? _____ Overlaps? _____
PLACE OF USE	___	___	Amendment needed? _____ Overlaps? _____
DIV RATE	___	___	Permit/fee limits: _____ Meas Q = _____ Theo Q = _____ Recommend: _____ _____ Combined rates exceed capacity _____
ANNUAL VOLUME	___	___	Season of use: _____ Calculations: _____ _____ Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	___	___	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
REMARKS	___	___	Multiple p/d(s) in ¼ ¼? _____ Other _____
CONDITIONS	___	___	Measuring/Locking Devices Watermaster control - District _____ Irrigation Overlap Water Quality Other _____ Heat/Cool/ Fish verified _____

COMMENTS:

RECOMMEND VOIDING PERMIT / NO B/U found.
SEND to MR. INGERSOL c/o J.D. CULWELL

RECOMMENDED	CFS	VOL	SRBA Claim Filed
_____	_____	_____	Adjustment Memo Needed _____
_____	_____	_____	
_____	_____	_____	LICENSE _____
_____	_____	_____	1ST AMENDMENT LETTER _____
_____	_____	_____	FINAL AMENDMENT LETTER _____

MEMORANDUM

Date: January 23, 1995
From: Jim Johnson
To: File 96-08520
Subject: Response to Preliminary Order and follow-up

=====

Mr. Culwell responded to the Preliminary Order sent to him on November 25, 1994. Based upon his response I am returning the field examination report to Northern Region for an re-examination.

REC'D
SEP 16 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

January 23, 1995

R. KEITH HIGGINSON
DIRECTOR

J D Cudwell
150 Meadowood Road
Sandpoint, Id 83864

Re: Permit no. 96-08520

Dear Mr. Cudwell;

I received your November 25, 1994 letter and I am finally getting around to responding. I apologize for the delay.

I am returning the field examination report to our Northern Regional office with a request to do a re-examination of the water used under your permit. I cannot tell you for sure when they will contact you for the inspection. If you have any questions you may want to call them. Their phone number is 208 785-4639.

Sincerely,

A handwritten signature in dark ink, appearing to be 'Jim Johnson', written over a horizontal line.

Jim Johnson, Manager
Water Permits Section

RECORDED

SEP 16 1997

November 25, 1994

Jim Johnson, Manager
Water Right Permits Section
State of Idaho, Department of Water Resources
1301 North Orchard Street
Boise, ID 83720-9000

RECEIVED

NOV 29 1994

Department of Water Resources

Re: Permit No. 96-08520
Preliminary Order Voiding Permit

Dear Mr. Johnson:

I have received your letter and accompanying order to void the above mentioned permit. In the Order, Findings Of Fact numbered one through three are correct to the best of my knowledge. Finding Of Fact number four is in error.

On June 22, 1994, I received a phone call from someone identifying themselves as being associated with your department. I was questioned about a permit for water usage that I did not know existed and responded to the caller that I was getting my water from a drilled well that is on the property and that has all the proper permits.

At no time during the telephone call did I deny access for an inspection, I merely stated that I wanted to be present when and if an inspection took place. The caller said that he would look into this matter and get back with me. I was never contacted again and therefore assumed the matter was taken care of.

It wasn't until I received these documents did I realize what the caller was referring to as far as the water permit and applied to on my property. Cal Ingersoll buried concrete rings adjacent to a seasonal creek. We pump out of this holding tank occasionally to water our lawn, garden, and livestock during the summer months. It is for these reasons that I would like to keep this permit valid.

In reference to Conclusion Of Law number three, I feel that the examination by the department was inaccurate and incomplete and had no way of determining that the conditions of the permit had not been fulfilled other than receiving a very confusing phone call.

I am not familiar with the law or guidelines associated with this permit, and am requesting copies of all documents submitted by Cal Ingersoll to your department and any and all replies that are relevant in this matter.

I look forward to hearing from you regarding this matter.

Sincerely,



J.D. Culwell
150 Meadowood Road
Sandpoint, ID 83864
(208) 263-8875 home
(208) 263-4788 work

NOV 29 1994

SEP 16 1997



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

November 14, 1994

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

CAL INGERSOLL
C/O J D CULWELL
150 MEADOWOOD RD
SANDPOINT ID 83864

RE: Permit No. 96-08520

Dear Permit Holder:

The accompanying order is a "preliminary order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the department unless a party petitions for reconsideration within fourteen (14) days after issuance as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the hearing officer within fourteen (14) days of the service date of this order. The hearing officer will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the agency.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Director.

RECEIVED
SEP 16 1997

The Director retains the right to review the preliminary order on his own motion.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final

order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

August 13, 1990

CAL INGERSOLL
2280 NEWPORT BLVD.
NEWPORT BEACH, CA 92663

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08520

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

SEP 16 1990

RECEIVED

JUL 5 1990

Department of Water Resources

Sand point
7/2/90

Idaho Dept of
Water Resources.

Sirs:

Please find on the Permit form
of proof. I have put in a pump sump
approx 10' from spring pond. & am
capable of pumping out of it (have test
pumped it)

I will be out of state from
7/15 to 8/1/90 thereafter will
be on premises all the time, except on
each Tuesday as that is my going
to town day, am mostly back by 2pm
if you drop a line a few days ahead of
your inspection I would be sure to
be home, I hope the form is filled out
OK some of it is hard to understand.

B could send
you photos of digging
sump putting in

Sincerely

Cal H Ingersoll

MICROFILM

SEP 16 1997

casing it if 150 meadowood Rd

would help -

Sand point Ida 83864



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

RECEIVED

JUN 21 1990

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 31, 1990

CAL INGERSOLL
2280 NEWPORT BLVD.
NEWPORT BEACH, CA 92663

Department of Water Resources

PROOF DUE NOTICE

RE: PERMIT NO. 96-08520

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

SEP 16 1990

DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED
JUN 21 1990

BOISE, IDAHO
MAY 31 1990
5130
6316403

Department of Water Resources
INGE280 92800 003 1389 06/16/90
FORWARDING TIME EXPIRED
INGERSOLL, CAL H
PO BOX 523
SANDPOINT ID 83864
RETURN TO SENDER

CERTIFIED MAIL
NO. 138896

138896

138894
May 31, 1990

CAL INGERSOLL
2280 NEWPORT BLVD.
NEWPORT BEACH, CA 92663

PROOF DUE NOTICE

RE: PERMIT NO. 96-08520

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

138894

SEP 18 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 30, 1990

RE: Permit No. 96-8520

Cal Ingersoll
150 Meadowood Rd.
Sandpoint, ID 83864

Dear Mr. Ingersoll:

We are in receipt of your letter of May 19, 1990. Please be advised that you can submit the enclosed proof of beneficial use form anytime before August 1, 1990. Once the beneficial use form is submitted, a representative from the Department will inspect the system you have developed under your permit. A water right license will be issued on the field examiner's findings following the inspection of your water development.

In answer to your question about the amount of water 0.04 cfs is, be advised that there are 448.8 gallons per minute in 1 cfs. Therefore, $0.04 \text{ cfs} \times 448.8 \text{ gpm} = 18 \text{ gpm}$ which would be 1077 gallons per hour. There is no examination fee required for a system of this size.

If you have any further questions regarding your water right, please feel free to contact this office or our regional office in Coeur d'Alene.

Sincerely,

KAY WALKER
Technical Records Specialist

KW:k

Enclosure: Proof of Beneficial Use Form & Instructions

SEP 16 1990

SEP 16 1990

5/19/90

Idaho Dept of Water Resources

Boise Idaho

RECEIVED
MAY 24 1990

Sirs:

Department of Water Resources

I made application for a water permit

#96-08520 Aug 8/88

I have put in a pump well & am capable of taking water, I have a holding tank & a pump for water line w/ pump

It seems every time I contact you folks there is something more you want of me. I would like to get it finished up -

also have asked several times the 0.04 cfs per sec. what does it mean in gallons per hr?

Please advise me, I will be gone last part of July for 2 weeks

I say again it seems after this long I should be having the permit or no -

Sincerely

MICROFILMED

SEP 16 1987

Cal Ingersoll
150 meadowood Rd
Sand point Ida 83864



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 14, 1989

RE: Permit No. 96-8520

Cal Ingersoll
Box 523
Sandpoint, ID 83864

Dear Mr. Ingersoll:

We are in receipt of your letter of August 31, 1989. Please be advised that your water right is in good standing.

If you have completed the system that you intended, you may submit proof of beneficial use which will indicate to our Department that you are prepared to have your system examined. I am enclosing a "proof" form for your convenience. You are allowed until August 1, 1990 to develop your system. If you have more modifications to make on your system, you should wait to submit your "proof" until the system is completed.

I hope this answers all of your questions. If not, please feel free to contact this office or our office in Coeur d'Alene.

Sincerely,

KAY WALKER
Technical Records Specialist

KW:sc

Enclosure

SEP 18 1989

Aug 31 / 89

RECEIVED

SEP 07 1989

Dept of water Resource.

Boise Ida.

Department of Water Resources

Sir;

I am writing in re: water permits
H 96-08520 to let you know I have
put in a exploratory well point at water
site and have put in a 15' deep pump
cased with 2' x 2 1/2' cement sleeves -

I hit a fair stream of water at about
7' below spring pond level. I have
a 1 1/2" portable pump & a over ground
pipe line which I will not use in winter
as I need the water supply for fire protection
& garden water in summer

Hope this full fills the permits
& hope to receive your reply soon -

END REPLY

SEP 16 1989

Sincerely
Cal Orsmond
Box 523 Sandpoint Ida
83864

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 96-08520
Name(s) of Permit Holder(s): Cal Ingersoll
Post Office Address: Box 523 Sandpoint 83864-0523
Tel. No.

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on 7-1-89 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

7/24/89
Date

Cal Ingersoll
Signature of Permit Holder

Ongersoll

Box 523

Sandpoint Ida 83864-0423



RECEIVED

JUL 26 1989

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
August 8, 1988

CAL INGERSOLL
2280 NEWPORT BLVD
NEWPORT BEACH, CA 92663

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-08520

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct you attention to the conditions of approval on the final page.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

RECEIVED

AUG 18 1988

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Debbie Edwards being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Sandpoint Daily Bee, a newspaper printed and
published at Sandpoint, in Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the
said paper for a period of two consecutive
weeks, commencing on 16th day of Jun, 19 88
and ending on the 23rd day of Jun, 19 88
and that said notice was published in said newspaper.

Subscribed and sworn to before me this 24th day
of June, 19 88.

Kim Johnson

Notary Public for Idaho

Residing at Sandpoint, Idaho

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08520

INGERSOLL, CAL
2280 NEWPORT BLVD.
NEWPORT BEACH, CA 92663
Source: UNNAMED STREAM
Tributary: GOLD CREEK
Diversion Pt: SWNE Sec 29 T 59N R
01E
Use: DOMESTIC (.040 CFS)
Date Filed: 6/06/1988
In: T59N R01E S29 SWNE

96-08521

STANDLEY, HAROLD
CEDAR CREEK LANDING
BAYVIEW, ID 83803
Source: SPRINGS Tributary:
CEDAR CREEK
BRUSH CREEK Tributary: CEDAR
CREEK
Diversion Pt: NESW Sec 11 T 54N R
01W
NWSW Sec 11 T 54N R01W
SWSW Sec 11 T 54N R 01W
Use: IRRIGATION (.200 CFS)
STOCKWATER (.020 CFS)
POWER (.200 CFS)
DOMESTIC (.040 CFS)
Date Filed: 5/20/1988
In: T51N R01W S11 NWSW NWSW
SWSW SWSW SWSW
20.0 ACRES TOTAL

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
Government Way Suite 9, Coeur
d'Alene, ID 83814 on or before JULY
5, 1988.

R. Keith Higginson,
Director

#2115 June 16, 23, 1988

AUG 18 1988

Department of Water Resources
Northern Region Office

2115

96-08520

INGERSOL, CAL
2280 NEWPORT BLVD
NEWPORT BEACH, CA 92663

Source: UNNAMED STREAM

Tributary: GOLD CREEK

Diversion Pt: SWNE Sec 29 T 59N R 01E

Use: DOMESTIC (.040 CFS)

Date Filed: 6/06/1988

In: T59N R01E S29 SWNE

RECORDED

AUG 18 1988