

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

1. Owner: Wilfred M. Landrus ^{MC-1 Box 299} Permit No. 96-08505
Phone No. 437-3410
Current Address: PO Box 299 HC Spirit Lake ID 83869
2. Accompanied by: Stephen & Wilfred Landrus EXAM. DATE: 7/17/90
Address: SAME Phone No. _____
Relationship to Permit Holder: _____
3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 96-07613 ☐ Copies Attached
2. Other water rights with same point of diversion: 96-07613 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



APPROVED

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

DEC 16 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Wilfred M. Landrus

HC-1 B of 299

Permit No. 96-08505

Phone No. 437-3410

Lake ID 83869

EXAM. DATE: 7/17/90

Phone No. _____

☐ Copies Attached

Attached ☐ Copies of Field Exam's Attached

Indicate distances between components. Indicate weir
attached



UNRECORDED

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).



- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

- ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

DEC 16 1992

9608505


T. 54N. R. 5W. Sec. 22




CONTOUR INTERVAL 40 FEET
DOTTED LINES REPRESENT 20-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL

MIRRORED MED

DEC 16 1992



FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D. C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



Burdison

Willa
Land

Willa
Land

Willa
Land

Diane
Tucker

Spirit
Valley

Brian

DEC 16 1992

29 acres

24 acres

6 acres

8 acres

20 acres

20 acres

Willa
Land

21/28

27/26

Willa
Land

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08505

Priority: January 6, 1988

Maximum Diversion Rate: 0.61 CFS
Maximum Diversion Volume: 147.6 AF

This is to certify, that WILFRED M LANDRUS
HC1 BOX 299

SPIRIT LAKE ID 838690000 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 7, 1987; and has submitted Proof of Beneficial Use on May 1, 1989. An examination indicates that the works have a diversion capacity of .610 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	06/01 to 10/01	0.61 CFS	147.6 AF

LOCATION OF POINT(S) OF DIVERSION: SESE , Sec. 22, Township 54N, Range 05W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
54N	05W	22	SES	29	SWSE	24
		27	NEN	6	SESE	1
						54
						6

Total number of acres irrigated: 60

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. The total combined rate of diversion under this right and 96-07613 shall not exceed 0.61 cfs.

RECORDED

DEC 16 1992

State of Idaho
Department of Water Resources

PAGE 2

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08505

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 2ND
day of NOVEMBER, 1992

Acting for *Norm C. Young*
R. Keith Higginson, Director

RECEIVED

DEC 16 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 96-8505 IN THE

NAME OF WILFRED M. LANDRUS

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before April 1, 1989; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on May 1, 1989;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 96-8505 be REINSTATED and the priority advanced to January 6, 1988.

Dated this 28th day of September, 1989.

MICROFILMED

NOV 24 1989


L. GLEN SAXTON, Chief
Water Allocation Bureau

RECEIVED

RECEIVED

DEC 07 1987

Form 202
6/85

OCT 21 1987

STATE OF IDAHO

Ident. No. 96-8505

Department of Water Resources Expansion of

Permit #96-7613

no # encl. 83
Department of Water Resources

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Wilfred M. LANDRUS Winter (714)538-6123
Summer: Star Rt., Box 299 Spirit Lake, ID 83869 Phone (208)437-3410 Summer
Post office address Winter: 11416 Greenview Dr., Orange, CA 92666

2. Source of water supply Deep Well which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of ----- $\frac{1}{4}$, Govt. Lot _____

Sec. 22 Township 54N Range 5W B.M. Bonner County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.43cfs for irrigation purposes from 06/01 to 10/01 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .06cfs for stockwater purposes from 01/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .04cfs for domestic purposes from 01/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 1.53 cfs ^{at peak} and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. current well, 8" submersible pump
6" main lines, 4" surface sprinkler pipes

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. ~~Proposed~~ well diameter is 10" inches; ~~proposed~~ depth of well is 150 feet.

d. Is ground water with a temperature of greater than 90°F being sought? no

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
Completed.
_____ years (minimum 1 year).

MICROFILMED

OCT 17 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 150 head dairy stock
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. one (includes dairy)
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
54N	5W	22												20			16	2	38
		26						20											20
		27	20	10			8												38

Total number of acres to be irrigated 96

10. Describe any other water rights used for the same purposes as described above. none 96-7613 JK 12/1/77

11. a. Who owns the property at the point of diversion? Wilfred Landrus
- b. Who owns the land to be irrigated or place of use? Wilfred Landrus & son, Stephen Landrus
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. joint operation (Son operates dairy)


12. Remarks: This is a request to expand the useage granted on Permit # 96-7613.
This expansion is vital and necessary for the economic viability of
the dairy being operated on the described properties.

FILED

OCT 17 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

TWP 54N, R5W



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Sigfred H. Landrum
(Applicant)

Received by State office Date 12/7/87 Time 2:31 Proposed Priority 12/7/87
Fee \$ 65.00 Receipted by [Signature] # 41886 Preliminary check by [Signature]
Publication prepared by [Signature] Date 12/24/87 Published in 1/6-13/88
Publication approved [Signature] Date 2/22/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8505, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 89.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 30th day of MARCH, 1988.

[Signature]
Director

MICROFILMED

OCT 17 1988

Affidavit of Publication

STATE OF IDAHO
County of Bonner,

ss.

Don Drewry
being duly sworn, says that he is the *managing editor*
of the PRIEST RIVER TIMES, a weekly newspaper printed and
published at Priest River, Bonner County, Idaho, and has been con-
tinuously and uninterruptedly published in said County during a period
of 78 consecutive weeks prior to the first publication of the annexed
notice for publication, is a newspaper of general circulation made up of
at least eight pages of at least six columns each, printed from typemat-
ter or stereotyped forms of at least nineteen and three-fourths inches
depth, has at least 1250 bona fide subscribers living within said Bonner
County, and is published at regular weekly intervals. That the annexed
is a true copy of the notice for publication in the case of

#552 Water Rights

as it was published in the regular and entire issue of said paper for a
period of *two* consecutive weeks, commencing on
the *6th* day of *January*, 19 *88*,
and
ending on the *13* day of *January*, 19 *88*,
and that said notice was published in said newspaper proper, and not in
supplement form.

Subscribed and sworn to before me this

13 day of *January*, 19 *88*.

Linda L. Henry
Notary Public for Idaho,
Residing at Priest River, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

The following application has
been filed to appropriate the public
waters of the State of Idaho:
96-8505

Landrus, Wilfred M.
Star Rt. Box 299, Spirit Lake, ID
83869

Source: Groundwater
Diversion Pt: SESE Sec 22 T 54N R
O5W

Use:
Irrigation (1.430 CFS)
Stockwater (0.060 CFS)
Domestic (0.040 CFS)

Date Filed: 12/07/1987

In: SESW SWSE SESE Sec 22 T
54N R O5W NWNW Sec 26 T 54N R
O5W NENE NWNE NENW Sec 27
T 54N R O5W for 96 Acres.

OK
pm
12/22/88

RECEIVED

Department of Natural Resources
Nez Perce District Office

NOT RECORDED

OCT 17 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 9, 1992

WILFRED M LANDRUS
HCL BOX 299
SPIRIT LAKE ID 838690000

RE: WATER RIGHT NO. 96-08505

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
DEC 11 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 13, 1992

WILFRED M LANDRUS
HC1 BOX 299
SPIRIT LAKE ID 838690000

RE: WATER RIGHT NO. 96-08505

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

DEC 16 1992

LICENSE REVIEW CHECKLIST

Permit # 96-08505

Date 10-05-92

Q8

	Yes	No	
NAME	☒	☐	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed? <u>DONE</u>
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement?
	☐	☒	<u>60x.00549 = .33 cfs (IRR) .61 cfs (IRR)</u>
	☐	☒	Disagree with Theoretical?
	☒	☐	Limited by Capacity? <u>.61 cfs</u> (measured)
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
	☒	☐	<u>6-1 to 10-1</u> Per Permit Season Recommended
	☒	☐	Disagree with Examiner's Calculations?
			<u>60x3.0 = 180 afa > 79.9 afa (IRR) 147.6 afa (IRR)</u>
	☒	☐	Limited by Flow? <u>.33x122x1.9835 = 79.9</u> <u>.61x122x1.9835 = 147.6</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☐	☒	Verify with Map
	☐	☒	Amendment Needed? <u>Drop Licensed Acres</u>
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use? <u>Drop STOCK + DOM</u>
	☐	☒	Amendment Needed? <u>Covered under 96-7613</u>
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☐	☒	Non-Irr. Uses
	☒	☐	Special Overlap Condition <u>Combined Div/96-7613</u>
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R29</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Rate + Acres
No specific info on STOCK/Presume any expansion
in Dairy Stock fully covered by 96-7613 per F.E.

License 10-Day ☒ 15-Day ☐ Special Correspondence ☐

~~P/D Overlap~~
~~.61/111 (Capacity/Total Acres) = .00549 New Rate~~ Follow F.E. Method
~~.58/51 (Licensed Rate/Old Acres) = .0113 Old Rate~~ .61 cfs + P/D Overlap Condition
~~New Rate < Old rate - Drop Old Acres this right~~
~~60x.00549 (New Acres x New Rate) = .33 cfs (This right)~~

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WILFRED M LANDRUS HC1 BOX 299 SPIRIT LAKE ID 838690000 (208) 437-3410	01/06/1988	IRRIGATION	06-01 10-01	0.61 CFS	147.6 AFA
TOTAL DIVERSION:					0.61 CFS	147.6 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.61 CFS

Point(s) of Diversion: T54N R05W S22 SE SE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
54N	05W	22	:													29		24	01	54.0
54N	05W	27	:							06										6.0
TOTAL ACRES																				60.0

Pou County: BONNER

Other Water Rights with Same Point(s) of Diversion and Source:
96-07613 96-08505 E96-08505

Other Water Rights Listing Overlapping Place(s) of use:
96-07613 96-08505 E96-08505

Conditions of Approval:

- R29 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

Remarks: The total combined rate of diversion under this right and 96-07613 shall not exceed 0.61 cfs.

Dates: App. Received: 12/07/1987 Priority Date: 01/06/1988 (Priority Date Advanced.)
Proof Due Date: 04/01/1989 Proof Made Date: 05/01/1989 (Proof Received Late.)
Exam Made Date: 07/17/1990 Exam Sent to S.O.: 08/03/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 10/08/92 SKAGGS

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

RECEIVED

AUG 10 1992

Department of Water Resources

Permit 96-08505

A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
✓ 6. Compare USGS/Land Survey? Aerial Photos/Permit.
Method of determination,
Irrigation (Rule 5,1,8),

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- ✓ Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- ✓ All actual uses listed (Rule 5,1,2):
✓ All unused, permitted uses listed (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

- ✓ Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

- ✓ Check with permit and well log for discrepancies

Signature

J. H. King

Date

12-2-91

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Wilfred M. Landrus ^{HC-1 Box 299} Permit No. 96-08505
Phone No. 437-3410
Current Address: ~~PO Box 299 HC~~ Spirit Lake ID 83869
2. Accompanied by: Stephen & Wilfred Landrus EXAM. DATE: 7/17/90
Address: SAME Phone No. _____
Relationship to Permit Holder: _____
3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 96-07613 ☐ Copies Attached
2. Other water rights with same point of diversion: 96-07613 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



MICROFILMED

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

DEC 16 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Wilfred M. Landrus

✓ IL-1 B of 299

Permit No. 96-08505

Phone No. 437-3410

Lake ID 83869


EXAM. DATE: 7/17/90

Phone No. _____

☐ Copies Attached

Attached ☐ Copies of Field Exam's Attached

distances between components. Indicate weir
attached



MICROFILMED

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

- ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

DEC 16 1992

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

well with 6" buried Main line and 4, 4 inch surface laterals, with a total of 55 1/64" sprinklers at 45psi. There is also a buried line to home and milk house.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible		40hp			
Back-up	GE	25hp	DK 8019857	Rainway	2 w 25-2

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	22	54N	5W	Bonner	Map

6. **Place(s) of Use:**

Indicate Method of Determination Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
54N	5W	22											29			24	1		54
54N	5W	27					6												6
																			60 total

RECORDED

DEC 16 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
6" Annubar				91395	6"	
Pitot Gage						

2. Measurements:

H = 17.1 L = 12.6 Δ = 4.5
45psi

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

= 0.61 cfs

$$Capacity = \frac{(8.8)(40)(60\%)}{(2.31)(45) + 150} = \frac{211.2}{253.9} = 0.833 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$(55)(11/64 @ 45 \text{ psi} = 502 \text{ gpm}) = 276.1 \text{ gpm} = 0.615 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 60 \times 3.5 = 210 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.61)(123)(1.9835) = 148.8 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 148.8 \text{ afa}$$

2. Volume Calculations for Other Uses:

RECORDED

DEC 16 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Domestic & Stockwater are the same as described by Lic # 96-07613 and are not recommended as a part of this right.

SEE ATTACHED FOR OVERLAP REVIEW - TDK

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	5-1	10-1	0.61 cfs	148.8 afa
Totals:			0.61 cfs	148.8 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION


Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date

Theresa J. Bright
Theresa J. Bright
4/10/99
7/17/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

DEC 16 1992

MEMORANDUM

TO: FILE

FM: Tom King - Sr. Water Resource Agent, Northern Region

Date: December 2, 1991

SUBJECT: Examination of 96-08505

=====

OVERLAP REVIEW (Comparison of 96-07613 and 96-08505)

THERE IS NO OVER LAP IN THE PLACE OF USE, however according to the information from Mr. Landrus Correspondence of 7/26/90, he is now only irrigating 8 acres of the ten acres within the NE NW, Sec.27, T54N, R5W. Licensed under 96-07613. This coincides with what the examiner found and means that there are only a total of 109 acres irrigated with this system.

The following statement should be made a part of the license when issued. "The total number of acres shall not exceed 109 acres when combined with License #96-07613."

THERE IS AN OVERLAP IN THE POINT DIVERSION, since the two rights are using the same well and delivery system. There is a sufficient rate of diversion for the pasture irrigated under both rights.

$(0.61 \text{ cfs})(448.8 \text{ gpm/cfs})/109 \text{ acres} = 2.5 \text{ gpm/acre}$

RECORDED

DEC 16 1992

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: T. KING Date 7/17/90
Owner: LANDRUS Permit No. 96-08505

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches =

T = Pipe Thickness in Inches =

ID = $2 [(0.1592 \times \text{CIR}) - T] =$ 5.88

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 6

State ID No. 91395

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14" - 16"	4.01
18" - 24"	4.02
30" or larger	4.03

C selected 3.75

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 17

Low Reading = 12

High - Low = H = 4.5

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(\text{ID})^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$




$$Q = \frac{(5.88)^2 \cdot (\sqrt{4.5}) \cdot (3.75)}{448.8} = .61 \text{ CFS}$$

SKETCH (If not shown on Field Report)

DEC 16 1992

9608505


T. 54N. R. 5W. Sec. 22



CONTOUR INTERVAL 40 FEET
DOTTED LINES REPRESENT 20-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL

MINIMUM MED

DEC 16 1992



FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 96-7613 & 96-08505

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. 54N N, Rge. 50W Sec. 22, SE $\frac{1}{4}$ SE $\frac{1}{4}$ Gov. Lot _____

2. Owner: Wilfred Landrus

Address: P.O. Box 299 Hc. Spirit Lake ID 83869

City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Y ☒ N ☐
Pressure Gauge: Y ☐ N ☒
Flowing: Y ☐ N ☒

Static Water Level: * unknown
Casing Diameter: 10"
Temperature: cold

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: No well log

* pumping level is 150'

MICROFILMED

DEC 16 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES


NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

July 25, 1990

Wilfred Landrus
Star Rt. Box 299
Spirit Lake, ID 83869



RE: 96-08505

Dear Mr. Landrus:

Enclosed is a drawing of my interpretation of the acreages that you are irrigating. Please let me know if it is correct. I used an aerial photo to locate these areas. The one area that I am most unsure of is the swse 1/4 of section 22. On the aerial photo it looks as though there may be more than sixteen acres being irrigated in that forty acre tract. Please indicate as exactly as you can, where the acreages being irrigated are.

Thank you very much for your patience!

Sincerely,

Theresa J. Bright
Field Examiner

Enc.

Ms. Bright

Corrections made on your drawing
as best we can. Thanks.


Wilfred Landrus
July 26/90

MICROFILMED

Celebrate
IDAHO
1890-CENTENNIAL-1990

DEC 16 1992

96-08505 Alternative Diagram



Not to scale

RECORDED

DEC 16 1992

October 17, 1989

WILFRED M. LANDRUS
STAR RT. BOX 299
SPIRIT LAKE, ID 838690000

RE: PERMIT NO. 96-08505

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED

NOV 24 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 96-8505

Date: 9/22/89

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely _____
☒ Reinstated _____

Source of Water:

- ☒ Surface water
☒ Groundwater
☒ 1. well log in file 1984
☒ 2. drilling permit NO WELL LOG FOUND
A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks: SAME WELL AS PERMIT # 96-7613 - Field examined in 1984

Proof reinstated

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

May 1, 1989 121
April 1, 1989 - 91
= 30
Dec 7, 1987 + 341
Jan 6, 1988 = 371
365
6

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

MAY 01 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 125.00
Date 5/1/89
Receipt # CD6555
Receipt by B. Young
Reviewed by APL-10/6/89
Sent to region

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-8505

Name(s) of Permit Holder: Wilfred M. LANDRUS

Summer: Box 299 HC, Spirit Lake, Idaho 83869

Post Office Address: Other times: 1446 Greenview Dr., Orange, Calif. 92666

Summer: (208) 437-3410

Telephone No. Other times: (714) 538-6123

Source of Water: Deep well

Extent of Use:

Domestic One (number of households)

Stockwater Average: 100 cattle, & 3 horses (number and type of stock)

Irrigation 96 (acres)

Other/Remark

Total rate and/or volume for which proof is submitted 1.53 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: June, 1988

Measuring Device: Required? Yes No
Installed? Yes No

Fee enclosed \$ 125.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

Stephen Landrus, Box 299 HC, Spirit Lake, Idaho 83869

(208) 437-3410

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

April 28/89
Date

Wilfred M. Landrus, Owner
Signature of Permit Holder (and title, if appropriate)



NOV 24 1989

Mr. Wilfred Landrus
46 Greenview Dr.
Orange CA 92666



CERTIFIED
P 108 581 999

MAIL



RETURN RECEIPT
REQUESTED

State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Mall
BOISE, IDAHO 83720

RECEIVED

NOV 2 1989

Attn: Rita Fleck, Records Mgr.



25
April 21, 1989

Wilfred M. Landrus
1446 Greenview Dr.
Orange, CA 92666

Re: Permit No. 96-8505

Dear Mr. Landrus:

The department received your letter on April 19, 1989, requesting more information about your permit. Please refer to the enclosed copy of your approved application for permit. I trust this will provide the information you need.

If appropriate, please submit the proof of beneficial use form or request for extension of time form as soon as possible, since the proof due date was April 1, 1989.

If you have further questions or requests, feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

c: N. Region

MICROFILMED

NOV 24 1989

RECEIVED

APR 19 1989

State of Idaho
Dept. of Water Resources
1301 North Orchard Street
Statehouse Mall
Boise, Idaho 83720

April 14, 1989

Department of Water Resources

Re: Lapse Notice, Permit #96-08505

Dear Sirs:

Thank you for your notice of April 7, 1989 that this permit has lapsed. First, I can not identify the water source to which said permit applied.

My permit #96-7613, dated December 21, 1987 is for the well from which we irrigate.

The identification # for my Fish Lake application and court settlement in 1975 (Civil # 12152) is # 96-0208.

I do have a letter from the Coeur d'Alene office of the Dept. of Water Resources, dated December 29, 1987 referring to that permit number, but it also does not identify the site.

The only site I can think of is the small spring creek on the NE $\frac{1}{4}$ of Sec. 27, T 54N, R5W, Bonner Co. Idaho.

Can you help me? Thanks.

Sincerely,

Wilfred M. Landrus
Wilfred M. Landrus
1446 Greenview Dr.
Orange, CA. 92666

P.S. This notice of lapse is the first one I recall receiving.

MICROFILMED

NOV 24 1989



Mr Wilfred M Landrus
1446 Greenview Dr
Orange CA
92666



State of Idaho
Dept. of Water Resources
1301 North Orchard St.
Statehouse Mall
BOISE, IDAHO 83720



WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

April 7, 1989

WILFRED M. LANDRUS
STAR RT. BOX 299
SPIRIT LAKE, ID 838690000

LAPSE NOTICE

RE: PERMIT NO. 96-08505

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper form in our proof due notice to you dated January 31, 1989.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this department within sixty days of the date of mailing of this lapse notice or the permit will no longer be of any force or effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

LGS:RF

MAILED

NOV 24 1989

CERTIFICATION OF MAILING

I hereby certify that on 4-7-89
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Jodi L. Schultz

WILFRED M. LANDRUS
STAR RT. BOX 299
SPIRIT LAKE, ID 838690000

January 31, 1989

138950

PROOF DUE NOTICE

RE: PERMIT NO. 96-08505

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
APRIL 01, 1988

LANDRUS, WILFRED M.
STAR RT. BOX 299
SPIRIT LAKE, ID 83869

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-8505

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR A FLOW MEASUREMENT PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE FLOW MEASUREMENT PORT.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

RECEIVED

OCT 17 1988

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 96-8505

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 1/25/88
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2/22/88
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 96D
12/7/87 Date of priority recommended.
Special conditions of approval or cover letter. _____

app. described completed system - condition
46 does not apply.

By: pmh Date: 2/22/88

STATE OFFICE REVIEW:

103, 105, 110

OIG

- ☐ See attached sheet for more information.
By: kw

Date: 3/21/88

RECEIVED

FEB 25 1988

Department of Water Resources

December 29, 1987

Mr. Wilfred M. Landrus
1446 Greenview Dr.
Orange, Ca. 92666

Re: 96-8505

Dear Mr. Landrus:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned Identification No. 96-8505. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the Priest River Times, Priest River, Idaho. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to the final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find your Receipt No. 41886 for the amount of \$65.00.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH/pms
Enc. - Receipt

RECEIVED

OCT 17 1988

COPY

96-8505

LANDRUS, WILFRED M.

STAR RT. BOX 239, SPIRIT LAKE, ID 83869

Source: GROUNDWATER

Diversion Pt: SESE Sec 22 T 54N R 05W

Use: IRRIGATION	(1.430 CFS)
STOCKWATER	(0.060 CFS)
DOMESTIC	(0.040 CFS)

Date Filed: 12/07/1987

In: SE3/4 SW1/4 SESE Sec 22 T 54N R 05W NW1/4 Sec 26 T 54N R 05W NENE NW1/4 NENW
Sec 27 T 54N R 05W FOR 96 ACRES

MICROFILMED

OCT 17 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

R. KEITH HIGGINSON

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 27, 1987


Wilfred M. Landrus
1446 Greenvue Dr.
Orange, CA 92666

Dear Mr. Landrus:

We are in receipt of your application for permit. We cannot process this, however, as you did not enclose a fee. The filing fee for 1.53 cfs is \$65.00.

If you have any questions on this, please let us know.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure: Application for Permit

Returned

*Sorry —
check enclosed for \$65.00
Wilfred Landrus
Dec 2/87*



OCT 17 1988