

1998 01 18



MAR 07 1988

x David Newcomb
(Applicant)

(Applicant)



96-08502

T54N R21W SEC 18


MISSOURI
APR 23 1991

FEET 530

ological Survey

SCHEMATIC

Provide a schematic Diagram showing the location of the well in the 1/4 1/4 with respect to houses, roads, other wells or readily identifiable features.



MICROFILMED

APR 23 1991

Inspected by Tom King

Date 3/26/90

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08502

Priority: October 19, 1987

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.2 AF

This is to certify, that DAVE NEWCOMB
P.O. BOX 343

CAREYWOOD, ID 838090000 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 19, 1987; and has submitted Proof of Beneficial Use on December 19, 1988. An examination indicates that the works have a diversion capacity of .120 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: SWNESW , Sec. 18, Township 54N, Range 02W
BONNER County

PLACE OF USE: DOMESTIC
TWN RGE SEC

54N 02W 18 NESW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22ND day of FEBRUARY, 1991.

NOT RECORDED

Acting for

R. Keith Higginson, Director

APR 23 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant DAVE NEWCOMB Phone _____

Post office address BOX 343 CAREWOOD, ID 83869

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____

Sec. 18 Township 54N Range 2W B.M. BONNER County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.08 cfs and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL, SUBMERSIBLE PUMP
& PIPELINE

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 6" inches; proposed depth of well is 80' feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

RECORDED
MAR 07 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 1
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
54N	2W	18									D 5								5

Total number of acres to be irrigated 5


10. Describe any other water rights used for the same purposes as described above. 96-8050
THIS IS FOR ADDITIONAL HOME ~ 96-8501 IS FOR ADDITIONAL IRRIGATION

- Who owns the property at the point of diversion? R. P. CROCKETT
- Who owns the land to be irrigated or place of use? APPLICANT
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. EASEMENT

12. Remarks: EXISTING WELL LIC. # 96-8050

MAR 07 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MAR 07 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X *David Newcomb*
(Applicant)

Proposed Priority 10/19/87

Received by JK Date 10-19-87 Time 10:30 A Preliminary check by Deja
Fee \$ 30.00 Receipted by [Signature] # 41800 Date 10/19/87
Publication prepared by [Signature] Date 10/29/87 Published in Support See 11/5-12/87
Publication approved [Signature] Date 12/7/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8502, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 7TH day of January, 1988.

[Signature]
Director 1128

MICROFILMED

MAR 07 1988

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Debbre Edwards being first duly sworn on oath
deposes and says that he/she is Bookkeeper

of the Sandpoint Daily Bee, a newspaper printed and
published at Sandpoint, in Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the
said paper for a period of two consecutive
weeks, commencing on 5 day of Nov., 19 87
and ending on the 12 day of Nov., 19 87

and that said notice was published in said newspaper.

Debbre Edwards

Subscribed and sworn to before me this 12th day
of Nov., 19 87.

Kevin Johnson

Notary Public for Idaho

Residing at Sandpoint, Idaho

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-8502

NEWCOMB, DAVE

P.O. BOX 343,

CAREYWOOD, ID 83809

Source: GROUNDWATER

Diversion Pt: SWNESW Sec 18 T 54N
R 02W

Use: IRRIGATION (0.040 CFS)
DOMESTIC (0.040 CFS)

Date Filed: 10/19/1987

In: NESW Sec 18 T 54N R 02W FOR 5
ACRES

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, 4055 Government
Way, Suite 9, Coeur d'Alene, Idaho
83814 on or before NOVEMBER 23,
1987.

R. Keith Higginson, Dir.

#1751 Nov. 5, 12, 1987

RECEIVED
NOV 12 1987
Department of Water Resources
Northern District Office

MICROFILMED

MAR 07 1988

1751

February 27, 1991

DAVE NEWCOMB
P.O. BOX 343
CAREYWOOD, ID 838090000

RE: WATER RIGHT NO. 96-08502

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

APR 23 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

February 8, 1991

DAVE NEWCOMB
P.O. BOX 343
CAREYWOOD, ID 838090000

RE: WATER RIGHT NO. 96-08502

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED

APR 23 1991

LICENSE REVIEW CHECKLIST

Permit No. 96-8502

Name/Address change? ok ☒

Priority date Advance? yes no ☒
Memo to advance Order to reinstate needed? yes no ☒

Total cfs Limited by fee Limited by capacity Limited by flow Chart checked for AF rate/ac N/A

Total volume Actual measurement checked Theoretical checked If greater than permit, check for other rts

Capacity Source Changed? yes no ☒
If so, is memo needed to clarify? P/D Verify with map permit More than one per 1/4 Remember remark Check p/d overlap N/A

Uses Check irrigation period of use w/ chart P/U Verify with map permit > 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4 Description of non-irrig uses Special overlap condition

Conditions -
Measuring device W.Master control Overlap Water quality Other

Dates/Misc. -
Water Dist App Rec'd Proof Rec'd

CHECK FOR ADJ. CLAIM Needed according to proof filed Filed - needs amended Add'l fee required Not filed Not needed FILED

23 1991

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day

Back of field report signed? Reviewer J. Curtis Date 4/2/91 Review time 6 min.

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 8-08502

☒ **A. GENERAL INFORMATION**

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

☒ **B. OVERLAP REVIEW**

- ☒ 1. & 2. (Rule 5,1,4)

☒ **C. SYSTEM DESCRIPTION**

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
☒ 6. Irrigation (Rule 5,1,8), Method of determination,
Compare USGS/Land Survey?Aerial Photos/Permit.

☒ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

☒ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

☒ **F. OPTIONAL**

☒ **G. VOLUME CALCULATIONS**

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

☒ **H. REMARKS AND OVERLAP ANALYSES**

- ☒ All actual uses listed (Rule 5,1,2):
☒ All unused, permitted uses listed (Rule 5,1,2):
☒ Overlaps (Rule 5,1,4):
☒ Return flows (Rule 5,1,5):
☒ Conditions (Rule 5,1,6).

☒ **I. RECOMMENDATIONS**

- ☒ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
☒ 2. Compare permit to exam for amendments (Rule 5,1,16)

☒ **J. AUTHENTICATION**

Name, Signature, Certification Date, Exam Date.

☒ **WELL INSPECTION REPORT**

Check with permit and well log for discrepancies

RECEIVED

JUL 27 1990

Department of Water Resources

RECORDED

APR 23 1991

Signature [Signature] Date 4/9/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08502

1. Owner: DAVE NEWCOMB

Phone No. _____

Current Address: Box 343 CAREYWOOD, ID. 83809

2. Accompanied by: SALE JL COOPER

EXAM. DATE: 3/26/90

Address: Box 336 CAREYWOOD, ID 83809

Phone No. 683-2168

Relationship to Permit Holder: PARTNER

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: 96-08050

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

MICROFILMED

APR 23 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

- ☒ Photo of Diversion and System Attached SEE 96-08050 FOR PHOTO
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A six inch by 80 foot well with static water level at 45 feet, a submersible 1.5 h. p. pump with a 1½ inch line to pressure system and 1½ inch line to two homes. (One home is 96-08050).

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>SUBMERSIBLE</i>	<i>SEARS</i>	<i>1.5</i>			<i>1.5</i>

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		<i>SW</i>	<i>NE</i>	<i>SW</i>	<i>18</i>	<i>54N</i>	<i>24W</i>	<i>BONNER</i>	<i>MAP - ASSESSOR</i>

6. Place(s) of Use:

Indicate Method of Determination *MAP*

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
<i>54N</i>	<i>24W</i>	<i>18</i>									<i>0</i>								

Do not use this space

D. FLOW MEASUREMENTS

none

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

FEE 0.04 cfs

2. Alternate Method for Checking Purposes:

$\frac{8.8(1.5) 80\%}{2.3(20) + 45} = 0.122 \text{ SYS CAPACITY}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

ONE HOME

MICROFILMED

APR 23 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

SAME SYSTEM AS 96-08050-08050
TWO HOMES ON SYSTEM ONE HOME ON SYSTEM, SECOND
HOME CURRENTLY CONSISTS OF TRAILER PAD & RISER. USED
BY MR. NEWCOMB WHEN HE IS IN IDAHO NO IRRIGATION
FROM WELL

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	1-1	12-31	0.04	1.2
Totals:				

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name Tom King
Signature Tom King
Certification Date 4/11/90
Field Report Preparation Date 4/19/90



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


SA
2/5/91

APR 23 1991

APR 23 1991

SCHEMATIC

Provide a schematic Diagram showing the location of the well in the ¼/¼ with respect to houses, roads, other wells or readily identifiable features.



MINUTEMAN

APR 28 1991

Inspected by Tom King

Date 9/26/90



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
NORTHERN DISTRICT

COEUR D' ALENE, IDAHO 83814

January 11, 1988

RECEIVED
JAN 16 1989

Mr. David Newcomb
Box 343
Careywood, Id. 83809

Department of Water Resources

Re: 96-8502

Dear Mr. Newcomb:

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

APR 23 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 96-8502

Date: 12-21-88

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely
_____ Reinstated

Source of Water:

☐ Surface water
☒ Groundwater
_____ 1. well log in file
☒ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☐ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority date	_____	_____
NEW PRIORITY DATE	_____	_____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

DEC 19 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by JK
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-8502

Name(s) of Permit Holder: Dave Newcomb

Post Office Address: Box 343 Careywood Id. 83809

Telephone No. none

Source of Water: Groundwater

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation 5 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: May 1987

Measuring Device: Required? Yes N No
Installed? Yes No

Fee enclosed \$ 0.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes N No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

David Newcomb
(Name)

(619) 451-7976
(Telephone Number)

15833 Sunnyfield Pl. San Diego Ca 92127
(Address)

The above information is my true statement of the extent to which the above numbered permit has been used and I relinquish any undeveloped portion of the permit to the state of Idaho.

12-12-88

Date

David Newcomb
Signature of Permit Holder (and title, if appropriate)

JAN 11 1989

To: File 96-8502

From: Groundwater Protection

Date: 12/21

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☒ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller, *and date drilled.*
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

*This is probably the log.
Owner says well was existing
one may 1987.*

OK

JB


MICROFILMED

JAN 11 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name: <u>Joe Kelly</u> Address: <u>PO Box 64 Careywood</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>45</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____																											
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td style="text-align: center;"><u>7</u></td> <td style="text-align: center;"><u>70</u></td> <td style="text-align: center;"><u>4</u></td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>7</u>	<u>70</u>	<u>4</u>																					
Discharge G.P.M.	Pumping Level	Hours Pumped																										
<u>7</u>	<u>70</u>	<u>4</u>																										
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yes No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>10"</td> <td>0</td> <td>2</td> <td>Soil</td> <td></td> </tr> <tr> <td>"</td> <td>2</td> <td>18</td> <td>Clay & Gravel</td> <td></td> </tr> <tr> <td>"</td> <td>18</td> <td>70</td> <td>Clay & Gravel</td> <td></td> </tr> <tr> <td>"</td> <td>70</td> <td>80</td> <td>Water Bearing Sand</td> <td></td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water Yes No	From	To	10"	0	2	Soil		"	2	18	Clay & Gravel		"	18	70	Clay & Gravel		"	70	80	Water Bearing Sand	
Hole Diam.	Depth		Material	Water Yes No																								
	From	To																										
10"	0	2	Soil																									
"	2	18	Clay & Gravel																									
"	18	70	Clay & Gravel																									
"	70	80	Water Bearing Sand																									
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. WORK STARTED Work started <u>9-10-80</u> ended <u>9-10-80</u>																											
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>3/8"</u> inches</td> <td><u>6"</u> inches</td> <td><u>2</u> feet</td> <td><u>74</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ perforations _____ feet _____ feet perforations _____ feet _____ feet perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Pudding clay ☐ Well cuttings Sealing procedure used: ☐ Shurry pit ☐ Temp. surface casing ☒ Overbars to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between slots Describe access port _____	Thickness	Diameter	From	To	<u>3/8"</u> inches	<u>6"</u> inches	<u>2</u> feet	<u>74</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	11. DRILLER'S CERTIFICATION I hereby certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name: <u>Joe Van Well</u> Firm No. <u>365</u> Address: <u>445 E. Kelton St. - 12-80</u> Signed by Firm Official: <u>Joe Van Well</u> Operator: <u>Joe Van Well</u>							
Thickness	Diameter	From	To																									
<u>3/8"</u> inches	<u>6"</u> inches	<u>2</u> feet	<u>74</u> feet																									
_____ inches	_____ inches	_____ feet	_____ feet																									
_____ inches	_____ inches	_____ feet	_____ feet																									
_____ inches	_____ inches	_____ feet	_____ feet																									
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. <u>15</u> Block No. <u>4</u> County: <u>Blaine</u> Section: <u>18</u> T. <u>41</u> N. R. <u>2</u> E.	12. ADDITIONAL SHEETS IF NECESSARY FORWARD THE THREE COPY TO THE DEPARTMENT OF WATER RESOURCES																											

MICROFILMED
JAN 11 1989

November 30, 1988

DAVE NEWCOMB
P.O. BOX 343
CAREYWOOD, ID 838090000

138812

PROOF DUE NOTICE

RE: PERMIT NO. 96-08502

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JAN 11 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JANUARY 14, 1988

NEWCOMB, DAVE
P.O. BOX 343
CAREYWOOD, ID 83809

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-8502

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

SECTION 42-235, IDAHO CODE, REQUIRES THAT A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MAILED

MAR 07 1988

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: pen

APPLICATION NUMBER: 96-8502

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 11/23/87
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 12/3/87
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 10/19/87 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

allow 1yr. for B/U development

By: pen Date: 12/8/87

STATE OFFICE REVIEW:

123, 116 46 04

- ☐ See attached sheet for more information.

By: KW Date: 12/30/87 DEC 15 1987

96-8502

NEWCOMB, DAVE

P.O. BOX 343, CAREYWOOD, ID 83809

Source: GROUNDWATER

Diversion Pt: SWNESW Sec 18 T 54N R 02W

Use: IRRIGATION (0.040 CFS)
DOMESTIC (0.040 CFS)

Date Filed: 10/19/1987

In: NESW Sec 18 T 54N R 02W FOR 5 ACRES

Microfilm

MAR 07 1988