




State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08488

Priority: May 18, 1987

Maximum Diversion Rate: 0.03 CFS
Maximum Diversion Volume:¹ 1.5 AF

This is to certify, that DAVE DORLAND
2860 PACK RIVER RD.

SANDPOINT ID 838640000 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 18, 1987; and
has submitted Proof of Beneficial Use on September 28, 1988. An examination indicates
that the works have a diversion capacity of .030 cfs of water from:

PACK RIVER tributary to PEND OREILLE LAKE

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.02 CFS	1.5 AF
FIRE PROTECTION	01/01 to 12/31	0.03 CFS	
	Totals	0.03 CFS	1.5 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 11, Township 59N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
59N	02W	11	SWSE	0.5		0.5

Total number of acres irrigated: 0.5

PLACE OF USE: FIRE PROTECTION, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

RECEIVED

OCT 07 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08488

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 27TH day of SEPTEMBER, 1991.

Acting for R. Keith Higginson, Director

MICROFILMED

OCT 07 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 96-8488

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant DAVE DORLAND Phone 263-3635
Post office address P.O. BOX 2152 - SANDPOINT, ID. 83864
2. Source of water supply PAEK River which is a tributary of LAKE PEND D'RAILLE
3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of _____ $\frac{1}{4}$, Govt. Lot TAX #12
Sec. 11 Township S9N Range 2W B.M. BONNER County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .03 for IRRIGATION purposes from 4-1 to 10-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .03 for FIRE PROTECTION purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .03 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 1/2 HP Pump AND Flex-Pipe
LAWN IRRIGATION AND FIRE PROTECTION ONLY.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

SEP 29 1987

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households 1 - Household - if necessary - ~~Multiple~~ ^{Fire Protection}
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols. F = Fire protection

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
59N	2W	11															20		20 Acres

Total number of acres to be irrigated APPROX- 2

10. Describe any other water rights used for the same purposes as described above. CONSTITUTIONAL WATER RIGHTS FROM WELL FOR DOMESTIC USE.
11. a. Who owns the property at the point of diversion? APPLICANT
- b. Who owns the land to be irrigated or place of use? APPLICANT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Back up - ~~APPLICANT'S~~ FOR DOMESTIC
HOUSEHOLD USE
FIRE - PROTECTION


MICROFILMED

SEP 29 1981

P.D.

P.U.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Law Port

(Applicant)

Received by RJA Date 5/22/87 Time 2:00 PM Proposed Priority 5/18/87
Fee \$ 30.00 Receipted by [signature] # 38315 Date 5/27/87
Publication prepared by [signature] Date 5/27/87 Published in 6/4-11/87
Publication approved [signature] Date 8/18/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8488, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

Witness my hand this 14th day of September, 1987.

[Signature]
Chief, Operations Bureau

MICROFILMED

SEP 29 1987

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Kim Johnson being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Sandpoint Daily Bee, a newspaper printed and
published at Sandpoint, in Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Legal Notice

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive
weeks, commencing on 4 day of June, 1987
and ending on the 11 day of June, 1987
and that said notice was published in said newspaper.

Kim Johnson

Subscribed and sworn to before me this _____ day
of _____, 1987

Linda A Morrow

Notary Public for Idaho

Residing at Sandpoint, Idaho

RECORDED

SEP 29 1987

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-8488

DORLAND, DAVE
P.O. BOX 2152, SANDPOINT, ID
83864

Source: PACK RIVER trib. to
PEND OREILLE RIVER
Diversion Pt: SWSE Sec 11 T 59N R
02W

Use: IRRIGATION (0.030 CFS)
FIRE PROTECTION (0.030 CFS)

Date Filed: 05/18/1987

In: SWSE Sec 11 T 59N R 02W FOR 2
ACRES

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, 4055 Government
Way, Suite 9, Coeur d'Alene, Idaho
83814 on or before JUNE 22, 1987.

KEN DUNN, Dir.

**NOTICE OF APPLICATION
FOR TRANSFER
OF WATER RIGHT**

NOTICE IS HEREBY GIVEN that
decreed water right License No. 96-
7090 in the name of Paradise View
Homeowners Assn. Inc. was filed for
the diversion of 0.06 cubic foot per
second &/or 43.4 Acre/Feet of water
from an Unnamed Stream, tributary
to Pend Oreille Lake, with the point
of diversion in the NENE, SWNE,
NESE Sec. 21 T57N R1E, B.M.,
Bonner County, to be used for
Domestic purposes from January 1
to December 31, within the SWNE,
SENW, NESW, NWSE, Sec. 21 T57N
R1E. The priority date is May 15,
1972.

The Licensee now wishes to add an
additional point of diversion which
will be located in the NESENE Sec.
21 T57N R1E, B.M.

Any protest to the proposed
transfer may be filed with the Idaho
Department of Water Resources,
4055 Gov't. Way, Coeur d'Alene, ID
83814, on or before June 22, 1987.

KEN DUNN, Director

#1428 June 4, 11, 1987

RECEIVED

AUG 10 1987

Department of Water Resources
Northern District Office

1428

September 30, 1991

DAVE DORLAND
2860 PACK RIVER RD.
SANDPOINT ID 838640000

RE: WATER RIGHT NO. 96-08488

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MICROFILMED

OCT 07 1991

August 19, 1991

DAVE DORLAND
2860 PACK RIVER RD.
SANDPOINT, ID 838640000

RE: WATER RIGHT NO. 96-08488

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED

OCT 07 1991

LICENSE REVIEW CHECKLIST

Permit No. 96-8488

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance
Order to reinstate needed? yes no ☒

Total cfs Limited by fee N/A

Limited by capacity

Total volume Limited by flow

Chart checked for AF rate/ac ☒ 3.0

Capacity Actual measurement checked ☒

Theoretical checked ☒

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per 1/4 Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart 4/1-11/1

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4

Description of non-irrig uses

Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM

Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed -

Not needed ☒ OCT 07 1991

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day

Back of field report signed?

Reviewer [Signature] Date 8/14/91 Review time 5 min.

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 96-08488

A. GENERAL INFORMATION

1. Name and address are most current available. (Check BU statement)
2. Exam Date
3. Source (Check Permit)

B. OVERLAP REVIEW

1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
3. Word Picture (Rule 5,1,3 / 5,1,4)
4. Diversion (Rule 5,1,3)
5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
6. Compare USGS/Land Survey? Aerial Photos/Permit.
Method of determination,
Irrigation (Rule 5,1,8),

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- All actual uses listed (Rule 5,1,2):
All unused, permitted uses listed (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

- Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

- Check with permit and well log for discrepancies

Signature JWH King Date 12-28-90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Dave Dorland Permit No. 96-08488
Current Address: 2860 Pack River Rd, Sandpoint ID 83864 Phone No. 263-3635
2. Accompanied by: Dave Dorland EXAM. DATE: 7/6/90
Address: Same Phone No. Same
Relationship to Permit Holder: _____
3. Source: Pack River tributary to Lake Pend Oreille

B. OVERLAP REVIEW


1. Other water rights with same place of use: NONE

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED
OCT 07 1991

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

Photo did not develop.

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

2 inch PVC pipe provides intake for a 1/2 hp homelite pump which then pumps water through 1 1/2 inch pvc pipe to three smaller lines (1 inch), each of which has one sprinkler.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1/2		Homelite	

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	11	59N	2W	Bonner	Map

6. **Place(s) of Use:**


Indicate Method of Determination Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
59N	2W	11															1/2		1/2

MAINTAINED

OCT 07 1991

Do not use this space



NAME: DAVE DORLAND
PD: T59N, R2W, SEC. 11, SWSE
FU:
SOURCE: PACK RIVER

PERMIT NUMBER: 96-08488
GL: MAP: # 32
AC/IRR: QUAD: C-6
TRIB. TO: LAKE PENDOREILLE

30' elevation
RECEIVED
OCT 07 1991

Do not use this space

D. FLOW MEASUREMENTS None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{(\frac{1}{2} \text{ hp})(8.8)(60\%)}{(2.31)(25 \text{ psi})(30)} = \frac{2.64}{87.75} = 0.03$$

2. Alternate Method for Checking Purposes:

$$3, (5/32") \text{ sprinklers at } 3.52 \text{ gpm} = 10.56 \text{ gpm} \quad \frac{10.56 \text{ gpm}}{448.8 \text{ gpm/cfs}} = 0.02 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\frac{1}{2} \times 3.0 = 1.5 \text{ AFA}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{(0.03) \times (223) \times (1.9835) = 13.3 \text{ AFA}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{1.5 \text{ AFA}}$$

2. Volume Calculations for Other Uses:

OCT 07 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/1	10/31	0.03	1.5 AFA
fire protection	1/1	12/31	0.03	N/A
Totals:			0.03	1.5 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Theresa J. Bright

Signature


Theresa J. Bright

Certification Date

4/16/90

Field Report Preparation Date

7/6/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

OCT 07 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

November 4, 1988

Mr. Dave Dorland
2860 Pack River Rd.
Sandpoint, Id. 83864

Re: 96-8488

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

OCT 07 1991



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 96-8488

Date: 10/13/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
N Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority date	_____	+
NEW PRIORITY DATE	_____	_____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
SEP 28 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

For Office Use Only
 Fee Received _____
 Date _____
 Receipt # _____
 Receipt by _____
 Reviewed by 95
 Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-08488Name(s) of Permit Holder: DAVE DORLANDPost Office Address: 2860 PACK RIVER ROADSANDPOINT, IDAHO 83864Telephone No. 208-263-3635Source of Water: PACK RIVER

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation 1/2 ACRE (acres)Other/Remark FIRE PROTECTIONTotal rate and/or volume for which proof is submitted .03 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☐ Yes ☒ No
 Installed? ☐ Yes ☒ No

Fee enclosed \$ -0-
 (See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
 Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

DAVE DORLAND208-263-3635

(Name)

(Telephone Number)

2860 PACK RIVER ROAD SANDPOINT, IDAHO 83864
 (Address)

WAIT TILL SUMMER

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

9-26-88

Date

Signature of Permit Holder (and title, if appropriate)

(Signature) (PROPERTY OWNER)

OCT 17 1988

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
Certified Mail
July 31, 1988

138302

DAVE DORLAND
P.O. BOX 2152
SANDPOINT, ID 838640000

PROOF DUE NOTICE

RE: PERMIT NO. 96-08488

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MAILED

OCT 17 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
SEPTEMBER 17, 1987

DORLAND, DAVE
P.O. BOX 2152
SANDPOINT, ID 83864

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 96-8488

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

SEP 29 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: *e*

APPLICATION NUMBER: 96-8488

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☐ No
☐ Yes ☐ No
☒ Yes ☐ No*
☐ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

In form for advertising.

Final date for protests: 6/22/87

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/10/87
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.

- ☐ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No

Measuring device required.

Access port required.

Will water be delivered by watermaster? If yes, what district? _____

Date of priority recommended. 5/18/87

Special conditions of approval or cover letter. _____

By: *Shobko*

Date: 8/24/87

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.
By: *kw*

Date: 9/3/87

Department of Water Resources

May 29, 1987

Mr. Dave Dorland
P.O. Box 2152
Sandpoint, Id. 83864

Re: 96-8488

Dear Mr. Dorland:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned Identification No. 96-8488. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the Sandpoint Bee. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to the final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find your Receipt No. 38315 for the amount of \$30.00.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH/pms
Enc. - Receipt

MICROFILMED

SEP 29 1987

C
O
P
Y

96-8488

DORLAND, DAVE

P.O. BOX 2152, SANDPOINT, ID 83864

Source: PACK RIVER trib. to PEND OREILLE RIVER

Diversion Pt: SWSE Sec 11 T 59N R 02W

Use: IRRIGATION (0.030 CFS)
FIRE PROTECTION (0.030 CFS)

Date Filed: 05/18/1987

In: SWSE Sec 11 T 59N R 02W FOR 2 ACRES

MICROFILMED

SEP 29 1987



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 765-4639

May 20, 1987

Mr. Dave Dorland
P.O. Box 2152
Sandpoint, Id. 83864


Dear Mr. Dorland:

In Item Nos. 8 and 12 of your Application for Permit, you mention domestic use. Yet, domestic is not listed as a use in Item No. 4. If you intend to use the water for domestic use, even as a backup system, you must list that use in Item No. 4.

I am returning your Check No. 92-27 in the amount of \$30.00 and your Application for Permit to allow you to clarify the domestic question.

If you have any questions, please contact me at this office.

Sincerely,


TOM D. KING
Senior Water Resource Agent

TDK/pms
Enc. - Check
Application

MICROFILMED

SEP 29 1987



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 765-4639

May 20, 1987

Mr. Dave Dorland
P.O. Box 2152
Sandpoint, Id. 83864

Dear Mr. Dorland:

In Item Nos. 8 and 12 of your Application for Permit, you mention domestic use. Yet, domestic is not listed as a use in Item No. 4. If you intend to use the water for domestic use, even as a backup system, you must list that use in Item No. 4.

I am returning your Check No. 92-27 in the amount of \$30.00 and your Application for Permit to allow you to clarify the domestic question.

If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms
Enc. - Check
Application

MICROFILMED

SEP 29 1987