


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

David Dickinson
(Applicant)

MICROFILMED



96-8438
T.53N. R.3W. Sec. 35
Multiple Points of Diversion



15
640

14
640

13
640

80.00

West

10.76

100.50 N

80.00

West

22
640

23
640

24
640

80.00

West

80.00

West

80.00

West

27
640

26
640

25
640

80.00

West

80.00

West

80.00

239.12 N

34
640

35
640

36
640

MICROFILMED

DEC 16 1992

Total number of Acres 23

Surveyed

Magnetic Declination

The above Map of

PERMIT # 96-8438

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



POND #2



MICROFILMED

DEC 16 1992

PERMIT # 96-8438

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



POND #1



RECEIVED

DEC 16 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08438

Priority: July 29, 1985

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:

9.3 AF

This is to certify, that DAVID DICKINSON
LINDA DICKINSON

380 E TWIN LAKES RD

RATHDRUM ID 838588703

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 29, 1985; and has submitted Proof of Beneficial Use on October 3, 1990. An examination indicates that the works have a diversion capacity of .010 cfs of water from:

SAGE CREEK
UNNAMED STREAM

tributary to SINKS
tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.01 CFS	0.7 AF
STOCKWATER STORAGE	01/01 to 12/31		8.6 AF
STOCKWATER FROM STORAGE	01/01 to 12/31		8.6 AF
	Totals	0.01 CFS	9.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 35, Township 53N, Range 03W
SESW , Sec. 35, Township 53N, Range 03W
KOOTENAI County

PLACE OF USE: STOCKWATER
TWN RGE SEC

53N 03W 35

NESW

NWSW

SESW

PLACE OF USE: STOCKWATER STORAGE
TWN RGE SEC

PLACE OF USE: STOCKWATER FROM STORAGE, same as STOCKWATER STORAGE use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.

RECEIVED

DEC 16 1992

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 96-08438

CONDITIONS/REMARKS:

2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 50 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 16TH day of OCTOBER, 1992.

Acting for 
R. Keith Higginson, Director

DEC 16 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant DAVID or LINDA DICKINSON Phone 683-2636

Post office address P.O. Box 684 BAYVIEW, IDAHO 83803

2. Source of water supply SAGE CREEK UNNAMED CREEK which is a tributary of SINKS

3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 35 Township 53 N

Range 3W B.M. KOOTENAI County, additional points of diversion if any: _____

NW5W 35 53N 3W

4. Water will be used for the following purposes:

0.38 * PM TELECOM W/APP - 2 7/1/85
Amount 4.8 for IRRIGATION purposes from April 1 to Oct 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 9AF for STORAGE FOR IRR. & STOCK purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 9AF for IRR & STOCK FROM STORAGE purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .40 cubic feet per second and/or b. 9 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. PIPE RUNNING FROM STOCKPOND TO CULTIVATED FIELD.

b. Height of storage dam 9 feet, active reservoir capacity 9 acre-feet; total reservoir capacity 9 acre-feet, materials used in storage dam: EARTH & ROCK

Period of year when water will be diverted to storage JAN 1 to DEC 31 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 35 Township 53N
Range 3W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 50 HEAD DEEF CATTLE & 12 DUCKS

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				X SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
53N	3W	35									40								40
53N	3W	35										40							40

Per tele/comm JR 9/4/85


Total number of acres to be irrigated 80 X

c. Describe any other water rights used for the same purposes as described above. STOCKWATER FROM UNNAMED STREAM HAS BEEN USED SINCE 1930.

9. a. Who owns the property at the point of diversion DAVID & LINDA DICKINSON
 b. Who owns the land to be irrigated or place of use DAVID & LINDA DICKINSON
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks PRIMARY USAGE FROM UNNAMED STREAM SECONDARY FROM SAGE CREEK AS WATER IS AVAILABLE

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Clara Dickinson
(Applicant)

MICROFILMED

Proposed Priority 7/29/85

MICROFILMED

Received by K/K Date 7/29/85 Time 7/29/85
Preliminary check by K Fee \$ 45.00
Receipted by K/K Date 7/29/85 # 31838
Publication prepared by me Date 8/1/85
Published in Coeur d'Alene Press
Publication dates 8/8 & 10/85 ^{correction} 9-12 & 9-19-85
Publication approved me Date 8/19/85
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by K/K kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8438, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 8th day of October, 1985.

A. Glen Saylor
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai, ss.

Synelle Holom being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular *Thurs.* issue of said newspaper for *2* consecutive *weeks*, commencing on the *12* day of *Sept*, 19*85*, and ending on the *19* day of *Sept*, 19*85*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Synelle Holom
Subscribed and sworn to before me this *19* day of *Sept*, 19*85*

Roberta Dranley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF CORRECTION
NOTICE IS HEREBY GIVEN that Application for Permit No. 96-8438 in the name of David or Linda Dickinson was advertised incorrectly on August 8 and 15, 1985. The point of diversion was incorrectly advertised only in the SESW Sec. 35 T53N R3W; whereas it should have also included an additional point of diversion in the NWSW 35 T53N R3W. Protests to the above-referenced correction must be filed with the Director, Dept. of Water Resources, 4055 Gov't Way, Ste. 9, Coeur d'Alene, Id. 83814 on or before September 30, 1985.

KEN DUNN, Dir.

Legal 165
Sept. 12, 19, 1985

OK
9/23/85

RECEIVED

SEP 20 1985

Department of Water Resources
Northern District Office

LEADER

MICROFILMED

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

ss.

Lynelle Holom

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular *Thur.* issue of said newspaper for *2* consecutive *weeks* commencing on the *8* day of *Aug*, 19*85*, and ending on the *15* day of *Aug*, 19*85*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Lynelle Holom

Subscribed and sworn to before me this *15* day of *Aug*, 19*85*

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-8438

DICKINSON, DAVID &/or
LINDA
P. O. BOX 684, BAYVIEW, ID
83803

Source: SAGE CREEK trib. to
SINKS; UNNAMED STREAM
trib. to SINKS

Date Filed: 07/29/1985

Diversion Pt: SESW Sec 35 T
53N R 03W

Use: IRRIGATION (0.38
CFS); IRRIGATION
STORAGE (9.0 AF); IRRIGA-
TION FROM STORAGE (9.0
AF); STOCKWATER (0.02
CFS); STOCKWATER
STORAGE (9.0 AF); STOCK-
WATER FROM STORAGE
(9.0 AF); DIVERSION TO
STORAGE (0.38 CFS)

In: NESW NWSW Sec 35 T 53N
R 03W SESW Sec 35 T 53N R
03W FOR 90 ACRES

The permit(s) will be sub-
ject to all prior water rights.
Protests must be filed with the
Director, Dept. of Water Re-
sources, 4055 Gov't. Way,
Coeur d'Alene, Id. 83814 on or
before AUGUST 26, 1985.

KEN DUNN, Dir.

Legal 13

Aug. 8, 15, 1985

RECEIVED

AUG 16 1985

Department of Water Resources
Northern District Office

LEADER

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 21, 1992

DAVID DICKINSON
LINDA DICKINSON
380 E TWIN LAKES RD
RATHDRUM ID 838588703

RE: WATER RIGHT NO. 96-08438

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure


UNRECORDED

OCT 16 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street
Boise, Idaho 83706-2237

94-8438



9/9/92
Correspondence
forwarded
C. Zimmerman

RECEIVED
SEP 3 1992


Department of Water Resources

DICKSON 838012006 1591 08/28/92
FORWARDING TIME EXPIRED
DICKSON
380 E TWIN LAKES RD
RATHDRUM ID 83858-8703
RETURN TO SENDER




10161052

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street
Boise, Idaho 83706-2237



POSTED
FIRST CLASS



RECEIVED
SEP 4 1992

Department of Water Resources

STERLING SNYDER
N 24600 MCCOY RD
ATHOL ID 83801

here



DEC 16 1992

96-8438

August 25, 1992

DAVID DICKINSON
LINDA DICKINSON
N 24600 McCOY RD
ATHOL ID 83801

RE: WATER RIGHT NO. 96-08438

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Also enclosed is an assignment form. Sterling Snyder has requested that this permit be assigned to reflect new ownership of the property.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosures

cc: Sterling Snyder

DEC 16 1992

LICENSE REVIEW CHECKLIST

Permit # 94-08438

Date 8-20-92
Q8

	<u>Yes</u>	<u>No</u>	
NAME	<u>—</u>	<u>✓</u>	Address Change? New Owner/No Assignment
PRIORITY DATE	<u>—</u>	<u>✓</u>	Advance?
	<u>—</u>	<u>✓</u>	Memo to Advance
	<u>—</u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u>—</u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u>—</u>	Disagree with Actual Measurement? <u>50 (Per Permit) x .00022 = .011 cfs (STOCK)</u>
	<u>NA</u>	<u>—</u>	Disagree with Theoretical?
	<u>—</u>	<u>✓</u>	Limited by Capacity? <u>.011 cfs</u>
TOTAL VOLUME			Rate/ac <u>—</u> AFA Irr. Season <u>—</u> <u>—</u> Standard Irr. Season <u>—</u> Season Recommended
	<u>✓</u>	<u>—</u>	Disagree with Examiner's Calculations? <u>8.160 cfs (STOCK/STOR) ^{Ponds Capacity} 50 x .0134 = .67 ~ .7 cfs (STOCK)</u>
	<u>—</u>	<u>✓</u>	Limited by Flow?
SOURCE	<u>—</u>	<u>✓</u>	Changes? Clarification of <u>Originally</u> <u>Intended</u> source
	<u>—</u>	<u>✓</u>	Notice of Intent to Void.
P/D			Verify with Map
	<u>—</u>	<u>✓</u>	Amendment Needed?
	<u>—</u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	<u>—</u>	<u>✓</u>	Amendment Needed?
	<u>—</u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u>—</u>	<u>✓</u>	Change(s) in Nature of Use? <u>Drop all except</u>
	<u>—</u>	<u>✓</u>	Amendment Needed? <u>STOCK & STOCK/STOR</u> <u>F/STOR</u>
REMARKS	<u>—</u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4?
	<u>✓</u>	<u>—</u>	Non-Irr. Uses <u>Stock/50 cattle</u>
	<u>—</u>	<u>✓</u>	Special Overlap Condition
	<u>—</u>	<u>✓</u>	Other
CONDITIONS	<u>—</u>	<u>✓</u>	Measuring Device
	<u>—</u>	<u>✓</u>	W/Master Control
	<u>—</u>	<u>✓</u>	Overlap
	<u>—</u>	<u>✓</u>	Water Quality
			DATES/MISC
			<u>—</u> <u>✓</u> Water Dist.
			<u>—</u> <u>✓</u> App Rec'd
			<u>—</u> <u>✓</u> Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Rate + uses</u>		
	<u>Include Assignment form + ref. new owner</u>		

License — 10-Day ✓ 15-Day — Special Correspondence —

Audit: 08/20/92 SKAGGS

SENIOR AGENT REVIEW

RECEIVED

AUG 05 1992

Check List
for
Beneficial Use Field Report

Department of Water Resources

Permit 96-08438

A. GENERAL INFORMATION

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ☒ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Government Lot ?
Method of determination
☒ 6. Compare USGS/Land Survey? Aerial Photos/Permit.
Method of determination,
Irrigation (Rule 5,1,8),

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- ☒ All actual uses listed (Rule 5,1,2):
☒ All unused, permitted uses listed (Rule 5,1,2):
☒ Overlaps (Rule 5,1,4):
☒ Return flows (Rule 5,1,5):
☒ Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

- ☒ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
☒ 2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

☒ Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

☒ Check with permit and well log for discrepancies

Signature Tom D. King Date 1-23-92
Tom D. King Sr. Water Resource Agent

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 96-08438
1. Owner: David or Linda Dickinson Phone No. 683-2636
Current Address: N. 24600 McCoy Road, Athol Idaho 83801
2. Accompanied by: Sterling Snyder EXAM. DATE: 7/24/91
Address: _____ Phone No. 664-6285
Relationship to Permit Holder: New Owner
3. Source: sage creek tributary to SINKS
Unnamed Stream tributary to SINKS

B. OVERLAP REVIEW


1. Other water rights with same place of use: None

☐ Copies Attached
2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

N/A

DEC 16 1992

RECEIVED

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Pond 1: ~~new~~ On stream storage pond for stock
Pond Size 68' x 45' x (9' max depth) •

Pond 2 On stream storage pond for stock
Pond Size 300 x 150 x 8' deep

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Gravity					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#1	—		SE	SW	35	53N	3W	Kootenai	Map
#2	—		NW	SW	35	53N	3W	Kootenai	Map

6. Place(s) of Use:

Indicate Method of Determination Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
53N	3W	35									S		S						

Do not use this space

DEC 16 1992

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

on stream storage

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$\frac{68' \times 45' \times 9'}{2} = 0.3 \text{ af} + \frac{300' \times 150' \times 8'}{43560} = 8.26 \text{ af}$$
$$\frac{43560}{43560} + 0.3 = 8.6 \text{ af}$$
$$\frac{8.3}{+ 0.3} = 8.6 \text{ af}$$

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Irrigation is permitted, but not developed
 Stock Drink From Stream - TDK

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Stock Water Storage	1-1	12-31	-	8.6
Stock	1-1	12-31	0.02 TDK	0.4 TDK
			0.02 TDK	9.0 TDK
Totals:			0.02 TDK	8.6 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION


Field Examiner's Name Theresa J. Bright
 Signature Theresa J. Bright
 Certification Date 4/10/91
 Field Report Preparation Date 8/27/91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MAILED

16 1992



96- 8438

T. 53 N. R. 3 W. Sec. 35

Multiple Points of Diversion

ROAD CLASS

y-duty um-duty 

15
640

14
640

13
640

22
640

24
640

27
640

26
640

25
640

34
640

36
640

RECORDED

DEC 16 1952

Total number of cells 23


Magnetics Dept. California

The above data is for

PERMIT # 96-8438

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



POND #2



DEC 16 1992

PERMIT # 96-8438

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



POND #1



DEC 16 1992

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

91 North Orchard Street

Boise, Idaho 83706-2237

RECEIVED

JAN 16 1991

Department of Water Resources

DICKINSON, DAVID
N. 24600 MCCOY RD
ATHOL, ID 83801

PREPAID
FIRST CLASS

BOISE
JAN 16 1991

**NOT DELIVERED
MICROFILMED**

FEB 08 1991

USPS STAGE

0023

96-8438

Desk

NOT DELIVERED AS ADDRESSED
UNABLE TO FORWARD

Present to this
address
1-17-91

RETURNED
TO
SENDER

January 9, 1991

DAVID DICKINSON
LINDA DICKINSON
P.O. BOX 684
BAYVIEW, ID 83803

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 96-08438

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

FEB 08 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 96-8438

Date _____

GENERAL CONSIDERATIONS

9 Name same as permit?
✓ Address same as permit? If no, prepare data entry form.
9 Proof timely received? If no, complete priority
advancement below.

SOURCE OF WATER

✓ Surface water source
✓ Ground water source
✓ Drill permit req'd?
✓ Copy in file? Drill permit no. _____
✓ Well log in file?
✓ Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

No Required?
Amount submitted?
Correct amount?

MEASURING DEVICE

✓ Measuring device or access port required?
✓ Installed?
✓ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS


Copy acceptable

PRIORITY CALCULATION

LB
Date proof received _____
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE



The Idaho Department of Water Resources will consider this form as a statement that the permit holder has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-08438 Telephone No. 683-2636

Name(s) of Permit Holder(s): DAVID + LINDA DICKINSON

Post Office Address: N. 24600 McCoy Rd, Athol, IDAHO 83801

Source of Water: SAGE CREEK AND UNNAMED TRIBUTARY OF SAGE CREEK - SINKS

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:

Domestic _____ (No. of households) Irrigation _____ (No. of acres)

Stockwater 25 (No. and type of stock) CATTIE Other _____

Total rate and/or volume for which proof is submitted .02 cfs 9 acre/feet

Show date water was first diverted and beneficially used under this permit: OCT 1, 1985

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ N/A (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

DAVID DICKINSON 683-2636
Name Telephone No.

N. 24600 McCoy Rd, Athol, IDAHO 83801
Address

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FEB 08 1991

Date 9/30/90 Signature David Dickinson
(and title if on behalf of a company or organization)

138140
July 31, 1990

DAVID DICKINSON
LINDA DICKINSON
P.O. BOX 684
BAYVIEW, ID 83803

PROOF DUE NOTICE

RE: PERMIT NO. 96-08438

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

FEB 08 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 96-8438
Name(s) of Permit Holder(s): DAVID OR LINDA DICKINSON
Post Office Address: P.O. BOX 684 BAYVIEW, IDA 83803
Tel. No. 683-2636

- ☒ I hereby certify that construction of diversion work on the above referenced permit began on SEPT. 27, 1986 (date) and I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

9/27/86
Date

David Dickinson
Signature of Permit Holder

PLACE
STAMP

RECEIVED

DEC 5 1986

Department of Water Resources
Northern District Office



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

October 9, 1985

RE: Permit No. 96-8438

David or Linda Dickinson
Box 684
Bayview, ID 83803

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: *te*

APPLICATION NUMBER: 96-8438

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☐ No Platted by: _____ Map No. _____

☐ Yes ☐ No Other rights on same place of use. _____

☒ Yes ☐ No* In form for advertising.

Final date for protests: 8/26/85

☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 8/20/85

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☒ Yes ☒ No Measuring device required.

☐ Yes ☒ No Access port required.

☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____

 1/29/85 Date of priority recommended.

Special conditions of approval or cover letter. _____

STATE OFFICE REVIEW:

By: *RLB*

Date: 9/30/85

MICROFILMED

 217

 26

RECEIVED

☐ See attached sheet for more information.

By: *kw*

Date: 10/7/85

OCT 07 1985

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN that Application for Permit No. 96-8438 in the name of David or Linda Dickinson was advertised incorrectly on August 8 and 15, 1985.

The point of diversion was incorrectly advertised only in the SESW Sec. 35 T53N R3W; whereas it should have also included an additional point of diversion in the NWSW 35 T53N R3W.

Protests to the above-referenced correction must be filed with the Director, Dept. of Water Resources, 4055 Gov't Way, Ste. 9, Coeur d'Alene, Id. 83814 on or before September 30, 1985.

KEN DUNN, Dir.

Published in the Coeur d'Alene Press on 9/12 and 9/19/85.

MICROFILMED

96-8438-

DICKINSON, DAVID &/or LINDA

P.O. BOX 684, BAYVIEW, ID 83803

Source: SAGE CREEK trib. to SINKS
UNNAMED STREAM trib. to SINKS

Date Filed: 07/29/1985

Diversion Pt: SESW Sec 35 T 53N R 03W *x NWSW*

Use: IRRIGATION	(0.38 CFS)
IRRIGATION STORAGE	(9.0 AF)
IRRIGATION FROM STORAGE	(9.0 AF)
STOCKWATER	(0.02 CFS)
STOCKWATER STORAGE	(9.0 AF)
STOCKWATER FROM STORAGE	(9.0 AF)
DIVERSION TO STORAGE	(0.38 CFS)

*changed in
9/2/85*

In: NESW NWSW Sec 35 T 53N R 03W SESW Sec 35 T 53N R 03W FOR

80
90 ACRES

MICROFILMED