





STATE OF IDAHO DEPARTMENT OF WATER RESOURCES


NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 96-8424

DATE

INITIALS




MICROFILMED

MAR 26 1990

D. OREILL



Total number of acres 5309.94



TWP. 56 N, RGE. 54 SEC. 30 MAP # DZ MAP SCALE 1" = 1/4 MI
 DATE OF EXAM 7/15/87 PERMIT # 96-8424

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08424

Priority: March 6, 1985

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.2 AF

This is to certify, that GARY WAYNE SMOCK
RT. 2 BOX 261
OLDTOWN, ID 83822

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 6, 1985; and has submitted Proof of Beneficial Use on May 9, 1986. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 30, Township 56N, Range 05W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

56N 05W 30 SWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.


This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 8TH day of JANUARY, 1990.

MICROFILMED

MAR 26 1990

Acting for

R. Keith Higginson, Director



kw

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant GARY WAYNE Smock Phone 208-437-5855

Post office address Rt 2 Box 261 OLDTOWN, Id 83822

2. Source of water supply Ground Water which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 30 Township 56N

Range 5W B.M. BONNER Co County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Allow 0.04 cfs*

Amount 1 cfs for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

Allow 0.04 cfs*

*per letter of 3/6/1985 - kw 6/11/1985

a. 1 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well & 3/4 Horse Pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 36 inches; proposed depth of well is 14 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: Domestic

(1) Give the place of use of water: SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 30 Township 56N
Range 5W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

Total number of acres to be irrigated


c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion App


b. Who owns the land to be irrigated or place of use *12/26/06*

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: ~~2 inches equal 1 mile.~~

Page 1/4 mi ☐

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Larry W. Smock
(Applicant)

MICROFILMED

Proposed Priority 3/6/85

MICROFILMED

Received by RyH Date 3/6/85 Time 10:25 AM
Preliminary check by [initials] Fee \$ 30.00 (31724)
Receipted by [initials] Date 2/6/85
Publication prepared by [initials] Date 3/7/85
Published in Great Western
Publication dates 3/14 + 21/85
Publication approved [initials] Date 4/10/85
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RyH kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8424, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: The maximum rate of diversion for domestic purposes under this permit shall not exceed 0.04 cfs.

Witness my hand this 13th day of June, 1985.

J. Glen Saylor
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Bonner, }

Pete Thompson

being duly sworn, says that he is the Publisher
of the PRIEST RIVER TIMES, a weekly newspaper printed and
published at Priest River, Bonner County, Idaho, and has been
continuously and uninterruptedly published in said County during
a period of 78 consecutive weeks prior to the first publication of
the annexed notice for publication, is a newspaper of general cir-
culation made up of at least eight pages of at least six columns
each, printed from typematter or stereotyped forms of at least
nineteen and three-fourths inches depth, has at least 1250 bona fide
subscribers living within said Bonner County, and is published at
regular weekly intervals. That the annexed is a true copy of the
notice for publication in the case of #96-8424/SMOCK

as it was published in the regular and entire issue of said paper
for a period of ... TWO ... consecutive weeks, commencing on
the ... 14th ... day of ... March ... 19. 85
and ...
ending on the ... 21st ... day of ... March ... 19. 85
and that said notice was published in said newspaper proper, and
not in supplement form.

Pete Thompson

Subscribed and sworn to before me this

22 day of Mar, 1985

Gay E. Winters
Notary Public for Idaho

Residing at Priest River, Idaho

Barbara

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-8424

SMOCK, GARY WAYNE
RT. 2 BOX 261, OLDTOWN, ID 83822
Source: GROUNDWATER
Date Filed: 03/06/1985
Diversion Pt: SWSE Sec 30 T 56N R
05W
Use: DOMESTIC (0.10 CFS)
In: SWSE Sec 30 T 56N R 05W

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, 4055 Gov't. Way, Coeur
d'Alene, Id. 83814 on or before APRIL
1, 1985.


KEN DUNN, Dir.

Publ. PRT-Mar.-14, 21-2t

MICROFILMED

DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

96-8424



Report 2/9/90

L96-08424
GARY WAYNE SMOCK
RT. 2 BOX 261

OLDTOWN ID 83822
SMDC261 991562007 1189 01/17/90
FORWARDING TIME EXPIRED
SMOCK
2541 W CHATEAU DR
MERIDIAN ID 83642
RETURN TO SENDER

RECEIVED
JAN 22 1990

Department of Water Resources

UNRECORDED

MAR 20 1990

January 9, 1990

GARY WAYNE SMOCK
RT. 2 BOX 261
OLDTOWN, ID 83822

RE: PERMIT NO. 96-08424

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
MAR 26 1990

November 28, 1989

GARY WAYNE SMOCK
RT. 2 BOX 261
OLDTOWN, ID 83822

RE: PERMIT NO. 96-08424

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
MAR 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

96-8424
Permit No.

RECEIVED
AUG 03 1987

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Department of Water Resources

Check of P/D index JK 12/18/86 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index JK 12/18/86 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☐ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed JK 7/16/87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent _____ (Initial and date)

Exam Reviewed by Manager of Regional Office WYA 7/30/87 (Initial and date)

Exam Date Entered in Computer JK 7/30/87 (Initial and date)

Exam sent to State Office JK 7/31/87 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 96-8424

DATE


INITIALS



MICROFILMED

MAR 26 1990

total number of lines 5309, 947



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

RECEIVED
AUG 03 1987

A. GENERAL INFORMATION

Permit No. 96-84241

1. Owner: GARY SMOCK Phone No. _____

Current Address: RT 2 BX 261 OLD TOWN ID. 83822

2. Accompanied by: None EXAM. DATE: 7/15/87

Address: None Phone No. _____

Relationship to Permit Holder: None

3. Source: GN tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached

2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

[Faint, illegible text describing the diversion system diagram area]

MICROFILMED

MAR 26 1990

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

36" x 14' WELL PUMP & PIPELINE

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
PUMP NO ACCESSIBLE		3/4			

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	30	56N	5W	BONNER	MAP

6. **Place(s) of Use:**

Indicate Method of Determination MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
56N	5W	30															D		

MICROFILMED

MAR 26 1950

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

RECORDED

MAR 26 1990

Done 4/6

1.2

H. REMARKS AND OVERLAP REVIEW ANALYSIS

MAY BE SAME SYSTEM AS 195 96-4468

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	1-1	12-31	0.04	1.2
Totals:			0.04	1.2

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Tom King

Signature Tom King

Certification Date 5/15/87

Field Report Preparation Date 7/16/87



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JDM 9/29/89

MICROFILMED

MAR 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
R. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

JUNE 26, 1986

GARY SMOCK
RT. 2 BOX 261
OLDTOWN ID 83822

RE: Permit No. 96-8424

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

MAR 26 1990

RECEIVED

MAY 9 1986

no level. JS

STATE OF IDAHO Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received

Date

Receipt #

Receipt by

Reviewed by

Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-8424

Name(s) of Permit Holder: GARY WAYNE Smock

Post Office Address: Rt 2 Box 261 OLDTOWN, Id 83822

Telephone No. 208 437-5855

Source of Water: Well - Domestic

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 2.0 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination: GARY Smock 437-5855 or 437-4822
(Name) (Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

Signature of Permit Holder (and title, if appropriate)

RECORDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
APRIL 30, 1986

138423

SMOCK, GARY WAYNE
RT. 2 BOX 261
OLDTOWN, ID 83822

PROOF DUE NOTICE

RE: PERMIT NO. 96-8424

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SMOCK, GARY WAYNE
RT. 2 BOX 261
OLDTOWN, ID 83822

JUNE 19, 1985

RE: PERMIT NO. 96-8424

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 96 8424

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

3/6/85 Tax #39-30-56N-5W Located within SWSE Per Assessor JK

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 4/1/85
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4/15/85
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 3/6/85 Date of priority recommended.
Special conditions of approval or cover letter.

See 3/6/85 letter

Reduce to .04 cfs

By: RJA

Date: 4/25/85

STATE OFFICE REVIEW:

L/K

28 (domestic, 0.04 cfs)

- ☐ See attached sheet for more information.

By: KW

Date: 6/11/85

MICROFILMED

RECEIVED

MAY 02 1985

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

March 6, 1985

Mr. Gary Smock
Rt. 2 Box 261
Oldtown, Id. 83822

Dear Mr. Smock:

During a review of your application for permit, it was discovered that you have applied for 0.1 CFS of water (approx. 45 gpm) for domestic use for one home.

This amount is excessive for the intended use and our Department will take steps to reduce the amount to 0.04 CFS which is approx. 18 gpm, unless you can prove to the Director's satisfaction that the excess water is needed.

If we do not hear from you within 20 days, we shall reduce your amount of water to the normal amount for one home which is 0.04 CFS.

If you have any questions, please contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

pms

MICROFILMED

96-8424_

SMOCK, GARY WAYNE

RT. 2 BOX 261, OLDTOWN, ID 83822

Source: GROUNDWATER

Date Filed: 03/06/1985

Diversion Pt: SWSE Sec 30 T 56N R 05W

Use: DOMESTIC (0.10 CFS)

In: SWSE Sec 30 T 56N R 05W

MICROFILMED