



CONFIDENTIAL - SECURITY INFORMATION



SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by _____ Date _____

MICROFILMED

APR 23 1991

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name RENEALD POCKSTRA
Address RT#1 SAGLE, Idaho
Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6 inches Total depth 182 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>1/4</u> inches	<u>6</u> inches	<u>0</u> feet	<u>182</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No


Manufacturer's name _____ Model No. _____
Type _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☒ Yes ☐ No Size of gravel Pea
Placed from 162 feet to 182 feet

Surface seal? ☒ Yes ☐ No To what depth 18 feet
Material used in seal ☒ Cement grout ☐ Pudding clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



County BONNER
SW 1/4 Sec. 15, T. 56 N., R. 2 W.

7. WATER LEVEL

Static water level 21 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow 10
Temperature 45 ° F. Quality Good
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

Discharge G.P.M.	Draw Down	Hours Pumped
<u>10</u>	<u>to 100' Level</u>	

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
<u>6</u>	<u>0</u>	<u>4'</u>	<u>TOP SOIL</u>		
<u>4</u>	<u>4'</u>	<u>18'</u>	<u>SAND</u>		
<u>18</u>	<u>18'</u>	<u>45'</u>	<u>CLAY</u>		
<u>45</u>	<u>45'</u>	<u>50'</u>	<u>HARD SAND</u>		
<u>50</u>	<u>50'</u>	<u>162'</u>	<u>SAND - FINE</u>		
<u>162</u>	<u>162'</u>	<u>182'</u>	<u>WASHED 1/2" GRAVEL</u>		

10. Work started MAY 25 finished JUNE 1

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Reneald Pockstra 126
Driller's or Firm's Name Number
ROUTE #1 SAGLE, Idaho
Address
Reneald Pockstra June 13, 1971
Signed By Date

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

MAR 07 1988

REPORT OF WELL DRILLER
State of Idaho

RECEIVED
SEP 1 1967

State law requires that this report shall be filed with the State Department of Reclamation Engineer within 30 days after completion or abandonment of the well.


WELL OWNER:
Name RENALD POELSTRA
Address Rt #1
Sagle, Idaho
Owner's Permit No. _____
NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐
Water is to be used for: Domestic
METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other _____ (explain)
CASING SCHEDULE: Threaded _____ Welded ☒
6" Diam. from 0 ft. to 161 ft.
"Diam. from _____ ft. to _____ ft.
"Diam. from _____ ft. to _____ ft.
"Diam. from _____ ft. to _____ ft.
Thickness of casing: _____ Material: _____
Steel ☒ concrete ☐ wood ☐ other ☐
(explain)
PERFORATED? Yes ☐ No ☒ Type of perforator used: _____

Size of perforations: _____ " by _____ "
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
WAS SCREEN INSTALLED? Yes ☐ No ☐
Manufacturer's name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
CONSTRUCTION: Well gravel packed? Yes ☒
No ☐ size of gravel CRUSHED. Gravel placed from 50 ft. to 161 ft. Surface seal provided? Yes ☐ No ☐ To what depth? _____ ft. Material used in seal: _____

Did any strata contain unusable water? Yes ☒
No ☐ Type of water: Good 30 FT
Depth of strata _____ ft. Method of sealing strata off: _____

Surface casing used? Yes ☐ No ☐
Cemented in place? Yes ☐ No ☐

Locate well in section



LOCATION OF WELL: County Bannock
SW NE Sec. 15 T. 56 N. R. 2 E. W.

Size of drilled hole: 6 Total depth of well: 161 Standing water level below ground: 10 Temp. _____ Fahr. _____ Test delivery: 7 gpm or _____ cfs Pump? ☐ Bail ☒
Size of pump and motor used to make test: _____

Length of time of test: _____ Hrs. _____ Min.
Drawdown: _____ ft. Artesian pressure: _____ ft. above land surface Give flow _____ cfs or _____ gpm. Shutoff pressure: _____ Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing? Yes ☐ No ☒

DEPTH	MATERIAL	WATER
FROM TO		YES OR NO
FEET FEET		
1 2	Top Soil	
2 32	SAND VERY FINE	
32 47	SAND, SOME CLAYING	Yes
47 146	SAND, SILT, some gravel sand	Yes
146 161	2MAK GRANT	Yes

Work started: April 1, 1965
Work finished: April 15, 1965
Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.
Name: RENALD POELSTRA
Address: Rt #1 Sagle, Idaho
Signed by: Renald Poelstra
License No. _____ Date: _____

Use other side for additional remarks

USGS

RECEIVED

MAR 07 1968

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08420

Priority: December 7, 1984

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.19 CFS
37.0 AF

This is to certify, that RENALD POELSTRA

5224 ALGOMA RD.

SAGLE, ID 83860

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 7, 1984; and has submitted Proof of Beneficial Use on December 11, 1987. An examination indicates that the works have a diversion capacity of .310 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.13 CFS	36.0 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.4 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.19 CFS	37.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 15, Township 56N, Range 02W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
56N	02W	15	SWSW	12		12

Total number of acres irrigated: 12

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

APR 23 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08420

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Stockwater use is for 20 head; domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 13TH day of MARCH, 1991.

Acting for 
R. Keith Higginson, Director

RECEIVED

APR 23 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Renald Rockstar Phone 263-4320
Post office address 5224 Algoma Rd Eagle, Idaho 83860
2. Source of water supply well-ground water which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 15 Township 56N
Range 2W B.M. BOWNER County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.20 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.08 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for Stock purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6" inches; proposed depth of well is 125 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 15 Township 56N
Range 2W B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 10 horses 10 cows

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

RECEIVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
56A	2W	15											12						12

Total number of acres to be irrigated 12 Acres

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Renald & Helen Poehstra

b. Who owns the land to be irrigated or place of use Applicant.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Sec 15
T 56 N R 24 W

+ P.D.
P/H

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Ronald Lecktra
(Applicant)

MICROFILMED

Proposed Priority 12/7/84

Received by JH Date 12/7/84 Time 2:00 PM
 Preliminary check by RGH Fee \$ 30.00
 Receipted by ms Date 12/7/84 (31683)
 Publication prepared by ms Date 12/13/84
 Published in San Joaquin Bee
 Publication dates 12/19-26/84 1/16-23/85
 Publication approved ms Date 1/4/85
 Protests filed by: none

Copies of protests forwarded by _____
 Hearing held by _____ Date _____
 Recommended for approval denial by pyk kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8420, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 18th day of March, 1985.

J. Glen Saylor
 Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, a newspaper printed and published at Sandpoint, in Bonner County, Idaho; that the said newspaper has been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of Legal notice

as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 16 day of Jan, 1985 and ending on the 23 day of Jan, 1985 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 29 day of Jan, 1985.

Ray E. Winter

Notary Public for Idaho

Residing at Sandpoint, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-8420

POELSTRA, RENALD
5224 ALGOMA RD., SAGLE, ID 83860

Source: GROUNDWATER

Date Filed: 12/07/1984

Diversion Pt: SWSW Sec 15 T 56N R 02W

Use:

IRRIGATION (0.20CFS)

STOCKWATER (0.02 CFS)

DOMESTIC (0.08 CFS)

In: SWSW Sec 15 T 56N R 02W FOR 12 ACRES.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or before FEBRUARY 4, 1985.

KENDUNN, Dir.

Publ. Jan. 16, 23, 1985-2t

Department of Water Resources

RECEIVED

FEB 6 1985

Department of Water Resources
Northern District Office

MICROFILMED

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, a newspaper printed and published at Sandpoint, in Bonner County, Idaho; that the said newspaper has been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of 1092 notice

as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 19 day of 12, 1984 and ending on the 26 day of 12, 1984 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 3 day of Jan., 1985.

Greg E. White

Notary Public for Idaho

Residing at Sandpoint, Idaho

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-8420

POELSTRA, RENALD
5224 ALGOMA RD., SAGLE, ID 83860

Source: GROUNDWATER

Date Filed: 12/07/84

Diversion Pt: SWSW Sec 15 T 56N R 02W

Use:

IRRIGATION (0.20 CFS)

STOCKWATER (0.02 CFS)

DOMESTIC (0.08 CFS)

In: SWSW Sec 15 T 56N R 02W for 12 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or before

JANUARY 7, 1985

KEN DUNN, Dir.

Published 12/19 & 12/26/84.

State of Idaho

Department of Water Resources

[Handwritten signature]
1/4/85

Rec'd.
JAN 4 1985

MICROFILMED

March 14, 1991

RENALD POELSTRA
5224 ALGOMA RD.
SAGLE, ID 83860

RE: WATER RIGHT NO. 96-08420

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

I received your letter of February 13 concerning your original application for two homes. A water right license is based upon actual development verified at the time of the field inspection. Our field examiner found only one home using water from the well. Future development cannot be reflected in this license. If a second home is built at a later date, you can file another application for permit to record the development.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECEIVED
APR 23 1991

RECEIVED

FEB 15 1991

Department of Water Resources

Feb. 13, 1991

Sharla Curtis
(Technical Records Specialist)

I received a letter with the draft copy of Water Right license #96-08420 from you, regarding my Water Right #96-08420.

In the original application it was for 2 dwellings, other wise I think every thing else is all right.

Water Right #96-08420

MICROFILMED

FEB 23 1991

Ronald Trethow
5229 Algoma Rd
Lodgepole, Idaho
83860



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

February 8, 1991

RENALD POELSTRA
5224 ALGOMA RD.
SAGLE, ID 83860

RE: WATER RIGHT NO. 96-08420

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED

APR 23 1991

LICENSE REVIEW CHECKLIST

Permit No. 96-8420

Name/Address change? ok ✓

Priority date Advance? yes no ✓
Memo to advance no ✓
Order to reinstate needed? yes no ✓

Total cfs Limited by fee ok
Limited by capacity no

Total volume Limited by flow no
Chart checked for AF rate/ac yes 3.0 ✓

Capacity Actual measurement checked yes ✓
Theoretical checked yes ✓
If greater than permit, check for other rts no

Source Changed? yes no ✓
If so, is memo needed to clarify? no

P/D Verify with map yes permit yes ✓
More than one per 1/4? Remember remark no
Check p/d overlap

Uses Check irrigation period of use w/ chart no

P/U Verify with map yes permit yes ✓
> 5 acres irrigated, run overlap

Remarks More than one p/d in 1/4 no
Description of non-irrig uses yes ✓
Special overlap condition no

Conditions -

Measuring device no
W.Master control yes
Overlap yes
Water quality no
Other no

Dates/Misc. -

Water Dist yes
App Rec'd yes
Proof Rec'd yes

CHECK FOR ADJ. CLAIM

Needed according to proof filed no
Filed - needs amended no
Add'l fee required no
Not filed - yes ✓
Not needed yes ✓

MED

Comments/Changes to Examiner's Recommendations:

APR 23 1991

License no 10-day yes ✓ 30-day no

Back of field report signed? yes ✓

Reviewer J. Curtis Date 1/31/91 Review time 7 min.

WR5810NP
(OD-138)IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORTDATE: 02/04/91
PAGE: 1

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
L9608420	NO MATCHES FOR THIS POU IN AJ-POU																						
	NO MATCHES FOR THIS POU IN AJ-POU-TEMP																						
9607918	WELLS	L	GROUNDWATER	56N	02W	15	:	:	:	:	:	2	:	:	:	:	:	:	:	:	2		
9608043	WIEBER	L	GROUNDWATER	56N	02W	15	:	:	:	:	:	:	2	:	:	:	:	:	:	:	2		
9608128	GAGE	P	GROUNDWATER	56N	02W	15	:	:	:	:	:	10	:	:	:	:	:	:	:	:	10		
L9608128	GAGE	L	GROUNDWATER	56N	02W	15	:	:	:	:	:	5	:	:	:	:	:	:	:	:	5		
9608402	BOND	P	GROUNDWATER	56N	02W	15	:	:	:	:	:	:	:	:	8	:	:	:	:	:	8		
~~9608420~~	~~POELSTRA~~	~~P~~	~~GROUNDWATER~~	~~56N~~	~~02W~~	~~15~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~12~~	~~:~~	~~:~~	~~:~~	~~:~~	~~12~~			
L9608420	POELSTRA	L	GROUNDWATER	56N	02W	15	:	:	:	:	:	:	:	:	12	:	:	:	:	:	12		
9608572	GANTENBEIN	P	GROUNDWATER	56N	02W	15	:	:	:	:	:	9	:	:	:	:	:	:	:	:	9		
NO MAPPING INFO AVAILABLE																							

OK

APR 23 1991

WATER RIGHT NO.	LAST NAME	STG	PRIORITY DATE	P F	WATER SOURCE	WATER USE	RATE cfs	CAPACITY	TWP	RNG	SECT	TRACT	LOT
L96-08420	POELSTRA	L	12/07/1984		GROUNDWATER	IRR	0.19	0.31	56N	02W	15		SWSW
~~96-08420~~	~~POELSTRA~~	~~P~~	~~12/07/1984~~		~~GROUNDWATER~~	~~IRR~~	~~0.20~~		~~56N~~	~~02W~~	~~15~~		~~SWSW~~

MICROFILMED
APR 23 1991

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit

96-08420

☒ **A. GENERAL INFORMATION**

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

☒ **B. OVERLAP REVIEW**

- ☒ 1. & 2. (Rule 5,1,4)

☒ **C. SYSTEM DESCRIPTION**

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
☒ 6. Irrigation (Rule 5,1,8)

☒ **D. FLOW MEASUREMENTS**

Check math (Rule 5,1,13 / 5,1,14)

☒ **E. FLOW CALCULATIONS**

Check math (Rule 5,1,13 / 5,1,14)

☐ **F. OPTIONAL**

☒ **G. VOLUME CALCULATIONS**

Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

☒ **H. REMARKS AND OVERLAP ANALYSES**

All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6):

*ADDED FOR DOMESTIC USES
BUT ONLY ONE HOME IS ON
THE SYSTEM.*

☒ **I. RECOMMENDATIONS**

- ☒ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
☒ 2. Compare permit to exam for amendments (Rule 5,1,16)

☒ **J. AUTHENTICATION**

Name, Signature, Certification Date, Exam Date.

☒ **WELL INSPECTION REPORT**

Check with permit and well log for discrepancies

NEED INSPECTION REPORT filled out.

Signature

[Signature]

Date

8/25/89

RECEIVED
JUN 27 1990

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Yes No PERMIT 96-8420

(☒) () B/U Acknowledgement Letter Sent pm 2/3/88 (INITIAL & DATE)

(☒) () Aerial Photo Date Requested 12/17/88 by JK

(☒) () Quad Sheet

() (☒) GL Plat

() (☒) Copies of overlapping License Field Report Claim

() () Photo PD/PU

() () Correspondence (Date) _____

() () Other (List) _____

EXAM COMPLETED BY Louis Dubout DATE 7/5/88

SR AGENT REVIEW _____ JK DATE 8/8

REGIONAL MANAGER REVIEW RMA DATE 6/13/90

ENTERED ON COMPUTER BY _____ DATE _____

PRELIMINARY OVERLAP REVIEW BY JK King DATE 8/88

(☒) NO OVERLAP FOUND

NOT IRRIGATING 6/3/88 Ld

Film did not develop

RECEIVED

APR 23 1991

96-8420



COPILED

APR 23 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Ronald Poelstra Permit No. 96-8420
Current Address: 5224 Algoma Rd., Sage Id. 83860 Phone No. 263-4320
2. Accompanied by: Ronald Poelstra EXAM. DATE: 7/5/88
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: NONE

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.) (4")
 125' well in field near Algoma Road with main-line running from west to east covering full property with risers 70' apart with 3" movable aluminum pipe.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible		5Hp			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
✓			SW	SW	15	56N	2W	Bonner	MAP

6. Place(s) of Use:

Indicate Method of Determination MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
56N	2W	15											12						12

APR 23 1991

Do not use this space

SOURCE GROUND WATER TRIBUTARY TO _____
MAP PLOT 30 IRR. ACRES 12 USGS QUAD D-16 SCALE 7 1/2

Do not use this space

D. FLOW MEASUREMENTS


☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pitot gage						

2. Measurements:

sp. Nozzels
 Avg PSI (41 psi) 6 3/32, 7-3/16, 1-5/8
 3/32 @ 41 psi; Q = 1.62 gpm 6 Q₁ = 9.72 gpm
 3/16 @ 41 psi; Q₂ = 6.41 gpm 7 Q₂ = 44.87 gpm
 5/32 @ 41 psi; Q₃ = 4.4 gpm 8 Q₃ = 4.4 gpm
 Q_{TOTAL} = 60 gpm = .13 cfs



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Pitot gage

Q = .13 cfs

$\frac{8.8(5) 80\%}{2.3(46) + 21} = 0.31$
 JK

2. Alternate Method for Checking Purposes:

.04 cfs for 1 home domestic
 .02 cfs for stock

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = \frac{12}{(Acres Irrigated)} \times \frac{3}{(Irrigation Requirement)} = 36 \text{ afa}$

$V_{D.R.} = \frac{13}{[Diversion Rate (cfs)]} \times \frac{245 \text{ days}}{(Days in Irrigation Season)} \times 1.9835 = 63.2 \text{ afa}$

V = Smaller of V_{I.R.} and V_{D.R.} = 36 afa

2. Volume Calculations for Other Uses:

0.6 afa for Domestic
 0.4 afa for stock

APR 23 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

~~None~~
ONLY 1 HOME (DOMESTIC) FOUND

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	.13 cfs	36 afa
Domestic	1/1	12/31	.04 cfs	0.6 afa
Stock	1/1	12/31	.02 cfs	0.9 afa
Totals:			.19 cfs	37 afa


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Louis Sukoraty
 Signature [Signature]
 Certification Date 7/17/89
 Field Report Preparation Date 7/5/88



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

50
11/31/91

APR 23 1991

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 56N, Rge. 2W,
Sec. 15, Qtr./Qtr. SW SW or Lot _____
2. Owner Ronald Poetra
Address 5224 Algoma Rd., City Sagle, State ID
3. Approx. date of well construction 1974
Well Driller Ronald Poetra
4. Casing: Diameter 6' Condition _____
5. Casing length above land surface 1'+
6. Well depth (ft) 192 Flowing _____ Temp. _____
Access port _____
7. Condition of piping and valving good
8. Evidence of well seal yes
9. Shut in pressure or static water level 21'
10. Evidence of leakage around the casing no
11. Does well need repair no
12. Comments NONE



(OVER)

MICROFILMED

APR 23 1991

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by _____ Date **APR 23 1991**

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 96-8420
Name(s) of Permit Holder(s): Renald Poelstra
Post Office Address: 5224 Algoma Rd.
Sagle, Id. 83860 Tel. No. 263-4320

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on Spring of 1984 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

5/15/85

Date

Renald Poelstra
Signature of Permit Holder

PLACE
STAMP
HERE

IVED

1985

RECEIVED



APR 23 1991

Water Resources

MAY 20 1985
IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

BOISE, IDAHO 83720

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

FEBRUARY 3, 1988

RENALD POELSTRA
5224 ALGOMA RD.
SAGLE, ID 83860

RE: Permit No. 96-8420

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

RECEIVED
FILMED

MAR 07 1988

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name Renald Pachter
Address 7701 Sagle, Idaho
Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandonment)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION


Diameter of hole 6 inches Total depth 122 feet
Casing schedule ☒ Steel ☐ Concrete
Thickness 1/4 inches Diameter 6 inches From 0 feet To 122 feet
inches inches feet feet
inches inches feet feet
inches inches feet feet
inches inches feet feet

Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number From To feet feet
perforations feet feet
perforations feet feet
perforations feet feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____ Model No. _____
Type _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☒ Yes ☐ No Size of gravel 1/4"
Placed from 122 feet to 122 feet
Surface seal? ☒ Yes ☐ No To what depth 18 feet
Material used in seal ☒ Cement grout ☐ Pudding clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



County BONNER
SW 1/4 Sec 15 T. 56 N. R. 2 E

7. WATER LEVEL

Static water level 21 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow 10
Temperature 45 F. Quality Good
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☒ Pump ☒ Bailor ☐ Other
Discharge G.P.M. _____ Draw Down _____ Hours Pumped _____
10 No 100' Level

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
6"	0	4'	TOP SOIL		
4"	4'	18'	SAND		
4"	18'	45'	CLAY		
4"	45'	50'	HARD SAND		
50"	50'	162'	FINO SAND-FINE		
162"	162'	182'	WALNUT SIZE GRAVEL		

10. Work started MAY 25 finished JUNE 1

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Renald Pachter 126
Driller's Firm's Name
ROUTE # 1 Sagle, Idaho
Signed By Renald Pachter June 13, 1991

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

MAR 07 1988

REPORT OF WELL DRILLER
State of Idaho

RECEIVED
SEP 1 1967

State law requires that this report shall be filed with the State Department of Reclamation Engineer within 30 days after completion or abandonment of the well.


WELL OWNER:
Name RENALD POCHTER
Address Rt #1
Sagle, Idaho
Owner's Permit No. _____
NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐
Water is to be used for: Domestic
METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other _____ (explain)
CASING SCHEDULE: Threaded _____ Welded _____
6" Diam. from 0 ft. to 161 ft.
"Diam. from _____ ft. to _____ ft.
"Diam. from _____ ft. to _____ ft.
"Diam. from _____ ft. to _____ ft.
Thickness of casing: _____ Material: _____
Steel ☒ concrete ☐ wood ☐ other ☐

(explain)
PERFORATED? Yes ☐ No ☒ Type of perforator used: _____
Size of perforations: _____ " by _____ "
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
WAS SCREEN INSTALLED? Yes ☐ No ☐
Manufacturer's name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
CONSTRUCTION: Well gravel packed? Yes ☒
No. _____ size of gravel CRUSHED Gravel placed from 150 ft. to 161 ft. Surface seal provided? Yes ☐ No ☐ To what depth? _____ ft. Material used in seal: _____

Did any strata contain unusable water? Yes ☒
No. _____ Type of water: Hard Soft
Depth of strata _____ ft. Method of sealing strata off: _____

Surface casing used? Yes ☐ No ☐
Cemented in place? Yes ☐ No ☐

Locate well in section



LOCATION OF WELL: County Idaho
SW NE Sec. 15 T. 36 N. R. 2 W.

Size of drilled hole: 6 Total depth of well: 161 Standing water level below ground: 30 Temp. _____ Fahr. _____ Test delivery: 7 gpm or _____ cfs Pump? ☐ Bail ☒
Size of pump and motor used to make test: _____

Length of time of test: _____ Hrs. _____ Min.
Drawdown: _____ ft. Artesian pressure: _____ ft. above land surface Give flow _____ cfs or _____ gpm. Shutoff pressure: _____
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing? Yes ☐ No ☒

DEPTH	MATERIAL	WATER
FROM TO		YES OR NO
FEET FEET		
1 2	Top Soil	
3 32	SAND, VERY FINE	
32 37	SAND, AVERAGE	
37 146	SAND, 2 1/2" of gravel sand	yes
146 161	2 1/2" of gravel sand	yes

Work started: April 1, 1965
Work finished: April 15, 1965
Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.
Name: Renald Pochter
Address: Rt #1 Sagle, Idaho
Signed by: Renald Pochter
License No. _____ Date: _____

Use other side for additional remarks

USGS

MAR 07 1968

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 96-8420

Date: 1-4-1988

General Considerations:

- y Name same as permit
y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
N Proof received after proof due date, if so prepare priority calculation

Source of Water:

- y Surface water
y Groundwater
N/A 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use:

- _____ Same as permit

Rate of Diversion:

- _____ Amount same as permit, if no:
_____ Is the amount of water in same fee range?
_____ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- _____ Is a measuring device or access port required?
_____ Has one been installed?
_____ Waiver or modification of measuring device requested


Remarks:

- Needs a copy of well log for file - see attached

Priority Calculation:

N/A Date proof received _____
Date proof due _____ + _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESFee Received 50⁰⁰
Date 12-4/87
Receipt # 41855
Receipt by JK
Reviewed by _____
Sent to region _____

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-8420Name(s) of Permit Holder: RENAUD POELSTRAPost Office Address: 5224 ALGOMA RD. SAGLE, ID. 83860Telephone No. 263-4320Source of Water: GROUNDWATER

Extent of Use:

Domestic 2 (number of households) Stockwater 20 (number and type of stock)Irrigation 12 (acres) Other/Remark _____Total rate and/or volume for which proof is submitted .20 cfs _____ acre-feetShow the date water was first diverted and beneficially used under this permit: DEC 1984Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ NoFee enclosed \$ 50⁰⁰
(See License Examination Fee Schedule)Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

RENAUD POELSTRA
(Name)263-4320
(Telephone Number)5224 ALGOMA RD SAGLE IDAHO 83860
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

12-4-87
Datex Renaud Poelstra
Signature of Permit Holder (and title, if appropriate)MAR 07 1988
owner

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

POELSTRA, RENALD
5224 ALGOMA RD.
SAGLE, ID 83860

MARCH 28, 1985

RE: PERMIT NO. 96-8420

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: PJA

APPLICATION NUMBER: 96-8420

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

- ☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 2/4/85
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2/6/85
☒ Application published correctly. If not, record action taken: last date for protests wrong - re-adv.
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 12/7/84 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: PJA

Date: 2/13/85

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.

By: CLW

Date: 3/5/85

RECEIVED
FEB 20 1985

MICROFILMED

Department of Water Resources

WATER RIGHT
DATA ENTRY LOG

[illegible]

96-8420

POELSTRA, RENALD

5224 ALGOMA RD., SAGLE, ID 83860

Source: GROUNDWATER

Date Filed: 12/07/1984

Diversion Pt: SWSW Sec 15 T 56N R 02W

Use: IRRIGATION	(0.20 CFS)
STOCKWATER	(0.02 CFS)
DOMESTIC	(0.08 CFS)

In: SWSW Sec 15 T 56N R 02W FOR 12 ACRES

MICROFILMED