





73000 = Total number of trees 10,222,56 (-Field estimate)

Year of Survey	Area Surveyed	Notes
1 39 21	Aug 26 1897	
20 09 60	Aug 29-Sep 12 1897	17000
3 00 21		
1 00 00	Aug 19 1897	

The above map of the
HOLCO - River
area of the survey shows
the survey line
Boise City
May 1900





State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08378

Priority: November 14, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.11 CFS
4.8 AF

This is to certify, that MARY E. PEAVY
P.O. BOX 113

BAYVIEW, ID 83803 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated November 14, 1983; and
has submitted Proof of Beneficial Use on November 14, 1983. An examination indicates
that the works have a diversion capacity of .110 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.11 CFS	4.8 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 3(NESW), Sec. 34, Township 54N, Range 02W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

54N 02W 34 SWNW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 4 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 31st
day of October, 1989.

RECORDED

NOV 24 1989

Billy D. Higgins for
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant MARY E. PEAVY, ET AL Phone _____
Post office address Box 113 BAY VIEW, ID 83803
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is CON LOT 3 (NE 1/4 SW 1/4) *kw 12/20/83
1/4 of 1/4 of Section 34 Township 54N
Range 2W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.11 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.11 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 75 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW 1/4 of NW 1/4 of Section 34 Township 54N

Range 2W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 4.

(5) If water is to be used for other purposes describe: _____

NOTED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. NONE


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks WELL SUPPLIES - MARY PEAVY, ARCHIE SCHRECK,
WILLIAM CROUCH, & LYLE STITT

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mary E. Leavy
(Applicant)

Proposed Priority 11/14/83

Received by KK Date 11/14/83 Time 10:00 A
Preliminary check by RJA Fee \$ 30.00
Receipted by KK Date 11/14/83 # 31394
Publication prepared by pm Date 11/17/83
Published in Coeur d'Alene Press
Publication dates 11/24 - 12/1/83
Publication approved pm Date 12/2/83
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RJA kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8378, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 27th day of December, 1983.

L. Glen Sayton
Chief, Operations Bureau



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai } ss.

Regina Mason being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The notice

of which the annexed is a printed copy, was published in the regular Wood
issue of said newspaper for 2 consecutive weeks
commencing on the 23 day of Nov, 1983, and
ending on the 30 day of Nov, 1983, and such
publication was made as often during said period as said daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Regina Mason
Subscribed and sworn to before me this 30 day of Nov
1983

Robert D. Dandy
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Ida-
ho:

96-8378

PEAVY, ET. AL., MARY E.
P. O. BOX 113, BAYVIEW, ID
83803

Source: GROUNDWATER

Date Filed: 11/14/1983

Diversion Pt: LOT 03 Sec 34 T 54N
R 02W

Use: DOMESTIC (0.11 CFS)

In: SWNW Sec 34 T 54N R 02W

96-8380

SCHAEFFER ADDITIONS WA-
TER ASSN. INC.

C/O KENNETH LEE, P. O. BOX
133, BAYVIEW, ID 83803

Source: GROUNDWATER

Date Filed: 11/16/1983

Diversion Pt: NWSW Sec 34 T 54N
R 02W

Use: IRRIGATION (0.04 CFS);

DOMESTIC (0.30 CFS)

In: NWSW Sec 34 T 54N R 02W
FOR 2 ACRES

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4055
Gov't Way, Coeur d'Alene, Id,
83814 on or before DECEMBER
12, 1983.

KEN DUNN, Dir.

Legal 788

Nov. 23, 30, 1983

R E C E I V E D

NOV 30 1983

Department of Water Resources
Northern District Office

October 31, 1989

MARY E. PEAVY
P.O. BOX 113
BAYVIEW, ID 83803

RE: PERMIT NO. 96-08378

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

INDEXED

NOV 24 1989



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

SEP 13 1985

96-8378
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

4 HOMES = 0.11 - APPLIED FOR (0.16 PER MEMO 5/13/81)

- b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

- c) Volume Calculations for Other Uses:

4 HOMES = $4(1.2) = 4.8$

2. Overlap Review

- a) Other water rights with same place of use: none

- b) Other water rights with same point of diversion: none

- c) Analysis:

MICROFILMED

NOV 24 1989

RECOMMENDED AMOUNTS

Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
96-2378		0.10			

4. Permit Holder: MARY ^{E.} PEAVY ET AL

Address: POB 113 BAYVIEW, ID 83803

5. Source: Ga tributary to

6. Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
<u>Domestic (4)</u>	<u>1-1</u>	<u>12-31</u>	<u>0.11</u>	<u>4.8</u>

Allowable Maximums: 0.11 4.5

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
54N	24W	34							X										
Total Acres _____																			

9. Recommended Conditions/Remarks:

MICROFILMED
NOV 24 1989

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature

Checked in Regional Office by

Approved in State Office by

Date 9/9/85

Date 9/9/85

Date 9/29/84

SEP 13 1985

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

Permit No. 96-83782

Phone No. _____

1. Owner: MARY E. PEAVY

Current Address: POB 113 BAYVIEW, MD 83803

2. Accompanied by: A/A A/E

EXAM. DATE: 8/10/85

Address: NONE Phone No. _____

Relationship to Permit Holder:

3. Source: *GW* tributary to

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
541B		1/2 HP			

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

8"X75' WELL SUBMERSIBLE PUMP 1 1/4" LINE TO 2 BLADDER TANKS 1 1/4" LINE TO HOMES -

6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

7. Measurements

☐ Additional data/computation sheets attached

4 Homes

8. Point(s) of Diversion:

Indicate Method of Determination *MAD*

[illegible]

9.

Irrigation - give acres served by system at time of exam.


Place(s) of Use:

Indicate Method of Determination

[illegible]

10. Other water rights on these lands None
11. Other water right diverted from same p.d. None

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

16. Examiner's/Consultant's Signature [Signature] Date 8/14/85
Consultant's License Number _____
IDWR Director's Authorization to Conduct
Beneficial Use Examination _____

Date **MICROFILMED** CONSULTANT SEAL
NOV 24 1985



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

April 16, 1985

Ms. Mary Peavy
Box 113
Bayview, Id. 83803

Re: 96-8378

Dear Ms. Peavy:

I would like to conduct the required examination of your water system this spring.


Please contact me at this office to arrange a time when you or your appointee can demonstrate the system.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED
NOV 24 1989





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 765-4639

August 1, 1985

RECEIVED

AUG 9 1985

Department of Water Resources
Northern District Office

Ms. Mary Peavy
Box 113
Bayview, Id. 83803


Re: 96-8378

Dear Ms. Peavy:

I would like to conduct the required field examination of your domestic groundwater system this fall.

In order to accomplish this, please contact me at this office to schedule a date and time when you or your appointee can meet with me to demonstrate the system. Failure to conduct the examination could result in cancellation of your permit.

Sincerely,


TOM D. KING
Senior Water Resource Agent

TDK/pms

*I have called this office three times
and was supposed to get a return call. It
cost me a long distance call every time
I call. Would you please call or write
me as to what time you would like an
appointment - they don't confirm.*

MICROFILMED

NOV 24 1989

Pho. 683-2538

*Mary E. Peavy
Box 606
Bayview Idaho
83803*

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

FEBRUARY 16, 1984

MARY E. PEAUVY
BOX 113
BAYVIEW ID 83803

RE: Permit No. 96-8378

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED
NOV 24 1989

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 96-8378.

Name(s) of Permit Holder: MARY E. PEAVY

Post Office Address: Box 113

BAYVIEW, ID 83803 Tel. No. _____

Source of Water: _____

Extent of Use: ☒ Domestic 4 (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

11/14/83
Date

Mary E. Peavy
Signature of Permit Holder

MICROFILMED

PLACE
13 CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

*rec'd 11/14/83-
same time as
application.*

EW

12/20/83

S T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

PEAVY, ET. AL., MARY E.
P.O. BOX 113
HAYVIEW, ID 83803

JANUARY 04, 1984

RE: PERMIT NO. 96-8378

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: DMH

APPLICATION NUMBER: 96-8378

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☐ No
☐ Yes ☐ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: 12/12/83

- ☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 11/30/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.

- ☐ Yes ☒ No

Measuring device required.

- ☐ Yes ☒ No

Access port required.

- ☐ Yes ☒ No

Will water be delivered by watermaster? If yes, what district? _____

- ☒ Yes 11/14/83

Date of priority recommended.

Special conditions of approval or cover letter. _____

By: DMH

Date: 12/12/83

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.

By: kw

Date: 12/20/83

RECEIVED

96-8328-

PEAVY, ET. AL., MARY E.

P.O. BOX 113, BAYVIEW, ID 83803

Source: GROUNDWATER

Date Filed: 11/14/1983

Diversion Pt: LOT 03 Sec 34 T 54N R 02W

Use: DOMESTIC (0.11 CFS)

In: SWNW Sec 34 T 54N R 02W

RECEIVED
NOV 15 1983