

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
JUN 5 1985

96-8338
Permit No.

Approved in State Office by _____

Checked in Regional Office by _____

11. Examiner's Signature _____

Date _____
Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

☐ Change P.D. as reflected above ☒ Add P.D. as reflected above ☐ None

10. Recommended Amendment:
one home = 0.02
one Acre = 0.02
5 Hd stock = 0.02
0.06

RECEIVED
JUN 11 1985

8. Recommended Conditions/Remarks:

Total Acres											
b) Volume Calculations for Irrigation:											
$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5$											
$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (97) = 7.8$											
$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3$											
c) Volume Calculations for Other Uses:											
1/4 Sec.	1/2 Sec.	3/4 Sec.	1/4 Sec.	1/2 Sec.	3/4 Sec.	1/4 Sec.	1/2 Sec.	3/4 Sec.	1/4 Sec.	1/2 Sec.	3/4 Sec.
one home 0.02 AF											
5 Hd stock 0.2 AF											

8. Place(s) of Use

2. Overlap Review

a) Other water rights with same place of use: none

No.	Gov. Lot	1/4	1/2	3/4	Sec.	Twp.	Rge.	County
-----	----------	-----	-----	-----	------	------	------	--------

1. Point(s) of Diversion:

b) Other water rights with same point of diversion: none

Allowable Maximums:

e) Analysis:



8. Beneficial Use

9. Source:

Address:

10. Permit Holder:

3. Permit No.

RECOMMENDED AMOUNTS



TWP, 58N RGE, 1W SEC, 22 MAP # C-57 MAP SCALE
DATE OF FIELD EXAM 5/15/85 FIELD REPORT MAP PERMIT # 96-8338

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08338

Priority: July 1, 1983 Amount: 0.02 CFS 4.2 AFA

This is to certify, that FRED H. OMODT

100 SELKIRK

SANDPOINT, ID 83864

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated July 1, 1983, and has submitted proof to the Department of Water Resources on December 31, 1984, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .020 cfs of water from a GROUNDWATER source and that a water right has been established as follow:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
IRRIGATION	04/01 to 10/15	0.02 CFS	3.0 AFA
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AFA
	Totals	0.02 CFS	4.2 AFA

LOCATION OF POINT OF DIVERSION(S):

NWNW , Sec. 22, Township 58N, Range 01W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
58N 01W 22	NWNW 1			1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

JAN 11 1989


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08338

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4th
day of JANUARY, 1989.

Acting for the Director



MICROFILMED

JAN 11 1989

667-6484

Form 202

RECEIVED

STATE OF IDAHO

Ident. No. 96-8338

DEPARTMENT OF WATER RESOURCES

JUL 1983

APPLICATION FOR PERMIT

APPROVED

Department of Water Resources To appropriate the public waters of the State of Idaho
Northern District Office

1. Name of applicant FRED H OMODT Phone 263-9352
Post office address 100 SELKIRK SANDPOINT, IDAHO 83864
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NW ¼ of NW ¼ of Section 22 Township 58N
Range 1W B.M. BONNER County, additional points of diversion if any: NONE

4. Water will be used for the following purposes:

Amount 0.02 for domestic purposes from 1 Jan. to 31 Dec. (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for irrigation purposes from April 1 to October 15 (both dates inclusive)
(cfs or acre-feet per annum)
Allow 0.02 cfs per letter of 11/7/1983 *kw
Amount 0.03 for stock purposes from 1 Jan. to 31 Dec. (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

Allow 0.06 cfs *kw

a. 1.00 - .07 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, pipe

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 36 inches; proposed depth of well is 30 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW ¼ of NW ¼ of Section 22 Township 58N
Range 1W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 5 cattle

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water one.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated .5

c. Describe any other water rights used for the same purposes as described above. NONE


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N/A

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



MICROFILMED

2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Fred Omdt
(Applicant)

MICROFILMED

Received by LB Date 7/1/83 Time 12:30
Preliminary check by LB Fee \$ 7 30.00 28668
Receipted by RST Date 7/5/83 (28668)
Publication prepared by m Date 8/3/83
Published in Sandpoint Daily Bee
Publication dates 8/10 - 8/17/83
Publication approved JK Date 10/5/83
Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by perth kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8338, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: The maximum rate of diversion under this permit shall not exceed 0.06 cfs.

Witness my hand this 7th day of December, 1983.

J. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of

Legal notices

as it was published in the regular and entire issue of the said paper for a period of 2 consecu-

tive weeks, commencing on 10 day of 8, 1983 and ending on the 17 day of 8,

1983 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 7 day

of 9, 1983.

Gloria M Thompson

Notary Public for Idaho,

Residing at Sandpoint, Idaho

RECEIVED
SEP 12 1983

96-8329
STEVENS, L. J.
P.O. Box 263, Sdpt., Id.
Source: UNNAMED
STREAM trib. to SYRINGA
CREEK
Date Filed: 07/01/1983
Diversion Pt: SWNW NWSW
Sec 09 T 57N R 02W
Use: RECREATION
STORAGE (2.0 AF)
DIVERSION TO STORAGE
(0.20 CFS)
In: SWNW NWSW Sec 09 T
57N R 02W

96-8330
SMITH, ROBERT E.
7205 SELLE RD., SAND-
POINT, ID 83864
Source: GROUNDWATER
Date Filed: 07/01/1983
Diversion Pt: NENW Sec 22
T 58N R 01W
Use: IRRIGATION (0.10
CFS)
DOMESTIC (0.02 CFS)
In: NENW Sec 22 T 58N R
01W FOR 7 ACRES

Resources
Office

96-8331

GAUZZA, JR., GEORGE
HUDSON, LORLEA
1700 ELMIRA RD., SAND-
POINT, ID 83864
Source: DENNICK CREEK
trib. to SAND CREEK
Date Filed: 07/01/1983
Diversion Pt: SWSW Sec 06
T 59N R 01E
Use: DOMESTIC (0.04 CFS)
RECREATION (0.10 CFS)
RECREATION STORAGE
(3.0 AF)
In: SWSW Sec 06 T 59N R
01E

96-8332

ROOS, EVAN
8650 SUNNYSIDE RD.,
SANDPOINT, ID 83864
Source: PEND OREILLE
LAKE trib. to PEND
OREILLE RIVER
Date Filed: 07/01/1983
Diversion Pt: NWSW Sec 04
T 57N R 01W
Use: IRRIGATION (0.16
CFS)
In: NWSW Sec 04 T 57N R
01W FOR 8 ACRES

96-8333

ROOS, EVAN
8650 SUNNYSIDE RD.,
SANDPOINT, ID 83864
Source: GROUNDWATER
Date Filed: 07/01/1983
Diversion Pt: NWSW Sec 04
T 57N R 01W
Use: IRRIGATION (0.10
CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: NWSW Sec 04 T 57N R
01W FOR 5 ACRES

96-8334

BLOOD, DAN &/or CINDY
RT. 2 BOX 234A, SAND-
POINT, ID 83864
Source: SPRING trib. to
PEND OREILLE RIVER
Date Filed: 07/01/1983
Diversion Pt: SWNW Sec 26
T 57N R 03W
Use: DOMESTIC (0.04 CFS)
In: SWNW Sec 26 T 57N R
03W

96-8335

HUFFMAN, HARVEY &/or
SERENA
RT. 2 BOX 229 B, SAND-
POINT, ID 83864
Source: GROUNDWATER
Date Filed: 07/01/1983
Diversion Pt: NESE Sec 26 T
57N R 03W
Use: DOMESTIC (0.20 CFS)
In: NESE Sec 26 T 57N R
03W

96-8336

ROBIDEAUX, T.O.
517 S. 1ST, SANDPOINT, ID
83864
Source: PEND OREILLE
LAKE trib. to PEND
OREILLE RIVER
Date Filed: 07/01/1983
Diversion Pt: NWNE Sec 02
T 56N R 02W
Use: IRRIGATION (0.08
CFS)
DOMESTIC (0.08 CFS)
In: NWNE Sec 02 T 56N R
02W FOR 4 ACRES

96-8337

ROBIDEAUX, T.O.
517 S. 1ST, SANDPOINT, ID
83864
Source: GROUNDWATER
Date Filed: 07/01/1983
Diversion Pt: NWNE Sec 02
T 56N R 02W
Use: IRRIGATION (0.08
CFS)
DOMESTIC (0.08 CFS)
In: NWNE Sec 02 T 56N R
02W FOR 4 ACRES

96-8338

OMODT, FRED H.
100 SELKIRK, SAND-
POINT, ID 83864
Source: GROUNDWATER
Date Filed: 07/01/1983
Diversion Pt: NWNW Sec 22
T 58N R 01W
Use: IRRIGATION (0.02
CFS)
STOCKWATER (0.03 CFS)
DOMESTIC (0.02 CFS)
In: NWNW Sec 22 T 58N R
01W FOR 1 ACRES

96-8339

OFFERMAN, HERBERT &
JEANETTE
5600 SHINGLEMILL RD.,
SANDPOINT, ID 83864
Source: BOYER SLOUGH
trib. to PEND OREILLE
LAKE
Date Filed: 07/01/1983
Diversion Pt: LOT 02 Sec 06
T 57N R 01W
Use: IRRIGATION (0.20
CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: LOT 02 Sec 06 T 57N R
01W FOR 20 ACRES

96-8340

MCGOVERN, BERNARD L.
546 S. FLORENCE, SAND-
POINT, ID 83864
Source: PEND OREILLE
LAKE trib. to PEND
OREILLE RIVER
Date Filed: 06/28/1983
Diversion Pt: NWSE Sec 07
T 57N R 01W
Use: DOMESTIC (0.20 CFS)
In: NWSE Sec 07 T 57N R
01W

96-8341

SYLVESTER, AL &/or
ROSE
STAR RT. BOX 127, HOPE,
ID 83836
Source: GROUNDWATER
Date Filed: 06/28/1983
Diversion Pt: SWSW Sec 16
T 57N R 01E
Use: COMMERCIAL (0.02
CFS)
DOMESTIC (0.04 CFS)
In: SWSW Sec 16 T 57N R
01E

96-8342

HELSETH, THOMAS P.
&/or CAMILLE I.
RT. 1 BOX 170, SAGLE, ID
83860

Source: GROUNDWATER
Date Filed: 06/28/1983
Diversion Pt: NESE Sec 03 T
56N R 03W
Use: IRRIGATION (0.03
CFS)
STOCKWATER (0.01 CFS)
DOMESTIC (0.06 CFS)
In: NESE Sec 03 T 56N R
03W FOR 1 ACRES

96-8343

JOHNSON, PAUL B. &/or
SUZANNE
8000 W. SHINGLE MILL
RD., SANDPOINT, ID 83864
Source: UNNAMED
STREAM trib. to BOYER
SLOUGH
Date Filed: 06/29/1983
Diversion Pt: NESW Sec 29
T 58N R 01W
Use: IRRIGATION (0.10
CFS)
In: NESW NWSE Sec 29 T
58N R 01W FOR 23 ACRES

96-8344

GUSTAVESON, DORIAN K.
4005 MOUNTAIN VIEW
RD., SANDPOINT, ID 83864
Source: SYRINGA CREEK
trib. to PEND OREILLE
RIVER
Date Filed: 06/29/1983
Diversion Pt: SWSE Sec 08 T
57N R 02W
Use: IRRIGATION (0.0450
CFS)
DOMESTIC (0.0050 CFS)
In: NWSE SWSE Sec 08 T
57N R 02W SWSE Sec 08 T
57N R 02W FOR 13 ACRES

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

The following applica-
tion(s) have been filed to ap-
propriate the public waters of
the State of Idaho:

The permit(s) will be sub-
ject to all prior water rights.
Protests must be filed with
the Director, Dept. of Water
Resources, 4055 Gov't. Way,
Coeur d'Alene, Id. 83814 on
or before AUGUST 29, 1983.

KEN DUNN, Dir.
Published 8/10 & 8/17/83.
Dept. of Water Resources

January 5, 1989

FRED H. OMODT
100 SELKIRK
SANDPOINT, ID 83864

RE: PERMIT NO. 96-08338

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JAN 11 1989

November 21, 1988

FRED H. OMODT
100 SELKIRK
SANDPOINT, ID 83864

RE: PERMIT NO. 96-08338

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MicroFILMED

JAN 11 1989



INTER-DEPARTMENT MEMO — 1

FROM

Ryenne McCarthy

TO

file # 96-8338

SUBJECT

*stockwater (5 head) is included
in 1.2 ata domestic volume*

RECEIVED

JAN 11 1989


SIGNATURE

Phone No. _____

- [illegible]

10. Other water rights on these lands None
11. Other water right diverted from same p.d. None

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

16. Examiner's/Consultant's Signature [Signature] Date 5/13/85

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date

MICROFILMED

JAN 13 1989

CONSULTANT SEAL

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

LICENSING REPORT

RECEIVED
JAN 5 1985

96-8338
Permit No.

1. Measurement Calculations

Department of Water Resources

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

ONE HOME = 8200
ONE ACRE = 0.02
5 Hd STOCK = 0.02
0.06

b) Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3$
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (97) = 7.8$
 $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 3$

c) Volume Calculations for Other Uses:


ONE HOME = 0.6 AF
5 Hd STOCK = 0.2 AF

2. Overlap Review

a) Other water rights with same place of use: none

b) Other water rights with same point of diversion: none

c) Analysis:



FILED
11 1989

RECOMMENDED AMOUNTS

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
	96-8338		0.06			

4. Permit Holder: Fred Omdt

Address: 100 Selkirk, Sandpoint, Id 83864

5. Source: GW tributary to _____

6. Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
<u>IRR</u>	<u>4-1</u>	<u>10-15</u>	<u>0.02</u>	<u>30</u>
<u>Dom STOCK</u>	<u>1-1</u>	<u>12-31</u>	<u>0.02</u>	<u>0.2</u>
<u>Dom</u>	<u>1-1</u>	<u>12-31</u>	<u>0.02</u>	<u>0.2</u>

Allowable Maximums: 0.06 4.4

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			NW	NW	22	58N	1W	Banner
			NW	NW	22	58N		

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
58N	1W	22						X										1	
Total Acres																		1	

Total Acres 1

9. Recommended Conditions/Remarks:

RECORDED
JAN 11 1989

10. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature [Signature]

Date 5/22/85

Checked in Regional Office by Bob Haynes

Date 5/22/85

Approved in State Office by Roxanne McCarthy

Date 11/4/88



TWP. 58N RGE. 11W SEC. 22 MAP # 0-57 MAP SCALE

DATE OF FIELD EXAM 5/15/85

FIELD REPORT MAP PERMIT # 96-8338

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

MARCH 4, 1985

FRED OMODT
100 SELKIRK
SANDPOINT ID 83864

RE: Permit No. 96-8338

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

JAN 11 1989

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 96-8338.

Name(s) of Permit Holder: Fred H Omat

Post Office Address: 100 SELKIRK

SANDPOINT IDAHO 83864 Tel. No. 263 9352

Source of Water: WELL



Extent of Use:

☒ Domestic	<u>1</u>	(number of households)
☒ Stockwater	<u>5 cattle</u>	(number and type of stock)
☒ Irrigation	<u>1.5</u>	(acres)
☐ Other		

Measuring Device:	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☒ No
Access Port:	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

23 Dec 84 **MICROFILMED** Fred H Omat
 Date Signature of Permit Holder



RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES
DEC 31 1984 STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138440

ONODT, FRED H.
100 SELKIRK
SANDPOINT, ID 83864

PROOF DUE NOTICE

OCTOBER 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 96-8338 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JANUARY 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

OMODT, FRED H.
100 SELKIRK
SANDPOINT, ID 83864

DECEMBER 20, 1983

RE: PERMIT NO. 96-8338

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE POSTCARD THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

UNRECORDED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

November 7, 1983

Mr. Fred H. Omodt
100 Selkirk St.
Sandpoint, Id. 83864

Re: 96-8338

Dear Mr. Omodt:

During a review of your application for permit we noticed that you have applied for 0.03 cfs of water (approx. 13.5 gpm) for stock watering of 5 cattle.

This amount is excessive for the intended use and our Department will take steps to reduce the amount to 0.02 cfs (approx. 9 gpm) unless you can prove to the Director's satisfaction that the excess water is needed.

If we do not hear from you within 20 days, we shall reduce your amount of water to 0.02 cfs. If you have any questions, please contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

pms

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: LB

APPLICATION NUMBER: 96-8338

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

☒ Fee.

☐ Yes ☒ No

Field check required.

☐ Yes ☒ No

Critical groundwater area.

☐ Yes ☒ No

Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No*

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☐ No

Platted by: _____ Map No. _____

☐ Yes ☐ No

Other rights on same place of use. _____

☒ Yes ☐ No*

In form for advertising.

Final date for protests: 8/29/83

☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9/12/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 7/1/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RyA Date: 10/12/83

STATE OFFICE REVIEW:

use: The maximum rate of diversion under this permit shall not exceed 0.06 cfs.

☐ See attached sheet for more information.

By: Kay Date: 12/6/83

MICROFILMED

96-8338-

OMODT, FRED H.

100 SELKIRK SANDPOINT, ID 83864

Source: GROUNDWATER

Date Filed: 07/01/1983

Diversion Pt: N4NW Sec 22 T 58N R 01W

Use: IRRIGATION	(0.02 CFS)
STOCKWATER	(0.03 CFS)
DOMESTIC	(0.02 CFS)

In: N4NW Sec 22 T 58N R 01W FOR 1 ACRES

MICROFILMED