

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-08312

1. Owner: DAVID OR RACHEL RICHARDSON Phone No. 264-5558

Current Address: 700 HWAY 200 HOPE, ID 83836

2. Accompanied by: SAME EXAM. DATE: 11-16-89

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major comp
size/ditch size/pipe i.d. as applicable. ☐ Alternativ



MICROFILMED

Scale: 1" = FTS

FEB 18 1991




2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).



RICHARDSON MAP:33 QUAD:C7
PD: T57N, R1E, SEC. 21, NENW
PU:
SOURCE: GROUNDWATER

PERMIT #96-08312
GL:
ACRES:
TRIBUTARY


MICROFILMED

FEB 08 1991

CKSADDLE
2780 III
LE 1:62500

SCHEMATIC

Provide a schematic Diagram showing the location of the well in the ¼/¼ with respect to houses, roads, other wells or readily identifiable features.



MICROFILMED

FEB 08 1991

Inspected by

J. Kay

Date 11-16-89

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08312

Priority: July 13, 1983

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 11.4 AF

This is to certify, that DAVID A. RICHARDSON
RACHEL C. RICHARDSON

700 HWY. 200
HOPE, ID 83836

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 30, 1983; and has submitted Proof of Beneficial Use on November 17, 1988. An examination indicates that the works have a diversion capacity of .230 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	3.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	8.4 AF
	Totals	0.04 CFS	11.4 AF

LOCATION OF POINT(S) OF DIVERSION: NENW , Sec. 21, Township 57N, Range 01E
BONNER County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN RGE SEC</u>					
57N 01E 21	NENW 1				1
Total number of acres irrigated:					1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

FEB 08 1991

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08312

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Domestic use is for 14 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24TH day of JANUARY, 1991.

Acting for

R. Keith Higginson, Director

MICROFILMED

FEB 08 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 96-8312 IN THE)
NAME OF DAVID A. OR RACHEL C. RICHARDSON) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before November 1, 1988; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department has notified the permit holders that the permit lapsed for failure of the permit holders to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on November 14, 1988;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 96-8312 be REINSTATED and the priority advanced to July 13, 1983.

Dated this 30th day of November, 1988.

MICROFILMED

JAN 11 1989

L. Glen Saxton
L. GLEN SAXTON
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho:

Rachel C. Richardson

1. Name of applicant David A. Richardson Phone 264-5558

Post office address Star Rt Bx104, Hope, Id. 83836

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 21 Township 57N

Range 1E B.M. BONNER County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.03 for irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.20 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 21 Township 57N

Range 1E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 20.

(5) If water is to be used for other purposes describe: Domestic for 20 mobile home units, trailer park

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
57N	1E	21					1												1

Total number of acres to be irrigated 1

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion APP

b. Who owns the land to be irrigated or place of use APP

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks (SW¼ NE¼ NW¼ Sec. 21, 57N-1E)

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

David A. Richardson
(Applicant)

Proposed Priority 6/30/83

Received by LG Date 6/30/83 Time 11:00a

Preliminary check by L/B Fee \$ 30⁰⁰

Receipted by LG Date 6/30/83 # 28528

Publication prepared by KK Date 7-11-83

Published in Sandpoint Bee

Publication dates 7-20, 27-83

Publication approved TK Date

Protests filed by: none

Copies of protests forwarded by

Hearing held by Date

Recommended for (approval) denial by LG kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8312, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 4 day of November, 1983.

David R. Tuttle
ACTING Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspaper printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached

notice of publication in the case of

Legal notice

as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 20 day of 7, 1983 and ending on the 27 day of 7, 1983 and that said notice was published in said newspaper.

Subscribed and sworn to before me this 3 day

of 8, 1983

Notary Public for Idaho,

Residing at Sandpoint, Idaho

RECEIVED

AUG 8 1983

NOTICE OF APPLICATION

FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-8290

JOHNSON, DAVID &/or DONNA
P.O. BOX 99, COCOLALLA, ID 83813
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: SENW Sec 05 T 55N R 02W
Use: STOCKWATER (0.02 CFS)
COMMERCIAL (0.02 CFS)
DOMESTIC (0.04 CFS)
In: SENW Sec 05 T 55N R 02W

96-8292

KASSERBAUM, JOSEPH S.
9640 COLBURN - CULVER RD., SANDPOINT, ID 83864
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: SENE Sec 10 T 58N R 01W
Use: IRRIGATION (0.10 CFS)
DOMESTIC (0.04 CFS)
In: SENE Sec 10 T 58N R 01W FOR 5 ACRES

96-8299

MESTERMAN, ALFRED &/or RUBY
RT. 1 BOX 35, SAGLE, ID 83860
Source: GROUNDWATER
Date Filed: 06/30/1983
Diversion Pt: NWSE Sec 02 T 56N R 02W
Use: IRRIGATION (0.05 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: NWSE Sec 02 T 56N R 02W FOR 2 ACRES

JOHNSON, GLEN R. &/or CAROLE
HCR 68 BOX COCOLALLA, ID 83813
Source: BUTLER CREEK trib. to COCOLALLA LAKE
Date Filed: 06/28/1983
Diversion Pt: NWSW Sec 17 T 55N R 02W
Use: IRRIGATION (0.09 CFS)
STOCKWATER (0.02 CFS)
In: NWSW Sec 17 T 55N R 02W FOR 3 ACRES

96-8301

JOHNSON, GLEN R. &/or CAROLE
HCR 68 BOX 293, COCOLALLA, ID 83813
Source: GROUNDWATER
Date Filed: 06/28/1983
Diversion Pt: NWSW Sec 17 T 55N R 02W
Use: IRRIGATION (0.09 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: NWSW Sec 17 T 55N R 02W FOR 3 ACRES

96-8302

TENNEY, HERBER C.
RT. 1 BOX 277A, SAGLE, ID 83860
Source: GROUNDWATER
Date Filed: 06/28/1983
Diversion Pt: SWNW Sec 21 T 56N R 02W
Use: STOCKWATER (0.02 CFS)
DOMESTIC (0.18 CFS)
In: SWNW Sec 21 T 56N R 02W

96-8303

WAHLEN, JANNA
P.O. BOX 1270, SANDPOINT, ID 83864
Source: UNNAMED STREAM trib. to SMITHS CREEK
Date Filed: 06/30/1983
Diversion Pt: SWSE Sec 21 T 57N R 03W
Use: DOMESTIC (0.05 CFS)
In: SWSE Sec 21 T 57N R 03W

96-8304

GIBSON, THOMAS &/or TRACY

P.O. BOX 1908, SANDPOINT, ID 83864
Source: UNNAMED STREAM trib. to WESMOND CREEK
Date Filed: 06/29/1983
Diversion Pt: SWNW Sec 04 T 55N R 02W
Use: IRRIGATION (0.20 CFS)
IRRIGATION STORAGE (2.0 AF)
IRRIGATION FROM STORAGE (2.0 AF)
In: SWNW Sec 04 T 55N R 02W FOR 15 ACRES

96-8305

SLATER, DONALD L. &/or JACQULYN
4725 BALDY MT. RD., SANDPOINT, ID 83864
Source: UNNAMED STREAM trib. to TURNIPSEED CREEK
Date Filed: 06/28/1983
Diversion Pt: SWNE Sec 18 T 57N R 02W
Use: IRRIGATION (0.06 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
RECREATION STORAGE (2.0 AF)
In: SWNE Sec 18 T 57N R 02W FOR 2 ACRES

96-8306
BASTIAN, CAROLYN W.
LAKEVIEW LANDING, BAYVIEW, ID 83803
Source: SOUTH GOLD CREEK trib. to PEND OREILLE LAKE
Date Filed: 06/30/1983
Diversion Pt: NWSE Sec 03 T 53N R 01W
Use: DOMESTIC (0.08 CFS)
In: NWSE Sec 03 T 53N R 01W

96-8307

BASTIAN, CAROLYN W.
LAKEVIEW LANDING, BAYVIEW, ID 83803
Source: NORTH GOLD CREEK trib. to PEND OREILLE LAKE
Date Filed: 06/30/1983
Diversion Pt: SWNE Sec 03 T 53N R 01W
Use: DOMESTIC (0.08 CFS)
In: SWNE Sec 03 T 53N R 01W

96-8309

KEARNEY, MELVIN C.
P.O. BOX 443, SAGLE, ID 83860
Source: SPRING trib. to SINKS
Date Filed: 06/30/1983
Diversion Pt: NWSE Sec 06 T 55N R 01W
Use: DOMESTIC (0.0045 CFS)
In: NWSE Sec 06 T 55N R 01W

96-8310

RAMEY, EMERY H.
P.O. BOX 67, COLBURN, ID 83865
Source: GROUNDWATER
Date Filed: 06/30/1983
Diversion Pt: NWNW Sec 05 T 58N R 01W
Use: DOMESTIC (0.02 CFS)
In: NWNW Sec 05 T 58N R 01W

96-8311

LANCASTER, LARRY
7302 ADAMS ST., PARAMOUNT, CA 90723
Source: PEND OREILLE RIVER trib. to COLUMBIA RIVER
Date Filed: 06/30/1983
Diversion Pt: LOT 07 Sec 04 T 56N R 03W
Use: IRRIGATION (0.03 CFS)
In: SWSE Sec 04 T 56N R 03W FOR 1 ACRES

96-8312

RICHARDSON, DAVID A. &/or RACHEL C.
STAR RT. BOX 104, HOPE, ID 83836
Source: GROUNDWATER
Date Filed: 06/30/1983
Diversion Pt: NENW Sec 21 T 57N R 01E
Use: IRRIGATION (0.03 CFS)
DOMESTIC (0.20 CFS)
In: NENW Sec 21 T 57N R 01E FOR 1 ACRES

96-8313

SHELLENBERGER, JOSEPH E.
RT. 1 BOX 232-A, SAGLE, ID 83860
Source: GROUNDWATER
Date Filed: 06/30/1983
Diversion Pt: SWSW Sec 13 T 56N R 03W
Use: IRRIGATION (0.12 CFS)
DOMESTIC (0.04 CFS)
In: SWSW Sec 13 T 56N R 03W FOR 4 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or before AUGUST 8, 1983.

KEND DUNN, Dir.

Published 7/20 & 7/27/83.
Dept. of Water Resources

February 5, 1991

DAVID A. RICHARDSON
RACHEL C. RICHARDSON
700 HWY. 200
HOPE, ID 83836

RE: WATER RIGHT NO. 96-08312

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED

FEB 68 1991

January 7, 1991

DAVID A. RICHARDSON
RACHEL C. RICHARDSON
700 HWY. 200
HOPE, ID 83836

RE: WATER RIGHT NO. 96-08312

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MICROFILMED

FEB 08 1991

LICENSE REVIEW CHECKLIST

Permit No. 96-8312

Name/Address change? ok

Priority date Advance? yes no

Memo to advance Order to reinstate needed? yes no

Total cfs Limited by fee Limited by capacity

Total volume Limited by flow Chart checked for AF rate/ac 3.0

Capacity Actual measurement checked NONE
Theoretical checked If greater than permit, check for other rts

Source Changed? yes no
If so, is memo needed to clarify?

P/D Verify with map permit
More than one per 1/4? Remember remark
Check p/d overlap N/A

Uses Check irrigation period of use w/ chart

P/U Verify with map permit
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4
Description of non-irrig uses
Special overlap condition

Conditions -
Measuring device R44
W.Master control
Overlap
Water quality
Other

Dates/Misc. -
Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM Needed according to proof filed
Filed - needs amended
Add'l fee required
Not filed -
Not needed

MICROFILMED

Comments/Changes to Examiner's Recommendations: FEB 08 1991

License 10-day 30-day

Back of field report signed?
Reviewer S. Curtis Date 12/26/90 Review time 8 min.

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 96-08312

☒ **A. GENERAL INFORMATION**

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

☒ **B. OVERLAP REVIEW**

- ☒ 1. & 2. (Rule 5,1,4)

☒ **C. SYSTEM DESCRIPTION**

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
☒ 6. Irrigation (Rule 5,1,8) Method of determination

RECEIVED
JUN 27 1990

Department of Water Resources

☒ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

☒ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

☒ **F. OPTIONAL**

☒ **G. VOLUME CALCULATIONS**

- ☒ Three significant figures and no more than 1/10's (Rule 6,1,2)
☒ Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

☒ **H. REMARKS AND OVERLAP ANALYSES**

- ☒ All actual uses listed (Rule 5,1,2):
☒ All unused, permitted uses listed (Rule 5,1,2):
☒ Overlaps (Rule 5,1,4):
☒ Return flows (Rule 5,1,5):
☒ Conditions (Rule 5,1,6).

☒ **I. RECOMMENDATIONS**

- ☒ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
☒ 2. Compare permit to exam for amendments (Rule 5,1,16)

☒ **J. AUTHENTICATION**

☒ Name, Signature, Certification Date, Exam Date.

☒ **WELL INSPECTION REPORT**

☒ Check with permit and well log for discrepancies

Signature J. Ky Date 1/23/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-0 82312

1. Owner: DAVID OR RACHEL RICHARDSON

Phone No. 264-5558

Current Address: 700 HWAY 200 HOPE, MD 83836

2. Accompanied by: Sgt. [Signature]

EXAM. DATE: 9-16-87

Address:

Phone No.

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to

B. OVERLAP REVIEW

1. Other water rights with same place of use: none

☐ Copies Attached

2. Other water rights with same point of diversion: None

☐ Copies Attached☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components, size/ditch size/pipe i.d. as applicable. ☐ Alternative

1" BORED
MAIN

TO MOBILE
TEMP
PACK

DECLASSIFIED

Scale: 1" = 253

110-81231

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)



System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

AG" X 100' WELL W/SWC @ 15' A SUBMERSIBLE PUMP & PIPE
LINE TO MOBILE HOME PARK

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	SEARS	2		SEARS	1"
TEMPORARY	SEARS	1	69	u	1"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NW	21	57N	1E	Brown Co.	map

6. **Place(s) of Use:**


Indicate Method of Determination map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
57N	1E	21					D												1

Do not use this space

RECORDED

FEB 08 1991



RICHARDSON MAP:33 QUAD:C7
PD: T57N, R1E, SEC. 21, NENW
PU:
SOURCE: GROUNDWATER

PERMIT #96-08312
GL:
ACRES:
TRIBUTARY

MICROFILMED

FEB 08 1991

CKSADDLE
2780 III
LE 1:62500

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{8.8(2)80\%}{2.3(20)+15} = .23$$

$$\text{TEMP } \frac{8.8(1)80\%}{2.3(20)+15} = .11$$

TEST PUMP
20 gpm
X FEE 0.04 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{.3}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{19}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{.3}$

2. Volume Calculations for Other Uses:

$$365(.04)1.9835 = 29.0 \text{ AF}$$

FEB 08 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	0.02	3.0
DOMESTIC	1-1	12-31	0.04	8.4
Totals:			0.04	11.4

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other


J. AUTHENTICATION

Field Examiner's Name Jan King

Signature Jan King

Certification Date 2/17/89

Field Report Preparation Date 11/16/89



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

SC
12/26/90

MICROFILMED

FEB 08 1991

State of Idaho
Department Of Water Resources

WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be attached to the beneficial use field report. If well construction standards do not appear to be met, a copy of this form should be forwarded to Groundwater Protection Section.

Water Right Permit No. 96-08312

1. Legal Description of Well Location:

Twp. 57 N, Rge. 1E Sec. 21, NE $\frac{1}{4}$ NW $\frac{1}{4}$ Gov. Lot

2. Owner: DAVID RICHARDSON

Address: 700 HWY 200 HOPE, ID, 83836

City HOPE, State ID 83836

3. Approximate date of well construction 1971

Well driller: CDA DRILLING

4. Casing: Diameter 6 Condition GOOD

5. Casing length above land surface 2'

6. Well depth (ft) 100 Flowing — Temperature — Access Port ✓

7. Condition of piping and valving GOOD

8. Evidence of well seal —

9. Shut in pressure or static water level 15

10. Evidence of leakage around the casing NO

11. Does well need repair NO


12. Comments WELL LOG INCORRECTLY LISTS PD @ SW NE

MICROFILMED

FEB 08 1991

SCHEMATIC

Provide a schematic Diagram showing the location of the well in the ¼/¼ with respect to houses, roads, other wells or readily identifiable features.



RICHARDSON MAP:33 QUAD:C7
 PD: T57N, R1E, SEC. 21, NENW
 PU:
 SOURCE: GROUNDWATER

PERMIT #96-08312
 GL:
 ACRES:
 TRIBUTARY

MICROFILMED

FEB 08 1991

Inspected by *J. Key*

Date 11-16-89



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

December 9, 1988

Mr. D. A. Richardson
700 Hwy. 200
Hope, Id. 83836

Re: 96-8312

Dear Mr. Richardson:

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

FEB 08 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 96-8312Date: 11-29-88General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change ☐ If yes, prepare a data entry
☒ Proof received timely
☒ Reinstated

Source of Water:

☐ Surface water
☒ Groundwater
 ☒ 1. well log in file
 ☒ 2. drilling permit
 ☐ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
 ☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

☒	<u>Priority Calculation:</u>		
	Date proof received	<u>Nov. 14, '88</u>	<u>318</u>
	Date proof due	<u>Nov. 1, '88</u>	<u>- 305</u>
	No. of days late		<u>= 13</u>
	Priority date	<u>June 30, '83</u>	<u>+ 181</u>
	NEW PRIORITY DATE	<u>July 13, '83</u>	<u>= 194</u>

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

03/85

RECEIVED

NOV 17 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-8312-Name(s) of Permit Holder: D.A. RICHARDSON-Post Office Address: 700 HWY 200 HOPE, ID. 83836Telephone No. 208-264-5558Source of Water: WELL-

Extent of Use:

Domestic 14 (number of households) Stockwater (number and type of stock)Irrigation (acres) Other/Remark THE PORTION THAT ISFOR TRAVEL TRAILER USE IS ONLY SUMMER USAGE (APPROX. 4 mos) (12)100' X 6" S&L 20 TEST PUMPED 20 GPMTotal rate and/or volume for which proof is submitted 0.20 cfs 0.09 acre-feetShow the date water was first diverted and beneficially used under this permit: Nov. 1971-Measuring Device: Required? Yes ☒ No
Installed? Yes ☐ NoFee enclosed \$ -0-
(See License Examination Fee Schedule)Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

RICHARDSON, DAVID OR RACHEL
(Name)264-5558
(Telephone Number)SAME AS ABOVE

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

JAN 11 1989

Date

11/14/88

Signature of Permit Holder (and title, if appropriate)

x D.A. Richardson

To: File 96-8312

From: Groundwater Protection

Date: 11/28

Drilling Permit: ✓ Not Applicable
 Found and in file
 Not Found

Well Drillers Report:

 Not found, due to reported age of well
 ? probably not available
 o Found and is in file OK
 Not found

Follow-up

 Request from permit holder the well
drillers report and/or the name of the
well driller, and date drilled.
 Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

OK —

The Legal a Log is not
same as WR but log is
probably for this use
JB.

MICROFILMED

JAN 11 1989

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

RECEIVED

Department of Water Administration

1. WELL OWNER		7. WATER LEVEL	
Name <u>D.A. Richardson</u>		Static water level <u>15</u> feet below land surface	
Address <u>State Rt Box 142-A Hope, ID</u>		Flowing? ☐ Yes ☒ No G.P.M. flow _____	
Owner's Permit No. _____		Temperature _____ ° F. Quality _____	
		Artesian closed-in pressure _____ p.s.i.	
		Controlled by ☐ Valve ☐ Cap ☐ Plug	
2. NATURE OF WORK		8. WELL TEST DATA	
☒ New well ☐ Deepened ☐ Replacement		☐ Pump ☐ Bailor ☒ Other <u>Air</u>	
☐ Abandoned (describe method of abandoning) _____		Discharge G.P.M. _____ Draw Down _____ Hours Pumped _____	
		<u>20 gpm</u>	
3. PROPOSED USE		9. LITHOLOGIC LOG	
☒ Domestic ☐ Irrigation ☐ Test			
☐ Municipal ☐ Industrial ☐ Stock			
4. METHOD DRILLED		Mole Diam. _____ Depth From To Material Water Yes No	
☐ Cable ☒ Rotary ☐ Dug ☐ Other		<u>6"</u> <u>0</u> <u>40</u> <u>Boulders</u> ☒	
		<u>6"</u> <u>40</u> <u>100</u> <u>Granite</u> ☒	
5. WELL CONSTRUCTION			
Diameter of hole <u>6</u> inches Total depth <u>100</u> feet			
Casing schedule: ☒ Steel ☐ Concrete			
Thickness Diameter From To			
<u>.117</u> inches <u>6</u> inches <u>0</u> feet <u>39</u> feet			
_____ inches _____ inches _____ feet _____ feet			
_____ inches _____ inches _____ feet _____ feet			
_____ inches _____ inches _____ feet _____ feet			
_____ inches _____ inches _____ feet _____ feet			
Was a packer or seal used? ☐ Yes ☒ No			
Perforated? ☒ Yes ☐ No			
How perforated? ☐ Factory ☒ Knife ☐ Torch			
Size of perforation _____ inches by _____ inches			
Number From To			
<u>3</u> perforations <u>37</u> feet <u>38</u> feet			
_____ perforations _____ feet _____ feet			
_____ perforations _____ feet _____ feet			
Well screen installed? ☐ Yes ☒ No			
Manufacturer's name _____			
Type _____ Model No. _____			
Diameter _____ Slot size _____ Set from _____ feet to _____ feet			
Diameter _____ Slot size _____ Set from _____ feet to _____ feet			
Gravel packed? ☐ Yes ☒ No Size of gravel _____			
Placed from _____ feet to _____ feet			
Surface seal? ☒ Yes ☐ No To what depth <u>20</u> feet			
Material used in seal ☐ Cement grout ☒ Puddling clay			
6. LOCATION OF WELL		10.	
Sketch map location must agree with written location.		Work started <u>10-14-71</u> Finished <u>10-15-71</u>	
11. DRILLER'S CERTIFICATION			
This well was drilled under my supervision and this report is true to the best of my knowledge.			
<u>Craig & Alene Drilling Inc. #214</u> Driller's or Planer Name _____ Number _____ <u>1926 N. 5th, C. J. Idaho</u> <u>Randy DeWitt</u> 11-10-71 Date By _____			

JAN 11 1989

ONE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

November 17, 1988

DAVID A. RICHARDSON
RACHEL C. RICHARDSON
STAR RT. BOX 104
HOPE, ID 83836

LAPSE NOTICE

RE: PERMIT NO. 96-08312

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper form in our proof due notice to you dated August 31, 1988.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this department within sixty days of the date of mailing of this lapse notice or the permit will no longer be of any force or effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

L. Glen Saxton
Chief, Operations Bureau

Enclosures

LGS:RF

NOT RECORDED

JAN 11 1989

CERTIFICATION OF MAILING

I hereby certify that on 11-17-88
a copy of this notice was
deposited in the mail,
postage paid, to the
individual named below.

Jodi L. Schultz

138428
August 31, 1988

DAVID A. RICHARDSON
RACHEL C. RICHARDSON
STAR RT. BOX 104
HOPE, ID 83836

PROOF DUE NOTICE

RE: PERMIT NO. 96-08312

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JAN 11 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

RICHARDSON, DAVID A. & RACHEL C.
STAR RT. BOX 104
HOPE, ID 83836

NOVEMBER 22, 1983

RE: PERMIT NO. 96-8312

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: AB

APPLICATION NUMBER: 96-8312

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

- ☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other PHD

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8/8/83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9/8/83
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☐ No Measuring device required.
☐ Yes ☐ No Access port required.
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what district? _____
☒ 6/30/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RWA Date: 10/5/83

STATE OFFICE REVIEW:

117 26

☐ See attached sheet for more information.
By: LW Date: 10/31/83

NOT RECORDED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

96-8312

RICHARDSON, DAVID A. &/or RACHEL C.

STAR RT. BOX 104, HOPE, ID 83836

Source: GROUNDWATER

Date Filed: 06/30/1983

Diversion Pt: NENW Sec 21 T 57N R 01E

Use: IRRIGATION	(0.03 CFS)
DOMESTIC	(0.20 CFS)

In: NENW Sec 21 T 57N R 01E FOR 1 ACRES

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
~~Ex. Stephen Alford~~
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

July 28, 1983

Panhandle Health District
2195 Ironwood Ct.
Coeur d'Alene, Id. 83814

Re: 96-8312

Gentlemen:

Enclosed is a recent filing with this Department that may be of
interest to you.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

pms

Enc. - Appln.

MICROFILMED