





OCT 02 1991



FILED

OCT 02 1991




CONTOUR INTERVAL 40 FEET
DOTTED LINES REPRESENT 20 FOOT CONTOURS
DATUM IS MEAN SEA LEVEL

REPRODUCED

OCT 02 1991

Primary hard surf.



G.D.
Krieger

US

North
Wolf

Small
Trap



14 13
55 24

RECEIVED
OCT 02 1950

Harold
Cove

Lewis
Kolez

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08288

Priority: August 5, 1983

Maximum Diversion Rate: 0.09 CFS
Maximum Diversion Volume:¹ 31.9 AF

This is to certify, that WAYNE BENNER
VICKI BENNER

3505 OTTS BASIN RD
RFD BOX 233
SAGLE ID 83860

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 28, 1983; and has submitted Proof of Beneficial Use on December 9, 1988. An examination indicates that the works have a diversion capacity of .090 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.09 CFS	30.0 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.7 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF
	Totals	0.09 CFS	31.9 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 14, Township 56N, Range 03W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
56N	03W	14	SWSE	10		10

Total number of acres irrigated: 10

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

NOT RECORDED

OCT 02 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08288

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 3.0 afa per acre for the lands above.
6. Stockwater use is for numerous chickens, sheep and cattle; domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 27TH day of SEPTEMBER, 1991.

Acting for


R. Keith Higginson, Director

MAILED

OCT 02 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 96-8288 IN THE
NAME OF WAYNE BENNER

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before November 1, 1988; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on December 9, 1988;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 96-8288 be REINSTATED and the priority advanced to August 5, 1983.

Dated this 10th day of March, 1989.

RECORDED

MAY 15 1989

L. Glen Saxton
L. GLEN SAXTON, Chief
Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Wayne & Vicki Renner Phone 263-4142
Post office address RFD 1 Box 233 Sagle, Idaho
2. Source of water supply Shallow Well which is a tributary of Moore Creek
3. Location of point of diversion is $\frac{5}{2}$ SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 14 Township 56 N
Range 3 W B.M. Bonner County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

2.9 cfs 0.02 cfs
Amount _____ for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
47.5 cfs
Amount 0.20 for Irrigation purposes from May 1 to Oct 31 (both dates inclusive)
(cfs or acre-feet per annum)
0.5 cfs
Amount 0.02 cfs for Stock purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Shallow Well along side
Tributary to Moore Creek plus spring

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage Jan 1 to Dec 31 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 48 inches; proposed depth of well is 10 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years). In use 6/28/83

8. Description of proposed uses:

a. If water is not for irrigation: $\frac{5}{2}$
(1) Give the place of use of water: $\frac{5}{2}$ SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 14 Township 56 N
Range 3 W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 25 chickens, 25 sheep,
15 cows (summer only)

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: 10 Ac pasture irrigated,
5 Ac fruit & crops, domestic use plus garden
for 2 families.

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
56N	3W	14															15		15

Total number of acres to be irrigated 15


c. Describe any other water rights used for the same purposes as described above. claim 96-4161
for use of Spring only (see #10)

9. a. Who owns the property at the point of diversion Wayne & Vicki Benner
 b. Who owns the land to be irrigated or place of use " " " Benner
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Claim 96-4161 has been upgraded to 1 inch line and 1000 gallon storage with 3 to 5 gallon/min overflow used for domestic garden, fruit tree irrigation and stock. Thus we have increased the use from claim 96-4161 to 5 gallon/min.

The shallow well has over 1000 gal storage and we are pumping over 10 gal/min currently for irrigation. The system is designed for a capacity up to 40 gal/min. This will be used as we upgrade more pasture and hay land. The two systems are tied together so we can have up to 50 gal/min water supply for Domestic, irrigation and stock for two families.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

APPROVED

Wayne Benner
(Applicant)

6/28/83

Proposed Priority

Received by JS Date 6/28/83 Time 4:30 p.

Preliminary check by JS Fee \$ 30.00

Receipted by JS Date 6/28/83 # 28398

Publication prepared by KK Date 7/1/83

Published in Journal of the

Publication dates 7/18 & 20/83

Publication approved JK Date 10/4/83

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JS kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8288, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 4 day of November, 1983.

David R. Tutthill
Acting Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath

deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of

legal notice

as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 13 day of 7, 1983 and ending on the 20 day of 7, 1983 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 3 day of 8, 1983.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-8267
JUNER, WILLIAM R. & EVELYN M.
1 E. RAWHIDE, BERT, AZ 85234
Source: SPRING trib. to REE SISTERS CREEK
Date Filed: 06/17/1983
Diversion Pt: NENW Sec 15 N 02W
Use: IRRIGATION (0.20 CFS)
IRRIGATION STORAGE (0.0 AF)
STOCKWATER (0.02 CFS)
STOCKWATER STORAGE (0.0 AF)
RECREATION STORAGE (0.0 AF)
DIVERSION TO STORAGE (0.0 CFS)
NENW Sec 15 T 54N R 03W
NENW Sec 15 T 54N R 03W FOR 30 ACRES.

Notary Public for Idaho

96-8271
MENDENDORP, RICHARD
P.O. BOX 971, SANDPOINT, ID 83864

Source: PEND OREILLE RIVER trib. to COLUMBIA RIVER
Date Filed: 06/23/1983
Diversion Pt: LOT 07 Sec 04 T 56N R 03W
Use: IRRIGATION (0.03 CFS)
In: LOT 07 SESE Sec 04 T 56N R 03W FOR 2 ACRES.

96-8272
MENDENDORP, RICHARD
LANCASTER, LARRY
P.O. BOX 971, SANDPOINT, ID 83864

Source: GROUNDWATER
Date Filed: 06/23/1983
Diversion Pt: LOT 07 Sec 04 T 56N R 03W
Use: DOMESTIC (0.06 CFS)
In: LOT 07 LOT 06 Sec 04 T 56N R 03W.

96-8273
TOPE, SYLVIA A.
RT. 1 BOX 33, ATHOL, ID 83801

96-8273
TOPE, SYLVIA A.
RT. 1 BOX 33, ATHOL, ID 83801
Source: CAREYWOOD CREEK trib. to SINKS BEAVER CREEK trib. to CAREYWOOD CREEK
Date Filed: 06/24/1983
Diversion Pt: NESE SWSE Sec 18 T 54N R 02W
Use: IRRIGATION (0.20 CFS)

IRRIGATION STORAGE (2.0 AF)
IRRIGATION FROM STORAGE (2.0 AF)
STOCKWATER (0.02 CFS)
STOCKWATER STORAGE (2.0 AF)
STOCKWATER FROM STORAGE (2.0 AF)
DIVERSION TO STORAGE (0.10 CFS)
In: SESW Sec 18 T 54N R 02W SWSE NESE Sec 18 T 54N R 02W FOR 17 ACRES

96-8274
TATE, CHARLES G. &/or BETT
P.O. BOX 55, CAREYWOOD, ID 83809
Source: GROUNDWATER
Date Filed: 06/23/1983
Diversion Pt: NWNW Sec 25 T 54N R 03W
Use: STOCKWATER (0.02 CFS)
DOMESTIC (0.14 CFS)
In: NWNW Sec 25 T 54N R 03W

96-8275
BROWN, ELLSWORTH D.
RT. 1 BOX 175, SAGLE, ID 83860
Source: GROUNDWATER
Date Filed: 06/27/1983
Diversion Pt: SENE Sec 34 T 57N R 03W
Use: IRRIGATION (0.20 CFS)
DOMESTIC (0.15 CFS)
In: LOT 01 SENE Sec 34 T 57N R 03W NWNW Sec 35 T 57N R 03W FOR 14 ACRES

96-8277
REISE, JOHN
CLERIAVE, JOHN
P.O. BOX 1165, SANDPOINT, ID 83864
Source: DUNN CREEK trib. to FLUME CREEK UNNAMED STREAM trib. to FLUME CREEK
Date Filed: 06/27/1983
Diversion Pt: SESE Sec 14T 58N R 01E
Use: IRRIGATION (0.10 CFS)
STOCKWATER (0.04 CFS)
POWER (0.50 CFS)
DOMESTIC (0.04 CFS)
RECREATION STORAGE (1.0 AF)
In: SESE Sec 14 T 58N R 01E FOR 10 ACRES

96-8278
GRAFF, JAMES D.
RT. 1 BOX 451-A, SANDPOINT, ID 83864
Source: FLUME CREEK trib. to RAPID LIGHTNING CREEK
Date Filed: 06/27/1983
Diversion Pt: SENW Sec 13 T 58N R 01E
Use: IRRIGATION (0.10 CFS)
STOCKWATER (0.02 CFS)
COMMERCIAL (0.02 CFS)
POWER (0.50 CFS)

DOMESTIC (0.04 CFS)
RECREATION STORAGE (1.0 AF)
In: SENW Sec 13 T 58N R 01E FOR 10 ACRES

96-8280
McGLOTHLIN, DENTON D. &/or PATRICIA S.
RT. 1 BOX 184, SAGLE, ID 83860

Source: UNNAMED STREAM trib. to PEND OREILLE LAKE
Date Filed: 06/27/1983
Diversion Pt: NWSW SWN Sec 04 T 57N R 01W
Use: IRRIGATION (0.10 CFS)
In: NWNW SWNW Sec 04 T 57N R 01W FOR 50 ACRES

96-8281
CAROTHERS, ARTHUR &/or KATHLEEN
RT. 3 BOX 2, SANDPOINT, ID 83864
Source: MIRROR LAKE trib. to PEND ORILLE LAKE
Date Filed: 06/24/1983
Diversion Pt: NWSW Sec 30 T 56N R 01W
Use: IRRIGATION (0.10 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: NWSW Sec 30 T 56N R 01W FOR 5 ACRES

96-8282
BIRKHIMER, ONWARD L.
300 W. BRONX RD., SANDPOINT, ID 83864
Source: SPRING trib. to SAND CREEK
Date Filed: 06/27/1983
Diversion Pt: LOT 01 Sec 0 T 57N R 02W
Use: DOMESTIC (0.0 CFS)
RECREATION (0.20 CFS)
RECREATION STORAGE (2.0 AF)
In: LOT 01 Sec 03 T 57N R 02W

96-8284
KACHEL, SCOTT
RT. 1 BOX 226 SAMUELS, ID 83863
Source: CARIBOU CREEK trib. to PACK RIVER
Date Filed: 06/28/83
Diversion Pt: NWNE Sec 14 T 59N R 02W
Use: IRRIGATION (0.10 CFS)
POWER (0.20 CFS)
DOMESTIC (0.04 CFS)
RECREATION (0.20 CFS)
In: SWSE Sec 11 59N R 02W FOR 5 ACRES

96-8286
HAMMER, GARFIELD E.
HCR 66 BOX 808, SAGLE, ID 83860
Source: SPRING trib. to SINKS
Date Filed: 06/24/1983
Diversion Pt: SESW Sec 04 T 56N R 01W
Use: DOMESTIC (0.04 CFS)
In: SESW Sec 04 T 56N R 01W

96-8287
KOICH, GEORGE B. &/or PATRICIA
6800 COLBURN-CULVER RD., SANDPOINT, ID 83864
Source: GROUNDWATER
Date Filed: 06/28/1983
Diversion Pt: NWNW Sec 35 T 58N R 01W
Use: IRRIGATION (0.40 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.11 CFS)
In: NENW NWNW Sec 35 T 55N R 01W FOR 20 ACRES

96-8288
BENNER, WAYNE &/or VICKI
RT. 1 BOX 233, SAGLE, ID 83860
Source: GROUNDWATER
Date Filed: 06/28/1983
Diversion Pt: SWSE Sec 14 T 56N R 03W
Use: IRRIGATION (0.20 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.02 CFS)
In: SWSE Sec 14 T 56N R 03W FOR 15 ACRES

September 30, 1991

WAYNE BENNER
VICKI BENNER
3505 OTTS BASIN RD
RFD BOX 233
SAGLE ID 83860

RE: WATER RIGHT NO. 96-08288

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MICROFILMED

OCT 02 1991

September 5, 1991

WAYNE BENNER
VICKI BENNER
3505 OTTS BASIN RD
RFD BOX 233
SAGLE ID 83860

RE: WATER RIGHT NO. 96-08288

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MICROFILMED

OCT 02 1991

LICENSE REVIEW CHECKLIST

Permit No. 96-8288

Name/Address change? ok ✓

Priority date Advance? yes no ✓
 Memo to advance
 Order to reinstate needed? yes no ✓

Total cfs Limited by fee ok
 Limited by capacity ✓

Total volume Limited by flow
 Chart checked for AF rate/ac ✓ 3.0

Capacity Actual measurement checked
 Theoretical checked ✓
 If greater than permit, check for other rts

Source Changed? yes no ✓
 If so, is memo needed to clarify?

P/D Verify with map ✓ permit ✓
 More than one per 1/4? Remember remark
 Check p/d overlap

Uses Check irrigation period of use w/ chart 4/1 - 11/1

P/U Verify with map ✓ permit ✓
 > 5 acres irrigated, run overlap

Remarks More than one p/d in 1/4
 Description of non-irrig uses
 Special overlap condition

Conditions -
 Measuring device
 W.Master control
 Overlap 224
 Water quality
 Other

Dates/Misc. -
 Water Dist
 App Rec'd ✓
 Proof Rec'd ✓

CHECK FOR ADJ. CLAIM Needed according to proof filed
 Filed - needs amended
 Add'l fee required
 Not filed - ✓
 Not needed

Comments/Changes to Examiner's Recommendations:

RECORDED

License 10-day ✓ 30-day

Back of field report signed?

Reviewer S. Curtis Date 8/29/91 Review time 5 min.

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 96-09288

☒ **A. GENERAL INFORMATION**

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

☒ **B. OVERLAP REVIEW**

- ☒ 1. & 2. (Rule 5,1,4)

☒ **C. SYSTEM DESCRIPTION**

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
☒ 6. Irrigation (Rule 5,1,8), Method of determination,
Compare USGS/Land Survey? Aerial Photos/Permit.

☒ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

☒ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

☒ **F. OPTIONAL**

☒ **G. VOLUME CALCULATIONS**

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

☒ **H. REMARKS AND OVERLAP ANALYSES**

- ☒ All actual uses listed (Rule 5,1,2):
☒ All unused, permitted uses listed (Rule 5,1,2):
☒ Overlaps (Rule 5,1,4):
☒ Return flows (Rule 5,1,5):
☒ Conditions (Rule 5,1,6).

☒ **I. RECOMMENDATIONS**

- ☒ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
☒ 2. Compare permit to exam for amendments (Rule 5,1,16)

☒ **J. AUTHENTICATION**

Name, Signature, Certification Date, Exam Date.


☒ **WELL INSPECTION REPORT**

Check with permit and well log for discrepancies

Signature

Date

2/19/91



OCT 02 1991



100-100000

OCT 02 1991

February 19, 1991

Wayne or Vicki Benner
3505 Otts Basin Road
RFD Box 233
Sagle, Idaho 83860

RE: 96-08288

Dear Mr. and Mrs. Benner:

We received the additional examination fees, and are therefore able to recommend the following volume for your Water Right No. 96-08288:

Domestic: 0.02 cubic feet per second

Irrigation: 0.08 cubic feet per second

Stockwater: 0.02 cubic feet per second

Total recommended rate of diversion: 0.09 cfs.

The amount recommended for irrigation is somewhat less than what you had applied for, but is based on your actual consumption as follows:

8 size 5/32 inch sprinklers at 45 psi pressure produce 4.68 gallons per minute each, for a total of 37.44 gpm. This is the equivalent of 0.08 cfs.

The total capacity that your system can produce was determined to be 0.09 cfs and therefore that determines the total rate of diversion recommended.

The examination is being sent to the Boise office for review and final licensing.

Please contact this office if you have any other questions.

Sincerely,

Theresa J. Bright
Field Examiner

RECEIVED

OCT 02 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region Office

1910 Northwest Blvd. * Suite 210 * Coeur d'Alene, Id. * 83814 * (208) 765-4639

Cecil D. Andrus
Governor

R. Keith Higginson
Director

November 7, 1990

Mr. Wayne Benner
3505 Otts Basin Rd.
Sagle, Id. 83860

Re: Field Examination of Permit #96-08288

Dear Mr. Benner:

On July 23, 1990, a representative of this department conducted the required examination of your water system as described on the above referenced permit. The examiner found that you were using water from the shallow well in excess of 0.04 cfs (18 gallons per minute), for irrigation of 10 acres and domestic back-up for two homes.

Since you only filed beneficial use for 0.04 cfs (18 gpm) we can not issue a licensed water right in excess of that amount. At a rate of 18 gpm you could only irrigate about three and one half acres of pasture with no water for domestic use during the irrigation season. If you wish we will issue a license reflecting this information, but if we do you will not have a water right to use the water at a rate of diversion in excess of 0.04 cfs. This would mean that you must cease using the water at a rate of more than 0.04 cfs, since it is unlawful to use water without a legal right to do so.


Idaho Code 42-201 reads in part "(2) No person shall use the public waters of the state of Idaho except in accordance with the laws of the state of Idaho. No person shall divert any water from a natural watercourse or apply water to land without having obtained a valid water right to do so, or apply it to purposes for which no valid water right exists."

If you desire to have a water right so that you may continue to use the water as you have in the past, you must notify this office prior to December 14, 1990 by paying the examination fee of \$50.00 as requested on December 13, 1988.

N004258

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,


Tom D. King
Sr. Water Resource Agent

RECEIVED

OCT 02 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Wayne Benner Permit No. 96-08288
Phone No. 263-4442
Current Address: 3505 OTTS BASIN RD (RFO Box 233) Sagle ID 83860
2. Accompanied by: Wayne Benner. EXAM. DATE: 7/28/90
Address: Same Phone No. Same
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: Drilled well for domestic drinking water, Claim 96-4161 ☐ Copies Attached
2. Other water rights with same point of diversion: ~~none~~ 96-4161
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED
OCT 02 1991

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Shallow well with 3/4 hp motor used primarily for irrigation, but also for Back-up domestic. Irrigation System has 2 inch and 1 inch main lines with 1 inch laterals. There are 20 sprinklers, 8 of which are in operation at any one time. Pressure at sprinkler reading at 45 psi. Elevation Difference is 12 feet. ~~A pond is also used if spring water gets scarce.~~ Stock are watered. Static water level is 6 feet. Stock trough filled by garden hose.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1 3/4	inaccessible	GE	inaccessible
back-up pump		1	inaccessible	unknown	inaccessible

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		5 1/2	SW	SE	14	56N	3W	Benner	Map

6. **Place(s) of Use:**

Indicate Method of Determination Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
56N	3W	14															D.S. 10		10

GP
F

Sm
J

167-12 50

Hard
Cove

Low
Water

Do not use this space

D. FLOW MEASUREMENTS *None*

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<i>Pitot Gage</i>						

2. Measurements:

45 psi

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$8 \left(\frac{5}{32} \right) @ 45 \text{ psi} = (8)(4.68) = 37.44 \text{ gpm}$$

$$\frac{37.44}{448.8} = 0.08 \text{ cfs}$$

2 homes

2. Alternate Method for Checking Purposes:

$$\frac{(1)(8.8)(70\%)}{(2.31)(45) + 18} = \frac{6.16}{121.95} = 0.05 \text{ cfs}$$

$$\frac{(134)(8.8)(70\%)}{(2.31)(45) + 18} = \frac{10.78}{121.95} = 0.09 \text{ cfs capacity}$$

(No fees, 0.04 cfs)

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 10 \times 3.0 = 30$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.08 \times 153 \times 1.9835 = 24.3$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 24.3$$

2. Volume Calculations for Other Uses:

$$26 \times 50 \text{ stock} = 0.7 \text{ AFA}$$

2 homes = 1.2 AFA

OCT 02 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The water source for this permit is from ground water taken from a hole less than 18 feet deep and there fire is not covered by Groundwater Protection.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic (2)	1-1	12-31	0.02 cfs	1.2 AFA
Irrigation	4-1	10-1	0.08 cfs	27.3 AFA
Stock water	1-1	12-31	0.02 cfs	0.7 AFA
Totals:			0.09 cfs	29.2 AFA
			0.09	26.2 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name

Theresa J. Bright

Signature


Theresa J. Bright

Certification Date


4/16/90

Field Report Preparation Date

7/30/90



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 96-8288

Name(s) of Permit Holder(s): Wayne for Vicki Benner

Post Office Address: RFD 1 Box 233 Sagle, Id.

Tel. No. 263-4442

☒ I hereby certify that construction of diversion works on the above referenced permit began on 6/28/83 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

6/28/83
Date

Vicki Benner
Signature of Permit Holder

PLACE
STAMP
HERE



OCT 02 1991

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 96-8288

Name(s) of Permit Holder(s): Wayne Benner

Post Office Address: RFD 1 BOX 233

Sagle, Idaho 83860 Tel. No. 263-4442

☒ I hereby certify that construction or diversion works for the above referenced permit began on Aug 1, 1982 (date) I understand that I must

continue to develop the water system with due diligence to maintain a valid permit.


☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

8/2/84
Date

Wayne Benner
Signature of Permit Holder

Wayne D. [unclear]
RFD 1 Box 233
Sagle, Idaho 83860



RECEIVED

FEB 13 1984

RECEIVED

OCT 02 1991



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

April 7, 1989

Mr. Wayne Benner
3505 Otts Basin Rd.
RFD Box 233
Sagle, Id. 83860

Re: 96-8288

Dear Mr. Benner:

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

Enclosed is a copy of an order relating to your permit.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms
Enc.

MICROFILMED

MAY 15 1989

Celebrate
IDAHO
1890 • CENTENNIAL • 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 96-8288

Date: 3.9.89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change If yes, prepare a data entry
N Proof received timely
Y Reinstated

Source of Water:

Y Surface water
Y Groundwater
* N 1. well log in file
N/A 2. drilling permit
A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

NA Is a measuring device or access port required?
NA Has one been installed?
NA Waiver or modification of measuring device requested

Remarks:

Proof acceptable
* see g.w. protection sheet in file
Reinstated - see letter of 2-8-89
Y Priority Calculation:
Date proof received Dec. 9, 1988 343
Date proof due Nov. 1, 1988 - 305
No. of days late = 38
Priority date June 28, 1983 + 179
NEW PRIORITY DATE Aug. 5, 1983 = 217

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

DEC 09 1988

Ab Enc. Jim

STATE OF IDAHO Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by 94
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-08288

Name(s) of Permit Holder: Wayne Benner

Post Office Address: 3505 OTS Basin Rd (RFD Box 233) Sagle, Idaho
(Same place change of address) Telephone No. 263-4442 83860

Source of Water: shallow well along side tributary to Moore Creek
plus Spring

Extent of Use:

Domestic 2 (number of households) Stockwater 25 sheep (number and type of stock)
25 chickens, 15 cows (summer only)
Irrigation 10 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 2-1hp pumps - 1 1/4" lines
.04 cts acre-feet

Show the date water was first diverted and beneficially used under this permit: 6/28/83

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No
Fee enclosed \$ 0
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:
Same as above
(Name) (Telephone Number)

Work is still being done to improve & develop system including
storage system & pumping. Total gpm/min will still remain around 50.
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

12/5/88 Wayne Benner
Date Signature of Permit Holder (and title, if appropriate)

* Per letter 2-8-89

MAY 10 1989

February 8, 1989

Wayne Benner
3505 Otts Basin Rd.
RFD 1, Box 233
Sagle, ID 83860

RE: Permit No. 96-8288

Dear Mr. Benner:

This is to remind you of the letter sent December 13, 1988. Before the department is able to accept your proof, a licensing examination fee must be submitted to the Department.

Your permit includes two domestic uses, stockwater use and irrigation use (15 acres) with a maximum rate of diversion of 0.20 cfs. If you wish to submit proof for water use at a maximum rate of flow of 50 gallons per minute, the licensing examination fee is \$50. Again, I have enclosed a fee instruction sheet for your use.

Please remit your proof of beneficial use form and \$50 licensing fee as soon as possible. If a response is not received within 30 days, the permit will be reinstated and the diversion rate for which proof can be accepted will be reduced to 0.04 cfs. The maximum rate of diversion a water right license can then be issued will be 0.04 cfs.

If you have questions concerning this matter, feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: N. Region

MICROFILMED

MAY 15 1989

December 13, 1988

Wayne Benner
3505 Otts Basin Rd.
RFD 1, Box 233
Sagle, ID 83860

Re: Permit No. 96-8288

Dear Mr. Benner:

Returned is your proof of beneficial use form submitted to this office December 9, 1988 requesting water use at a rate of 50 gpm or 0.115 cfs.

If the water use is for single family domestic and/or stockwater use or the total maximum rate of diversion is 0.04 cfs or less, a license examination fee is not required to be submitted with the proof. Your permit includes two domestic uses, stockwater use and irrigation use (15 acres) with a maximum rate of diversion of 0.20 cfs. If you wish to submit proof for water use at a maximum rate of flow of 0.11 cfs, the licensing examination fee is \$50. Enclosed is a fee instruction sheet for your use.

Please remit your proof of beneficial use form and \$50 licensing fee as soon as possible to have your permit reinstated.

If you have any questions concerning this matter, feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: N. Region

Enclosure

MICROFILMED

MAY 15 1989

To: File

~~12/1~~ 96-P288

From: Groundwater Protection

Date:

12/12/88

Drilling Permit:

☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☐ Found and is in file
☒ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller, *And date drilled.*
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

This well is probably
less than 18' deep.
Permit says 10' deep.
Therefore no log could be
on file.

OK

JB

MICROFILMED

MAY 15 1989

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

RECEIVED
JAN 11 1960

RECEIVED
JAN 11 1960



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

November 17, 1988

WAYNE BENNER
VICKI BENNER
RT. 1 BOX 233
SAGLE, ID 83860

LAPSE NOTICE

RE: PERMIT NO. 96-08288

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper form in our proof due notice to you dated August 31, 1988.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this department within sixty days of the date of mailing of this lapse notice or the permit will no longer be of any force or effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

L. Glen Saxton
Chief, Operations Bureau

Enclosures

LGS:RF

RECEIVED
NOV 17 1988

MAY 15 1989

CERTIFIED COPY AVAILABLE
NOV 17 1988

11-17-88
Jodi L. Schultz

138420
August 31, 1988

WAYNE BENNER
VICKI BENNER
RT. 1 BOX 233
SAGLE, ID 83860

PROOF DUE NOTICE

RE: PERMIT NO. 96-08288

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

MAY 15 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BENNER, WAYNE & VICKI
RT. 1 BOX 233
SAGLE, ID 83860

DECEMBER 06, 1983

RE: PERMIT NO. 96-8288

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: LJB

APPLICATION NUMBER: 96-8288

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☐ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management.* _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8/1/83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9/8/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 6/28/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: DWA Date: 10/5/83

STATE OFFICE REVIEW:

L17 26

☐ See attached sheet for more information.
By: KW Date: 10/31/83

WIN LOGGING

POINT OF DIVERSION AND STREAM INDEX INFORMATION

MICROFILMED

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

96-8282

BENNER, WAYNE &/or VICKI

RT. 1 BOX 233, SAGLE, ID 83860

Source: GROUNDWATER

Date Filed: 06/28/1983

Diversion Pt: SWSE Sec 14 T 56N R 03W

Use: IRRIGATION	(0.20 CFS)
STOCKWATER	(0.02 CFS)
DOMESTIC	(0.02 CFS)

In: SWSE Sec 14 T 56N R 03W FOR 15 ACRES

MICROFILMED