



STATE OF IDAHO
DEPARTMENT OF WATER
REPORT SUPERVISOR
GEOGRAPHIC

1/2 HP Craftsman Pump w/ Pressure Tank



91-08777



Slotted Concrete Cistern next
to Creek for Infiltration & Pump Location



PERMIT # 46-08277

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT


PHOTOGRAPHS



PLACE OF USE
STOCKWATER



MICROFILMED
APR 10 1967



NIKSU
NATIONAL FOREST

Creek

Bodenstein

2728T
Creek

Trapper

Lightning

Rapid

Flume

Done Cr.

Creek

ATEB-1
R2E-12E

PD #1
400

KNF

MICROFILMED
APR 10 1938

T. 58N., R. 01E., Sec. 14

96-08277

58N
1E
14

UNCLASSIFIED

962223
96-7064
96-8047

96-8053
96-7318
96-7898
96-7890
96 7100 (2) 96-7478
962274
962136

962283
96-7511(2)
96-7510
96 7089

962173
962175
962156
962151
96-7596
96-7220
96-4165
96-7974
96-7975
96-8581

96-7197
96-7596
96-7220
96-4165
96-7974
96-7975
96-8581


967181
96-7181
96-7430

96-7876
96-7368
96-7439
96-7605

96-7392

96-2209
96-7312
96-7817
96-7311
96-7219
96-7203
96-7278
96-7207
96-7168
96-7363
96 7169

96 7119
96 7084 (3)
96-7373



96-7373

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08277

Priority: September 6, 1983

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

3.7 AF

This is to certify, that JOHN REISE
JOHN CLERIQUE

PO BOX 1165

SANDPOINT ID 83864

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 27, 1983; and has submitted Proof of Beneficial Use on February 10, 1989. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

DONE CREEK

tributary to FLUME CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	3.0 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.02 CFS	3.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 14, Township 58N, Range 01E
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
58N	01E	14	SESE	1		1

Total number of acres irrigated: 1

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.

MICROFILMED
APR 10 1998


State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 96-08277

CONDITIONS OF APPROVAL AND REMARKS

3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
6. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 26TH day of FEBRUARY, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED
APR 10 1998

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 96-8277 IN THE)
NAME OF JOHN REISE OR JOHN CLERIQUE) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before December 1, 1988; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department has notified the permit holders that the permit lapsed for failure of the permit holders to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on February 10, 1989;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 96-8277 be REINSTATED and the priority advanced to September 6, 1983.

Dated this 17th day of February, 1989.

MICROFILMED

APR 05 1989


L. GLEN SAXTON, Chief
Water Allocation Bureau

RECEIVED

FEB 10 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by JS
Sent to region _____

Department of Water Resources **PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 46 08277 ✓

Name(s) of Permit Holder: John Clerique ✓

Post Office Address: 9345 Rapid Lightning RD ✓
SANDPOINT ID 83864 Telephone No. MSG 265-4738

Source of Water: DUNN CREEK ✓

Extent of Use:

Domestic 1 ✓ (number of households) Stockwater 2 HORSES ✓ (number and type of stock)

Irrigation 1 (GARDEN) ✓ (acres) Other/Remark I HAVE ABANDONED

THE MINI HYDRO-ELECTRIC PROJECT.

Total rate and/or volume for which proof is submitted 1.04 cfs — acre-feet

Show the date water was first diverted and beneficially used under this permit: July, 15, 1986 ✓

Measuring Device: Required? ✓ Yes ✓ No
Installed? — Yes ✓ No Fee enclosed \$ N/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? — Yes ✓ No
Installed? — Yes — No

Person to contact to accompany the Department representative during the field examination:

John Clerique MSG 265-4738
(Name) (Telephone Number)

9345 Rapid Lightning RD Sandpoint ID 83864
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FILED

FEB 6, 89
Date

John Clerique ✓
Signature of Permit Holder (and title, if appropriate)

APR 05 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant JOHN REISE & John Cleriave Phone 263-6053 (Message)
Post office address PO Box 1165 Sandpoint Id. 83864
2. Source of water supply Dunn Creek & Unnamed creek which is a tributary of Flume Cr.
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 14 Township 58N
Range 1E B.M. Bonner County, additional points of diversion if any: _____
4. Water will be used for the following purposes:
1 AF storage for Recreation from 1-1 to 12-31
Amount 0.04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-foot per annum)
Allow 0.02 cfs. (kw 12/21/83)
Amount 0.04 for LIVESTOCK purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-foot per annum)
Amount 0.10 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-foot per annum)
Amount 0.50 for Power purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-foot per annum)
5. Total quantity to be appropriated:
a. _____ 0.50 cubic feet per second and/or b. _____ acre-feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Dam in un-named stream for gravity flow, recreation, & stock. Dam in Dunn Creek for gravity flow for domestic and stock, and mini hydroelectric power. (irrigation from both cr.)
b. Height of storage dam 10 feet, active reservoir capacity 1 acre-feet; total reservoir capacity 1 acre-feet, materials used in storage dam: earth & logs
Period of year when water will be diverted to storage 1-1 to 12-31 inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).
8. Description of proposed uses:
a. If water is not for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 14 Township 58N
Range 1E B.M.
680 watts (J.J. 12/20/83)
(2) Amount of power to be generated: 680 watts horsepower under 20 feet of head.
(3) List number of each kind of livestock to be watered 20 horses, 50 chickens,
2 cows,
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
58N	1E	14																10	10

Total number of acres to be irrigated 10

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion JOHN + BETTINA REISE

b. Who owns the land to be irrigated or place of use " " "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Applicant

10. Remarks _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T 59N
R 58N

R 16
R 26

12

12
13

14 13

unnamed creek

X P.D. & P/U

13

14

14
23

DUAN
CREEK

2

23

23 24

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John Clary
John Force
(Applicant)

MICROFILMED

Proposed Priority 6/27/83

MICROFILMED

Received by JK Date 6-27-83 Time 12:33 PM

Preliminary check by JK Fee \$ 45⁰⁰

Receipted by JK Date 6-27-83 (28321)

Publication prepared by KK Date 7/1/83

Published in Argonaut Bee

Publication dates 7/13-20/83

Publication approved JK Date 10/4/83

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JK kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8277, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

The storage of water under this permit is contingent upon the certification of the dam and authorization of storage per the dam safety provisions of the Idaho Code.

The maximum rate of diversion for stockwater purposes under this permit shall not exceed 0.02 cfs.

Use of water under this permit for the purpose of power generation is subordinated to future diversion of water either upstream or downstream for irrigation or other consumptive beneficial uses.

The permit holder shall either install a measuring device or an access port or provide a certified measurement or computation of flow based upon system design to be prepared by a professional engineer.

This permit is subject to the provisions of Sections 42-205 through 42-210, Idaho Code, restricting the sale, transfer, assignment, or mortgage of this permit. Failure to comply with these provisions is cause for immediate cancellation of this permit.

This permit does not constitute Idaho Public Utilities Commission or Federal Energy Regulatory Commission approval that may be required.

Witness my hand this 29th day of December, 1983.

J. Glen Saylor
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
AFFIDAVIT FOR WATER RIGHTS TO BE USED
FOR POWER PURPOSES

A. Establishment of Residency: (Complete either 1, or 2).

1. Individual Applicant or Individual Members of a Partnership:

I, John Reise + John Cleriaue of SANDPOINT,
(name) (city)

county of BONNER, State of Idaho, being duly sworn, do
hereby certify that I am a bona fide resident of the State of Idaho.

2. Corporation:

I, _____ of _____,
(name) (city)

County of _____, State of Idaho, being duly sworn, depose
and say: That I am the designated registered agent of the _____

_____ that as such I am in charge of the registered
(name of corporation)

office of the said corporation as required by Section 30-1-12, Idaho Code, at

_____ Idaho, wherein are kept the corporate records required
(city)

by Section 30-1-52, Idaho Code: and that _____

(name of corporation)

is a corporation qualified to do business in the State of Idaho under the laws of
the State of Idaho.

B. Ownership of Facilities: (To be completed for hydropower projects only)

The hydropower facility to be developed pursuant to the attached Application for
Permit:

- (check one)
- ☐ Will not utilize existing man-made irrigation facilities such as a dam or a canal.
- ☐ Will utilize existing man-made irrigation facilities such as a dam or a canal, and permission of the owner is documented in an affidavit attached hereto.
- ☒ Will utilize existing man-made irrigation facilities such as a dam or a canal and the owner of the facilities is the signee of this affidavit.

John Reise
John Cleriaue
Applicant

State of Idaho)
County of Bonner) ss.

On this 27 day of June, 1983, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

Robert G. Haynes
Notary Public residing at
CDH

seal.

My commission expires:

lifetime

MICROFILMED

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of _____

legal notice

as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 13 day of 7, 1983 and ending on the 20 day of 7, 1983 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 3 day

of 8, 1983.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-8267
BRUNER, WILLIAM R. &/or EVELYN M.
121 E. RAWHIDE,
MILBERT, AZ 85234
Source: SPRING trib. to THREE SISTERS CREEK
Date Filed: 06/17/1983
Diversion Pt: NENW Sec 15 T 54N R 02W
Use: IRRIGATION, (0.20 CFS)
IRRIGATION STORAGE (10.0 AF)
STOCKWATER (0.02 CFS)
STOCKWATER STORAGE (10.0 AF)
RECREATION STORAGE (10.0 AF)
DIVERSION TO STORAGE (0.20 CFS)
In: NWNW Sec 15 T 54N R 2W NENW Sec 15 T 54N R 2W For 30 ACRES.

Notary Public for Idaho

96-8271
MENDENDORP, RICHARD
P.O. BOX 971, SANDPOINT, ID 83864
Source: PEND OREILLE RIVER trib. to COLUMBIA RIVER
Date Filed: 06/23/1983
Diversion Pt: LOT 07 Sec 04 T 56N R 03W
Use: IRRIGATION (0.03 CFS)
In: LOT 07 SESE Sec 04 T 56N R 03W FOR 2 ACRES.
96-8272
MENDENDORP, RICHARD
LANCASTER, LARRY
P.O. BOX 971, SANDPOINT, ID. 83864
Source: GROUNDWATER
Date Filed: 06/23/1983
Diversion Pt: LOT 07 Sec 04 T 56N R 03W
Use: DOMESTIC (0.06 CFS)
In: LOT 07 LOT 06 Sec 04 T 56N R 03 W.

96-8273
TOPE, SYLVIA A.
RT. 1 BOX 33, ATHOL, ID 83801
96-8273
TOPE, SYLVIA A.
RT. 1 BOX 33, ATHOL, ID 83801
Source: CAREYWOOD CREEK trib. to SINKS BEAVER CREEK trib. to CAREYWOOD CREEK
Date Filed: 06/24/1983
Diversion Pt: NESE SWSE Sec 18 T 54N R 02W
Use: IRRIGATION (0.20 CFS)
IRRIGATION STORAGE (2.0 AF)
IRRIGATION FROM STORAGE (2.0 AF)
STOCKWATER (0.02 CFS)
STOCKWATER STORAGE (2.0 AF)
STOCKWATER FROM STORAGE (2.0 AF)
DIVERSION TO STORAGE (0.10 CFS)
In: SESW Sec 18 T 54N R 02W SWSE NESE Sec 18 T 54N R 02W FOR 17 ACRES

96-8274
T. CHARLES G. &/or B. Y. D.
P.O. BOX 55,
CAREYWOOD, ID 83809
Source: GROUNDWATER
Date Filed: 06/23/1983
Diversion Pt: NWNW Sec 25 T 54N R 03W
Use: STOCKWATER (0.02 CFS)
DOMESTIC (0.14 CFS)
In: NWNW Sec 25 T 54N R 03W
96-8275
BROWN, ELLSWORTH D.
RT. 1 BOX 175, SAGLE, ID 83860
Source: GROUNDWATER
Date Filed: 06/27/1983
Diversion Pt: SENE Sec 34 T 57N R 03W
Use: IRRIGATION (0.20 CFS)
DOMESTIC (0.15 CFS)
In: LOT 01 SENE Sec 34 T 57N R 03W NWNW Sec 35 T 57N R 03W FOR 14 ACRES
96-8277
REISE, JOHN
CLERIAVE, JOHN
P.O. BOX 1165, SANDPOINT, ID 83864
Source: DUNN CREEK trib. to FLUME CREEK
UNNAMED STREAM trib. to FLUME CREEK
Date Filed: 06/27/1983
Diversion Pt: SESE Sec 14 T 58N R 01E
Use: IRRIGATION (0.10 CFS)
STOCKWATER (0.04 CFS)
POWER (0.50 CFS)
DOMESTIC (0.04 CFS)
RECREATION STORAGE (1.0 AF)
In: SESE Sec 14 T 58N R 01E FOR 10 ACRES
96-8278
GRAFF, JAMES D.
RT. 1 BOX 451-A, SANDPOINT, ID 83864
Source: FLUME CREEK trib. to RAPID LIGHTNING CREEK
Date Filed: 06/27/1983
Diversion Pt: SENW Sec 13 T 58N R 01E
Use: IRRIGATION (0.10 CFS)
STOCKWATER (0.02 CFS)
COMMERCIAL (0.02 CFS)
POWER (0.50 CFS)

DOMESTIC (0.04 CFS)
RECREATION STORAGE (1.0 AF)
In: SENW Sec 13 T 58N R 01E FOR 10 ACRES
96-8280
McGLOTHLIN, DENTON D. &/or PATRICIA S.
RT. 1 BOX 184, SAGLE, ID 83860
Source: UNNAMED STREAM trib. to PEND OREILLE LAKE
PEND OREILLE LAKE trib. to PEND OREILLE RIVER
Date Filed: 06/27/1983
Diversion Pt: NWSW SWNW Sec 04 T 57N R 01W
Use: IRRIGATION (0.20 CFS)
In: NWNW SWNW Sec 04 T 57N R 01W FOR 50 ACRES

96-8281
CAROTHERS, ART &/or KATHLEEN
RT. 3 BOX 2, SANDPOINT, ID 83864
Source: MIRROR LAKE trib. to PEND OREILLE LAKE
Date Filed: 06/24/1983
Diversion Pt: NWSW Sec 04 T 56N R 01W
Use: IRRIGATION (0.02 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: NWSW Sec 30 T 56N R 01W FOR 5 ACRES
96-8282
BIRKHIMER, ONWARD
300 W. BRONX RD., SANDPOINT, ID 83864
Source: SPRING trib. to SAND CREEK
Date Filed: 06/27/1983
Diversion Pt: LOT 01 Sec 03 T 57N R 02W
Use: DOMESTIC (0.02 CFS)
RECREATION (0.20 CFS)
RECREATION STORAGE (2.0 AF)
In: LOT 01 Sec 03 T 57N R 02W
96-8284
KACHEL, SCOTT
RT. 1 BOX 226 SAMUEL, ID 83863
Source: CARIBOU CREEK trib. to PACK RIVER
Date Filed: 06/28/83
Diversion Pt: NWNE Sec 04 T 59N R 02W
Use: IRRIGATION (0.02 CFS)
POWER: (0.20 CFS)
DOMESTIC: (0.04 CFS)
RECREATION: (0.20 CFS)
In: SWSE Sec 11 59N R 02W FOR 5 ACRES
96-8286
HAMMER, GARFIELD
HCR 66 BOX 808, SAGLE, ID 83860
Source: SPRING trib. to SINKS
Date Filed: 06/24/1983
Diversion Pt: SESW Sec 04 T 56N R 01W
Use: DOMESTIC (0.02 CFS)
In: SESW Sec 04 T 56N R 01W
96-8287
KOICH, GEORGE B. &/or PATRICIA
6800 COLBURN-CULVER RD., SANDPOINT, ID 83860
Source: GROUNDWATER
Date Filed: 06/28/1983
Diversion Pt: NWNW Sec 04 T 58N R 01W
Use: IRRIGATION (0.02 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.11 CFS)
In: NENW NWNW Sec 35 T 55N R 01W FOR 20 ACRES
96-8288
BENNER, WAYNE &/or VICKI
RT 1 BOX 233, SAGLE, ID 83860
Source: GROUNDWATER
Date Filed: 06/28/1983
Diversion Pt: SWSE Sec 14 T 56N R 03W
Use: IRRIGATION (0.02 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.02 CFS)
In: SWSE Sec 14 T 56N R 03W FOR 15 ACRES

MICROFILMED

M E M O R A N D U M

DATE: March 11, 1998

TO: File 96-08277

FROM: Kari Lynn Townsend

RE: Returned Mail

=====

The water right license that was mailed in February 1998 was returned by the postoffice for address correction.


In checking thru the file I noticed that the Proof of Beneficial Use had an updated address that had somehow never been included in the database.

I updated the database and resent the license and accompanying paperwork to:

John Clerique
9345 Rapid Lightning Rd
Sandpoint ID 83864

MICROFILMED

APR 10 1998



RECEIVED

MAR 09 1998

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES

1301 N. Orchard St.
P.O. Box 83720
Boise, ID 83720-0098
(208) 327-7900

TO

L96-08277
JOHN REISE
PO BOX 1165
SANDPOINT

ID 83864

REIS165 838642019 1N 08 03/04/98
RETURN TO SENDER

NO FORWARD ORDER ON FILE
UNABLE TO FORWARD
RETURN TO SENDER



MICROFILMED
APR 10 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 26, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JOHN REISE
JOHN CLERIQUE
PO BOX 1165
SANDPOINT ID 83864

RE: WATER RIGHT NO. 96-08277

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

APR 10 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

APR 10 1998

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 26th day of **February, 1998**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 96-08277

JOHN REISE
JOHN CLERIQUE
PO BOX 1165
SANDPOINT ID 83864



Kari Lynn Townsend
Secretary

MICROFILMED

APR 10 1998

MEMORANDUM

TO: File 96-08277

FROM: Sharla

DATE: February 17, 1998

RE: Licensing Recommendation Adjustments

The adjustments to licensing recommendations for Permit No. 96-08277 are as follows:

H. RECOMMENDATIONS

Irrigation	3/15 - 11/15	0.02 cfs	3.0 afa
Stockwater	1/1 - 12/31	0.01 cfs	0.1 afa
Domestic	1/1 - 12/31	0.02 cfs	0.6 afa
TOTALS		0.02 cfs	3.7 afa

Annual volume is rounded to the nearest tenth, thus the stockwater volume is 0.1 afa.

Examiner: Herman Spangle
Exam Date: July 1, 1997

MICROFILMED
APR 10 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 96-08277

DATE 2/17/98

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	—	<u>✓</u> <u>spell = DONE</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	—	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u> Amendment required <u>NO</u>
PLACE OF USE	—	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U
Overlap file pulled & reviewed —

RATE OF DIV

Permitted Rate	<u>.50</u> cfs
Fee limit	<u>.04</u> cfs \$ <u>NO FEE PD.</u>
Measured	<u>—</u> cfs
Theoretical	<u>.02</u> cfs

Recommended Total Div Rate .02 cfs

ANNUAL VOLUME/
NATURE OF USES —

Use	cfs	Volume Calc
<u>1st</u>	<u>.02</u>	<u>3.0</u> af
<u>Stock</u>	<u>.01</u>	<u>.1</u> af
<u>Dom</u>	<u>.02</u>	<u>.6</u> af
		af
SUBTOTAL	<u>.02</u>	<u>3.7</u> af

Flow rate .02 cfs X 245 days X 1.98 = 9.7 af

Total volume recommended 3.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

1st home (WBS)

CONDITIONS — Watermaster Control WD# —

Flow GW Measurement/Measuring Device
Flow Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A
Adjustment Memo stock vol.

1st Amend Letter N/A
2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 27 1998

Department of Water Resources

96-08277

A. GENERAL INFORMATION

Permit No.

1. Owner: John Clerique Phone No. (208)-263-6489
Current Address: 9345 Rapid Lightning Creek Rd. Sandpoint, Id. 83864
2. Accompanied by: John Clerique EXAM DATE: July 1, 1997
Address: SAME AS ABOVE Phone No. SAME AS ABOVE
Relationship to Permit Holder: Permit holder
3. Source: DONE Creek tributary to Flume Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None
2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
PD#1		SW	SE	SE	14	58N	01E	Bonner	USGS 7.5' QUAD; site visit; Assessor


2. Place(s) of Use:

Indicate Method of Determination USGS QUAD; Assessor

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
58N	01E	14																1.0	1.0
58N	01E	14																D	Domestic
58N	01E	14																S	Stock

MICROFILMED
APR 10 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = N.T.S.

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
P.D. #1	Gears Craftman	1/2	1CW	Jet Pump	334.251481 / 1 1/4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

APR 10 1998

JP-08511

E. NARRATIVE/REMARKS/COMMENTS

System Consist of a 1/2 HP Seals Craftsmans Jet Pump with a 1 1/4" intake and 1 1/4" discharge line. Point of Diversion is 3-4' diameter Concrete Rings. The three rings are stacked one each other for a depth of 12ft. Water depth is approx 8' deep. The Bottom 2 Rings are slopped to allow infiltration of the water. Water is pumped from the Cistern to the home in a 1 1/4" Black PVC Pipe. Water use is for Domestic, IRRIGATION, and Stockwater.

Permit 96-08277 describes two water sources and 2 homes. The unnamed stream source was not developed by Mr. Reize whom is a brother of Mr. Clerique.

*No Power generation OR Recreational Storage is taking place

IRRIGATION Portion is for 1 ac of LAWN & GARDEN.

2)* Recommend only Listing John Clerique on License and DOWNE
Creek only as the water source *

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

APR 10 1998

F. FLOW CALCULATIONS

Measured Method:

☒ Additional Computation Sheets Attached

See Theoretical Calculation

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (1.0)(3.0) = 3.0 \text{ ACRE FT.}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.02)(245)(1.9835) = 9.72$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.0 \text{ ACRE FEET}$$

2. Volume Calculations for Other Uses:

$$1 \text{ Home} = \text{Domestic Use} = .6 \text{ ACRE FT}$$

$$1 \text{ HORSE} = 12 \text{ gpd/HORSE} = 12 \times 365 = 4380 \text{ GPY} = .013 \text{ ACRE FEET}$$
$$325.850$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	.02	3.0
Domestic	1-01	12-31	.02	.6
Stock Water	1-01	12-31	.04	.02
Totals:			.07	3.62

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☒ Other

MICROFILMED

I. AUTHENTICATION

Field Examiner's Name

Harriet Sample

Date

July 2, 1997

APR 10 1998

Reviewer

Date

SEAL

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 96-08277

DATE: 2-JUL-97

COMPLETE BY: HERM

HORSEPOWER = .5

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 15 FEET


SYSTEM PRESSURE = 50 PSI

QUANTITY = 0.02 CFS


MICROFILMED
APR 10 1998



SLOTTED Concrete Cistern next
to Creek for Infiltration & Pump Location



1/2 HP Craftsman Pump
w/ Pressure Tank



9 185777

PERMIT # 46-08277

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PERMIT REPORT SUPPLEMENT

PHOTOGRAPHS



PLACE OF USE
STOCKWATER



MICROFILMED
APR 10 1967

July 24, 1990

John Reise or John Clerique
9345 Rapid Lightning Road
Sandpoint, ID 83864

RE:96-08277

Dear Sirs:

In order for your water development covered under Permit No. 96-08277 to become licensed, it is necessary to conduct a field examination to determine the extent of beneficial use. To schedule the field examination of your water right, please complete the enclosed form and return it in the envelope provided.

Sincerely,

Theresa J. Bright
Field Examiner

Enclosures

MICROFILMED

APR 10 1992

Main track along fence 1/8 m, up hill to NW 1/4 S
left 710' for R go R + down steep dip
out of dip 30-100' up to left forks, go R +

MEMORANDUM

TO: FILE

Theresa Bright, Field Agent

FM: ~~Tom King, Sr. Agent~~ - Northern Region

SUBJECT: Permit # 96-08277

DATE: , 1989

=====

The hydro-electric portion of this permit has been abandoned.

~~This water system has been constructed in such a fashion that the maximum rate of diversion is less than 0.70 cfs, it is also a closed system with no accessible method of installing a measuring port.~~ I therefore recommend that the Measuring Device Requirement be removed.

MICROFILMED

APR 10 1989

Contact Sheet for Scheduling Beneficial Use Field Examination

PERMIT NUMBER 96-08277

DATE: 9/23/96 **EXAM DATE:** / / **NOTES:** Left message

@ Message phone # 265-4738 for John Clarique to call for
a field Exam @ 1408 H. Spangl

EXAMINER:

DATE: 10/11/96 **EXAM DATE:** / / **NOTES:** Call John

Clarique # in 1996 Phone book ~~in 1996~~ left message to
have him call for field Exam. H. Spangl @ 1530

EXAMINER:

DATE: 5/28/97 **EXAM DATE:** / / **NOTES:**

Talked with Mrs Clarique and told her what the Exam entailed
She is going to call husband (John) to make arrangements. He doesn't get
home until around 6:00 or 7:00 @ night H. Spangl

EXAMINER:

DATE: 6/5/97 **EXAM DATE:** / / **NOTES:** 7:20 AM

Called and Told Mrs. Clarique to have John to leave message when
he wants to do the exam and I will be there.

EXAMINER:

If Permit holder has been contacted four times and it was not possible to schedule a field examination, this file should be brought to the attention of Al Beardslee.

Al's Notes:

Called @ 7:19 on June 19th, I left message for John
to call and schedule an appointment as soon as possible
and that I could meet him later than the 4:00 appointment
that we had and was subsequently cancelled. H. Spangl



MICROFILMED

APR 10 1998

T. 58N, R. 01E, Sec. 14

96-08277

58N

1E

14

SECTIONS
WITH
GOV'T
LOTS

① ② ③ ④ ⑤ ⑥ ⑦ ~~_____~~
~~_____~~ ⑧
⑨ ~~_____~~
~~_____~~ ⑩ ⑪ ~~_____~~

T.58 N. R. 1 E

MICROFILMED
APR 10 1998

96-08277
Clarique, John



State Idaho

DEPARTMENT OF WATER RESOURCES


NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

March 8, 1989

Mr. John Clerique
9345 Rapid Lightning Rd.
Sandpoint, Id. 83864



Department of Water Resources

Re: 96-8277

Dear Mr. Clerique:

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Enclosed is a copy of an order relating to your permit.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

NOT RECORDED

APR 05 1989



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 96-8277

Date: 2-17-89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
N Proof received timely
Y Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
N Has one been installed?
N Waiver or modification of measuring device requested

Remarks:

*Proof acceptable
Reinstate per Rita*

<u>Y</u>	Priority Calculation:		
	Date proof received	<u>Feb. 10, 1989</u>	$\begin{array}{r} 365 \\ + 41 \\ \hline 406 \end{array}$
	Date proof due	<u>Dec. 1, 1988</u>	$\begin{array}{r} 406 \\ - 335 \\ \hline 71 \end{array}$
	No. of days late		$= 71$
	Priority date	<u>June 27, '83</u>	$+ 178$
	NEW PRIORITY DATE	<u>Sept. 6, '83</u>	$= 249$

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
FEB 6 1989
FEB 10 1989

Dear MR Saxton:

Department of Water Resources


I am responding to my conversation
with you on 2-6-89, on that date
I received the lapse notice from
John Reise who now resides in Calif.
John Reise is no longer interested
in developing his portion of the permit
96-08277. all that is being
used ^(water) in 1 house on DUNN CREEK
(my residence), irrigation of a household
garden and water for 2 horses.
I have abandoned the mini HYDRO-
ELECTRIC project.

Thank you
John Clenjen

RECEIVED

APR 05 1989

John Clerique
9345 RAPID LIGHTNING RD
SANDPOINT ID
83864



STATE OF IDAHO
DEPT OF WATER RESOURCES
1301 NORTH ORCHARD ST
STATEHOUSE MAIL
BOISE Idaho 83720

ATTN GLEN SAXTON

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

December 9, 1988

John Reise
John Cleriave ←
77-699 Calle Los Brisass
Palm Desert, CA 92260

LAPSE NOTICE

RE: PERMIT NO. 96-08277

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper form in our proof due notice to you dated September 30, 1988.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this department within sixty days of the date of mailing of this lapse notice or the permit will no longer be of any force or effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

L. Glen Saxton
Chief, Water Allocation Bureau

Enclosures

LGS:RF

MICROFILMED

APR 05 1989

CERTIFIED TRUE COPY
Thereby, I, the undersigned, do hereby certify that the foregoing is a true and correct copy of the original as the same appears in the files of the Idaho Department of Water Resources, Boise, Idaho, and is true and correct to the best of my knowledge and belief.
12-9-88
Jodi L. Schultz

FROM

Jodi

DATE

10/14/88

TO

file # 94-8277

SUBJECT

Called assessor → Bonner Cnty.
Requested new address for:

John Reise
77-699 Calle Los Brisass
Palm Desert, CA 92260

John Cleriave

MICROFILMED

APR 05 1989

Re-mailed
Proof due
Notice

JS

SIGNATURE

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Post Office Box

Boise, Idaho 83720

REASON CHECKED
Forward Expired ☒
Insufficient Address ☐
Undeliverable as used ☐
Address change known ☐
No last first number ☐
No birth date number ☐
No Mail Receipts ☐
S.B.

Check No.

797516

☐ Hold

Date

10-3

1ST Notice

2ND Notice

Return

Delivered
PS
Oct. 1988

REGISTERED

1988
1988

Department of Water Resources
Department of Water Resources

CERTIFIED

NO. 138543

CLE 65 9905DGN1 10/05/88

RETURN TO SENDER
NO FORWARDING ORDER ON FILE
UNABLE TO FORWARD

FILED

APR 05 1989

JOHN CLERIAVE
JOHN REISE
P.O. BOX 1165
SANDPOINT, ID 83864

September 30, 1988

138543

PROOF DUE NOTICE

RE: PERMIT NO. 96-08277

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

APR 05 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

REISE, JOHN
P.O. BOX 1165
SANDPOINT, ID 83864

JANUARY 17, 1984

RE: PERMIT NO. 96-8277

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

IF THE DIVERSION DAM IS 10 FEET OR MORE IN HEIGHT, OR HAS AN IMPOUNDING CAPACITY OF 50 ACRE-FEET OR MORE, CERTAIN DAM SAFETY REQUIREMENTS MUST BE MET. PLEASE CONTACT THE REGIONAL OFFICE NEAREST YOU FOR DETAILS.

PLEASE BE ADVISED THAT PRIOR APPLICATIONS FOR PERMIT HAVE BEEN FILED TO APPROPRIATE WATER FROM YOUR SOURCE WHICH MAY IMPACT THE AVAILABILITY OF WATER TO BE USED UNDER THIS PERMIT. THEREFORE, YOU SHOULD BE SURE TO ANALYZE THE IMPACT OF THESE RIGHTS BEFORE MAKING A MAJOR INVESTMENT FOR YOUR WATER USE PROJECT.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

MICROFILMED

RE: PERMIT 96-8277

PAGE 01
JANUARY 17, 1984

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

POWER CALCULATIONS FOR APPLICATION NO. 96-8277

85 watts = ~~7.74 X hp~~ proposed

P = Kilowatts 85 .74 X hp

.085 kw

Q = cfs 0.50

H = feet 20'

e = efficiency

$$P = \frac{QHe}{11.8} = \frac{0.50 \times 20' \times 80\%}{11.8} = \frac{8.0}{11.8} = \frac{0.68}{.74} \text{ kw} = 0.92 \text{ hp}$$

$$P = \frac{QHe}{11.8} = \frac{0.50 \times 20' \times 70\%}{11.8} = \frac{7.0}{11.8} = \frac{0.59}{.74} \text{ kw} = 0.80 \text{ hp}$$

$$e = \frac{P(11.8)}{QH} = \frac{0.085(11.8)}{0.50 \times 20'} = \frac{1003.0}{10.0} = 100.3\% \text{ NOT REASONABLE}$$

$$0.80 \text{ kw} \times .001 = \text{kw} = 0.68$$

$$e = \frac{0.68(11.8)}{0.50 \times 20} = \frac{8.02}{10.0} = 0.80 \checkmark$$

Based on the above calculations the proposed project must have an 80 % efficiency.

OVERLAP REVIEW

P/D 96-4120 - Done Ck. NW 1/4 SE 1/4, Sec. 14
96-7690 - Flume Ck. SE 1/4 NE 1/4, Sec. 14
NO-96-8357 - Flume Ck. SW 1/4 NW 1/4, Sec. 14 (power use)
see attached sheet

P/U no power overlaps - see attached sheet

BYPASSED AREA

MICROFILMED

kw
12/20/83

$$Q = \frac{P(11.8)}{He}$$

$$H = \frac{P(11.8)}{Qe} = \frac{85(11.8)}{0.50(80\%)} = \frac{1003.0}{0.40} = 2507.50$$

$$e = \frac{P(11.8)}{QH}$$

96-8277 - overlap review for power 12/20/83

<u>pd/sec</u>	<u>stage</u>	<u>use</u>
96-4120	S	A
96-7690	P	A, S, D
96-8357	A	A, P, D ← power over lap

pu/sec

96-7690	A
96-8357	A

no pu power overlaps

MICROFILMED

UNCLASSIFIED

962223
96-7054
96-8047

96-8073
96-7318 96-7898
96-7890
96-7100 (2) 96-7478
96-2274
96-2136

962283 96-7615
96-7511 (2) 96-7527
96-7510 96-7557
96-7099 96-7557

962173 962175 (SEE
962156 962183 AT TAGGED)
962151 GARREDOBORO

96-4197 96-7608
96-7596
96-7220
96-4165
96-7974
96-7975
96-8581

967151

96-7181

96-7430

96-7876

96-7368

96-7439

96-7605

96-2209 96-7392

96-7347 96-7817 96-7919

96-7219 96-7311 96-7440


96-7203 96-4120 96-7359

96-7278 96-7207 96-7334 96-7368

96-7168 96-7400 96-7363 96-7399

96-7169 96-7169

967119 96-7373
967084 (3)



State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JA

APPLICATION NUMBER: 96-8277

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: 7/21/83

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8/1/83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9/8/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 6/27/83 Date of priority recommended.
☒ Special conditions of approval or cover letter. OBA

By: RAY

Date: 10/5/83

STATE OFFICE REVIEW:

LOG, L19, L14, L18, L17 18B 28 (stockwater, 0.02) 26 OIF OBA L10 25

- ☐ See attached sheet for more information.

By: Kay

Date: 12/21/83

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

96-8277-

REISE, JOHN
CLERIAVE, JOHN

P.O. BOX 1165, SANDPOINT, ID 83864

Source: DUNN CREEK trib. to FLUME CREEK
UNNAMED STREAM trib. to FLUME CREEK

Date Filed: 06/27/1983

Diversion Pt: SESE Sec 14 T 58N R 01E

Use: IRRIGATION	(0.10 CFS)
STOCKWATER	(0.04 CFS)
POWER	(0.50 CFS)
DOMESTIC	(0.04 CFS)
RECREATION STORAGE	(1.0 AF)

In: SESE Sec 14 T 58N R 01E FOR 10 ACRES

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

7/21/83

Department of Fish & Game
2320 Government Way
Coeur d'Alene, Id. 83814

Re: 96-8277

Gentlemen:

Enclosed is a recent filing with this Department that may be of
interest to you.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH/pms

Enc. - Appln.

RECEIVED