

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991

Department of Water Resources
Permit No. 96-08247

A. GENERAL INFORMATION


1. Owner: John W. Hobday Phone No. _____
Current Address: 400 W Elmira Rd SANDPOINT, ID 83864
2. Accompanied by: Owner & Tom King EXAM. DATE: 5/7/90
Address: Same Phone No. _____
Relationship to Permit Holder: Spouse / AGENT
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: 1
size/ditch size/pipe i.d. as appl




MICROFILMED

FEB 12 1992

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).


MENT OF THE INTERIOR
OLOGICAL SURVEY



SCHEMATIC

Provide a schematic Diagram showing the location of the well in the 1/4 with respect to houses, roads, other wells or readily identifiable features.

MENT OF THE INTERIOR OLOGICAL SURVEY



MICROFILMED

FEB 12 1992

Inspected by Sub King

Date 5/15/90

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08247

Priority: June 14, 1983

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

6.0 AF

This is to certify, that JOHN W HOBDAV
400 W ELMIRA RD

SANDEPOINT ID 83864 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 14, 1983; and has submitted Proof of Beneficial Use on July 18, 1988. An examination indicates that the works have a diversion capacity of .110 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	6.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 4, Township 59N, Range 01W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
59N	01W	4	SESE	2		2

Total number of acres irrigated: 2

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

FEB 12 1992


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 96-08247

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 11TH
day of JANUARY, 1992

Acting for


R. Keith Higginson, Director

FEB 12 1992

Form 202
RECEIVED
JUN 14 1983

Department of Water Resources
Northern District Office

Ident. No. 96-8247

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant John W. Hobday Phone (208) 263-7166
Post office address rt. 1 box 287 Samuels Idaho 83862
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 04 Township 59
Range 1W B.M. Bonner County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.20 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Wells, pump and pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 10

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion *App*

b. Who owns the land to be irrigated or place of use *AdP*

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

YBB3074E

MICROFILMED

John W. Hobbay
(Applicant)

(Applicant)

Proposed Priority 6/14/1983

MICROFILMED

Received by pm Date 6/14/83 Time 1:50pm
Preliminary check by ELH Fee \$ 30.00
Receipted by pm Date 6/14/83 (27640)
Publication prepared by pm Date 6/16/83
Published in Sandpoint Daily Bee
Publication dates 6/22-6/29/83
Publication approved pm Date 7/26/83
Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ELH RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-8247, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 12th day of August, 1983.

J. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of _____

Legal notice

as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 22 day of 6, 1983 and ending on the 29 day of 6, 19 83 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 6 day of 7, 1983.

Michael M. Thompson

Notary Public for Idaho,

Residing at Sandpoint, Idaho

RECEIVED

JUL 14 1983

Department of Water Resources
Northern District Office

NOTICE OF APPLICATION FOR WATER RIGHT. The following application(s) have been filed to appropriate the public waters of the State of Idaho.

96-8229

SMITH, SCOTT
P.O. BOX 357, CLARK FORK, ID 83811

Source: DRY CREEK trib. to CLARK FORK RIVER
Date Filed: 06/08/1983

Diversion Pt: SENE Sec 05 T 54N R 03E

Use: IRRIGATION (0.10 CFS)

STOCKWATER (0.02 CFS)

DOMESTIC (0.04 CFS)

In: SENE Sec 05 T 54N R 03E FOR 5 ACRES

96-8230

ATTEBERRY, RONALD H. & MARY KAY

HCR 66 BOX 340, SAGLE, ID 83860

Source: GROUNDWATER
Date Filed: 06/08/1983

Diversion Pt: SWSW Sec 34 T 57N R 01W

Use: DOMESTIC (0.06 CFS)

In: SWSW Sec 34 T 57N R 01W

01W

96-8231

LUJAN, JOSEPH R.
P.O. BOX 881, SANDPOINT, ID 83864

Source: UNNAMED STREAM trib. to SAGLE CREEK

Date Filed: 05/27/1983

Diversion Pt: NENE Sec 13 T 56N R 02W

Use: IRRIGATION (0.16 CFS)

In: NENE Sec 13 T 56N R 02W FOR 8 ACRES

96-8232

WILSON, SAMUEL
RT. 2 BOX 237, SANDPOINT, ID 83864

Source: UNNAMED STREAM trib. to SMITH CREEK

Date Filed: 06/10/1983

Diversion Pt: NESW Sec 27 T 57N R 03W

Use: IRRIGATION (0.02 CFS)

In: SESW Sec 27 T 57N R 03W FOR 1 ACRES

96-8233

JYDSTRUP, NANCY M.
RT. 1, BOX 507, SANDPOINT, ID 83864

Source: SUNNYSIDE SLOUGH trib. to PEND OREILLE LAKE

Date Filed: 06/10/1983

Diversion Pt: NENW Sec 10 T 57N R 01W

Use: IRRIGATION (0.20 CFS)

In: NWNE SENE NENW Sec 10 T 57N R 01W FOR 30 ACRES

96-8234

HOFFMAN, CHARLES H.
HCR 66, BOX 730, SAGLE, ID 83860

Source: PEND OREILLE LAKE trib. to PEND OREILLE RIVER

Date Filed: 06/09/1983

Diversion Pt: LOT 04 Sec 22 T 56N R 01W

Use: IRRIGATION (0.02 CFS)

In: LOT 04 Sec 22 T 56N R 01W FOR 1 ACRES

96-8242

CHURCH OF JESUS CHRIST LATTER DAY SAINTS

RT. 3 BOX 344, SANDPOINT, ID 83864

Source: GROUNDWATER

Date Filed: 06/13/1983

Diversion Pt: LOT 02 Sec 16 T 56N R 03W

Use: DOMESTIC (0.02 CFS)

In: LOT 02 Sec 16 T 56N R 03W

96-8243

CHURCH OF JESUS CHRIST LATTER DAY SAINTS

RT. 3 BOX 344, SANDPOINT, ID 83864

Source: GROUNDWATER

Date Filed: 06/13/1983

Diversion Pt: NWSE Sec 05 T 55N R 02W

Use: IRRIGATION (0.03 CFS)

DOMESTIC (0.04 CFS)

In: NWSE Sec 05 T 55N R 02W FOR 1 ACRES

96-8244

WYTHE, JOSEPH H. & LOIS R.

P.O. BOX 578, SANDPOINT, ID 83864

Source: PACK RIVER trib. to PEND OREILLE LAKE

Date Filed: 06/07/1983

Diversion Pt: NWSE Sec 24 T 58N R 01W

Use: IRRIGATION (0.20 CFS)

In: NWSE Sec 24 T 58N R 01W FOR 10 ACRES

96-8247

HOBDAY, JOHN W.
RT. 1 BOX 287, SAMUELS, ID 83862

Source: GROUNDWATER

Date Filed: 06/14/1983

Diversion Pt: SESE Sec 04 T 59N R 01W

Use: IRRIGATION (0.20 CFS)

In: SESE Sec 04 T 59N R 01W FOR 10 ACRES

96-8248

FANNING, FRANCES
HCR 66 BOX 278, SANDPOINT, ID 83864

Source: SPRING trib. to SINKS

Date Filed: 06/14/1983

Diversion Pt: LOT 01 Sec 30 T 57N R 01W

Use: IRRIGATION (0.03 CFS)

STOCKWATER (0.02 CFS)

FIRE PROTECTION (0.05 CFS)

In: LOT 01 Sec 30 T 57N R 01W FOR 1 ACRES

96-8251

GILMAN, PETER
GENERAL DELIVERY, HOPE, ID 83836

Source: UNNAMED STREAM trib. to PEND OREILLE LAKE

SPRING trib. to PEND OREILLE LAKE

Date Filed: 06/13/1983

Diversion Pt: SENE Sec 21 T 57N R 01E

Use: DOMESTIC (0.04 CFS)

In: NWNE SWNE Sec 21 T 57N R 01E

The permit(s) will be subject to all prior water right

Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. W.

Coeur d'Alene, Id. 83814 or before July 11, 1983.

KEN DUNN, Dir.

Published 6/22 & 6/29/83

MICROFILMED

January 14, 1992

JOHN W HOBDAV
400 W ELMIRA RD
SANDPOINT ID 83864

RE: WATER RIGHT NO. 96-08247

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:blm

Enclosure

RECEIVED

FEB 12 1992

October 16, 1991

JOHN W HOBDAV
400 W ELMIRA RD
SANDPOINT ID 83864

RE: WATER RIGHT NO. 96-08247

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

FEB 12 1992

LICENSE REVIEW CHECKLIST

Permit No. 96-8247

Name/Address change? ok ✓

Priority date Advance? yes no ✓

Memo to advance
Order to reinstate needed? yes no ✓

Total cfs Limited by fee .04

Limited by capacity

Total volume Limited by flow

Chart checked for AF rate/ac ✓ 3.0

Capacity Actual measurement checked

Theoretical checked 18.84(7)/10+2.31820 = .11 cfs

If greater than permit, check for other rts

Source Changed? yes no ✓

If so, is memo needed to clarify?

P/D Verify with map ✓ permit ✓

More than one per 1/4? Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart ✓

P/U Verify with map ✓ permit ✓

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4

Description of non-irrig uses

Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd ✓
Proof Rec'd ✓

CHECK FOR ADJ. CLAIM Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed ✓

Not needed

Comments/Changes to Examiner's Recommendations:

FEB 12 1992

License 10-day ✓ 30-day

Back of field report signed?

Reviewer Curtis Date 10/14/91 Review time 5 min.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991

Department of Water Resources
Permit No. 96-08247

A. GENERAL INFORMATION



1. Owner: John W. Hobday Phone No. _____
Current Address: 400 W Elmira Rd SANDPOINT, ID 83864
2. Accompanied by: Owner & Tom King EXAM. DATE: 5/7/90
Address: Same Phone No. _____
Relationship to Permit Holder: Spouse / AGENT
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: _____
size/ditch size/pipe i.d. as appl



NOT FILMED

FEB 12 1992

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991

A. GENERAL INFORMATION

1. Owner: John W.
Current Address: 400 W
2. Accompanied by: Owner
Address: Same
Relationship to Permit Holder
3. Source: GROUNDWATER


B. OVERLAP REVIEW

1. Other water rights with same p

2. Other water rights with same p

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED

FEB 12 1992

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of variables, etc.)
 A three and one half foot diameter concrete well casing installed vertically a depth of 12 feet. The water is conveyed from this casing by a one horse power motor and pump, through a one and a half inch pipe line which delivers water to three hose bibs with vinyl hoses and sprinklers. The well casing also contains a 3/4 hp pump and 5" sandpoint for domestic purposes.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
INACCESSIBLE		1			

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	4	59N	1W	Bonner	map

6. **Place(s) of Use:**

Indicate Method of Determination Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
59N	1W	4																#1	1

FEB 12 1992

Do not use this space

Topographic map of the McArthur Lake State Wildlife Management Area. The map features a grid with coordinates ranging from 116° 30' to 116° 33' longitude and 53° 30' to 53° 33' latitude. Key labels include 'NATIONAL FOREST', 'McARTHUR LAKE STATE WILDLIFE MANAGEMENT AREA', 'Deep Creek', 'Elmira', and 'Pipeline'. A large handwritten number '96-0824' and a date stamp 'FEB 12 1992' are overlaid at the bottom. The map also shows various contour lines, spot elevations, and a 'Trans Line'.

96-08247 FEB 12 1992

FEB 12 1992

59N
1W
4

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{(8.8)(1.0)(80)}{(2.3)(20) + 10 \text{ psi}} = 13 \text{ system capacity}$$

.11 sc

2. Alternate Method for Checking Purposes:

$$3 \text{ risers @ } 6 \text{ gal/min} = \frac{18 \text{ gpm}}{448.8} = .04 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 6.0$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 184$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 6.0$$

2. Volume Calculations for Other Uses:

RECEIVED
FEB 12 1992


[illegible]

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRR	3-15	11-15	0.04	6.0
		Totals:	0.04	6.0

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Field Examiner's Name Tom King Theresa Bright
Signature [Signature]
Certification Date 4/16/90
Field Report Preparation Date 5/15/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MEMORANDUM

FEB 12 1992

State of Idaho
Department Of Water Resources

WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be attached to the beneficial use field report. If well construction standards do not appear to be met, a copy of this form should be forwarded to Groundwater Protection Section.

Water Right Permit No. 96-08247

1. Legal Description of Well Location:

Twp. 59 N, Rge. 1W Sec. 4, SE $\frac{1}{4}$ SE $\frac{1}{4}$ Gov. Lot _____

2. Owner: JOHN HOBDAV

Address: 400 W. ELMIRA SANDPOINT, ID. 83864

City _____, State _____

3. Approximate date of well construction 1900

Well driller: NONE

4. Casing: Diameter 3.5' Condition Good

5. Casing length above land surface 18"

6. Well depth (ft) 12 Flowing _____ Temperature _____ Access Port /

7. Condition of piping and valving Good

8. Evidence of well seal NO

9. Shut in pressure or static water level 10

10. Evidence of leakage around the casing NO

11. Does well need repair NO

12. Comments HAND DUG


MICROFILMED

FEB 12 1992

SCHEMATIC

Provide a schematic Diagram showing the location of the well in the ¼/¼ with respect to houses, roads, other wells or readily identifiable features.

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



RECEIVED

FEB 12 1992

Inspected by Sub King

Date 5/15/90

To: File 96-8247

From: Groundwater Protection

Date: 11/9/

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☐ Found and is in file
☒ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller, *and date drilled*
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

*Shallow well not
by driller - no log*

OK

JB

RECEIVED

FEB 12 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

December 9, 1988

Mr. John Hobday
400 W. Elmore Rd.
Sandpoint, Id. 83864

Re: 96-8247

Dear Mr. Hobday:

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED
JAN 11 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 96-8247

Date: 11/9/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
* N 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

* See g.w. protection memo

N/A Priority Calculation:
Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 217
03/86

RECEIVED

JUL 18 1988

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by gf
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 96-8247

Name(s) of Permit Holder: JOHN W. HOBDAV

Post Office Address: 400 W. ELMIRA RD. SANDPOINT, ID. 83864

(Please Note ADDRESS CHANGE)

Telephone No. 263-7166

Source of Water: PRIVATE WELL

Extent of Use:

Domestic 1 (4 people) (number of households) Stockwater 2 horses (number and type of stock)
3 cows

Irrigation Approx 8 (acres) Other/Remark Part Garden,

Part FIELD (J-H)

Total rate and/or volume for which proof is submitted 0.20 cfs 0.04 acre-feet

Show the date water was first diverted and beneficially used under this permit: JULY 1983

Measuring Device: Required? Yes X No
Installed? Yes X No

Fee enclosed \$ 0 (SINGLE FAMILY)
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes X No

Person to contact to accompany the Department representative during the field examination:

JOHN HOBDAV (Name) work 263-8521 (Telephone Number)
Home 263-7166

400 W. ELMIRA RD. (Address)

The above information is my true statement of the extent to which the above numbered permit has been used and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

JAN 11 1989

7/14/88
Date

John Hobday
Signature of Permit Holder (and title, if appropriate)

To: File 96-8247

From: Groundwater Protection

Date: 11/9/

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☐ Found and is in file
☒ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller, *and date drilled.*
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

*Shallow well not
by driller - no log*

OK

JB

MICROFILMED

JAN 11 1989

RECEIVED

NOV 07 1988

Department of Water Resources

Nov. 3, 1988

Dear Sirs:

I have been in Sacramento California visiting my Dad who has Terminal Cancer and is on a Kidney machine. We thought his death was near, but ^{he} has temporarily recovered.

Your letter arrived while I was there, and I have been preparing for winter since returning home. Please excuse my delay in answering your letter.

I believed that because I am operating a single family domestic + stockwater use that there would be no fee. According to your letter, that is incorrect.

I have decided to just apply for the 0-.04 cfs because I only spot water now and doubt if I ^{will} use that much water anyway. I don't believe my well is capable of pumping 90 gpm. anyway.

It is a backhoe dug well that I put in in 1973 using 3' casings. It dried up in 1974 so I installed a sandpoint below the original well 6' deeper. I have the capability of operating 2 pumps, a $\frac{1}{2}$ + $\frac{3}{4}$ H.P., but currently only use the $\frac{1}{2}$ H.P. pump. There is no well drillers report.


Thank you,
Sincerely,

John Hobday

MICROFILMED

JAN 11 1989

John & Sherry Hobday
400 W. Elmira Rd.
Sandpoint, Idaho 83864



State of Idaho
Dept. of Water Resources
1301 North orchard St.
Boise, Idaho
83706-2237

October 12, 1988

John W. Hobday
400 W. Elmira Rd.
Sandpoint, ID 83864

RE: Permit No. 96-8247

Dear Permit Holder:

Enclosed is your Proof of Beneficial Use form received in this office on July 18, 1988 requesting water use at a rate of 0.20 cfs or 90 gpm. Please note the enclosed instruction sheet which lists the examination fee for 0.20 cfs as \$50. This fee is required for diversions greater than 0.04 cfs.

Also, before the department can complete processing, additional information is needed. If you have a well driller's report, please send a copy to the department. If you do not have one, please let me know who drilled the well and when it was drilled.

Please remit the \$50 examination fee and requested information soon to keep your permit in good standing.

If you have any questions, feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: N. Region

Enclosure

MICROFILMED

JAN 11 1989

To: File 96-8247

From: Groundwater Protection

Date:

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☐ Found and is in file
☒ Not found

Follow-up

☒ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

Ritz - Do you need see
for this? *yes*
JB


MICROFILMED

JAN 11 1989

John & Sherry Hobday
400 W. Elmira Rd.
Sandpoint, Idaho 83864



STATE OF IDAHO
DEPT. OF WATER RESOURCES
STATE HOUSE
BOISE, IDAHO
83720



138935
CERTIFIED MAIL
May 31, 1988

HOBDAV, JOHN W.
RT. 1 BOX 287
SAMUELS, ID 83862

PROOF DUE NOTICE

RE: Permit No. 96-8247

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED
JAN 11 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

HOBDAV, JOHN W.
RT. 1 BOX 287
SAMUELS, ID 83862

AUGUST 30, 1983

RE: PERMIT NO. 96-8247

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RJA

APPLICATION NUMBER: 96-8247

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 7/11/83 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/14/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
6/14/83 Date of priority recommended.
✓ Special conditions of approval or cover letter. _____

By: RJA Date: 7/29/83

STATE OFFICE REVIEW:

SW/LIT 26
☐ See attached sheet for more information.
By: [Signature] Date: 8/9/83

RECEIVED

AUG 05 1983

Department of Water Resources

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

96-8247-

HOBDAV, JOHN W.

RT. 1 BOX 287, SAMUELS, ID 83862

Source: GROUNDWATER

Date Filed: 06/14/1983

Diversion Pt: SESE Sec 04 T 59N R 01W

Use: IRRIGATION (0.20 CFS)

In: SESE Sec 04 T 59N R 01W FOR 10 ACRES

MICROFILMED